



**NOTE:**

1. Base shall be 11 inches of base rock (LBR 100 min.) compacted to 98% max density per AASHTO T-180.  
Alternate: 7 inches of asphalt base course may be used.
2. Alternative pavement section having a minimum total structural number of 2.82 may be utilized, as approved by Town Engineer.



**TOWN OF JUPITER**  
**ENGINEERING DIVISION**  
 210 MILITARY TRAIL  
 JUPITER, FLORIDA 33458  
 (561) 746-5134

**PAVEMENT WIDENING**  
**w/ Asphalt Milling & Overlay**  
 DETAIL AND REQUIREMENTS

DETAIL NUMBER

**112c**

Revised 20220203