Hazen

TOWN OF JUPITER

Town of Jupiter

Vulnerability Assessment

Final Report

December 2025

DISCLAIMER: This work was funded in part through a grant agreement from the Florida Department of Environmental Protection's (FDEP's) Office of Resilience and Coastal Protection Resilient Florida Program. The views, statements, findings, conclusions, and recommendations expressed herein are those of the author(s) and do not necessarily reflect the views of the State of Florida or any of its subagencies.

Table of Contents

Executive Summary ES-1
1. Introduction 1-1
2. Data Collection 2-1
2.1 Literature Review and Inventory of Existing Stormwater Studies 2-1
2.2 Critical Assets 2-2
2.3 Digital Elevation Model 2-4
2.4 Sea Level Rise Projection 2-4
2.5 Tidal Flooding 2-7
2.6 Design Storm Data 2-8
2.7 Rainfall Induced Flooding Change Factor 2-9
2.8 Storm Surge 2-10
3. Data Gap Analysis 3-1
4. Model Development 4-1
4.1 Modeling Data Elements 4-1
4.1.1 Subbasin Delineation 4-1
4.1.2 Land Cover/Land Use 4-4
4.1.3 Soils 4-6
4.1.4 Groundwater 4-8
4.1.5 Hydraulics 4-8
4.2 Modeling Methodology and Parameterization 4-10
4.2.1 Modeling Software 4-10
4.2.2 Hydrology 4-10
4.2.2.1 Infiltration 4-10
4.2.2.2 Time of Concentration and Unit Hydrograph 4-10
4.2.2.3 Node Storage 4-11
4.2.3 Hydraulics 4-11
4.2.3.1 Links 4-11
4.2.3.2 Channels 4-11
4.2.3.3 Pipes 4-13

4.2.3.4 Weirs 4-13
4.2.4 Modeling Schematic....4-13
4.3 Flooding Scenarios 4-16
5. Exposure Analysis 5-1
5.1 Facilities 5-3
5.1.1 Flood Depths – Buildings 5-3
5.1.2 Flood Depths – Parcels 5-3
5.1.3 Exposure Scoring....5-3
5.2 Polyline Features 5-4
5.2.1 Flood Depths – Roadways....5-4
5.2.2 Flood Depths – Bridges 5-4
5.2.3 Exposure Scoring....5-4
5.3 Point Features....5-4
5.3.1 Flood Depths....5-4
5.3.2 Exposure Scoring....5-5
5.4 Exposure Analysis Results 5-5
5.4.1 Facilities – Buildings 5-5
5.4.2 Facilities – Parcels....5-6
5.4.3 Roadways 5-6
5.4.4 Bridges....5-6
5.4.5 Point Features....5-6
6. Sensitivity Analysis 6-1
6.1 Scenario Weighting Factor 6-1
6.2 Risk Scores....6-8
6.2.1 Criticality Factors 6-8
6.2.1.1 Facility Criticality Factors 6-8
6.2.1.1.1 Critical Services Factor....6-8
6.2.1.1.2 Occupancy Factor....6-9
6.2.1.1.3 Structural Damage Factor....6-9
6.2.1.2 Polyline Feature Criticality Factors 6-10
6.2.1.2.1 Roadway Classification....6-10
6.2.1.2.2 Roadway Importance Factor....6-11

6.2.1.3 Point Feature Criticality Factor 6-11
6.2.1.3.1 Interconnects and Wells 6-11
6.2.1.3.2 Historical and Cultural Assets 6-12
6.2.1.3.3 Sanitary Lift Stations 6-12
6.3 Risk Score Results 6-13
6.3.1 Facilities 6-13
6.3.1.1 Buildings 6-13
6.3.1.2 Parcels 6-13
6.3.2 Polyline Features 6-14
6.3.2.1 Roadways 6-14
6.3.2.2 Bridges 6-15
6.3.3 Point Features 6-15
6.3.3.1 Interconnects and Wells 6-15
6.3.3.2 Sanitary Lift Stations 6-16
6.3.4 Overall Sensitivity Analysis Results 6-17
7. Identify Focus Areas 7-1
7.1 East Toney Penna Drive Area 7-3
7.2 Jupiter Inlet Village Area 7-7
7.3 Limestone Creek Area 7-12
7.4 Maplewood Drive Area 7-14
7.5 North Central Jupiter 7-18
7.6 North Intracoastal Waterway 7-21
7.7 North Jupiter 7-24
7.8 Ocean Way Area 7-27
7.9 Offsite High Service Pumping Facility 7-29
7.10 Riverbend Repump Station 7-31
7.11 Seminole Ave and Rio Vista Drainage Basins 7-33
8. Conclusions 8-1

List of Tables

Table 2-1: Critical Assets for the Town of Jupiter, categorized per FDEP definitions 2-3
Table 2-2: 2022 NOAA SLR Projections at Virginia Key and Trident Pier Stations 2-7
Table 2-3: Averaged SLR Projections for Modeling 2-7
Table 2-4: Projected Tidal Flooding Days 2-8
Table 2-5: Future Tidal Flood Depths 2-8
Table 2-6: Design Storm Rainfall Depths 2-9
Table 2-7: Design Storm Change Factors 2-9
Table 2-8: Future Storm Surge Elevations 2-10
Table 3-1: Data Gap Analysis 3-2
Table 4-1: Soil Type by Percent Cover within the Town 4-6
Table 4-2: Soil Type by Percent Cover within the Model 4-6
Table 4-3: Link Summary by Type 4-11
Table 4-4: Simulated Flooding Scenarios 4-17
Table 5-1: Critical Asset Designation for Exposure Analysis 5-2
Table 5-2: Facility Exposure Scoring 5-3
Table 5-3: Roadway and Bridge Exposure Scoring 5-4
Table 5-4: Point Exposure Scoring 5-5
Table 6-1: Scenario Weighting Factors 6-2
Table 6-2: Critical Services Factor Scoring 6-9
Table 6-3: Occupancy Factor Scoring 6-9
Table 6-4: Structural Damage Factor Scoring 6-10
Table 6-5: Roadway Classification Factor Scoring 6-11
Table 6-6: Roadway Importance Factor Scoring 6-11
Table 6-7: Interconnect and Well Criticality Factor Scoring 6-12
Table 6-8: Sanitary Lift Station Criticality Factor Scoring 6-12
Table 6-9: Risk Scores – Facilities (Top Ten Buildings) 6-13
Table 6-10: Risk Scores – Facilities (Top Ten Parcels) 6-14
Table 6-11: Risk Scores – Top Ten Roadway Segments 6-14
Table 6-12: Risk Scores – Top Bridges 6-15
Table 6-13: Risk Scores – Top Ten Interconnects and Wells 6-16
Table 6-14: Risk Score – Top Ten Sanitary Lift Stations 6-16
Table 6-15: Top Ten Risk Scores – All Critical Assets 6-17
Table 7-1: East Toney Penna Drive Area Critical Assets 7-5
Table 7-2: Jupiter Inlet Village Area Critical Assets 7-9
Table 7-3: Limestone Creek Area Critical Assets 7-14
Table 7-4: Maplewood Drive Area Critical Assets 7-16
Table 7-5: North Central Jupiter Critical Assets 7-20
Table 7-6: North Intracoastal Waterway Critical Assets 7-23
Table 7-7: North Jupiter Critical Assets 7-26
Table 7-8: Ocean Way Critical Assets 7-29
Table 7-9: Offsite High Service Pumping Facility Critical Assets 7-31
Table 7-10: Riverbend Repump Station Area Critical Assets 7-33

Table 7-11: Seminole Ave and Rio Vista Drainage Basin Critical Assets 7-35

List of Figures

Figure ES-1: Identified Focus Areas ES-4
Figure 1-1: Location Map 1-2
Figure 2-1: DEM and Bathymetry 2-5
Figure 2-2: NOAA Stations Close to the Town of Jupiter 2-6
Figure 4-1: Subbasin Delineation by Drainage Basin 4-2
Figure 4-2: Subbasin Delineation within the Town of Jupiter Municipal Boundary 4-3
Figure 4-3: Land Cover/Land Use 4-5
Figure 4-4: Soil Types 4-7
Figure 4-5: Existing Stormwater Infrastructure 4-9
Figure 4-6: Modeled Channels 4-12
Figure 4-7: Modeled Pipes 4-14
Figure 4-8: Simplified Modeling Schematic 4-15
Figure 5-1: Exposure Score Methodology per Asset/Flooding Scenario Combination 5-1
Figure 6-1: Sensitivity Analysis Methodology 6-1
Figure 6-2: Overlay of Critical Assets on Scenario 1 6-4
Figure 6-3: Overlay of Critical Assets on Scenario 7 6-5
Figure 6-4: Overlay of Critical Assets on Scenario 13 6-6
Figure 6-5: Overlay of Critical Assets on Scenario 16 6-7
Figure 6-6: Facility Criticality Factor Weights 6-8
Figure 6-7: Roadway and Bridge Criticality Factor Weights 6-10
Figure 7-1: Identified Focus Areas 7-2
Figure 7-2: East Toney Penna Drive Area 7-4
Figure 7-3: Jupiter Inlet Village Area 7-8
Figure 7-4: Limestone Creek Area 7-13
Figure 7-5: Maplewood Drive Area 7-15
Figure 7-6: North Central Jupiter 7-19
Figure 7-7: North Intracoastal Waterway 7-22
Figure 7-8: North Jupiter 7-25
Figure 7-9: Ocean Way Area 7-28
Figure 7-10: Offsite High Service Pumping Facility 7-30
Figure 7-11: Riverbend Repump Station 7-32
Figure 7-12: Seminole Ave and Rio Vista Drainage Basins 7-34

List of Appendices

Appendix A: GIS Files Log
Appendix B: Critical Asset List and Maps
Appendix C: Green Ampt Parameters
Appendix D: Max Node Water Surface Elevations
Appendix E: Flood Depth Rasters
Appendix F: Exposure Analysis Results

Appendix G: Scenario-Specific Sensitivity Scores
Appendix H: Sensitivity Score Exhibits
Appendix I: Criticality Factors
Appendix J: Risk Score Results
Appendix K: Photo Release Form

List of Acronyms

Abbreviation	Definition
BMP	Best Management Practices
C-CAP	Coastal Change Analysis Program
CUDEM	Continuously Updated Digital Elevation Model
DEM	Digital Elevation Model
FA	Floridian Aquifer
FDEM	Florida Division of Emergency Management
FDEP	Florida Department of Environmental Protection
FDOH	Florida Department of Health
FEC	Florida East Coast
FEMA	Federal Emergency Management Agency
FFE	Finished Floor Elevation
FIS	Flood Insurance Study
FS	Florida Statutes
GA	Green-Ampt
GIS	Geographic Information System
H&H	Hydrologic & Hydraulic
Hazen	Hazen and Sawyer
HIFLD	Homeland Infrastructure Foundation-Level Data
HRD	Hurricane Research Division
LCLU	Land Cover/Land Use
LiDAR	Light Detection and Ranging
LOS	Level of Service

Abbreviation	Definition
LRD	Loxahatchee River District
MHHW	Mean Higher High Water
NAVD	North Atlantic Vertical Datum of 1988
NCEI	National Center for Environmental Information
NEMAC	National Environmental Modeling and Analysis Center
NF	Nanofiltration
NGVD	National Geodetic Vertical Datum of 1929
NOAA	National Oceanic and Atmospheric Administration
NRCS	Natural Resources Conservation Service
PBC	Palm Beach County
RO	Reverse Osmosis
SA	Surficial Aquifer
SCS	Soil Conservation Service
SFWMD	South Florida Water Management District
SIRWCD	South Indian River Water Control District
SLR	Sea Level Rise
SSURGO	Soil Survey Geographic Database
TC	Time of Concentration
Town	Town of Jupiter
USGS	United States Geological Survey
VA	Vulnerability Assessment
WTP	Water Treatment Plant

Executive Summary

The Town of Jupiter is a coastal community facing increased stormwater management challenges due to high groundwater, sea level rise, and more frequent and intense storms, and is proactively working to reduce flood risk to the community. A comprehensive Vulnerability Assessment (VA) was prepared in accordance with the Florida Department of Environmental Protection's Resilient Florida Program and section (s.) 380.093 Florida Statutes (FS) to evaluate current and future flood risks within the community. This data-driven assessment identifies vulnerabilities associated with multiple flood drivers, including sea level rise, storm surge, groundwater, extreme rainfall and storm events, and evaluates potential impacts to people, property, critical infrastructure, and essential public services.

The VA incorporates best-available data and methodologies consistent with FDEP guidance including National Oceanic and Atmospheric Administration (NOAA) storm data and sea level rise projections, Florida's Digital Elevation Model (DEM), and applicable South Florida Water Management District (SFWMD) planning and hydrologic data. Flood scenarios were evaluated for existing conditions and future planning horizons across 31 model scenarios to identify at-risk areas, improve and strategically implement capital planning projects and support long-term resilience of the community.

Critical assets assessed include potable water, wastewater, and stormwater infrastructure; transportation corridors; public facilities dedicated to safety, essential services and entertainment; and areas having local and historic significance to the community. The analysis indicates that flood risks are expected to increase over time, particularly in low-lying areas and locations where coastal, extreme rainfall, and groundwater flooding interact. Several critical infrastructure assets were identified as having elevated vulnerability that could affect service continuity during extreme events especially for future scenarios that consider sea level rise.

Based on the findings, this assessment identifies eleven (11) priority focus areas based on flood risk, density of critical assets, community and economic importance, and historical vulnerability. Jupiter's VA establishes a technical foundation to support future capital improvement programming, project prioritization, policy updates and grant funding applications, including Resilient Florida Implementation Grants. The results will assist the Town of Jupiter in proactively reducing flood risk, protecting public investments, and provides a framework for long-term resilience and adaptation strategies for the community consistent with the goals of FDEP's Resilient Florida Program.

Methodology

The VA relied on evaluation of various data sources, scientifically grounded projections and high-resolution modeling to complete the assessment and identify flood vulnerabilities.

Critical Asset Inventory

The Town and other local, state and regional sources were researched to develop an inventory of 587 critical assets owned by and/or within the Town of Jupiter. This included transportation assets and evacuation routes, critical infrastructure assets, community and emergency facilities, as well as natural, cultural, and historical assets, in accordance with Section 380.093, F.S.

Flood Drivers and Projections

A Town-wide hydrologic and hydraulic (H&H) stormwater model was developed, integrating high-resolution land cover, soil type, elevation, and local stormwater infrastructure data. The model divides the Town and adjacent contributing areas into over 300 subbasins, allowing for simulation of rainfall, runoff, and flow routing through the Town's stormwater system. The StormWise modeling platform was used to simulate 31 flooding scenarios, combining various storm events, sea level rise projections, planning horizons, and tidal conditions.

Exposure and Sensitivity Analyses

Exposure and sensitivity analyses were conducted to gauge the vulnerability of critical and regionally significant assets to modelled flood hazards. Exposure corresponds to the level of flood inundation within proximity to each critical asset. Sensitivity accounts for normalizing flood exposure in relation to the likelihood of each model scenario and criticality of each asset. Together these analyses produced a risk score to better understand near and long-term flood risks, assets most vulnerable and potential impacts to the community

Focus Areas

Eleven adaptation focus areas were identified where clusters of critical assets with higher risk scores overlap with community and economic significance. Notable examples include:

- East Toney Penna Drive due to its significance as a main transportation route to the hospital
- Jupiter Inlet Village based on density of critical assets and serving as a tourism hub supporting local businesses and economy
- Seminole Ave & Rio Vista Basins (along the Center Street Corridor) as a result of low-lying elevations, historic flooding and higher population density

Key Findings

- **Flood risk** within the community is driven by a combination of **coastal storm surge, heavy rainfall, and elevated groundwater table**, with compounded impacts in certain **low-lying areas**.

The **highest risk scores** are concentrated in northern portions of Jupiter due to coastal proximity and low elevation reflective the older development era

- **Future conditions** show **increased flood extent, depth, and duration** compared to existing conditions, consistent with NOAA sea level rise projections.

Of 587 **Critical Assets, 361 showed some flooding vulnerability** in at least one (1) model scenario indicating room for resilience improvements

- Several **critical infrastructure assets**, including **utilities and transportation corridors**, were identified as having **moderate to high vulnerability** under certain, **future flood scenarios**.

More than **50% of roadway segments were at least 80% flooded** in one or more scenarios. Emergency **potable water inter-connects** and wells critical to **water supply**, and some waste water **lift stations** vital showed **high vulnerability, especially in low-lying areas**.

- **11 Focus Areas** with high asset density and overlapping flood drivers represent **priority locations** for **targeted resilience and adaptation investments**. Refer to **Figure ES-1**



Figure ES-1: Identified Focus Areas

Phased Implementation Plan

Near-Term Actions (0–5 Years)

- Integrate Flood Vulnerability Assessment findings into the existing **Community Investment Program (CIP)** to prioritize projects addressing the highest-risk assets and locations.
- Advance **conceptual design, feasibility analyses, and cost estimates** for priority resilience and flood mitigation projects.
- Pursue **Resilient Florida Program Implementation Grants** and other state and federal funding opportunities to support project development and construction.
- Incorporate flood vulnerability considerations into **utility master planning, stormwater planning, and emergency management procedures**.
- Enhance **operations and maintenance practices** for stormwater and utility infrastructure in flood-prone areas to improve near-term system performance.
- Review current **policies, standards, and design criteria** in relation flood protection of existing and future developments

Mid-Term Actions (5–15 Years)

- Implement new **capital infrastructure improvements** identified as a result of the VA including stormwater system upgrades, infrastructure hardening, and flood protection measures for critical facilities.
- Incorporate **nature-based and hybrid solutions**, where feasible, to reduce flood risk while providing environmental and community co-benefits.
- Update **policies, development standards, and design criteria** to reflect evolving flood risks and future condition projections.
- Coordinate with neighboring **municipalities**, **FDEP, SFWMD, and regional partners** to align projects with watershed-level initiatives and maximize funding opportunities.

Long-Term Actions (15+ Years)

- Evaluate the need for **additional or expanded infrastructure investments** as flood risks increase under future climate and sea level rise scenarios.
- Periodically **update the Flood Vulnerability Assessment** to reflect new data, updated projections, and completed resilience projects.
- Integrate resilience and flood risk considerations into **long-range land use, transportation, and utility planning**.
- Continue adaptive management approaches to ensure infrastructure, policies, and operations remain effective under changing conditions.

The VA findings highlight the increasing flood risks facing the Town of Jupiter and importance of strategically implementing adaptation strategies that balance cost and community benefit. The Town has several existing policies, studies and plans that detail flood protection strategies, and the comprehensive VA is expected to compliment and refine those existing resources. Finally, future adaptation planning should be implemented in a structured but flexible framework where near-term improvements efficiently address current flood issues but are adjustable to changing environmental conditions including future sea level rise.

1. Introduction

The Town is a coastal community in Palm Beach County with a population of approximately 61,000 people according to the 2020 Census. The Town is bordered by Martin County and Tequesta to the north, the Atlantic Ocean to the east, Juno Beach and Palm Beach Gardens to the south, and unincorporated Palm Beach County land to the west. **Figure 1-1** on the following page depicts the location of the Town's municipal limits, approximately 23.15 square miles, as well as the water utility service area.

It is the Stormwater Utility's mission to minimize the risk of flooding and improve stormwater quality throughout the Town. The Stormwater Utility achieves this by building, operating, and maintaining stormwater facilities to provide proper storage and conveyance of peak stormwater flows, reduce the occurrence of nuisance flooding problems and meet the established level of service (LOS).

Management of stormwater throughout the Town's limits is achieved through naturally occurring and manmade surface water management features. The Town's Stormwater Utility Service Area includes properties within the municipal boundaries. However, portions of the drainage network are shared between private and public entities.

The primary receiving water bodies within the Town are the Loxahatchee River and the Intracoastal Waterway. Discharge of runoff to the Loxahatchee River from the Town is direct but also occurs via the South Florida Water Management District's (SFWMD) C-18 Canal, South Indian River Water Control District (SIRWCD) East Header Canal, Jones Creek, Sims Creek, and the Seminole Stormwater Pump Station. Discharge to the Intracoastal Waterway is both direct and via several tributary water management systems including Jonathan's Landing and Admirals Cove, both residential communities located near the east, and the Old Dixie and 7th Street Stormwater Pump Stations.

The Town's coastal proximity and increasing threat of climate change makes improvements to stormwater management and mitigating flood risk a priority to the Town's stormwater utility. As a result, the Town has completed a Vulnerability Assessment (VA) in accordance with section (s.) 380.093 Florida Statute (FS) to identify flood vulnerabilities by conducting exposure and sensitivity analyses in relation to Town critical and regionally significant assets. The VA was completed incrementally to produce multiple task deliverables that were submitted to Florida Department of Environmental Protection (FDEP) in accordance with Grant 24PLN04 awarded to the Town for this work. This report presents a compilation of the prior task deliverables to produce a Final VA Report, and is organized as follows:

- Section 2: Data Collection
- Section 3: Data Gap Analysis
- Section 4: Model Development
- Section 5: Exposure Analysis
- Section 6: Sensitivity Analysis
- Section 7: Identify Focus Areas



Figure 1-1: Location Map

2. Data Collection

The VA required initial efforts to research and compile existing data to support completion of the exposure and sensitivity analysis as well as identify any data gaps. Background data was assembled in accordance with the requirements defined in Section 380.093 F.S., which includes: 1) an inventory of critical and regionally significant assets; 2) topographic elevations; and 3) flood-scenario data.

2.1 Literature Review and Inventory of Existing Stormwater Studies

The following existing stormwater studies document areas of known flooding in the Town, and will be referenced as applicable for completion of the VA.

- 1996 Stormwater Master Plan – Final Report – August 1996 - CDM
- 2002 Stormwater Utility Master Plan Update – October 2002 - Hazen and Sawyer
- 2007 Stormwater Master Plan Update – September 2007 - Hazen and Sawyer
- 2012 Stormwater Utility Master Plan Update – May 2012 - Hazen and Sawyer
- 2017 Water and Stormwater Master Plan, 2017 Update – May 2017 - Hazen and Sawyer
- 2017 Code Review – Sea Level Rise and Climate Change for Peril of Flood Legislation – July 2017 - Hazen and Sawyer
- 2022 Stormwater Utility Master Plan Update – Final - June 2022 - Hazen and Sawyer

The following documents from other relevant agencies were referenced and will be used for completion of the VA:

- 2018 Palm Beach County Light Detection and Ranging (LiDAR) - Digital Elevation Model (DEM) – 2018 – Palm Beach County
- 2013 National Oceanic and Atmospheric Administration (NOAA) Atlas 14, Volume 9, Version 2 Point Precipitation Frequency Estimates – 2013 - NOAA
- 2022 “Change factors were used to derive projected future precipitation depth-duration-frequency (DDF) curves at 174 NOAA Atlas 14 stations in central and south Florida” Data Release – April 2022 – United States Geological Survey (USGS)
- 2022 Future Rainfall Change Factors for Flood Resiliency Planning in South Florida Web Application- Resilient Metrics Hub – April 2022 - South Florida Water Management District (SFWMD)
- 2022 NOAA Intermediate Low and Intermediate Sea Level Rise (SLR) Projections – 2022 - NOAA
- 2021 Climate Explorer from the U.S. Climate Resilience Toolkit Climate Explorer Version 3.2 – 2021 - National Environmental Modeling and Analysis Center (NEMAC)

2.2 Critical Assets

Prior to modeling, Hazen, in coordination with the Town, researched and compiled existing information and databases that contain data on critical assets. The Town maintains existing Geographic Information System (GIS) geodatabases including shapefiles for:

- Municipal Boundaries
- Land Use Types
- Zoning
- Easements
- Roadways
- Open Spaces
- Open Waters
- Conservation and Preservation Areas
- Recreation and Parks
- Buildings
- Water Utility Systems and Assets
- Stormwater Utility Systems and Assets

The Town's GIS data is supplemented by construction and/or as-built record drawings that provide additional information on assets including elevations.

The Town assisted in compiling potentially relevant data managed by outside entities including Palm Beach County (PBC) and Homeland Infrastructure Foundation-Level Data (HIFLD). PBC provided information pertaining to parcels whereas HIFLD provided access to geospatial data of U.S. critical infrastructure including roadways, bridges, railways, marinas, ports, communication centers, shelters, and related assets located within the Town municipal boundary, but owned or operated by other jurisdictional agencies. A complete log of GIS files and their sources are included in **Appendix A.**

The relevant assets in the GIS data and other records provided from the Town were extracted and recategorized per Florida Department of Environmental Protection (FDEP) Grant critical assets definitions. A total of 587 critical assets were included in this Vulnerability Assessment and are summarized in **Table 2-1.** Both the full list of critical assets and location maps are included in **Appendix B.**

Table 2-1: Critical Assets for the Town of Jupiter, categorized per FDEP definitions

Asset Class	Asset Type	Asset Count
Transportation Assets and Evacuation Routes	Bridges	39
	Major Roadways	79
	Marinas	2
	Rail Facilities	1
	Railroad Bridges	1
Critical Infrastructure	Wastewater Treatment Facilities and Lift Stations	203
	Stormwater Treatment Facilities and Pump Stations	15
	Drinking Water Facilities	79
	Water Utility Conveyance System	8
	Electric Production and Supply Facilities	3
	Solid and Hazardous Waste Facilities	1
Critical Community and Emergency Facilities	Schools	24
	Universities	3
	Community Centers	2
	Emergency Operation Centers	2
	Fire Stations	5
	Health Care Facilities	14
	Hospitals	1
	Law Enforcement Facilities	1
	City Facilities	1
	Affordable Public Housing	7
	Risk Shelter Inventory	1
Natural, Cultural, and Historic Resources	Conservation Lands	37
	Parks	32
	Historical and Cultural Assets	26
	Total	**587**

Included in this list are the wastewater treatment plant and lift stations owned and managed by the Loxahatchee River District (LRD). Hazen communicated with LRD to obtain asset updates and was advised that planning efforts are underway to conduct a risk and resiliency assessment. A complete and updated list of LRD's critical infrastructure will be available when their planning efforts are complete.

2.3 Digital Elevation Model

The Digital Elevation Model (DEM) data used for the VA is a combination of the 2018-2020 Florida Division of Emergency Management (FDEM) Light Detection and Ranging (LiDAR) and the latest United States Geological Survey (USGS) DEM. The 2018-2020 FDEM LiDAR does not extend to parts of the Canal C18 drainage basins to the west, so the USGS DEM was added when necessary for topographic analysis. The two bare earth DEMs have cell sizes of 3.28-ft and are both in the North Atlantic Vertical Datum of 1988 (NAVD).

Under normal conditions, water makes up approximately 12.5% of the Town's surface. Bathymetry of submerged portions of waterbodies is obscured in the collection of LiDAR data. For this reason, bathymetry for the Town's waterbodies was burned into the DEM to reflect bottom elevations, improving the representation of waterbodies. The sourced data for the bathymetry was the National Oceanic and Atmospheric Administration (NOAA)'s National Center for Environmental Information (NCEI) Continuously Updated Digital Elevation Model (CUDEM), which has a 9.84-ft (3-meter) cell size and is in NAVD. The bathymetric DEM was resampled to a 3.28-ft resolution and merged with the watershed DEM within waterbody areas. The combined DEM and bathymetric data are presented in **Figure 2-1.**

2.4 Sea Level Rise Projection

The Town is coastal and impacted by tidal conditions. Additionally, FS 380.093 requires analysis of sea level rise at two planning horizons. The NOAA Intermediate Low and Intermediate Sea Level Rise (SLR) Projections for the 2050 and 2080 planning horizons were incorporated into the analysis. The projection values were sourced from the Trident Pier and Virginia Key Stations, which are the two tidal stations closest to the Town that have SLR projection data, as presented in **Figure 2-2.**

Legend

DEM and Bathymetry (ft)

87.0

-65.1

Model Boundary

Town of Jupiter Municipal Boundary (Incorporated)

0 4 8 Miles

Hazen Project Number: 44250-093
Plot date: 3/17/2025 9:07 AM By: JBielecki
Service Layer Credits: Esri, NASA, NGA, USGS, FEMA, Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	3/17/2025
Printed By:	J. Bielecki
Review By:	E. Stanley

Model Development and Exposure Analysis
Town of Jupiter

DEM and Bathymetry

Figure 2-1

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_SWMP_Updated.aprx Saved by JBielecki Save date = 3/14/2025 5:19 PM



Figure 2-2: NOAA Stations Close to the Town of Jupiter

Table 2-2 summarizes the projected SLR at these locations for the given planning horizons.

Table 2-2: 2022 NOAA SLR Projections at Virginia Key and Trident Pier Stations

Station Location	Planning Horizon	2022 NOAA Projection	SLR (ft)
Virginia Key	2050	Intermediate Low	0.97
Virginia Key	2050	Intermediate	1.10
Virginia Key	2080	Intermediate Low	1.67
Virginia Key	2080	Intermediate	2.34
Trident Pier	2050	Intermediate Low	0.97
Trident Pier	2050	Intermediate	1.11
Trident Pier	2080	Intermediate Low	1.64
Trident Pier	2080	Intermediate	2.31

The SLR used in the modeling is the average of the SLR projections between the two stations, as summarized in **Table 2-3.**

Table 2-3: Averaged SLR Projections for Modeling

Projection - Planning Horizon	Averaged SLR (ft)
2022 NOAA Intermediate Low – 2050	0.97
2022 NOAA Intermediate – 2050	1.11
2022 NOAA Intermediate Low – 2080	1.66
2022 NOAA Intermediate - 2080	2.33

2.5 Tidal Flooding

Tidal flooding, or high tide flooding, is a flood condition near the coastline that occurs due to rising sea levels, sinking land, and the loss of natural barriers. These factors result in coastal flooding during a "sunny day" condition as opposed to a strong storm or hurricane. The Town, low-lying land along the coast, is prone to tidal flooding, which may increase in the future due to rising seas. Additionally, FS 380.093 requires, where practicable, the number of tidal flooding days expected for each of the VA's scenarios/planning horizons to be recorded. Projected tidal flooding days for different planning horizons were previously published and available through the Climate Explorer's U.S. Climate Resilience Toolkit (Climate Explorer). The average of projected tidal days from Trident Pier Station and Virginia Key Station was used to approximate the projected tidal flooding days for the Town and is summarized in **Table 2-4**.

Table 2-4: Projected Tidal Flooding Days

Planning Horizon	Projection	Number of Tidal Flooding Days
2050	Low	35
2050	High	45
2080	Low	153
2080	High	295

The Lake Worth 2023 maximum tide elevation (2.49 ft-NAVD) was used to determine the tidal flood depths for the Town. This value was pulled from the NOAA tidal data for the Lake Worth Station (Water Levels - NOAA Tides & Currents) and had its time of occurrence cross-referenced against the Hurricane Research Division (HRD)'s log of hurricanes and tropical storms impacting continental United States to ensure that the tide was independent of storm events (HURDAT Re-analysis). The Lake Worth Station was referenced due to it being the closest station to the town, spatially, that had available tidal data.

The tidal flooding threshold was determined using the FS 380.093 guideline of Mean Higher High Water (MHHW) plus two feet. The Lake Worth MHHW value, sourced from Datums - NOAA Tides & Currents, is 0.55 ft-NAVD; therefore, the tidal flooding threshold calculated was 2.55 ft-NAVD.

Table 2-5 summarizes the future maximum tide elevation for each SLR scenario, calculated as the sum of the current maximum tide elevation and the averaged SLR projection.

Table 2-5: Future Tidal Flood Depths

Planning Horizon	Projection	Current Max Tide Elevation (ft-NAVD)	Average SLR Change (ft)	Future Max Tide Elevation (ft-NAVD)
2050	Intermediate-Low	2.49	0.97	3.46
2050	Intermediate	2.49	1.11	3.60
2080	Intermediate-Low	2.49	1.66	4.15
2080	Intermediate	2.49	2.33	4.82

2.6 Design Storm Data

The NOAA Atlas 14 Point Precipitation Estimates at Jupiter, Florida were sourced for the 10-year, 24-hour storm and the 25-, 100-, and 500-year, 72-hour storms. The 72-hour storm was selected as a more representative duration for low frequency (25-, 100-, and 500-year) storm events. Estimates are with 90% confidence and are summarized in **Table 2-6**.

Table 2-6: Design Storm Rainfall Depths

Design Storm	Rainfall Depth (inches)
10-year, 24-hour	9.3
25-year, 72-hour	13.5
100-year, 72-hour	18.4
500-year, 72-hour	25.4

2.7 Rainfall Induced Flooding Change Factor

The NOAA Atlas 14 Point Precipitation Estimates sourced for rainfall are derived from historical data; therefore, the estimates do not capture the upward trend in rainfall intensity that has been attributed to climate change.

The USGS studied upward trends in rainfall intensity, and its data was compiled by the SFWMD and added to its Resilience Hub in a Web Application Tool (Future Extreme Rainfall Change Factors for Flood Resiliency Planning in South Florida Web Application | Resilience Metrics Hub). The tool provides change factors that can be selected depending on location (by County or by Basin), duration of the rainfall being analyzed, frequency or return period, and planning horizon. The USGS reported the range of factors that are expected (5th, 25th, 50th, 75th, and 95th percentiles); values used in the Town's VA are those corresponding to the 50th percentile.

When modeling future conditions, the change factor corresponding to the respective planning horizon was multiplied to the rainfall depth prior to modeling. The change factors for the 24-hour duration 10-year storm and the 72-hour duration 25- and 100-year storm in the 50th percentile in Palm Beach County are summarized and multiplied to the design storm rainfall depths in **Table 2-7.** Change factors for the 500-year storm were not available, so the 500-year storm was only modeled with respect to the 2025 planning horizon.

Table 2-7: Design Storm Change Factors

Design Storm	Modeled Depth (in) - 2025	Change Factor: 2020 - 2059	Modeled Depth (in) - 2050	Change Factor: 2050 - 2089	Modeled Depth (in) - 2080
10-year, 24-hour	9.3	1.10	10.2	1.13	10.5
25-year, 72-hour	13.5	1.13	15.3	1.15	15.5
100-year, 72-hour	18.4	1.18	21.7	1.20	22.1
500-year, 72-hour	25.4	N/A	N/A	N/A	N/A

2.8 Storm Surge

The effect of storm surge for the scenarios was incorporated using historical tidal data from the NOAA Virginia Key Station. The Virginia Key Station was used because it has an older installation date (1994) compared to Lake Worth pier (2010) and South Port Everglades (2018) and therefore has more historical data for extrapolation. The annual exceedance probability curve developed by NOAA that plots annual probability of exceedance against the feet above the MHHW at Virginia Key was referenced (Exceedance Probability Levels and Tidal Datums - Virginia Key, FL - NOAA Tides & Currents). The MHHW stage at the 1% exceedance probability, equivalent to the 100-year storm, at a 50% confidence level was 3.2 ft-NAVD; this value is assumed for the Town's 100-year storm surge condition.

The surge value referenced above was added to the maximum base tide elevation at the Lake Worth Pier for the year 2023 (2.49 ft-NAVD) for a model input value of 5.69 ft-NAVD for the current 100-year storm surge condition.

FDEP requires that the storm surge elevation is equal to or greater than the Federal Emergency Management Agency (FEMA) 100-year elevation. The Town of Jupiter FEMA effective Flood Insurance Study (FIS) was reviewed, and the 100-year (1% Annual Chance) storm surge is 5.3 ft-NAVD based on the FIS Coastal Transect Parameters Table 16, which is less than the modeled minimum storm surge value of 5.69 ft-NAVD.

Table 2-8 summarizes the modeled maximum storm surge elevation for each SLR scenario, calculated as the sum of the current maximum surge and tide elevation and the averaged SLR projection. The storm surge time stage graph pattern was developed based on a review of historical storm surge patterns from local tide gauges and was scaled to the modeled maximum storm surge.

Table 2-8: Future Storm Surge Elevations

Planning Horizon	Projection	Current Max Surge Elevation (ft-NAVD)	Current Max Tide Elevation (ft-NAVD)	Average SLR Change (ft)	Modeled Max Storm Surge Elevation (ft-NAVD)
2025	N/A	3.2	2.49	N/A	5.69
2050	Intermediate-Low	3.2	2.49	0.97	6.66
2050	Intermediate	3.2	2.49	1.11	6.80
2080	Intermediate-Low	3.2	2.49	1.66	7.35
2080	Intermediate	3.2	2.49	2.33	8.02

3. Data Gap Analysis

Throughout the data collection process of this study, data gaps were analyzed and identified to evaluate the effectiveness of existing data sources. By systemically analyzing available data, including historical flood records, topographic information, hydrological data, available tools and previous analyses, communities can identify data gaps to better understand flooding vulnerabilities. The gaps might encompass areas such as insufficient data granularity (both spatial and temporal), outdated floodplain maps, or inadequate/incomplete integration of climate change projections. Where data gaps were identified, alternatives to bridge the gaps or circumvent the missing data were developed. The data gap analysis is summarized in **Table 3-1** on the following page.

Table 3-1: Data Gap Analysis

Data Item	Description	Preferred or Required by Resilient Florida Grant Requirements	Data Available?	Gap Analysis
Detailed Hydrologic and Hydraulic Modeling	Detailed model that encompasses the entire municipality and includes hydrology and hydraulic components (i.e. MIKE Model, ICPR, HEC-RAS). Often, these tools evaluate the connectivity between local or tertiary drainage system with the primary or regional drainage systems.	Preferred	No	Developed by Hazen and used to perform the Exposure Analysis for this Vulnerability Assessment
Digital Elevation Model for Hydrologic Calculations	Topography of the study area is represented by DEMs (replacing the traditional county maps). The DEMs are developed from information collected through a remote sensing technology called Light Detection and Ranging (LiDAR). The use of LiDAR technology has made the availability of more up to date DEMs and with better resolution. LiDAR data is usually collected by regional agencies.	Required	Yes	No Data Gaps
Finished & Critical Floor Elevations	Elevation data from elevation certificates, as-builts, etc.	Preferred	Partial	Finished Floor Elevations were provided for some of the critical facilities (twenty-one schools, one stormwater pump station, one fire station). For critical facilities where elevation was not available, a statistical analysis was used to approximate an elevation based on DEM.
List of Critical Assets	List of Critical Assets for the municipality including Transportation Assets and Evacuation Routes, Critical Infrastructure, Critical Community and Emergency Facilities, and Natural, Cultural, and Historic Resources	Required	Yes	No Data Gaps

Data Item	Description	Preferred or Required by Resilient Florida Grant Requirements	Data Available?	Gap Analysis
Sea Level Rise Projections	2022 NOAA Intermediate-Low and Intermediate-High SLR Projections for 2050 and 2080, interpolated from the two nearest gauges	Required	Yes	No Data Gaps
Rainfall Analysis	Precipitation data (source NOAA)	Preferred	Yes	No Data Gaps
Rainfall Change Factor	Rainfall Intensification Factor	Preferred	Yes	No Data Gaps
Surge Analysis	Storm Surge Data	Required	Yes	No Data Gaps
Parcels	Tax Appraisers' information that includes address, ownership, and boundary	Preferred	Yes	No Data Gaps
Roadways	Roadway Centerlines that include classification and ownership	Preferred	Yes	No Data Gaps
Town Boundary	Geographic data that represents the Town's boundary	Required	Yes	No Data Gaps

4. Model Development

Stormwater management is a fundamental concern for the Town, a coastal, urban region that is challenged by high groundwater levels, rising sea levels and increasingly frequent and intense storms. The Town strives to improve its stormwater management by supporting both physical assets as well as policies, procedures, and operations in preparation for flooding events and in protection of the Town's groundwater, surface waters, and natural resources.

The scope includes the development of a Town-wide hydrologic & hydraulic (H&H) stormwater model, requiring both hydrologic parameterization (delineating hydrographic features within the Town) and hydraulic parameterization (a node and link structures that represent the Town infrastructure and physical boundaries). The developed model includes flooding scenarios that align with FS 380.093 and incorporates the background information gathered in **Section 2**. Once the flooding scenarios were simulated, an Exposure Analysis was performed to identify the depth of water caused by each flooding scenario for each of the Town's critical assets.

4.1 Modeling Data Elements

Several data elements have been sourced, organized, and prepared with software tools to develop raw data into modeling inputs and parameters in addition to those already detailed in **Section 2**. As new, modified, or better data becomes available, the Town may update portions of their stormwater geodatabase and H&H model, continuously improving future analyses. Additionally, the Town's H&H model may be cropped into smaller areas of interest to evaluate local benefits associated with future proposed alternatives while utilizing boundary conditions of the master simulations, allowing for faster modeling runs. Finally, the Town-wide model may be used to expedite permitting efforts of future proposed improvements by seeking conceptual approval from SFWMD.

4.1.1 Subbasin Delineation

Delineation of the model area into subbasins was done by first utilizing the high-resolution DEM. The delineations were further refined and updated to incorporate the Town-provided stormwater infrastructure data in GIS. The subbasins, establishing the model boundary, include areas outside of the Town's boundary to consider inflows from drainage basins that intersect with the Town, including the upstream portions of the Loxahatchee River north of the Town boundary, the C-18 canal that flows into the Town boundary from the west, and southern portions of the Intracoastal Waterway to the south where it discharges to the Lake Worth Lagoon area. These subbasins outside of the Town were delineated at a coarser level of detail to provide a reasonable estimate of hydrograph inflows, whereas subbasins within the Town boundary were delineated with a higher level of detail to include details pertinent to this project. A total of 337 subbasins were delineated for this study with a median drainage area of 50-acres. The subbasins were then grouped according to Town-provided drainage basin names. **Figure 4-1** depicts these subbasins, color-coded by drainage basin, with the subbasin count for each drainage basin specified in the legend. **Figure 4-2** depicts the subbasins specifically within the Town's municipal boundaries.



Hazen Project Number: 44250-093
Plot date: 8/5/2025 10:26 PM By: DHostetler
Service Layer Credits: Esri, NASA, NGA, USGS, FEMA, Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen	Model Development and Exposure Analysis Town of Jupiter	
Print Date: 8/5/2025	Subbasin Delineation	Figure 4-1
Printed By: J. Bielecki		
Review By: E. Stanley		

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_SWMP_Updated_DH2.aprx Saved by DHostetler Save date = 8/5/2025 10:25 PM



Hazen Project Number: 44250-093
Plot date: 11/6/2025 2:38 PM By: JBielecki
Service Layer Credits: Esri, NASA, NGA, USGS, FEMA, Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	11/6/2025
Printed By:	J. Bielecki
Review By:	E. Stanley

Vulnerability Assessment
Town of Jupiter

Subbasin Delineation - Town Municipal Boundary

Figure 4-2

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_SWMP_Updated_DH2.aprx Saved by JBielecki Save date = 11/6/2025 2:32 PM

4.1.2 Land Cover/Land Use

Land Cover/Land Use (LCLU) data was sourced from the NOAA Coastal Change Analysis Program (C-CAP) High-Resolution Land Cover. The C-CAP High-Resolution dataset was released by NOAA in 2024 and covers the coastal United States, including most of Florida. Other potential data sources were evaluated to be used as a land use modeling input including the Town's parcel and land use data as well as the National Land Cover Database. NOAA C-CAP dataset has the most detailed, accurate impervious coverage, relevant because percent impervious is the primary driver of runoff potential in a watershed. In addition, the C-CAP land use coverage includes a detailed water and trees coverage layer that were merged to generate a complete land cover dataset. The High-Resolution dataset is provided at a one-meter (3.28-ft) resolution and is visualized in **Figure 4-3.**



Hazen Project Number: 44250-093
Plot date: 3/17/2025 9:58 AM By: JBielecki
Service Layer Credits: Esri, NASA, NGA, USGS, FEMA, Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	3/17/2025
Printed By:	J. Bielecki
Review By:	E. Stanley

Model Development and Exposure Analysis
Town of Jupiter

Land Cover/Land Use

Figure 4-3

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_SWMP_Updated.aprx Saved by JBielecki Save date = 3/14/2025 5:19 PM

4.1.3 Soils

Soil characteristics for modeling extents were derived from the Natural Resources Conservation Service (NRCS) Soil Survey in the Soil Survey Geographic Database (SSURGO). The percent cover of the ten highest-occurring soil types within the Town Boundary is summarized in **Table 4-1**, the percent cover of the ten highest-occurring soils types within the model boundary is summarized in **Table 4-2**, and the spatial distribution is depicted in **Figure 4-4.**

Table 4-1: Soil Type by Percent Cover within the Town

Soil Type	Percent by Area
Immokalee	35.2 %
Basinger	14.9 %
Myakka	13.0 %
Paola	9.0 %
Water	7.9 %
Pomello	7.3 %
Anclote	3.9 %
Riviera	3.9 %
Arents	2.6 %
Oldsmar	2.1 %
Other	0.2 %

Table 4-2: Soil Type by Percent Cover within the Model

Soil Type	Percent by Area
Riviera fine sand	38.1%
Other	22.2%
Wabasso	9.6%
Pineda	8.2%
Immokalee	4.1%
Water	3.9%
Paola and St. Lucie	3.6%
Winder	3.3%
Cypress Lake	2.5%
Waveland	2.3%
Myakka	2.2%



Hazen Project Number: 44250-093
Plot date: 3/17/2025 10:08 AM By: JBielecki
Service Layer Credits: Esri, NASA, NGA, USGS, Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	3/17/2025
Printed By:	J. Bielecki
Review By:	E. Stanley

Model Development and Exposure Analysis
Town of Jupiter

Soil Types

Figure 4-4

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_SWMP_Updated.aprx Saved by JBielecki Save date = 3/14/2025 5:19 PM

4.1.4 Groundwater

Detailed groundwater modeling was not performed as part of this study, but groundwater was considered in the modeling efforts by using SSURGO data to estimate the depth of the water table. To account for groundwater during rainfall events, each subbasin's Green-Ampt parameter was updated by modifying the available storage depth input.

4.1.5 Hydraulics

The hydraulic portion of the model was based on existing stormwater infrastructure as reflected in the Town's stormwater geodatabase, shown in **Figure 4-5**. Additional information critical to the analysis was provided by the Town and integrated into the model, such as stormwater pump stations and check valves. The stormwater geodatabase includes a physical representation of the Town's storm lines and drainage structures as well as both attributes for each feature detailing specific information, such as size and material, and linked reference plans. Pipe inverts, where available, were converted from the National Geodetic Vertical Datum of 1929 (NGVD) to NAVD88 with a -1.51-ft vertical adjustment. This dataset was organized and leveraged to develop the final modeling schematic.

It is recommended that the Town keep its stormwater geodatabase up to date to facilitate future stormwater analyses and for purposes of asset management. The H&H model could be updated regularly with geodatabase additions/modifications for it to continue to be a useful tool for the Town when exploring future improvements.

Legend

- Pump Stations (5)
- Outfalls (71)
- Swales
- Pipes
- Town of Jupiter Municipal Boundary (Incorporated)

0 1 2 Miles

Hazen Project Number: 44250-093
Plot date: 3/17/2025 10:24 AM By: JBielecki
Service Layer Credits: Esri, NASA, NGA, USGS, FEMA, Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	3/17/2025
Printed By:	J. Bielecki
Review By:	E. Stanley

Modeling Development and Exposure Analysis
Town of Jupiter

Existing Stormwater Infrastructure

Figure 4-5

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_SWMP_Updated.aprx Saved by JBielecki Save date = 3/14/2025 5:19 PM

4.2 Modeling Methodology and Parameterization

4.2.1 Modeling Software

StormWise (formerly ICPRv4) was used to simulate the H&H conditions throughout the Town area. StormWise is a well-established model in the State of Florida used to simulate surface water flow, floodplain delineation and analysis, and Best Management Practices (BMPs) analysis. StormWise is a link-node model with basins (catchment areas), nodes, and links as building blocks. The model calculates storm-induced surface runoff for each subbasin, which is assigned to the subbasin storage node. Subsequently, the stage at each subbasin node is used to calculate flow, which is routed between subbasins using links. The StormWise model can be driven using observed rainfall data or inbuilt design storm hydrographs.

4.2.2 Hydrology

4.2.2.1 Infiltration

The direct surface runoff volume generated in response to the rainfall depth applied uniformly over the model domain was estimated in the StormWise model using the Green-Ampt (GA) method. The GA method was originally developed in 1911 and is applied to simulate runoff volume and infiltration in response to design storms. The method assumes a homogenous soil with constant hydraulic conductivity, initial water content, and head at the wetting front. The GA method is a physically based method recommended in areas with high infiltration rates, such as sandy soils that are common in the Town. GA method parameter values were derived using SSURGO input data and StormWise recommended pedotransfer functions. Input parameters include % Clay, % Sand, % Organic Matter, Ksat, and Field Capacity. A reference StormWise GA method spreadsheet was used to develop those parameters. See **Appendix C** for a summary table of the GA methods for each Map Unit Key.

4.2.2.2 Time of Concentration and Unit Hydrograph

Time of Concentration (TC) is defined by the total time water takes while traveling from the most hydraulically distant point in each subbasin to the outlet. TC was calculated for each subbasin using the Soil Conservation Service (SCS) method. This method calculates the time for water to flow along the path by considering the change in elevation (land slope) and retardance factors (surface conditions affecting the flow, where rough surfaces have higher degrees of flow retardance than smooth or paved surfaces). The longest flow path for each subbasin was determined manually in GIS using both the DEM and Town-provided pipe data. Flow paths were separated into Overland, Shallow Concentrated, Channel and Pipe flow depending on the longest flow path characteristics. A maximum Overland flow path of 100-feet was used for this analysis. A minimum travel time of five minutes was applied for subbasins with a calculated TC less than five minutes. A unit hydrograph with a peak rate factor of 256 was applied in the subbasins. The peak factor was considered a constant characteristic of the entire watershed.

4.2.2.3 Node Storage

One stage-area node was assigned to each delineated subbasin, representing the available stage-storage area within a subbasin. Additional junction nodes were added to facilitate water routing using pipes and channels throughout the watershed. Outflows at the model boundaries were simulated using two Time-Stage boundary nodes: one at the Jupiter Inlet and one where the Intercoastal Waterway discharges to Lake Worth Lagoon.

The DEM and Subbasin polygon data was used to develop stage-storage curves in GIS corresponding to varying water surface elevations in each subbasin. The cumulative storage volume was estimated to correspond to a uniform increment of one foot in stage for each subbasin node. The output from the GIS analysis was used to define the stage-storage relationship at sub-basin nodes in StormWise. To ensure the accuracy of the nodal stage-storage relationships used in the model, a randomly selected group of nodes was checked at the end of nodal development.

4.2.3 Hydraulics

4.2.3.1 Links

Hydraulic links used in the model route surface water flow between subbasin storage nodes. Three types of hydraulic links, namely channels, pipes, and weirs, were used in the model. These links were placed and parameterized based on the surface water infrastructure data provided by the Town and desktop review of the study area. **Table 4-3** summarizes the number of links, by type, within the modeling extent.

Table 4-3: Link Summary by Type

Hydraulic Link Type	Number of Links (count)
Channel	279
Pipe	262
Weir	848

4.2.3.2 Channels

A total of 279 irregular cross-section channels were included in the Model, representing the larger channels within the model boundary, such as C-18, the Loxahatchee River, and the Intercoastal Waterway. The channel cross-section and length data were extracted from the bathymetric elevation data. Exclusion polygons around channels were digitized to include storage volume up to the top of the bank on both sides of the channels. The exclusion polygons were used to ensure that the available storage volume in any subbasin was not unrealistically high. Manning's roughness coefficients were set based on value ranges provided in Open-Channel Hydraulics (Chow, 1959). Bridges in the model domain were represented as irregular channels and weirs with varying length cross sections. The StormWise conveyance method was set for channel links. **Figure 4-6** depicts the channels' links and cross-sections modeled.

Legend

- Modeled Channels
- Modeled Channel Cross-Sections
- Town of Jupiter Municipal Boundary (Incorporated)

0 2 4 Miles

Hazen Project Number: 44250-093
Plot date: 8/5/2025 10:29 PM By: DHostetler
Service Layer Credits: Esri, NASA, NGA, USGS, FEMA, Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Print Date:	8/5/2025
Printed By:	J. Bielecki
Review By:	E. Stanley

Modeling Development and Exposure Analysis
Town of Jupiter

Modeled Channels

Figure 4-6

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_SWMP_Updated_DH2.aprx Saved by DHostetler Save date = 8/5/2025 10:25 PM

4.2.3.3 Pipes

A total of 262 pipes were included in the Model. The pipes were chosen from the full pipe database provided by the Town based on their criticality in conveying flow between bordering subbasins. Where pipe information was missing, assumptions or estimations were made. Unknown pipe diameter, material, and shape were assumed to be 36 inches, reinforced concrete pipe, and circular, respectively. These assumptions were made to reflect the frequency of 36 inch, reinforced concrete circular pipes within the existing pipe data feature class. Unknown inverts were estimated by subtracting the pipe diameter from the DEM and adding one foot of assumed ground cover. **Figure 4-7** depicts the pipes modeled.

4.2.3.4 Weirs

A total of 848 weirs were included in the Model. Weirs included in the model represent natural overland flow weirs. An overland weir was used to route overland flow between subbasins from depression areas over topographic saddles. The cross-section for the overland weirs was extracted using the land surface elevation data along the subbasin boundaries. The weir discharge coefficients used in the model were consistent with published values for overland areas, with a typical weir coefficient of 2.6.

4.2.4 Modeling Schematic

The modeling schematic presented here includes a simplified representation of the area's surface flow hydrology and hydraulics. The hydraulic features included in the existing conditions model schematic are listed below. An overview of the modeling schematic is shown in **Figure 4-8**.

- Subbasins – a total of 337 subbasins were included in the initial schematic, with a median drainage area of 50 acres
- Node – a total of 515 nodes were included in the schematic of the model. There were two boundary nodes that were simulated as Time-Stage type nodes.
- Channels - a total of 279 channels were included in the modeling schematic
- Pipes – a total of 262 pipes were included in the modeling schematic
- Weirs – a total of 848 weirs were included in the modeling schematic
- Check valves and pump stations – a total of 3 check valves and 3 pump stations were included in the modeling schematic


Legend
Model Elements
Storage Nodes
Modeled Pipes
Modeled Channels
Town of Jupiter Municipal Boundary
Subbasins
0
1
2 Miles
Loxahatchee River
Intracoastal Waterway
Jupiter
Tequesta
Juno Beach
Jupiter Inlet Colony
Riverside on Loxahatchee
Riverside Drive Park
Penrock Point
Limestone Creek
Jones Creek
Shores
Jupiter Island
Loxahatchee Preserve
Jupiter Country Club
Jupiter Village
Loxahatchee Club
Indian Creek
Mallory Creek
Admirals Cove
Canterbury
Martinique
Valencia
Tuscany
Ritz Carlton
Bear's Club
Jonathan's Landing
Abacoa Golf Club
Pennock Point
Lighthouse Park
Bluffs
Hazen Project Number: 44250-093
Plot date: 8/5/2025 10:31 PM By: DHostetler
Service Layer Credits: Esri, NASA, NGA, USGS, FEMA, Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community
TOWN OF JUPITER FLORIDA
Hazen
Print Date: 8/5/2025
Printed By: J. Bielecki
Review By: E. Stanley
Modeling Development and Exposure Analysis
Town of Jupiter
Modeled Pipes
Figure 4-7
File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_SWMP_Updated_DH2.aprx Saved by DHostetler Save date = 8/5/2025 10:25 PM

Legend

Drainage Basin

- Intracoastal Waterway
- C-18 Canal
- Sims Creek
- Jones Creek
- Loxahatchee River
- The Shores
- Dubois Park
- Jupiter Inlet
- Limestone Creek
- Riverwalk Lane
- Eastview Manor Canal
- 7th St Pump Station
- Jupiter Park of Commerce
- Loxahatchee Canal
- Loxahatchee Slough
- North Fork Loxahatchee River
- Penn Waterway
- Rio Vista Canal
- Seminole Ave Pump Station
- Jupiter West
- Palm Point
- Turner Quay Rd Canal
- Woodland Estates

Model Elements

- Storage Nodes
- Time/Stage Nodes
- Weir Links (792)
- Modeled Pipes
- Pump Stations (3)
- Check Valves (3)
- Town of Jupiter Municipal Boundary (Incorporated)

N

0 1 2 Miles

Hazen Project Number: 44250-093
Plot date: 3/24/2025 9:39 PM By: JBielecki
Service Layer Credits: Esri, NASA, NGA, USGS, FEMA, Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen	Modeling Development and Exposure Analysis Town of Jupiter	
Print Date: 3/24/2025	Modeling Schematic	Figure 4-8
Printed By: J. Bielecki		
Review By: E. Stanley		

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_SWMP_Updated.aprx Saved by JBielecki Save date = 3/24/2025 9:29 AM

4.3 Flooding Scenarios

A total of 31 flooding scenarios were simulated that combined four design storm-events, two SLR projections, two planning horizons, and two tidal conditions, to be compliant with F.S. 380.093 and consistent with *Task 1 – Proposed Data Standards*. Each scenario's parameters are summarized in **Table 4-4** on the following page.

The model was run for the 31 scenarios shown in the table and a maximum water surface elevation was calculated at each node; these values are in **Appendix D**. The maximum water surface elevations were imported into GIS and had the DEM value subtracted from it to develop the flood depth rasters. These flood depth rasters provide a visualization of the maximum flood depths throughout the Town and model boundaries and allow for a quick visual comparison between scenarios. The generated flood depths for all 31 scenarios are included in **Appendix E.**

Table 4-4: Simulated Flooding Scenarios

Scenario	Rainfall	Sea Level Rise Projection	Planning Horizon	Tidal Condition
S-1	10-yr	N/A	2025 - Current	Normal High Tide
S-2	25-yr			
S-3	100-yr			
S-4	10-yr	2022 NOAA Intermediate Low	2050	
S-5	25-yr			
S-6	100-yr			
S-7	10-yr	2022 NOAA Intermediate		
S-8	25-yr			
S-9	100-yr			
S-10	10-yr	2022 NOAA Intermediate Low	2080	
S-11	25-yr			
S-12	100-yr			
S-13	10-yr	2022 NOAA Intermediate		
S-14	25-yr			
S-15	100-yr			
S-16	10-yr	N/A	2025 - Current	100-year Storm Surge
S-17	25-yr			
S-18	100-yr			
S-19	10-yr	2022 NOAA Intermediate Low	2050	
S-20	25-yr			
S-21	100-yr			
S-22	10-yr	2022 NOAA Intermediate		
S-23	25-yr			
S-24	100-yr			
S-25	10-yr	2022 NOAA Intermediate Low	2080	
S-26	25-yr			
S-27	100-yr			
S-28	10-yr	2022 NOAA Intermediate		
S-29	25-yr			
S-30	100-yr			
S-31	500-yr	N/A	N/A	Normal High Tide

5. Exposure Analysis

The purpose of the exposure analysis is to convert the calculated flood depths at each critical asset for the flood scenarios shown in **Table 4-4** into exposure scores which numerically describe the impact of flooding modeled. Each critical asset gets assigned an exposure score for each of the flooding scenarios. **Figure 5-1** depicts this methodology. The derivation of the scenario flood depths and the exposure scores are further described below.



Figure 5-1: Exposure Score Methodology per Asset/Flooding Scenario Combination

The exposure analysis methodology varied whether the respective critical asset was a facility (either a building or a parcel), a polyline feature, or a point feature, as summarized in **Table 5-1**.

Table 5-1: Critical Asset Designation for Exposure Analysis

Asset Type	Asset Count	Facility Building	Facility Parcel	Polylines	Point
Bridges	39	-	-	39	-
Major Roadways	79	-	-	79	-
Marinas	2	-	2	-	-
Rail Facilities	1	-	-	1	-
Railroad Bridges	1	-	-	1	-
Wastewater Treatment Facilities and Lift Stations	203	-	1	-	202
Stormwater Treatment Facilities and Pump Stations	15	2	13	-	-
Drinking Water Facilities	79	4	1	-	74
Water Utility Conveyance System	8	-	3	-	5
Electric Production and Supply Facilities	3	-	3	-	-
Solid and Hazardous Waste Facilities	1	-	1	-	-
Schools	24	-	24	-	-
Universities	3	-	3	-	-
Community Centers	2	2	-	-	-
Emergency Operation Centers	2	1	1	-	-
Fire Stations	5	5	-	-	-
Health Care Facilities	14	14	-	-	-
Hospitals	1	-	1	-	-
Law Enforcement Facilities	1	-	1	-	-
Local Government Facilities	1	1	-	-	-
Affordable Public Housing	7	-	7	-	-
Risk Shelter Inventory	1	-	1	-	-
Conservation Lands	37	-	37	-	-
Parks	32	-	32	-	-
Historical and Cultural Assets	26	15	2	-	9
Total	**587**	**44**	**133**	**120**	**290**

5.1 Facilities

The facilities within the Town were represented as either individual buildings or as parcels of land. The facility was represented as a building when there was only one building on the respective parcel of land, such as a fire station or health care facility. The facility was represented as a parcel when there were multiple buildings on the parcel, such as a wastewater treatment facility.

5.1.1 Flood Depths – Buildings

The flood elevation used in the analysis was equal to the maximum water surface elevation corresponding with the respective critical asset's building footprint for a given scenario. The asset elevation is equal to the Finished Flood Elevation (FFE) of the respective building. Where FFE's were unknown, the asset elevation was assumed to be the mean DEM elevation within the building footprint plus 0.5 feet. This assumption was derived from statistical analysis between the DEM and the known FFE's to ensure the assumption was relatively accurate.

5.1.2 Flood Depths – Parcels

For assets represented by parcels of land, the ground elevation varies within the parcel's boundary, so analysis considering only one asset elevation value would fail to capture the varied flooding that potentially occurs within the parcel. Analysis therefore expanded to consider the variance between the flood elevation and ground elevation values throughout the parcel's boundary. The parcels were represented by polygons in GIS, and the ground elevation values were extracted at 25-foot intervals throughout the polygon boundary. The extracted ground elevation value at each point was then subtracted from the maximum water surface elevation for each scenario, generating flood depths for each of the points within the parcel's boundary. A weighted average was then used to combine the parcel's individual flood depths into one representative flood depth value.

5.1.3 Exposure Scoring

Once a flood depth was calculated, a corresponding exposure score was assigned according to **Table 5-2.** An exposure level of "Minimal" was assigned to flood depths up to half a foot lower than the asset elevation. The Minimal exposure level considered flooding that does not surmount the asset elevation but can impact accessibility.

Table 5-2: Facility Exposure Scoring

Exposure Level	Exposure Score	Flood Depth (feet)
Severe	5	> 2.00
High	4	1.01 – 2.00
Medium	3	0.51 – 1.00
Low	2	0.01 – 0.50
Minimal	1	-0.50 – 0.00
None	0	< -0.50

5.2 Polyline Features

5.2.1 Flood Depths – Roadways

For roadways, analysis considering only one asset elevation value would fail to capture the varied flooding that could potentially occur along a roadway. Analysis therefore expanded to consider the difference between the flood elevation and the ground elevation values along a given roadway. The roadways were represented as polylines at the centerline in GIS. Longer roadways were separated into roadway segments at major intersections to simplify the description of flooding along the roadway. Points were then generated along the lines at 50-foot intervals. The corresponding flood elevation and ground elevation values were then extracted at each point to generate flood depth values along the roadway. The Florida East Coast (FEC) Railway was incorporated into this analysis.

5.2.2 Flood Depths – Bridges

Bridges were represented as centerlines, like roadways. However, the DEM removes bridges from the elevation surface and records the water or ground elevation beneath instead. Therefore, the endpoints of the bridge centerlines were used to derive the bridge's asset elevation. The corresponding maximum water surface elevation and ground elevation values were extracted at each of the two bridge endpoints. The two water surface elevations and the two ground elevations were then respectively averaged together to generate one flood depth value for each bridge. The FEC Railway bridge was incorporated into this analysis.

5.2.3 Exposure Scoring

Exposure scoring for roadways and bridges assumes that a flood depth greater than six inches of flooding is impassable by vehicle. **Table 5-3** presents the flood depths and their corresponding exposure scores for roadways and bridges.

Table 5-3: Roadway and Bridge Exposure Scoring

Exposure Level	Exposure Score	Flood Depth (inches)
High	5	> 6.00
Medium	3	3.01 – 6.00
Low	1	0.01 – 3.00
None	0	0.00

5.3 Point Features

5.3.1 Flood Depths

Exposure scoring was developed with the assumption that the critical assets' most sensitive features are elevated on the structure; for example, the Florida Department of Health (FDOH) requires the top of well

casings to be at least 1.5 feet above the 100-year storm flood elevation. Interconnects, lift stations, and wells were represented as points in GIS, and the corresponding maximum water surface elevation and ground elevation values were extracted at each point. The asset elevation was then subtracted from the corresponding maximum water surface elevation to yield a single flood depth value.

5.3.2 Exposure Scoring

The flood depths values, with corresponding exposure levels and scores, are summarized in **Table 5-4.**

Table 5-4: Point Exposure Scoring

Exposure Level	Exposure Score	Flood Depth (ft)
Severe	5	> 3.00
High	4	2.01 – 3.00
Medium	3	1.01 – 2.00
Low	2	0.51 – 1.00
Minimal	1	0.01 – 0.50
None	0	0.00

5.4 Exposure Analysis Results

The complete tabulated results of the Exposure Analysis, including the critical assets' flood depths for each flooding scenario, can be found in **Appendix F**. The results indicate that rainfall, sea level rise, and storm surge are all major drivers of flooding within the Town, because critical assets that did experience flooding had increased exposure levels for flooding scenarios associated with higher intensity rainfall events, the addition of sea level rise projections, and the addition of the 100-year storm surge. General trends in the flood depths calculated for the facilities, polylines, and points are described below.

5.4.1 Facilities – Buildings

A total of 44 assets were analyzed as buildings, and 23 experienced no flooding across all flooding scenarios. An additional 5 scenarios only experienced Minimal flooding for one flooding scenario (7th Street Stormwater Pump Station, Fire Rescue Station 16, Future Fire Station 1, Jupiter Rehabilitation and Healthcare Center, and The Councilor's House). Three critical assets experienced flooding for all, or all but one, flooding scenario, and frequently experienced Severe flooding: Old Town Hall, The Alice Kitching Benton House, and Jupiter Methodist Church. These assets are both low-lying compared to the other critical assets and within the Seminole Ave and Rio Vista Drainage Basins, two areas historically vulnerable to flooding, which help explain their high exposure scores.

All five possible exposure levels were recorded in the exposure analysis of the buildings. Of the buildings that experienced flooding, most had an increased exposure to flooding for scenarios corresponding to the

100-year storm event, demonstrating a vulnerability to precipitation-induced flooding. Another identifiable trend is an increase in exposure for Scenarios 16-30, compared to Scenarios 1-15, demonstrating a general vulnerability to storm surge.

5.4.2 Facilities – Parcels

A total of 133 assets were analyzed as parcels, and 9 experienced no flooding for any flooding scenario. An additional 9 assets were at most 20% flooded under any scenario, 19 assets were at most 50% flooded under any scenario, and 20 assets were at most 80% flooded under any scenario. Of the remaining 76 assets, 14 assets were at least 95% flooded under any flooding scenario; these assets were mostly conservation areas. The conservation areas were the Asset Type with the greatest exposure to flooding observed, with parks having the second highest levels of exposure.

5.4.3 Roadways

The 79 roadways were divided into 113 segments, based on major intersections, where applicable, to more easily understand the flooding tendencies along some of the longer roadways. Of these segments, 3 segments did not experience any flooding under any scenario. An additional 19 roadway segments experienced at most 20% flooding under any scenario, 12 experienced at most 50% flooding under any scenario, and 19 experienced at most 80% flooding under any of the modeled scenarios. Of the remaining 60 roadway segments, 6 were at least 95% flooded under any scenario: Commerce Way (south of Commerce Lane), Dolphin Drive, Helios Drive, Maplewood Drive Segment A, Town Hall Avenue, and River Road.

5.4.4 Bridges

A total of 40 bridges were analyzed (including the railroad bridge), and 34 experienced no flooding under any scenario. The 6 bridges that did experience flooding each had an exposure level of High for at least one of the scenarios modeled. These High exposure scores were most prevalent for Scenarios 16-30, indicating the high impact storm surge has on flooding conditions. One bridge had a High exposure level for all scenarios modeled: the Riverbend Park bridge.

5.4.5 Point Features

A total of 290 interconnects, lift stations, wells, and historical and cultural assets were analyzed as points; 157 experienced no flooding under any of the modeled scenarios. Of the assets experiencing flooding, 33 recorded High or Severe exposure for at least one of the flooding scenarios. Higher exposure levels were generally observed under flooding scenario 16-30, indicating storm-surge as a driver for increased flooding.

6. Sensitivity Analysis

The Sensitivity Analysis serves to quantify the impact of flooding on all critical assets by taking the results of the exposure analysis and multiplying a Scenario Weighting Factor (the likelihood of flood scenarios) to produce a "normalized" sensitivity score. These sensitivity scores were then summed into an Overall Sensitivity Score that was multiplied by Asset Type-specific Criticality Factors to calculate a Risk Score. **Figure 6-1** depicts this methodology.



Figure 6-1: Sensitivity Analysis Methodology

6.1 Scenario Weighting Factor

The Sensitivity Scores were developed by taking the results of the exposure analysis and incorporating likelihood of flood scenarios to produce a "normalized" sensitivity score. To do so, each critical asset's set of Exposure Scores, calculated in the Exposure Analysis, were multiplied by their respective Scenario Weighting Factor to yield a Sensitivity Score for each flood scenario. A higher weight is assigned to flood scenarios with a greater likelihood of occurrence and hence more relevance to present-day or near-future conditions that could impact the community. Flood scenarios associated with rare events or those predicted to occur far into the future are still considered but assigned a lower weighting factor to appropriately evaluate impact of flooding. The scenario weights are summarized in **Table 6-1**.

Table 6-1: Scenario Weighting Factors

Scenario No.	Rainfall	Sea Level Rise Projection	Planning Horizon	Tidal Condition	Overall Weight
S-1	10-year	N/A	2025 - Current	Normal High Tide	14%
S-2	25-year				9%
S-3	100-year				7%
S-4	10-year	2022 NOAA Intermediate Low	2050		4%
S-5	25-year				3%
S-6	100-year				2%
S-7	10-year	2022 NOAA Intermediate			4%
S-8	25-year				3%
S-9	100-year				2%
S-10	10-year	2022 NOAA Intermediate Low	2080		3%
S-11	25-year				2%
S-12	100-year				1%
S-13	10-year	2022 NOAA Intermediate			3%
S-14	25-year				2%
S-15	100-year				1%
S-16	10-year	N/A	2025 - Current	100-year Storm Surge	5%
S-17	25-year				3%
S-18	100-year				2%
S-19	10-year	2022 NOAA Intermediate Low	2050		4%
S-20	25-year				3%
S-21	100-year				2%
S-22	10-year	2022 NOAA Intermediate			4%
S-23	25-year				3%
S-24	100-year				2%
S-25	10-year	2022 NOAA Intermediate Low	2080		3%
S-26	25-year				2%
S-27	100-year				1%
S-28	10-year	2022 NOAA Intermediate			3%
S-29	25-year				2%
S-30	100-year				1%
S-31	500-year	N/A	N/A	Normal High Tide	1%
				Total	**100%**

The calculated Sensitivity Scores for all critical assets are included in **Appendix G,** with maps of each asset's sensitivity score by flooding scenario included in **Appendix H**. The Overall Sensitivity Scores are generally higher for assets in the upper half of the Town's municipal boundary; indicating that even weighted, the flood exposure from sea level rise and storm surge is significant. **Figures 6-2** through **6-5** depict this significance by overlaying the critical assets, with the top ten facilities, polyline features, and point features in yellow, on top of three modeled flood depth scenarios. **Figure 6-2** is a baseline scenario of the 10-year storm event during present-day conditions. **Figure 6-3** and **Figure 6-4** depict the 2022 NOAA Intermediate SLR addition to the baseline 10-year storm event for planning horizons 2050 (Scenario 7) and 2080 (Scenario 13), respectively, and **Figure 6-5** depicts the effects of the 100-year storm surge addition (Scenario 16) to the baseline event.

Legend

Flood Depth (ft)

- > 3.00
- 2.01 - 3.00
- 1.51- 2.00
- 1.01 - 1.50
- 0.51 - 1.00
- 0.26 - 0.50
- 0.01 - 0.25
- 0.00

Critical Asset Overall Sensitivity Scores

- Other
- Top 10
- Other
- Top Ten
- Other
- Top Ten
- Town of Jupiter Municipal Boundary

0 0.5 1 2 Miles

Hazen Project Number: 44250-093
Plot date: 11/6/2025 4:28 PM By: JBielecki
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	11/6/2025 4:28 PM
Printed By:	J. Bielecki
Review By:	E. Stanley

Vulnerability Assessment
Town of Jupiter

Overlay of Critical Assets on Scenario 1

Figure 6-2

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA_09292025.aprx Saved by JBielecki Save date = 11/4/2025 4:02 PM



Hazen Project Number: 44250-093
Plot date: 11/6/2025 4:30 PM By: JBielecki
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	11/6/2025 4:30 PM
Printed By:	J. Bielecki
Review By:	E. Stanley

Vulnerability Assessment
Town of Jupiter

Overlay of Critical Assets on Scenario 7

Figure 6-3

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA_09292025.aprx Saved by JBielecki Save date = 11/4/2025 4:02 PM



Hazen Project Number: 44250-093
Plot date: 11/6/2025 4:31 PM By: JBielecki
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	11/6/2025 4:31 PM
Printed By:	J. Bielecki
Review By:	E. Stanley

Vulnerability Assessment
Town of Jupiter

Overlay of Critical Assets on Scenario 13

Figure 6-4

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA_09292025.aprx Saved by JBielecki Save date = 11/4/2025 4:02 PM



Hazen Project Number: 44250-093
Plot date: 11/6/2025 4:32 PM By: JBielecki
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	11/6/2025 4:32 PM
Printed By:	J. Bielecki
Review By:	E. Stanley

Vulnerability Assessment
Town of Jupiter

Overlay of Critical Assets on Scenario 16

Figure 6-5

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA_09292025.aprx Saved by JBielecki Save date = 11/4/2025 4:02 PM

6.2 Risk Scores

The summed Sensitivity Scores were then multiplied by Criticality Factors to create Risk Scores that emphasize flooding impacts on critical assets more relevant to Town operations, while de-emphasizing flooding impacts on critical assets less relevant to Town Operations. By doing so, resources can be better prioritized toward mitigating flooding that directly impacts the Town. All risk scores are a value between 0 and 25, with 25 being the maximum possible Risk Score. A Risk Score of 25 would indicate that the critical asset has both the maximum Exposure Scores and the maximum Criticality Factor value.

6.2.1 Criticality Factors

The Criticality Factors were assigned a value from 1-5 according to the Asset Type and are detailed in **Appendix I**.

6.2.1.1 Facility Criticality Factors

Three facility criticality factors were developed to weigh the facilities' Asset Types based on their Criticality of Services for Town Operations (Critical Services Factor), their Likelihood of Personnel Occupying during Emergencies (Occupancy Factor), and their Likelihood of Structural Damage (Structural Damage Factor). Each of these factors had a respective weight of 40%, 30%, and 30%, as depicted in **Figure 6-6**.



Figure 6-6: Facility Criticality Factor Weights

6.2.1.1.1 Critical Services Factor

The Critical Services Factor assigns a value from 1-5 based on the Asset Type's importance to Town operations, with 5 being most critical to public health and safety within the Town's municipal boundary and water service area. This assigns a higher sensitivity to the Asset Types whose loss of function due to a

flooding event would impact public health and safety (such as emergency operation centers and hospitals) compared to assets whose temporary loss of function does not result in a direct impact to public safety and health (such as parks). **Table 6-2** summarizes the Critical Services Factor scoring.

Table 6-2: Critical Services Factor Scoring

Critical Services Factor	Value
Most Critical	5
Very Critical	4
Moderately Critical	3
Slightly Critical	2
Least Critical	1

6.2.1.1.2 Occupancy Factor

The Occupancy Factor assigns a value from 1-5 based on the likelihood of the Asset Type to house personnel during emergencies, with 5 being most likely. This assigns a higher sensitivity to the Asset Types assumed to house personnel even during emergencies (such as hospitals and risk shelters) compared to assets that are assumed to evacuate and not house any personnel during emergencies (such as parks and marinas). **Table 6-3** summarizes the Occupancy Factor scoring.

Table 6-3: Occupancy Factor Scoring

Occupancy Factor	Value
Most Likely to House Personnel during Emergency	5
Very Likely to House Personnel during Emergency	4
Moderately Likely to House Personnel during Emergency	3
Slightly Likely to House Personnel during Emergency	2
Least Likely to House Personnel during Emergency	1

6.2.1.1.3 Structural Damage Factor

The Structural Damage Factor assigns a value of either 1, 3, or 5 based on the Asset Type's susceptibility to structural damage because of flooding, with 5 being susceptible. This assigns a higher sensitivity to the Asset Types that are susceptible to building structural integrity compromise during a flood event (like local government facilities and water treatment plants) compared to assets with limited structures that can be compromised during a flood event (like conservation lands and parks). **Table 6-4** summarizes the Structural Damage Factor scoring.

Table 6-4: Structural Damage Factor Scoring

Structural Damage Factor	Value
Susceptible to Structural Damage	5
Somewhat Susceptible to Structural Damage	3
Unsusceptible to Structural Damage	1

6.2.1.2 Polyline Feature Criticality Factors

Two criticality factors were developed to weigh the polyline features (roadways and bridges) on their Roadway Classification and Roadway Importance. For bridges, these factors are with respect to the roadway that the bridge resides on. The two factors had a weight of 50% each, as depicted in **Figure 6-7.**



Figure 6-7: Roadway and Bridge Criticality Factor Weights

6.2.1.2.1 Roadway Classification

The Roadway Classification Factor assigns a value from 1-5 based on the roadway's functional classification, with 5 assigned to roadways of highest volume and trip distance. Assets with a high Roadway Classification Factor transport more vehicles, span longer distances, and connect major urban centers compared to assets that transport fewer vehicles, span shorter distances, and connect local areas. **Table 6-5** summarizes the Roadway Classification Factor Scoring.

Table 6-5: Roadway Classification Factor Scoring

Roadway Classification Factor	Value
Principal Arterial	5
Minor Arterial	4
Major Collector	3
Minor Collector	2
Local	1

6.2.1.2.2 Roadway Importance Factor

The Roadway Importance Factor assigns either a 1, 3, or 5 based on the roadway's importance, with 5 being most important. Assets with a value of 5 have regional importance such as evacuation routes and roadways with multiple agencies, and assets with a value of 3 have Town importance and/or a history of flooding. Assets with a value of 1 have local neighborhood importance. **Table 6-6** summarizes the Roadway Importance Factor scoring.

Table 6-6: Roadway Importance Factor Scoring

Roadway Importance Factor	Value
Regional Importance	5
Community Importance	3
Local Importance	1

The railroad and railroad bridge do not have functional class designations and were assigned values of 3 for both Criticality Factors.

6.2.1.3 Point Feature Criticality Factor

Data represented by points have different Criticality Factors compared to facilities and bridges/roadways. The data represented by points includes interconnects and wells, some historical and cultural assets, and sanitary lift stations.

6.2.1.3.1 Interconnects and Wells

The interconnect critical assets (emergency potable water interconnects with Seacoast Utilities and the Village of Tequesta) were assigned a 5 due to their extreme importance to supply potable during emergency situations.

The drinking water wells within the Town are either Floridian Aquifer (FA) wells that supply raw water to the Reverse Osmosis (RO) water treatment facility or Surficial Aquifer (SA) wells that supply raw water to the Nanofiltration (NF) water treatment facility, with both the RO water treatment facility and the NF water treatment facility located at the Water Treatment Plant (WTP). The FA wells were assigned a 5, while SA wells were assigned a 5 if they were within two miles of the WTP, and a 3 if they were farther than two miles from the WTP. The varying drinking water well Criticality Factors are due to the FA wells being both fewer in number and higher in capacity/flow, so the loss of one well has a greater single impact on the RO plant production. Conversely, the SA wells are greater in number and lower in capacity/flow, so the SA wells are more redundant and have a lower single impact on NF plant production when one is out of service. **Table 6-7** summarizes the Interconnect and Well Criticality Factors.

Table 6-7: Interconnect and Well Criticality Factor Scoring

Criticality Factor	Value
Interconnects	5
Floridian Aquifer Water Supply Wells	5
Surficial Aquifer Water Supply Wells, within 2 miles of WTP	5
Surficial Aquifer Water Supply Wells, farther than 2 miles from WTP	3

6.2.1.3.2 Historical and Cultural Assets

The Historical and Cultural Assets depicted as points were assigned a criticality factor in the same manner as described in **Section 6.2.1.1 Facility Criticality Factors.**

6.2.1.3.3 Sanitary Lift Stations

The Loxahatchee River District is the regional provided of wastewater services and maintains the responsibility of wastewater treatment plants and sanitary lift stations. However, the assets are still included in the Town VA due to community significance. The Sanitary Lift Station Criticality Factor assigns a value of either 1 or 5 based on the lift station's identification as a master lift station, with 5 being a master lift station. This assigns higher sensitivity to the lift stations that are designed for higher flow values. **Table 6-8** summarizes the Sanitary Lift Station Criticality Factor.

Table 6-8: Sanitary Lift Station Criticality Factor Scoring

Lift Station Criticality Factor	Value
Master Lift Station	5
All Other Lift Stations	1

6.3 Risk Score Results

The Risk Score per critical asset is the product of the Overall Sensitivity Scores and the Criticality Factors. The Risk Score calculation allows for comparison across critical assets regardless of Asset Type by yielding a maximum value of 25 to represent maximum exposure and maximum sensitivity. The full list of Risk Scores is in **Appendix J**, with the top ten Risk Scores summarized below for facilities, polyline features, and point features.

6.3.1 Facilities

6.3.1.1 Buildings

The Risk Scores for the ten highest scoring buildings are summarized in **Table 6-9**.

Table 6-9: Risk Scores – Facilities (Top Ten Buildings)

Asset Unique ID	Asset Name	Asset Owner or Operator	Overall Sensitivity Score	Criticality Factor	Risk Score
ID638	Jupiter Methodist Church	Town of Jupiter	4.1	2.2	9.0
ID269	Seminole Pump Station	Town of Jupiter	2.2	3.8	8.4
ID556	Old Town Hall	Town of Jupiter	3.7	2.2	8.2
ID560	The Alice Kitching Benton House	Private	3.4	2.2	7.5
ID563	WWII Naval Housing Building	Town of Jupiter	1.9	2.2	4.2
ID559	Sims House	Private	1.7	2.2	3.7
ID549	Florida East Coast Railway Jupiter Train Depot	Town of Jupiter	0.9	2.2	2.0
ID413	Main Town Hall	Town of Jupiter	0.4	4.0	1.4
ID557	People's Congregation Church	Private	0.6	2.2	1.4
ID637	Aicher House	Town of Jupiter	0.6	2.2	1.3

6.3.1.2 Parcels

The Risk Scores for the ten highest scoring parcels are summarized in **Table 6-10.**

Table 6-10: Risk Scores – Facilities (Top Ten Parcels)

Asset Unique ID	Asset Name	Asset Owner or Operator	Overall Sensitivity Score	Criticality Factor	Risk Score
ID271	Salinity Barrier Structure	Town of Jupiter	5.0	3.2	16.0
ID351	Riverbend Repump Station	Town of Jupiter	3.2	3.8	12.0
ID368	Growing Minds Prep Academy	Private	3.9	3.0	11.7
ID569	Old Jupiter Beach Road Pond	Town of Jupiter	4.9	1.8	8.8
ID572	Clemons Pond	Town of Jupiter	4.9	1.8	8.8
ID412	Florida Fish and Wildlife Conservation Commission Law Enforcement Division	State of Florida	1.7	5.0	8.6
ID568	Eganfuskee Pond	Town of Jupiter	4.5	1.8	8.1
ID367	Florida Virtual School 4 Kids	Private	2.7	3.0	8.0
ID573	Love Street Pond	Town of Jupiter	4.1	1.8	7.4
ID570	Cinquez Pond	Town of Jupiter	4.0	1.8	7.2

6.3.2 Polyline Features

6.3.2.1 Roadways

The Risk Scores for the ten highest scoring roadway segments are summarized in **Table 6-11**. Higher scores represent greater flooding vulnerability along the roadway.

Table 6-11: Risk Scores – Top Ten Roadway Segments

Asset Unique ID	Asset Name	Asset Owner or Operator	Overall Sensitivity Score	Criticality Factor	Risk Score
ID041B	Center Street	Palm Beach County	4.1	4.0	16.6
ID053A	Maplewood Drive	Town of Jupiter	4.9	3.0	14.8
ID056	N A1A	Palm Beach County	2.6	4.0	10.2
ID593B	Commerce Way	Town of Jupiter	4.6	2.0	9.1
ID040A	Alternate A1A	State of Florida	1.8	5.0	9.1
ID592	Commerce Lane	Town of Jupiter	3.7	2.0	7.4
ID566B	N Old Dixie Highway	Palm Beach County	3.6	2.0	7.2

Asset Unique ID	Asset Name	Asset Owner or Operator	Overall Sensitivity Score	Criticality Factor	Risk Score
ID050	Indiantown Road	Palm Beach County	1.4	4.5	6.5
ID607A	South Pennock Lane	Town of Jupiter	2.6	2.5	6.6
ID595B	Riverside Drive	Town of Jupiter	2.6	2.5	6.4

6.3.2.2 Bridges

The Risk Scores for the bridges experiencing flooding are summarized in **Table 6-12.**

Table 6-12: Risk Scores – Top Bridges

Asset Unique ID	Asset Name	Asset Owner or Operator	Overall Sensitivity Score	Criticality Factor	Risk Score
ID026	Riverbend Park Bridge	Unknown	5.0	1.0	5.0
ID005	Loxahatchee River Road Bridge over C-18 Canal	County Highway Agency	2.6	1.5	3.8
ID016	Center Street Bridge over Jones Creek	County Highway Agency	0.9	2.0	1.6
ID002	Jupiter Beach Park Bridge	Unknown	1.1	1.0	1.1
ID001	Jupiter Beach Road Bridge	County Highway Agency	0.8	1.0	0.8

6.3.3 Point Features

6.3.3.1 Interconnects and Wells

The Risk Scores for the ten highest scoring interconnects and wells are summarized in **Table 6-13**.

Table 6-13: Risk Scores – Top Ten Interconnects and Wells

Asset Unique ID	Asset Name	Asset Owner or Operator	Overall Sensitivity Score	Criticality Factor	Risk Score
ID352	Seacoast 10" Interconnect	Town of Jupiter	2.1	5.0	10.7
ID356	Tequesta 8" Interconnect	Town of Jupiter	2.1	5.0	10.3
ID297	SA-11A	Town of Jupiter	1.2	5.0	6.2
ID321	SA-35	Town of Jupiter	1.2	5.0	6.2
ID295	SA-09A	Town of Jupiter	1.0	5.0	4.8
ID315	SA-29	Town of Jupiter	0.8	5.0	4.0
ID306	SA-20	Town of Jupiter	0.7	5.0	3.5
ID316	SA-30	Town of Jupiter	0.4	5.0	1.9
ID278	FA-02	Town of Jupiter	0.2	5.0	1.2
ID343	SA-58	Town of Jupiter	0.2	5.0	1.2

6.3.3.2 Sanitary Lift Stations

The Risk Scores for the ten highest scoring sanitary lift stations are summarized in **Table 6-14.**

Table 6-14: Risk Score – Top Ten Sanitary Lift Stations

Asset Unique ID	Asset Name	Asset Owner or Operator	Overall Sensitivity Score	Criticality Factor	Risk Score
ID265	LS984	Private	4.5	1.0	4.5
ID224	LS952	Palm Beach County	3.7	1.0	3.7
ID104	LS026	Loxahatchee River District	3.7	1.0	3.7
ID065	LS095	Loxahatchee River District	3.6	1.0	3.6
ID266	LS985	Private	3.1	1.0	3.1
ID141	LS190	Loxahatchee River District	3.1	1.0	3.1
ID105	LS027	Loxahatchee River District	3.0	1.0	3.0
ID251	LS923	Private	3.0	1.0	3.0
ID257	LS950	Private	2.8	1.0	2.8
ID151	LS003	Loxahatchee River District	2.5	1.0	2.5

6.3.4 Overall Sensitivity Analysis Results

The top ten highest Risk Scores across all Critical Asset Types are summarized in **Table 6-15**.

Table 6-15: Top Ten Risk Scores – All Critical Assets

Asset Unique ID	Asset Name	Asset Owner or Operator	Overall Sensitivity Score	Criticality Factor	Risk Score
ID041B	Center Street	Palm Beach County	4.1	4.0	16.6
ID271	Salinity Barrier Structure	Town of Jupiter	5.0	3.2	16.0
ID053A	Maplewood Drive	Town of Jupiter	4.9	3.0	14.8
ID351	Riverbend Repump Station	Town of Jupiter	3.2	3.8	12.0
ID368	Growing Minds Prep Academy	Private	3.9	3.0	11.7
ID352	Seacoast 10" Interconnect	Town of Jupiter	2.1	5.0	10.7
ID356	Tequesta 8" Interconnect	Town of Jupiter	2.1	5.0	10.3
ID056	N A1A	Palm Beach County	2.6	4.0	10.2
ID593B	Commerce Way	Town of Jupiter	4.6	2.0	9.1
ID040A	Alternate A1A	State of Florida	1.8	5.0	9.1

These analysis results allow the Town to understand where its greatest flooding vulnerabilities are. While 361 of the 587 critical assets were calculated to have flooding vulnerabilities (non-zero Exposure Scores), none of the critical assets approached the maximum possible value of 25, indicating a lack of worst-case scenario for all Town assets. The Risk Scores calculated were then incorporated into criteria for the identification of Town Focus Areas.

7. Identify Focus Areas

Communities may assign focus areas to locations or assets that are particularly vulnerable and require the development of adaptation strategies. Per the Florida Adaptation Planning Guidebook, the focus areas build on the identification of sensitive entities in the previous step (Sensitivity Analysis) and assigns community preference for areas that will receive a majority of the adaptation strategy attention. The 11 focus areas identified as part of this Vulnerability Assessment incorporated the following criteria:

- Background information from previous Sea Level Rise and Storm Surge reports
- Highest Risk Scores
- Inclusion of critical facilities or infrastructure
- High densities of population
- Roadways that the community relies on to access homes and businesses
- Areas vital to supporting local economy
- Areas of local and historic significance to the community

Background information reviewed included the Town's 2022 Stormwater Utilities Master Plan Update. This report included inundation maps that evaluated areas anticipated to be inundated due to Sea Level Rise and/or Storm Surge. Additionally, the report identified changes in rainfall intensity, frequency, and duration that will likely increase the amount of nuisance flooding within the Town boundary. The modeling efforts done as part of this VA supported the Master Plan's identification of areas that would be affected by sea level rise and storm surge, while also modeling design storms identified in the Master Plan. The Master Plan also recommended the establishment of Adaptation Action Areas, defined by the Florida Statutes as "*a designation in the coastal management element of a local government's comprehensive plan which identifies one or more areas that experience coastal flooding due to extreme high tides and storm surge, and that are vulnerable to the related impacts of rising sea levels for the purpose of prioritizing funding for infrastructure needs and adaptation planning*." The Master Plan's recommended areas for AAA identification were the Seminole Ave Pump Station Basin, Yacht Club Estates and Old Jupiter Beach Road, and properties that abut natural waterways.

The calculated risk scores built upon the completed exposure and sensitivity analyses, both considering the individual critical asset's vulnerability to flooding and the critical asset's role in the community. The scores have a maximum value of 25 to make comparison across all Asset Types possible.

The above criteria were used to perform a desktop review of potential focus areas within the Town. Through this review, 11 focus areas were identified and are depicted in **Figure 7-1**.



Figure 7-1: Identified Focus Areas

These 11 focus areas help the Town to designate areas for adaptation strategy prioritization, though it does not necessarily mean that other areas of the Town can benefit from adaptation strategies. This prioritization allows for sources to be focused on areas with high vulnerability and high counts of critical assets.

7.1 East Toney Penna Drive Area

East Toney Penna Drive area was identified due to multiple critical assets having Risk Scores greater than 5 and because it is the primary route taken to reach the hospital. **Figure 7-2** depicts the focus area and labels the critical assets within the focus area.



Figure 7-2: East Toney Penna Drive Area

The critical assets within the East Toney Penna Drive area are summarized in **Table 7-1**.

Table 7-1: East Toney Penna Drive Area Critical Assets

Asset Unique ID	Asset Name	Asset Type	Asset Owner or Operator	Overall Sensitivity Score	Criticality Factor	Risk Score
ID607	South Pennock Lane	Major Roadway	Town of Jupiter	2.6	2.5	6.6
ID058B	Toney Penna Drive	Major Roadway	Town of Jupiter	1.9	3	5.6
ID414	Barcelona Jupiter	Affordable Housing	Private	1.2	4.2	5.2
ID361	ABC Montessori Academy	School	Private	1.6	3	4.8
ID629	Orange Avenue	Major Roadway	Town of Jupiter	4.2	1.0	4.2
ID455	Jones Creek Hammock	Conservation Land	Town of Jupiter	3.9	1.0	3.9
ID628	Hepburn Avenue	Major Roadway	Town of Jupiter	3.3	1.0	3.3
ID576	7th Street Pond	Stormwater Treatment Facility and Pump Station	Town of Jupiter	1.8	1.8	3.2
ID630	7th Street	Major Roadway	Town of Jupiter	3.2	1.0	3.2
ID529	Jupiter River Estates Park	Park	Town of Jupiter	3.1	1.0	3.1
ID452	Georgian Park	Conservation Land	HOA	2.2	1.0	2.2
ID374	Jupiter High School	School	School District of Palm Beach County	0.6	3.0	1.7
ID417	Stephenson Manor	Affordable Housing	Private	0.6	4.2	1.7
ID243	LS913	Wastewater Treatment Facility and Lift Station	Private	1.6	1.0	1.6
ID566C	N Old Dixie Highway	Major Roadway	Palm Beach County	0.6	2.0	1.3
ID405	Jupiter Medical Center Pavilion Incorporated	Health Care Facility	Private	0.2	4.6	1.0

Asset Unique ID	Asset Name	Asset Type	Asset Owner or Operator	Overall Sensitivity Score	Criticality Factor	Risk Score
ID411	Jupiter Medical Center	Hospital	Private	1.0	5.0	1.0
ID201	LS179	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.9	1.0	0.9
ID419	Third Housing 401	Affordable Housing	Private	0.2	4.2	0.9
ID583	South Loxahatchee Drive	Major Roadway	Town of Jupiter	0.5	2.0	0.9
ID054A	Military Trail	Major Roadway	Palm Beach County	0.2	4.5	0.8
ID537	North County Aquatic Complex	Park	Palm Beach County	0.8	1.0	0.8
ID062B	FEC Railway	Rail Facility	Florida East Coast	0.1	4.0	0.5
ID097	LS019	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.4	1.0	0.4
ID142	LS191	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.3	1.0	0.3
ID220	LS932	Wastewater Treatment Facility and Lift Station	Palm Beach County	0.3	1.0	0.3
ID415	Jupiter Homes Corp	Affordable Housing	Private	0.1	4.2	0.3
ID040B	Alternate A1A	Major Roadway	Florida Department of Transportation	0.0	5.0	0.1
ID244	LS914	Wastewater Treatment Facility and Lift Station	Private	0.1	1.0	0.1
ID270	7th Street Stormwater Pump Station	Stormwater Treatment Facility and Pump Station	Town of Jupiter	0.0	3.8	0.1
ID460	Georgian Park Preserve	Conservation Land	Palm Beach County	0.1	1.0	0.1
ID103	LS025	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
ID162	LS015	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
ID245	LS915	Wastewater Treatment Facility and Lift Station	Private	0.0	1.0	0.0
ID541	Pine Gardens Park	Park	Palm Beach County	0.0	1.0	0.0

7.2 Jupiter Inlet Village Area

The Jupiter Inlet Village Area was identified due to multiple critical assets having Risk Scores greater than 5, and because the area includes many tourism destinations that support the local economy. **Figure 7-3** depicts the focus area and labels the critical assets within the focus area.



Figure 7-3: Jupiter Inlet Village Area

The critical assets within the Jupiter Inlet Village area are summarized in **Table 7-2.**

Table 7-2: Jupiter Inlet Village Area Critical Assets

Asset Unique ID	Asset Name	Asset Type	Asset Owner or Operator	Overall Sensitivity Score	Criticality Factor	Risk Score
ID056	NA1A	Major Roadway	Palm Beach County	2.6	4.0	10.2
ID572	Clemons Pond	Stormwater Treatment Facility and Pump Station	Town of Jupiter	4.9	1.8	8.8
ID573	Love Street Pond	Stormwater Treatment Facility and Pump Station	Town of Jupiter	4.1	1.8	7.4
ID050	Indiantown Road	Major Roadway	Palm Beach County	1.4	4.5	6.5
ID497	State of Florida - TIITF	Conservation Land	State of Florida	5.0	1.0	5.0
ID059A	US1	Major Roadway	Florida Department of Transportation	0.8	5.0	3.8
ID065	LS095	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	3.6	1.0	3.6
ID251	LS923	Wastewater Treatment Facility and Lift Station	Palm Beach County	3.0	1.0	3.0
ID527	Jupiter Beach Park	Park	Palm Beach County	2.9	1.0	2.9
ID519	Dubois Park	Park	Palm Beach County	2.5	1.0	2.5
ID515	Burt Reynolds Park	Park	Palm Beach County	2.2	1.0	2.2
ID250	LS922	Wastewater Treatment Facility and Lift Station	Palm Beach County	2.0	1.0	2.0
ID222	LS930	Wastewater Treatment Facility and Lift Station	Private	1.5	1.0	1.5
ID631	Love Street	Major Roadway	Town of Jupiter	1.5	1.0	1.5

Asset Unique ID	Asset Name	Asset Type	Asset Owner or Operator	Overall Sensitivity Score	Criticality Factor	Risk Score
ID061	Jupiter Inlet Marina	Marina	Town of Jupiter	0.5	3.0	1.4
ID632	Clemons Street	Major Roadway	Town of Jupiter	1.4	1.0	1.4
ID512	Carlin Park – Town-Owned	Conservation Land	Town of Jupiter	1.3	1.0	1.3
ID055	NA1A	Major Roadway	Town of Jupiter	0.3	4.0	1.2
ID221	LS934	Wastewater Treatment Facility and Lift Station	Private	1.2	0.0	1.2
ID262	LS972	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	1.2	1.0	1.2
ID002	Jupiter Beach Park Bridge	Bridge	Palm Beach County	1.1	1.0	1.1
ID001	Jupiter Beach Road Bridge	Bridge	Palm Beach County	0.8	1.0	0.8
ID186	LS096	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.8	1.0	0.8
ID183	LS091	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.7	1.0	0.7
ID227	LS925	Wastewater Treatment Facility and Lift Station	Private	0.6	1.0	0.6
ID177	LS093	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.5	1.0	0.5
ID119	LS099	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.2	1.0	0.2

Asset Unique ID	Asset Name	Asset Type	Asset Owner or Operator	Overall Sensitivity Score	Criticality Factor	Risk Score
ID199	LS083	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.2	1.0	0.2
ID552	Jupiter Inlet Shipwrecks Historical Marker	Historical and Cultural Asset	Palm Beach County	0.2	1.0	0.2
ID182	LS090	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.1	1.0	0.1
ID013	US1 Bridge over Loxahatchee River	Bridge	Florida Department of Transportation	0.0	5.0	0.0
ID014	Indiantown Road Bridge over Lake Worth Creek, WB	Bridge	Florida Department of Transportation	0.0	5.0	0.0
ID015	Indiantown Road Bridge over Lake Worth Creek, EB	Bridge	Florida Department of Transportation	0.0	5.0	0.0
ID018	Southern US1 Bridge over Lake Worth Creek Canal, NB	Bridge	Florida Department of Transportation	0.0	5.0	0.0
ID019	Southern US1 Bridge over Lake Worth Creek Canal, SB	Bridge	Florida Department of Transportation	0.0	5.0	0.0
ID020	Northern US1 Bridge over Lake Worth Creek Canal, NB	Bridge	Florida Department of Transportation	0.0	5.0	0.0
ID021	Northern US1 Bridge over Lake Worth Creek Canal, SB	Bridge	Florida Department of Transportation	0.0	5.0	0.0
ID180	LS082	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
ID184	LS092	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
ID185	LS094	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
ID187	LS097	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
ID214	LS081	Wastewater Treatment Facility and Lift Station	Private	0.0	1.0	0.0

Asset Unique ID	Asset Name	Asset Type	Asset Owner or Operator	Overall Sensitivity Score	Criticality Factor	Risk Score
ID252	LS924	Wastewater Treatment Facility and Lift Station	Private	0.0	1.0	0.0
ID365	Children's Enrichment Center – First United Methodist Church	School	Private	0.0	3.0	0.0
ID393	Fire Rescue Station 18	Fire Station	Palm Beach County	0.0	5.0	0.0
ID396	Future Fire Station 2	Fire Station	Town of Jupiter	0.0	5.0	0.0
ID548	Dubois Pioneer Home	Historical and Cultural Asset	Palm Beach County	0.0	2.2	0.0
ID639	Jupiter Lake Worth Railway (Celestial Railway)	Historical and Cultural Asset	Town of Jupiter	0.0	1.0	0.0
ID640	Scheurich Midden	Historical and Cultural Asset	Town of Jupiter	0.0	1.0	0.0
ID641	Jupiter Lake Worth Railway Terminus	Historical and Cultural Asset	Town of Jupiter	0.0	1.0	0.0
ID642	Sperry Property	Historical and Cultural Asset	Town of Jupiter	0.0	1.0	0.0

7.3 Limestone Creek Area

The Limestone Creek Area was identified due to a critical asset essential to emergency responses having a calculated Risk Score greater than 5. **Figure 7-4** depicts the focus area and labels the critical assets within the focus area.



Figure 7-4: Limestone Creek Area

The critical assets within the Limestone Creek area are summarized in **Table 7-3**.

Table 7-3: Limestone Creek Area Critical Assets

Asset Unique ID	Asset Name	Asset Type	Asset Owner or Operator	Overall Sensitivity Score	Criticality Factors	Risk Score
ID391	Public Works	Emergency Operation Center	Town of Jupiter	1.3	5.0	6.3
ID598	Washington Street	Major Roadway	Town of Jupiter	0.7	2.0	1.4
ID343	SA-58	Drinking Water Facility	Town of Jupiter	0.2	5.0	1.2
ID528	Jupiter Community Park	Park	Town of Jupiter	0.9	1.0	0.9
ID513	Washington Preserve	Conservation Land	Town of Jupiter	0.7	1.0	0.7
ID599	Church Street	Major Roadway	Palm Beach County	0.3	2.5	0.7
ID133	LS159	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0

7.4 Maplewood Drive Area

The Maplewood Drive Area was identified due to multiple critical assets having Risk Scores greater than 5, including roadways of community importance and important stormwater structures. **Figure 7-5** depicts the focus area and labels the critical assets within the focus area.



Figure 7-5: Maplewood Drive Area

The critical assets within the Maplewood Drive area are summarized in **Table 7-4**.

Table 7-4: Maplewood Drive Area Critical Assets

Asset Unique ID	Asset Name	Asset Type	Asset Owner of Operator	Overall Sensitivity Score	Criticality Factor	Risk Score
ID271	Salinity Barrier Structure	Stormwater Treatment Facility and Pump Station	Town of Jupiter	5.0	3.2	16.0
ID053	Maplewood Drive	Major Roadway	Town of Jupiter	4.9	3.0	14.8
ID593	Commerce Way	Major Roadway	Town of Jupiter	4.6	2.0	9.1
ID592	Commerce Lane	Major Roadway	Town of Jupiter	3.7	2.0	7.4
ID357	FPL Substation 1	Electric Production and Supply Facility	Florida Power and Light	0.7	4.4	3.3
ID058A	Toney Penna Drive	Major Roadway	Town of Jupiter	1.0	3.0	2.9
ID577	Delaware Scrub	Conservation Land	Town of Jupiter	2.7	1.0	2.7
ID621	Delaware Boulevard	Major Roadway	Town of Jupiter	2.5	1.0	2.5
ID433	Abacoa - Northwest	Conservation Land	Palm Beach County, Town of Jupiter	2.4	1.0	2.4
ID048B	Indiantown Road	Major Roadway	Florida Department of Transportation	0.5	5.0	2.3
ID369	Jerry Thomas Elementary School	School	School District of Palm Beach County	0.8	3.3	2.3
ID617	Pinetree Trail	Major Roadway	Town of Jupiter	2.2	1.0	2.2
ID496	Sims Creek Preserve	Conservation Land	Town of Jupiter	1.6	1.0	1.6
ID305	SA-19	Drinking Water Facility	Town of Jupiter	0.2	5.0	1.0
ID248	LS919	Wastewater Treatment Facility and Lift Station	Palm Beach County	0.8	1.0	0.8
ID300	SA-14	Drinking Water Facility	Town of Jupiter	0.1	5.0	0.7

Asset Unique ID	Asset Name	Asset Type	Asset Owner of Operator	Overall Sensitivity Score	Criticality Factor	Risk Score
ID155	LS007	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.4	1.0	0.4
ID153	LS005	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.3	1.0	0.3
ID157	LS009	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.3	1.0	0.3
ID370	Jupiter Christian School	School	Private	0.1	3.0	0.2
ID047A	Indian Creek Parkway	Major Roadway	Palm Beach County	0.0	3.0	0.1
ID384	Turtle River Montessori – West Campus	School	Private	0.0	3.0	0.1
ID536	Maplewood Park	Park	Town of Jupiter	0.1	1.0	0.1
ID099	LS021	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
ID154	LS006	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
ID246	LS916	Wastewater Treatment Facility and Lift Station	Private	0.0	1.0	0.0
ID272	St Peters Recharge System Pump Station	Stormwater Treatment Facility and Pump Station	Town of Jupiter	0.0	2.6	0.0
ID302	SA-16	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
ID303	SA-17	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
ID304	SA-18	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
ID362	All Saints Catholic School	School	Private	0.0	3.3	0.0
ID373	Jupiter First Church Preschool	School	Private	0.0	3.0	0.0
ID401	Davita Jupiter Dialysis	Health Care Facility	Private	0.0	4.6	0.0
ID407	Jupiter Urgent Care Incorporated	Health Care Facility	Private	0.0	4.6	0.0
ID454	Hamptons	Conservation Land	HOA	0.0	1.0	0.0

7.5 North Central Jupiter

The North Central Jupiter area was identified due to multiple critical assets having calculated Risk Scores greater than 5, and because Center Street, with a Risk Score of over 10, is significant for access in this area of high residential density. **Figure 7-6** depicts the focus area and labels the critical assets within the focus area.



Figure 7-6: North Central Jupiter

The critical assets within the North Central Jupiter area are summarized in **Table 7-5**.

Table 7-5: North Central Jupiter Critical Assets

Asset Unique ID	Asset Name	Asset Type	Asset Owner or Operator	Overall Sensitivity Score	Criticality Factors	Risk Score
ID041B	Center Street	Major Roadway	Palm Beach County	4.1	4.0	16.6
ID607	South Pennock Lane	Major Roadway	Town of Jupiter	2.6	2.5	6.6
ID588	Cheyenne Street	Major Roadway	Town of Jupiter	4.5	1.0	4.5
ID455	Jones Creek Hammock	Conservation Land	Town of Jupiter	3.9	1.0	3.9
ID586	Anglers Way	Major Roadway	Town of Jupiter	2.6	1.0	2.6
ID587	Whitney Drive	Major Roadway	Town of Jupiter	2.5	1.0	2.5
ID589	Reo Drive	Major Roadway	Town of Jupiter	2.5	1.0	2.5
ID048B	Indiantown Road	Major Roadway	Florida Department of Transportation	0.5	5.0	2.3
ID518	Daily Park	Park	Town of Jupiter	2.0	1.0	2.0
ID150	LS002	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	1.3	1.0	1.3
ID585	North Pennock Lane	Major Roadway	Town of Jupiter	0.1	1.5	1.1
ID198	LS013	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.9	1.0	0.9
ID160	LS012	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.5	1.0	0.5
ID520	Eastview Manor Park	Park	Town of Jupiter	0.3	1.0	0.3
ID383	Turtle River Montessori – East Campus	School	Private	0.1	3.0	0.2
ID149	LS001	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
ID371	Jupiter Christian School – East Campus	School	Private	0.0	3.0	0.0

7.6 North Intracoastal Waterway

The North Intracoastal Waterway was identified due to a high volume of critical assets in an area identified in previous reports as at high risk to Sea Level Rise and Storm Surge. **Figure 7-7** depicts the focus area and labels the critical assets within the focus area.



Figure 7-7: North Intracoastal Waterway

The critical assets within the North Intracoastal Waterway area are summarized in **Table 7-6**.

Table 7-6: North Intracoastal Waterway Critical Assets

Asset Unique ID	Asset Name	Asset Type	Asset Owner or Operator	Overall Sensitivity Score	Criticality Factors	Risk Score
ID040A	Alternate A1A	Major Roadway	Florida Department of Transportation	1.8	5.0	9.1
ID569	Old Jupiter Beach Road Pond	Stormwater Treatment Facility and Pump Station	Town of Jupiter	4.9	1.8	8.9
ID568	Eganfuskee Pond	Stormwater Treatment Facility and Pump Station	Town of Jupiter	4.5	1.8	8.1
ID048C	Indiantown Road	Major Roadway	Florida Department of Transportation	1.0	5.0	4.8
ID523	Karen Golonka Island	Park	Palm Beach County	4.8	1.0	4.8
ID580	Eganfuskee Street	Major Roadway	Town of Jupiter	4.6	1.0	4.6
ID581	Elsa Road	Major Roadway	Town of Jupiter	4.1	1.0	4.1
ID579	Old Jupiter Beach Road	Major Roadway	Town of Jupiter	4.0	1.0	4.0
ID104	LS026	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	3.7	1.0	3.7
ID543	Sawfish Bay Park	Park	Town of Jupiter	2.8	1.0	2.8
ID257	LS950	Wastewater Treatment Facility and Lift Station	Private	2.8	1.0	2.8
ID366	First Class Preschool	School	Private	0.8	3.3	2.3
ID549	Florida East Coast Railway Jupiter Train Depot	Historical and Cultural Asset	Town of Jupiter	0.9	2.2	2.0
ID645	Sawfish Bay Park Midden	Historical and Cultural Asset	Town of Jupiter	1.9	1.0	1.9
ID263	LS973	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	1.5	1.0	1.5

Asset Unique ID	Asset Name	Asset Type	Asset Owner or Operator	Overall Sensitivity Score	Criticality Factors	Risk Score
ID123	LS126	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	1.3	1.0	1.3
ID637	Aicher House	Historical and Cultural Asset	Town of Jupiter	0.6	2.2	1.3
ID525	Johnston Park	Park	FEC RY	1.2	1.0	1.2
ID062	FEC Railway	Rail Facility	Florida East Coast	0.1	4.0	0.5
ID014	Indiantown Road Bridge over Lake Worth Creek, WB	Bridge	State Highway Agency	0.0	5.0	0.0
ID015	Indiantown Road Bridge over Lake Worth Creek, EB	Bridge	State Highway Agency	0.0	5.0	0.0

7.7 North Jupiter

The North Jupiter area was identified due to multiple critical assets having calculated Risk Scores greater than 5. **Figure 7-8** depicts the focus area and labels the critical assets within the focus area.



Figure 7-8: North Jupiter

The critical assets within the North Jupiter area are summarized in **Table 7-7.**

Table 7-7: North Jupiter Critical Assets

Asset Unique ID	Asset Name	Asset Type	Asset Owner or Operator	Overall Sensitivity Score	Criticality Factor	Risk Score
ID040A	Alternate A1A	Major Roadway	Florida Department of Transportation	1.8	5.0	9.1
ID595	Riverside Drive	Major Roadway	Town of Jupiter	2.6	2.5	6.6
ID596	Seabrook Road	Major Roadway	Town of Jupiter	3.9	1.0	3.9
ID059A	US1	Major Roadway	Florida Department of Transportation	0.8	5.0	3.8
ID597	Lance Road	Major Roadway	Town of Jupiter	3.7	1.0	3.7
ID545	Sylvia Park	Park	Town of Jupiter	2.9	1.0	2.9
ID179	LS079	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	2.3	1.0	2.3
ID062A	FEC Railway	Rail Facility	Florida East Coast	0.5	4.0	2.0
ID522	Frazier Park	Park	Town of Jupiter	0.7	1.0	0.7
ID594	Cypress Drive	Major Roadway	Town of Jupiter	0.3	2.0	0.7
ID117	LS063	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.4	1.0	0.4
ID644	20 W Riverside Drive	Historical and Cultural Asset	Town of Jupiter	0.2	1.0	0.2
ID116	LS056	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
ID355	Tequesta 12” Interconnect	Water Utility Conveyance System	Town of Jupiter	0.0	5.0	0.0
ID566A	N Old Dixie Highway	Major Roadway	Palm Beach County	0.0	2.0	0.0
ID643	River Hammock	Historical and Cultural Asset	Town of Jupiter	0.0	1.0	0.0

7.8 Ocean Way Area

The Ocean Way area was identified due to Ocean Way, a primary road of access for this area, having a calculated Risk Score greater than 5. **Figure 7-9** depicts the focus area and labels the critical assets within the focus area.

Figure 7-9: Ocean Way Area

The critical assets within the Ocean Way area are summarized in **Table 7-8**.

Table 7-8: Ocean Way Critical Assets

Asset Unique ID	Asset Name	Asset Type	Asset Owner or Operator	Overall Sensitivity Score	Criticality Factor	Risk Score
ID604	Ocean Way	Major Roadway	Town of Jupiter	2.4	2.5	6.1
ID627	Helios Drive	Major Roadway	Town of Jupiter	4.7	1.0	4.7
ID121	LS102	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	2.0	1.0	2.0
ID461	Jupiter Ridge Natural Area	Conservation Land	Palm Beach County	1.4	1.0	1.4
ID498	Tierra del Sol	Conservation Land	Palm Beach County	1.4	1.0	1.4
ID057	S A1A	Major Roadway	Palm Beach County	0.3	4.0	1.2
ID069	LS087	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	1.0	1.0	1.0
ID059B	US 1	Major Roadway	Florida Department of Transportation	0.1	5.0	0.4
ID070	LS088	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.2	1.0	0.2
ID508	Double Roads - North	Conservation Land	Town of Jupiter	0.2	1.0	0.2
ID073	LS089	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0

7.9 Offsite High Service Pumping Facility

The Offsite High Service Pumping Facility was identified due to multiple critical assets having Risk Scores greater than 5, and the area having a high concentration of critical plant infrastructure, including 2 out of 3 major High Service Pump stations for distribution. **Figure 7-10** depicts the focus area and labels the critical assets within the focus area.



Figure 7-10: Offsite High Service Pumping Facility

The critical assets within the Offsite High Service Pumping Facility are summarized in **Table 7-9**.

Table 7-9: Offsite High Service Pumping Facility Critical Assets

Asset Unique ID	Asset Name	Asset Type	Asset Owner or Operator	Overall Sensitivity Score	Criticality Factor	Risk Score
ID297	SA-11A	Drinking Water Facility	Town of Jupiter	1.2	5.0	6.2
ID295	SA-09A	Drinking Water Facility	Town of Jupiter	1.0	5.0	4.8
ID349	Central Boulevard High Service Pump Station	Water Utility Conveyance	Town of Jupiter	1.0	3.8	3.7
ID278	FA-02	Drinking Water Facility	Town of Jupiter	0.2	5.0	1.2
ID279	FA-03	Drinking Water Facility	Town of Jupiter	0.1	5.0	0.7
ID294	SA-08A	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
ID296	SA-10A	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0

7.10 Riverbend Repump Station

The Riverbend Repump Station area was identified due to the high Risk Score calculated for the Station, which powers 7 out of 13 existing Floridian Wells. Loss of this station would mean loss of power to these wells, which represent about 70% of the Reverse Osmosis Plant's raw water supply. **Figure 7-11** depicts the focus area and labels the critical assets within the focus area.



Figure 7-11: Riverbend Repump Station

The critical assets within the Riverbend Repump Station are summarized in **Table 7-10**.

Table 7-10: Riverbend Repump Station Area Critical Assets

Asset Unique ID	Asset Name	Asset Type	Asset Owner or Operator	Overall Sensitivity Score	Criticality Factor	Risk Score
ID351	Riverbend Repump Station	Water Utility Conveyance	Town of Jupiter	3.2	3.8	12.0
ID450	C-18 Triangle Natural Area	Conservation Land	Town of Jupiter	4.7	1.0	4.7
ID480	Parcel 19 W. Station Preserve	Conservation Land	Town of Jupiter	3.6	1.0	3.6
ID284	FA-08	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0

7.11 Seminole Ave and Rio Vista Drainage Basins

The Seminole Ave and Rio Vista Drainage Basins area was identified due to a high concentration of critical assets, including multiple with a calculated Risk Score greater than 5, in an area with both a history of nuisance flooding and a high future risk to Sea Level Rise and Storm Surge. **Figure 7-12** depicts the focus area and labels the critical assets within the focus area.



Figure 7-12: Seminole Ave and Rio Vista Drainage Basins

The critical assets within the Seminole Ave and Rio Vista Drainage Basins are summarized in **Table 7-11**.

Table 7-11: Seminole Ave and Rio Vista Drainage Basin Critical Assets

Asset Unique ID	Asset Name	Asset Type	Asset Owner or Operator	Overall Sensitivity Score	Criticality Factors	Risk Score
ID041B	Center Street	Major Roadway	Palm Beach County	4.1	4.0	16.6
ID368	Growing Minds Prep Academy	School	Private	3.9	3.0	11.7
ID638	Jupiter Methodist Church	Historical and Cultural Asset	Town of Jupiter	4.1	2.2	9.0
ID269	Seminole Stormwater Pump Station	Stormwater Treatment Facility and Pump Station	Town of Jupiter	2.2	3.8	8.4
ID556	Old Town Hall	Historical and Cultural Asset	Town of Jupiter	3.7	2.2	8.2
ID566	N Old Dixie Highway	Major Roadway	Palm Beach County	3.6	2.0	7.2
ID575	Seminole Pond	Stormwater Treatment Facility and Pump Station	Town of Jupiter	3.9	1.8	7.1
ID268	North Old Dixie Highway Stormwater Pump Station	Stormwater Treatment Facility and Pump Station	Town of Jupiter	2.7	2.6	6.9
ID382	Tiny Turtles Preschool	School	Private	1.8	3.0	5.4
ID564	River Road	Major Roadway	Private	5.0	1.0	5.0
ID565	Town Hall Avenue	Major Roadway	Town of Jupiter	5.0	1.0	5.0
ID436	Alma's Place Conservation Area	Conservation Land	Town of Jupiter	4.9	1.0	4.9
ID048C	Indiantown Road	Major Roadway	Florida Department of Transportation	1.0	5.0	4.8
ID591	Dolphin Drive	Major Roadway	Town of Jupiter	4.8	1.0	4.8
ID540	Old Town Hall Park	Historical and Cultural Asset	Town of Jupiter	4.6	1.0	4.6

Asset Unique ID	Asset Name	Asset Type	Asset Owner or Operator	Overall Sensitivity Score	Criticality Factors	Risk Score
ID584	Venus Street	Major Roadway	Town of Jupiter	4.3	1.0	4.3
ID559	Sims House	Historical and Cultural Asset	Town of Jupiter	1.7	2.2	3.7
ID629A	Orange Avenue	Major Roadway	Town of Jupiter	3.7	1.0	3.7
ID628A	Hepburn Avenue	Major Roadway	Town of Jupiter	3.3	1.0	3.3
ID105	LS027	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	3.0	1.0	3.0
ID143	LS193	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	2.4	1.0	2.4
ID062A	FEC Railway	Rail Facility	Florida East Coast	0.5	4.0	2.0

The identified focus areas aid the Town in efficiently using resources designated for adaptation strategies by analyzing areas based on both their vulnerability to flooding and their quantities of Town critical assets. This exercise emphasizes the usefulness of a Vulnerability Assessment to comprehensively understand the flooding risks faced by a community and its critical assets.

8. Conclusions

The Town developed a VA in accordance with s. 380.093 F.S. to identify flood vulnerabilities by conducting exposure and sensitivity analyses in relation to Town critical and regionally significant assets. The final VA report details the data and methodology for Background Data procurement, Exposure Analysis development, Sensitivity Analysis development, and Focus Area identification.

Background Data were compiled to conduct the VA, and based on the requirements defined in s. 380.093, F.S., include critical and regionally significant assets, topographic characteristics, and flood-scenario related data.

- Critical and regionally significant assets were identified within the four asset classes defined by FDEP: transportation assets and evacuation routes (122), critical infrastructure (309), critical community and emergency facilities (61), and natural, cultural and historical resources (95). In total, 587 assets were identified for the Town.
- Topographic elevations were primarily sourced from both the 2018-2020 FDEM LiDAR, which provides a DEM, and the latest USGS. Bathymetric data were sourced from the NOAA CUDEM.
- Flood scenario data considered SLR projections, tidal flooding, design storm data, rainfall induced change factors and storm surge, which were compiled from several sources including NOAA, SFWMD and USGS.

A data gap analysis was then performed to verify all information required for the completion of the VA was compiled prior to continuing with the Exposure Analysis.

The Exposure Analysis first required the development of a Town-wide H&H stormwater model. The model was developed using topographic data (such as elevations and soil characteristics) and Town-provided stormwater infrastructure data. The model was then used to simulate 31 flooding scenarios, developed to adhere to s. 380.093, F.S. Model results indicate that the Town has vulnerabilities to flooding driven by rainfall, sea level rise, and storm surge. Once the flooding scenarios were simulated, the Exposure Analysis then calculated the flood depths per flooding scenario for each critical asset. Flood depths were then converted into Exposure Scores, from 1-5, to make interpretation of flooding at each critical asset simpler.

The Sensitivity Analysis interprets the exposure scores derived from the Exposure Analysis to further quantify the impact of flooding on critical assets. This was accomplished by developing two kinds of factors: a Scenario Weighting Factor and Criticality Factors. The Scenario Weighting Factor, unique for each flooding scenario, assigned a higher weight to flood scenarios with a greater likelihood of occurrence to produce an Overall Sensitivity Score. Criticality factors, ranging from 1 to 5, were developed for each Asset Type (as defined by FDEP) and assigned to individual assets in accordance with the expected severity of impact caused by potential flooding. The Criticality Factors were multiplied to the Overall Sensitivity Score to produce a Risk Score. This final score, the Risk Score, was a calculated value between 1 and 25, with 25 being the maximum possible Risk Score.

The exposure analysis established that 361 of the 587 critical assets had some flooding vulnerabilities (exposure score greater than zero) across the 31 modeled scenarios. General trends indicated that increased

exposure was correlated with higher rainfall intensity associated with 100-year storms and exacerbated by storm surge.

The sensitivity analysis normalized exposure scores by accounting for likelihood of each model scenario (i.e., Scenario Weighting Factor) and assigning a Criticality Factor to each asset in accordance with the expected severity of impact caused by potential flooding. This analysis generated a Risk Score ranging from 0 to 25, that quantified flooding impacts in relation to the asset's criticality to Town operations. While 361 of the 587 critical assets were calculated to have flooding vulnerabilities (non-zero Exposure Scores), none of the critical assets approached the maximum possible Risk Score of 25, indicating a lack of worst-case scenario for all Town assets.

The Risk Scores were then incorporated into criteria for the identification of Town Focus Areas. Focus Areas are distinct, spatial regions of Town that are recommended to become a priority to implement flood mitigation solutions or "adaptation strategies." Eleven Focus Areas were identified through the VA and are illustrated in **Figure ES-1**. **Table ES-1** summarizes the Critical Assets in each Focus Area that have a Risk Score greater than 5. Other criteria for the identified Focus Areas included historical information on prior flooding issues, presence of Town-owned critical facilities or infrastructure, high population densities, essential roadways for transportation to homes and businesses, areas vital to supporting local economy, and areas having local and historic significance to the community.

The developed VA outlines the Town's challenges with respect to flood events and identifies areas where attention should be focused when developing next steps. Next steps include the following:

- **Add projects to CIP** - Determine needed improvements for selected critical assets and high risk areas identified in the VA to reduce flooding risk. Implement the projects into the Community Investment Program (CIP).
- **Complete further evaluations and modeling where needed** - Identify capital projects that require more definition or evaluation of alternatives through more granular and detailed modeling efforts. Use the hydrologic and hydraulic (H&H) model developed for this VA as a starting point.
- **Bundle improvements into larger projects** - Consider bundling smaller CIP projects within the same focus area, or within proximity to one another, into larger projects to enhance the impact of funding grants, improve the schedule for design delivery, and increase interest and competition among bidding contractors.
- **Apply for funding** - High risk areas and critical assets identified in this VA should improve eligibility for state funding. The Town should strategically seek funding for identified projects through the Resilient Florida Grant program, and other available funding sources.
- **Establish AAAs** - Consider the establishment of Adaptation Action Areas (AAAs) in one or more of the identified high risk areas, if needed. AAAs may require stricter or additional criteria for future development to take into account the impacts of rising sea levels and flooding.

Appendix A: GIS Files Log

Data Type	Data Name	Received / Downloaded?	File Type	Source	Date Received / Downloaded
Transportation Assets and Evacuation Routes	Airports	No	-	-	-
	Bridges	Yes	Shapefile	Town of Jupiter	7/22/2024
	Bus Terminals	No	-	-	-
	Ports	Yes	Shapefile	Town of Jupiter	7/22/2024
	Major Roadways	Yes	Shapefile	Town of Jupiter	7/22/2024
	Marinas	Yes	Shapefile	Town of Jupiter	7/22/2024
	Rail Facilities	No	Shapefile	Town of Jupiter	7/22/2024
	Railroad Bridges	Yes	Shapefile	Town of Jupiter	7/22/2024
Critical Infrastructure	Wastewater Treatment Facilities and Lift Stations	Yes	Shapefile	Previous Project	-
	Stormwater Treatment Facilities and Pump Stations	Yes	List of Addresses	Town of Jupiter	8/29/2024
	Drinking Water Facilities	Yes	Shapefile	Town of Jupiter	7/22/2024
	Water Utility Conveyance System	Yes	List of Addresses	Town of Jupiter	8/29/2024
	Electric Production and Supply Facilities	Yes	List of Addresses	Florida Power and Light	8/19/2024
	Solid and Hazardous Waste Facilities	Yes	Shapefile	Town of Jupiter	7/22/2024
	Military Installations	No	-	-	-
	Communication Facilities	Yes	Shapefile	Town of Jupiter	7/22/2024
	Land Use / Future Land Use Zones	Yes	Shapefile	Town of Jupiter	7/22/2024
	Disaster Debris Management Sites	No	-	-	-
Critical Community and Emergency Facilities	Schools	Yes	Shapefiles	Town of Jupiter	7/22/2024
	Colleges	Yes	Shapefile	Town of Jupiter	7/22/2024
	Universities	Yes	Shapefile	Town of Jupiter	7/22/2024
	Community Centers	Yes	List	Town of Jupiter	7/22/2024
	Correctional Facilities	No	-	-	-
	Disaster Recovery Centers	No	-	-	-
	Emergency Medical Service Facilities	No	-	-	-
	Emergency Operation Centers	Yes	Shapefile	Town of Jupiter	7/22/2024
	Fire Stations	Yes	Shapefiles	Town of Jupiter	7/22/2204
	Health Care Facilities	Yes	Shapefiles	Homeland Infrastructure Foundation-Level Data	8/6/2024
	Hospitals	Yes	Shapefile	Town of Jupiter	7/22/2204
	Law Enforcement Facilities	Yes	Shapefile	Town of Jupiter	7/22/2204
	City Facilities	Yes	Shapefile	Town of Jupiter	7/22/2204
	Logistical Staging Areas	No	-	-	-
	Affordable Public Housing	Yes	List	Town of Jupiter	7/22/2204
	Risk Shelter Inventory	Yes	List	Town of Jupiter	7/22/2204
Natural, cultural, and historical resources	Conservation Lands	Yes	Shapefile	Town of Jupiter	7/22/2204
	Parks	Yes	Shapefile	Town of Jupiter, Palm Beach County Open Data	7/22/2204
	Shorelines	No	-	-	-
	Surface Waters	Yes	Shapefile	Town of Jupiter	7/22/2204
	Wetlands	Yes	Shapefile	National Wetland Inventory	8/6/2024
	Historical and Cultural Assets	Yes	Shapefile and List	Town of Jupiter	7/22/2204
Elevation Data	Elevation certificates for critical assets	Yes	Shapefile	Town of Jupiter	7/22/2204
	County Elevation / DEM	Yes	Raster file	Palm Beach County	5/17/2024

Appendix B: Critical Asset List and Maps

AssetUniqueID	EntityName	AssetName	AssetType	AssetClass	AssetOwnerOrOperator	AssetElevation_ftNAVD	AssetSizeOrCapacity[1]	Notes
ID001	Town of Jupiter	Jupiter Beach Road Bridge	Bridge	Transportation Assets and Evacuation Routes	Palm Beach County	6.41	0.03	-
ID002	Town of Jupiter	Jupiter Beach Park Bridge	Bridge	Transportation Assets and Evacuation Routes	Palm Beach County	6.18	0.01	-
ID003	Town of Jupiter	Indiantown Road Bridge over C-18 Canal, WB	Bridge	Transportation Assets and Evacuation Routes	Florida Department of Transportation	21.96	0.07	-
ID004	Town of Jupiter	Island Way Bridge over C-18 Canal	Bridge	Transportation Assets and Evacuation Routes	Palm Beach County	13.89	0.09	-
ID005	Town of Jupiter	Loxahatchee River Road Bridge over C-18 Canal	Bridge	Transportation Assets and Evacuation Routes	Palm Beach County	5.86	0.13	-
ID006	Town of Jupiter	I95 Bridge over C-18 Canal, SB	Bridge	Transportation Assets and Evacuation Routes	Florida Department of Transportation	32.84	0.07	-
ID007	Town of Jupiter	I95 Bridge over C-18 Canal, NB	Bridge	Transportation Assets and Evacuation Routes	Florida Department of Transportation	32.49	0.07	-
ID008	Town of Jupiter	Indiantown Road Bridge over C-18 Canal, EB	Bridge	Transportation Assets and Evacuation Routes	Florida Department of Transportation	22.11	0.08	-
ID009	Town of Jupiter	I95 Bridge over Donald Ross Road, NB	Bridge	Transportation Assets and Evacuation Routes	Florida Department of Transportation	44.62	0.03	-
ID010	Town of Jupiter	I95 Bridge over Donald Ross Road, SB	Bridge	Transportation Assets and Evacuation Routes	Florida Department of Transportation	44.71	0.03	-
ID011	Town of Jupiter	Florida Turnpike Bridge, SB	Bridge	Transportation Assets and Evacuation Routes	Florida Department of Transportation	26.19	0.01	-
ID012	Town of Jupiter	I95 Bridge over Indiantown Road, SB	Bridge	Transportation Assets and Evacuation Routes	Florida Department of Transportation	39.91	0.04	-
ID013	Town of Jupiter	US1 Bridge over Loxahatchee River	Bridge	Transportation Assets and Evacuation Routes	Florida Department of Transportation	23.83	0.16	-
ID014	Town of Jupiter	Indiantown Road Bridge over Lake Worth Creek, WB	Bridge	Transportation Assets and Evacuation Routes	Florida Department of Transportation	14.14	0.34	-
ID015	Town of Jupiter	Indiantown Road Bridge over Lake Worth Creek, EB	Bridge	Transportation Assets and Evacuation Routes	Florida Department of Transportation	14.42	0.34	-
ID016	Town of Jupiter	Center Street Bridge over Jones Creek	Bridge	Transportation Assets and Evacuation Routes	Palm Beach County	6.88	0.03	-
ID017	Town of Jupiter	Indiantown Road Bridge over Jupiter Creek	Bridge	Transportation Assets and Evacuation Routes	Florida Department of Transportation	10.05	0.05	-
ID018	Town of Jupiter	Southern US1 Bridge over Lake Worth Creek Canal, NB	Bridge	Transportation Assets and Evacuation Routes	Florida Department of Transportation	10.87	0.13	-
ID019	Town of Jupiter	Southern US1 Bridge over Lake Worth Creek Canal, SB	Bridge	Transportation Assets and Evacuation Routes	Florida Department of Transportation	11.33	0.13	-
ID020	Town of Jupiter	Northern US1 Bridge over Lake Worth Creek Canal, NB	Bridge	Transportation Assets and Evacuation Routes	Florida Department of Transportation	16.33	0.04	-
ID021	Town of Jupiter	Northern US1 Bridge over Lake Worth Creek Canal, SB	Bridge	Transportation Assets and Evacuation Routes	Florida Department of Transportation	16.34	0.04	-
ID022	Town of Jupiter	Indiantown Road Bridge over Loxahatchee Creek	Bridge	Transportation Assets and Evacuation Routes	Palm Beach County	20.32	0.04	-
ID023	Town of Jupiter	Florida Turnpike Bridge over Loxahatchee Creek	Bridge	Transportation Assets and Evacuation Routes	Florida Department of Transportation	12.40	0.03	-
ID024	Town of Jupiter	Alt A1A Bridge over Loxahatchee River	Bridge	Transportation Assets and Evacuation Routes	Florida Department of Transportation	11.50	0.17	-
ID025	Town of Jupiter	I95 Bridge over Loxahatchee Creek	Bridge	Transportation Assets and Evacuation Routes	Florida Department of Transportation	15.02	0.04	-
ID026	Town of Jupiter	Riverbend Park Bridge	Bridge	Transportation Assets and Evacuation Routes	Palm Beach County	14.13	0.02	-
ID027	Town of Jupiter	WB Indiantown Road Bridge to SB I95 (Ramp)	Bridge	Transportation Assets and Evacuation Routes	Florida Department of Transportation	59.62	0.06	-
ID028	Town of Jupiter	Center Street Bridge over Sims Creek	Bridge	Transportation Assets and Evacuation Routes	Palm Beach County	8.60	0.03	-
ID029	Town of Jupiter	Indiantown Road Bridge over Slough	Bridge	Transportation Assets and Evacuation Routes	Palm Beach County	24.46	0.02	-
ID030	Town of Jupiter	I95 Bridge over Indiantown Road, NB	Bridge	Transportation Assets and Evacuation Routes	Florida Department of Transportation	38.05	0.04	-
ID031	Town of Jupiter	WB Indiantown Road Bridge to SB I95 (Ramp)	Bridge	Transportation Assets and Evacuation Routes	Florida Department of Transportation	43.54	0.02	-
ID032	Town of Jupiter	Indiantown Road Bridge over Florida Turnpike, WB	Bridge	Transportation Assets and Evacuation Routes	Florida Department of Transportation	40.86	0.05	-
ID033	Town of Jupiter	EB Indiantown Road Bridge to SB I95	Bridge	Transportation Assets and Evacuation Routes	Florida Department of Transportation	36.82	0.06	-
ID034	Town of Jupiter	Western WB Indiantown Road Bridge to SB I95 (Ramp)	Bridge	Transportation Assets and Evacuation Routes	Florida Department of Transportation	48.01	0.06	-
ID035	Town of Jupiter	Eastern WB Indiantown Road Bridge to SB I95 (Ramp)	Bridge	Transportation Assets and Evacuation Routes	Florida Department of Transportation	42.53	0.06	-
ID036	Town of Jupiter	Donald Ross Road Bridge over Florida Turnpike, EB	Bridge	Transportation Assets and Evacuation Routes	Palm Beach County	42.61	0.04	-
ID037	Town of Jupiter	Donald Ross Road Bridge over Florida Turnpike, WB	Bridge	Transportation Assets and Evacuation Routes	Palm Beach County	43.48	0.04	-
ID038	Town of Jupiter	Indiantown Road Bridge to Florida Turnpike (Ramp)	Bridge	Transportation Assets and Evacuation Routes	Florida Department of Transportation	40.11	0.05	-
ID039	Town of Jupiter	Central Boulevard Bridge over C-18 Canal	Bridge	Transportation Assets and Evacuation Routes	Palm Beach County	10.22	0.06	-
ID040	Town of Jupiter	Alternate A1A	Major Roadway	Transportation Assets and Evacuation Routes	Florida Department of Transportation	8.98	4.98	-
ID041	Town of Jupiter	Center Street	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	6.33	2.52	-
ID042	Town of Jupiter	Central Boulevard	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	13.51	1.98	-
ID043	Town of Jupiter	Central Boulevard	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	8.43	0.99	-
ID044	Town of Jupiter	Central Boulevard	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	12.76	3.79	-
ID045	Town of Jupiter	Donald Ross Road	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	14.41	3.26	-
ID046	Town of Jupiter	Florida Turnpike	Major Roadway	Transportation Assets and Evacuation Routes	Florida Department of Transportation	18.81	11.1	-
ID047	Town of Jupiter	Indian Creek Parkway	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	13.76	1.47	-
ID048	Town of Jupiter	Indiantown Road	Major Roadway	Transportation Assets and Evacuation Routes	Florida Department of Transportation	10.78	4.52	-
ID049	Town of Jupiter	Indiantown Road	Major Roadway	Transportation Assets and Evacuation Routes	Florida Department of Transportation	21.38	1.57	-
ID050	Town of Jupiter	Indiantown Road	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	8.27	0.52	-
ID051	Town of Jupiter	Interstate 95	Major Roadway	Transportation Assets and Evacuation Routes	Florida Department of Transportation	21.50	11.33	-
ID052	Town of Jupiter	Island Way	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	13.50	1.98	-
ID053	Town of Jupiter	Maplewood Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	7.51	0.56	-
ID054	Town of Jupiter	Military Trail	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	10.47	3.52	-
ID055	Town of Jupiter	N A1A	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	8.22	0.74	-
ID056	Town of Jupiter	N A1A	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	4.78	0.43	-
ID057	Town of Jupiter	S A1A	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	19.63	2.95	-
ID058	Town of Jupiter	Toney Penna Dr	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	8.12	2.72	-
ID059	Town of Jupiter	US 1	Major Roadway	Transportation Assets and Evacuation Routes	Florida Department of Transportation	10.29	4.63	-
ID060	Town of Jupiter	Admiral's Cove Marina	Marina	Transportation Assets and Evacuation Routes	Private	5.73	5.18	-
ID061	Town of Jupiter	Jupiter Inlet Marina	Marina	Transportation Assets and Evacuation Routes	Town of Jupiter	7.57	0.74	-
ID062	Town of Jupiter	FEC Railway	Rail Facility	Transportation Assets and Evacuation Routes	Florida East Coast	9.54	5.17	-
ID063	Town of Jupiter	Railroad Bridge over Loxahatchee River	Railroad Bridge	Transportation Assets and Evacuation Routes	Florida East Coast	10.73	0.11	-
ID064	Town of Jupiter	Wastewater Treatment Plant	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	14.03	31.98	Restricted for Public Access
ID065	Town of Jupiter	LS095	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	3.01	N/A	Restricted for Public Access
ID066	Town of Jupiter	LS104	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	15.37	N/A	Restricted for Public Access
ID067	Town of Jupiter	LS105	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	13.28	N/A	Restricted for Public Access
ID068	Town of Jupiter	LS106	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	13.31	N/A	Restricted for Public Access
ID069	Town of Jupiter	LS087	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	6.29	N/A	Restricted for Public Access
ID070	Town of Jupiter	LS088	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	7.08	N/A	Restricted for Public Access
ID071	Town of Jupiter	LS086	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	5.52	N/A	Restricted for Public Access
ID072	Town of Jupiter	LS080	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	6.86	N/A	Restricted for Public Access
ID073	Town of Jupiter	LS089	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	15.76	N/A	Restricted for Public Access
ID074	Town of Jupiter	LS124	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	11.01	N/A	Restricted for Public Access
ID075	Town of Jupiter	LS122	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	9.99	N/A	Restricted for Public Access
ID076	Town of Jupiter	LS121	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	10.84	N/A	Restricted for Public Access
ID077	Town of Jupiter	LS114	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	11.13	N/A	Restricted for Public Access
ID078	Town of Jupiter	LS260	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	10.98	N/A	Restricted for Public Access
ID079	Town of Jupiter	LS212	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	17.06	N/A	Restricted for Public Access
ID080	Town of Jupiter	LS213	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	14.32	N/A	Restricted for Public Access
ID081	Town of Jupiter	LS240	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	14.42	N/A	Restricted for Public Access
ID082	Town of Jupiter	LS241	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	14.01	N/A	Restricted for Public Access
ID083	Town of Jupiter	LS220	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	12.98	N/A	Restricted for Public Access
ID084	Town of Jupiter	LS221	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	10.37	N/A	Restricted for Public Access
ID085	Town of Jupiter	LS218	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	12.58	N/A	Restricted for Public Access
ID086	Town of Jupiter	LS248	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	11.89	N/A	Restricted for Public Access
ID087	Town of Jupiter	LS224	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	10.74	N/A	Restricted for Public Access
ID088	Town of Jupiter	LS222	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	9.47	N/A	Restricted for Public Access
ID089	Town of Jupiter	LS249	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	12.63	N/A	Restricted for Public Access
ID090	Town of Jupiter	LS242	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	14.39	N/A	Restricted for Public Access
ID091	Town of Jupiter	LS157	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	15.92	N/A	Restricted for Public Access
ID092	Town of Jupiter	LS246	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	15.16	N/A	Restricted for Public Access
ID093	Town of Jupiter	LS252	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	10.68	N/A	Restricted for Public Access

1 - For all assets represented by polylines, the value is in miles. For all assets represented by polygons, the value is in acres. For all assets represented by points, the value is either flow in MGD or N/A.

AssetUniqueID	EntityName	AssetName	AssetType	AssetClass	AssetOwnerOrOperator	AssetElevation_ftNAVD	AssetSizeOrCapacity[1]	Notes
ID094	Town of Jupiter	LS255	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	10.98	N/A	Restricted for Public Access
ID095	Town of Jupiter	LS250	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	11.44	N/A	Restricted for Public Access
ID096	Town of Jupiter	LS018	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	7.26	N/A	Restricted for Public Access
ID097	Town of Jupiter	LS019	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	6.80	N/A	Restricted for Public Access
ID098	Town of Jupiter	LS020	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	8.48	N/A	Restricted for Public Access
ID099	Town of Jupiter	LS021	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	11.19	N/A	Restricted for Public Access
ID100	Town of Jupiter	LS022	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	7.37	N/A	Restricted for Public Access
ID101	Town of Jupiter	LS023	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	10.49	N/A	Restricted for Public Access
ID102	Town of Jupiter	LS024	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	6.78	N/A	Restricted for Public Access
ID103	Town of Jupiter	LS025	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	8.48	N/A	Restricted for Public Access
ID104	Town of Jupiter	LS026	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	2.74	N/A	Restricted for Public Access
ID105	Town of Jupiter	LS027	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	4.11	N/A	Restricted for Public Access
ID106	Town of Jupiter	LS028	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	6.72	N/A	Restricted for Public Access
ID107	Town of Jupiter	LS029	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	7.07	N/A	Restricted for Public Access
ID108	Town of Jupiter	LS030	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	7.67	N/A	Restricted for Public Access
ID109	Town of Jupiter	LS031	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	6.38	N/A	Restricted for Public Access
ID110	Town of Jupiter	LS032	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	9.84	N/A	Restricted for Public Access
ID111	Town of Jupiter	LS035	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	10.07	N/A	Restricted for Public Access
ID112	Town of Jupiter	LS036	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	7.74	N/A	Restricted for Public Access
ID113	Town of Jupiter	LS037	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	7.99	N/A	Restricted for Public Access
ID114	Town of Jupiter	LS038	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	6.96	N/A	Restricted for Public Access
ID115	Town of Jupiter	LS039	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	6.59	N/A	Restricted for Public Access
ID116	Town of Jupiter	LS056	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	8.35	N/A	Restricted for Public Access
ID117	Town of Jupiter	LS063	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	6.45	N/A	Restricted for Public Access
ID118	Town of Jupiter	LS098	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	8.89	N/A	Restricted for Public Access
ID119	Town of Jupiter	LS099	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	6.75	N/A	Restricted for Public Access
ID120	Town of Jupiter	LS101	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	6.83	N/A	Restricted for Public Access
ID121	Town of Jupiter	LS102	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	5.75	N/A	Restricted for Public Access
ID122	Town of Jupiter	LS113	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	10.16	N/A	Restricted for Public Access
ID123	Town of Jupiter	LS126	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	5.04	N/A	Restricted for Public Access
ID124	Town of Jupiter	LS138	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	6.61	N/A	Restricted for Public Access
ID125	Town of Jupiter	LS139	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	6.75	N/A	Restricted for Public Access
ID126	Town of Jupiter	LS151	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	12.51	N/A	Restricted for Public Access
ID127	Town of Jupiter	LS152	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	12.85	N/A	Restricted for Public Access
ID128	Town of Jupiter	LS153	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	11.06	N/A	Restricted for Public Access
ID129	Town of Jupiter	LS154	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	7.83	N/A	Restricted for Public Access
ID130	Town of Jupiter	LS301	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	7.74	N/A	Restricted for Public Access
ID131	Town of Jupiter	LS155	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	9.28	N/A	Restricted for Public Access
ID132	Town of Jupiter	LS158	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	15.97	N/A	Restricted for Public Access
ID133	Town of Jupiter	LS159	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	14.45	N/A	Restricted for Public Access
ID134	Town of Jupiter	LS160	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	8.02	N/A	Restricted for Public Access
ID135	Town of Jupiter	LS161	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	9.04	N/A	Restricted for Public Access
ID136	Town of Jupiter	LS162	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	9.02	N/A	Restricted for Public Access
ID137	Town of Jupiter	LS163	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	10.80	N/A	Restricted for Public Access
ID138	Town of Jupiter	LS169	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	14.92	N/A	Restricted for Public Access
ID139	Town of Jupiter	LS171	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	14.68	N/A	Restricted for Public Access
ID140	Town of Jupiter	LS172	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	12.47	N/A	Restricted for Public Access
ID141	Town of Jupiter	LS190	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	4.27	N/A	Restricted for Public Access
ID142	Town of Jupiter	LS191	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	7.11	N/A	Restricted for Public Access
ID143	Town of Jupiter	LS193	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	4.78	N/A	Restricted for Public Access
ID144	Town of Jupiter	LS203	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	12.55	N/A	Restricted for Public Access
ID145	Town of Jupiter	LS204	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	10.96	N/A	Restricted for Public Access
ID146	Town of Jupiter	LS205	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	12.15	N/A	Restricted for Public Access
ID147	Town of Jupiter	LS206	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	13.06	N/A	Restricted for Public Access
ID148	Town of Jupiter	LS207	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	12.48	N/A	Restricted for Public Access
ID149	Town of Jupiter	LS001	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	9.90	N/A	Restricted for Public Access
ID150	Town of Jupiter	LS002	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	5.82	N/A	Restricted for Public Access
ID151	Town of Jupiter	LS003	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	4.74	N/A	Restricted for Public Access
ID152	Town of Jupiter	LS004	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	9.04	N/A	Restricted for Public Access
ID153	Town of Jupiter	LS005	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	7.18	N/A	Restricted for Public Access
ID154	Town of Jupiter	LS006	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	7.89	N/A	Restricted for Public Access
ID155	Town of Jupiter	LS007	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	7.89	N/A	Restricted for Public Access
ID156	Town of Jupiter	LS008	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	6.76	N/A	Restricted for Public Access
ID157	Town of Jupiter	LS009	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	7.26	N/A	Restricted for Public Access
ID158	Town of Jupiter	LS010	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	7.51	N/A	Restricted for Public Access
ID159	Town of Jupiter	LS011	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	5.14	N/A	Restricted for Public Access
ID160	Town of Jupiter	LS012	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	6.66	N/A	Restricted for Public Access
ID161	Town of Jupiter	LS014	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	6.86	N/A	Restricted for Public Access
ID162	Town of Jupiter	LS015	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	7.86	N/A	Restricted for Public Access
ID163	Town of Jupiter	LS016	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	6.37	N/A	Restricted for Public Access
ID164	Town of Jupiter	LS017	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	9.24	N/A	Restricted for Public Access
ID165	Town of Jupiter	LS244	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	15.32	N/A	Restricted for Public Access
ID166	Town of Jupiter	LS251	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	11.57	N/A	Restricted for Public Access
ID167	Town of Jupiter	LS254	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	11.38	N/A	Restricted for Public Access
ID168	Town of Jupiter	LS261	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	11.07	N/A	Restricted for Public Access
ID169	Town of Jupiter	LS263	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	7.93	N/A	Restricted for Public Access
ID170	Town of Jupiter	LS264	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	8.44	N/A	Restricted for Public Access
ID171	Town of Jupiter	LS265	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	8.28	N/A	Restricted for Public Access
ID172	Town of Jupiter	LS266	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	8.58	N/A	Restricted for Public Access
ID173	Town of Jupiter	LS291	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	17.54	N/A	Restricted for Public Access
ID174	Town of Jupiter	LS292	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	17.37	N/A	Restricted for Public Access
ID175	Town of Jupiter	LS293	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	17.61	N/A	Restricted for Public Access
ID176	Town of Jupiter	LS294	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	19.00	N/A	Restricted for Public Access
ID177	Town of Jupiter	LS093	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	6.21	N/A	Restricted for Public Access
ID178	Town of Jupiter	LS199	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	7.57	N/A	Restricted for Public Access
ID179	Town of Jupiter	LS079	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	4.83	N/A	Restricted for Public Access
ID180	Town of Jupiter	LS082	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	16.46	N/A	Restricted for Public Access
ID181	Town of Jupiter	LS084	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	6.64	N/A	Restricted for Public Access
ID182	Town of Jupiter	LS090	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	7.23	N/A	Restricted for Public Access
ID183	Town of Jupiter	LS091	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	5.86	N/A	Restricted for Public Access
ID184	Town of Jupiter	LS092	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	8.40	N/A	Restricted for Public Access
ID185	Town of Jupiter	LS094	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	8.59	N/A	Restricted for Public Access
ID186	Town of Jupiter	LS096	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	5.56	N/A	Restricted for Public Access

1 - For all assets represented by polylines, the value is in miles. For all assets represented by polygons, the value is in acres. For all assets represented by points, the value is either flow in MGD or N/A.

AssetUniqueID	EntityName	AssetName	AssetType	AssetClass	AssetOwnerOrOperator	AssetElevation_ftNAVD	AssetSizeOrCapacity[1]	Notes
ID187	Town of Jupiter	LS097	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	8.38	N/A	Restricted for Public Access
ID188	Town of Jupiter	LS238	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	8.76	N/A	Restricted for Public Access
ID189	Town of Jupiter	LS208	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	16.06	N/A	Restricted for Public Access
ID190	Town of Jupiter	LS209	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	15.37	N/A	Restricted for Public Access
ID191	Town of Jupiter	LS210	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	15.49	N/A	Restricted for Public Access
ID192	Town of Jupiter	LS211	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	15.53	N/A	Restricted for Public Access
ID193	Town of Jupiter	LS033	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	6.41	N/A	Restricted for Public Access
ID194	Town of Jupiter	LS300	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	6.93	N/A	Restricted for Public Access
ID195	Town of Jupiter	LS034	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	7.58	N/A	Restricted for Public Access
ID196	Town of Jupiter	LS085	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	6.81	N/A	Restricted for Public Access
ID197	Town of Jupiter	LSAM1	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	11.61	N/A	Restricted for Public Access
ID198	Town of Jupiter	LS013	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	6.17	N/A	Restricted for Public Access
ID199	Town of Jupiter	LS083	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	6.98	N/A	Restricted for Public Access
ID200	Town of Jupiter	LS170	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	14.43	N/A	Restricted for Public Access
ID201	Town of Jupiter	LS179	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	6.61	N/A	Restricted for Public Access
ID202	Town of Jupiter	LS200	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	12.29	N/A	Restricted for Public Access
ID203	Town of Jupiter	LS226	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	9.54	N/A	Restricted for Public Access
ID204	Town of Jupiter	LS228	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	8.91	N/A	Restricted for Public Access
ID205	Town of Jupiter	LS230	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	9.37	N/A	Restricted for Public Access
ID206	Town of Jupiter	LS231	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	9.03	N/A	Restricted for Public Access
ID207	Town of Jupiter	LS232	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	9.48	N/A	Restricted for Public Access
ID208	Town of Jupiter	LS233	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	8.18	N/A	Restricted for Public Access
ID209	Town of Jupiter	LS234	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	6.99	N/A	Restricted for Public Access
ID210	Town of Jupiter	LS235	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	8.74	N/A	Restricted for Public Access
ID211	Town of Jupiter	LS236	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	10.88	N/A	Restricted for Public Access
ID212	Town of Jupiter	LS237	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	9.49	N/A	Restricted for Public Access
ID213	Town of Jupiter	LS295	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	17.22	N/A	Restricted for Public Access
ID214	Town of Jupiter	LS081	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	9.30	N/A	Restricted for Public Access
ID215	Town of Jupiter	LSP01	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	16.76	N/A	Restricted for Public Access
ID216	Town of Jupiter	LSP04	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	19.33	N/A	Restricted for Public Access
ID217	Town of Jupiter	LSP03	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	19.03	N/A	Restricted for Public Access
ID218	Town of Jupiter	LSP02	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	19.77	N/A	Restricted for Public Access
ID219	Town of Jupiter	LS921	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	4.04	N/A	Restricted for Public Access
ID220	Town of Jupiter	LS932	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	7.14	N/A	Restricted for Public Access
ID221	Town of Jupiter	LS934	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	5.25	N/A	Restricted for Public Access
ID222	Town of Jupiter	LS930	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	4.52	N/A	Restricted for Public Access
ID223	Town of Jupiter	LS951	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	6.02	N/A	Restricted for Public Access
ID224	Town of Jupiter	LS952	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	3.57	N/A	Restricted for Public Access
ID225	Town of Jupiter	LS953	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	5.51	N/A	Restricted for Public Access
ID226	Town of Jupiter	LS960	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	8.14	N/A	Restricted for Public Access
ID227	Town of Jupiter	LS925	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	6.01	N/A	Restricted for Public Access
ID228	Town of Jupiter	LS981	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	5.42	N/A	Restricted for Public Access
ID229	Town of Jupiter	LS909	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	8.52	N/A	Restricted for Public Access
ID230	Town of Jupiter	LS903	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	10.24	N/A	Restricted for Public Access
ID231	Town of Jupiter	LS906	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	8.63	N/A	Restricted for Public Access
ID232	Town of Jupiter	LS935	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	11.05	N/A	Restricted for Public Access
ID233	Town of Jupiter	LS907	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Palm Beach County	11.74	N/A	Restricted for Public Access
ID234	Town of Jupiter	LS975	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	11.73	N/A	Restricted for Public Access
ID235	Town of Jupiter	LS948	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	13.62	N/A	Restricted for Public Access
ID236	Town of Jupiter	LS910	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	13.54	N/A	Restricted for Public Access
ID237	Town of Jupiter	LS902	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Palm Beach County	7.15	N/A	Restricted for Public Access
ID238	Town of Jupiter	LS904	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	11.09	N/A	Restricted for Public Access
ID239	Town of Jupiter	LS905	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Palm Beach County	6.51	N/A	Restricted for Public Access
ID240	Town of Jupiter	LS908	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Palm Beach County	7.71	N/A	Restricted for Public Access
ID241	Town of Jupiter	LS911	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Palm Beach County	10.35	N/A	Restricted for Public Access
ID242	Town of Jupiter	LS912	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	13.01	N/A	Restricted for Public Access
ID243	Town of Jupiter	LS913	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	6.09	N/A	Restricted for Public Access
ID244	Town of Jupiter	LS914	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	7.72	N/A	Restricted for Public Access
ID245	Town of Jupiter	LS915	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	8.76	N/A	Restricted for Public Access
ID246	Town of Jupiter	LS916	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	8.79	N/A	Restricted for Public Access
ID247	Town of Jupiter	LS918	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	10.65	N/A	Restricted for Public Access
ID248	Town of Jupiter	LS919	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Palm Beach County	6.37	N/A	Restricted for Public Access
ID249	Town of Jupiter	LS920	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Palm Beach County	13.36	N/A	Restricted for Public Access
ID250	Town of Jupiter	LS922	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Palm Beach County	4.14	N/A	Restricted for Public Access
ID251	Town of Jupiter	LS923	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Palm Beach County	3.37	N/A	Restricted for Public Access
ID252	Town of Jupiter	LS924	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	9.35	N/A	Restricted for Public Access
ID253	Town of Jupiter	LS926	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	9.23	N/A	Restricted for Public Access
ID254	Town of Jupiter	LS937	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	17.13	N/A	Restricted for Public Access
ID255	Town of Jupiter	LS940	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	7.80	N/A	Restricted for Public Access
ID256	Town of Jupiter	LS941	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	8.60	N/A	Restricted for Public Access
ID257	Town of Jupiter	LS950	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	3.44	N/A	Restricted for Public Access
ID258	Town of Jupiter	LS961	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	12.43	N/A	Restricted for Public Access
ID259	Town of Jupiter	LS965	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Palm Beach County	10.55	N/A	Restricted for Public Access
ID260	Town of Jupiter	LS962	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	17.69	N/A	Restricted for Public Access
ID261	Town of Jupiter	LS917	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Private	10.58	N/A	Restricted for Public Access
ID262	Town of Jupiter	LS972	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	4.94	N/A	Restricted for Public Access
ID263	Town of Jupiter	LS973	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	4.90	N/A	Restricted for Public Access
ID264	Town of Jupiter	LS978	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	8.29	N/A	Restricted for Public Access
ID265	Town of Jupiter	LS984	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	14.19	N/A	Restricted for Public Access
ID266	Town of Jupiter	LS985	Wastewater Treatment Facility and Lift Station	Critical Infrastructure	Loxahatchee River District	15.57	N/A	Restricted for Public Access
ID267	Town of Jupiter	Egret's Landing Recharge System Pump Station	Stormwater Treatment Facility and Pump Station	Critical Infrastructure	Town of Jupiter	15.34	0.03	Restricted for Public Access
ID268	Town of Jupiter	North Old Dixie Highway Stormwater Pump Station	Stormwater Treatment Facility and Pump Station	Critical Infrastructure	Town of Jupiter	4.55	0.06	Restricted for Public Access
ID269	Town of Jupiter	Seminole Stormwater Pump Station	Stormwater Treatment Facility and Pump Station	Critical Infrastructure	Town of Jupiter	5.49	0.01	Restricted for Public Access
ID270	Town of Jupiter	7th Street Stormwater Pump Station	Stormwater Treatment Facility and Pump Station	Critical Infrastructure	Town of Jupiter	8.62	0.02	Restricted for Public Access
ID271	Town of Jupiter	Salinity Barrier Structure	Stormwater Treatment Facility and Pump Station	Critical Infrastructure	Town of Jupiter	5.74	0.01	Restricted for Public Access
ID272	Town of Jupiter	St Peters Recharge System Pump Station	Stormwater Treatment Facility and Pump Station	Critical Infrastructure	Town of Jupiter	13.85	0.03	Restricted for Public Access
ID273	Town of Jupiter	Abacoa Electrical Building and Generator #10	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	14.49	0.09	Restricted for Public Access
ID274	Town of Jupiter	Future Island Way Electrical Building and Generator	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	14.29	0.02	Restricted for Public Access
ID275	Town of Jupiter	Water Treatment Plant	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	9.69	9.09	Restricted for Public Access
ID276	Town of Jupiter	Wellhouse 12 and Generator 2	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	11.78	0.01	Restricted for Public Access
ID277	Town of Jupiter	Wellhouse 15 and Generator 3	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	13.99	0.01	Restricted for Public Access
ID278	Town of Jupiter	FA-02	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	11.79	N/A	Restricted for Public Access
ID279	Town of Jupiter	FA-03	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	12.09	N/A	Restricted for Public Access

1 - For all assets represented by polylines, the value is in miles. For all assets represented by polygons, the value is in acres. For all assets represented by points, the value is either flow in MGD or N/A.

AssetUniqueID	EntityName	AssetName	AssetType	AssetClass	AssetOwnerOrOperator	AssetElevation_ftNAVD	AssetSizeOrCapacity[1]	Notes
ID280	Town of Jupiter	FA-04	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	10.62	N/A	Restricted for Public Access
ID281	Town of Jupiter	FA-05	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	20.95	N/A	Restricted for Public Access
ID282	Town of Jupiter	FA-06	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	23.38	N/A	Restricted for Public Access
ID283	Town of Jupiter	FA-07	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	14.35	N/A	Restricted for Public Access
ID284	Town of Jupiter	FA-08	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	23.68	N/A	Restricted for Public Access
ID285	Town of Jupiter	FA-09	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	24.64	N/A	Restricted for Public Access
ID286	Town of Jupiter	FA-10	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	16.12	N/A	Restricted for Public Access
ID287	Town of Jupiter	FA-11	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	22.22	N/A	Restricted for Public Access
ID288	Town of Jupiter	FA-12	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	21.96	N/A	Restricted for Public Access
ID289	Town of Jupiter	FA-13	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	21.69	N/A	Restricted for Public Access
ID290	Town of Jupiter	FA-14	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	22.39	N/A	Restricted for Public Access
ID291	Town of Jupiter	FA-14	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	22.19	N/A	Restricted for Public Access
ID292	Town of Jupiter	FA-15	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	13.66	N/A	Restricted for Public Access
ID293	Town of Jupiter	FA-16	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	21.49	N/A	Restricted for Public Access
ID294	Town of Jupiter	SA-08A	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	13.59	N/A	Restricted for Public Access
ID295	Town of Jupiter	SA-09A	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	11.54	N/A	Restricted for Public Access
ID296	Town of Jupiter	SA-10A	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	12.29	N/A	Restricted for Public Access
ID297	Town of Jupiter	SA-11A	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	11.33	N/A	Restricted for Public Access
ID298	Town of Jupiter	SA-12A	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	11.49	N/A	Restricted for Public Access
ID299	Town of Jupiter	SA-13	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	11.91	N/A	Restricted for Public Access
ID300	Town of Jupiter	SA-14	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	11.37	N/A	Restricted for Public Access
ID301	Town of Jupiter	SA-15	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	13.41	N/A	Restricted for Public Access
ID302	Town of Jupiter	SA-16	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	12.70	N/A	Restricted for Public Access
ID303	Town of Jupiter	SA-17	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	12.65	N/A	Restricted for Public Access
ID304	Town of Jupiter	SA-18	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	13.53	N/A	Restricted for Public Access
ID305	Town of Jupiter	SA-19	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	9.61	N/A	Restricted for Public Access
ID306	Town of Jupiter	SA-20	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	12.57	N/A	Restricted for Public Access
ID307	Town of Jupiter	SA-21	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	14.03	N/A	Restricted for Public Access
ID308	Town of Jupiter	SA-22	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	14.44	N/A	Restricted for Public Access
ID309	Town of Jupiter	SA-23	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	16.75	N/A	Restricted for Public Access
ID310	Town of Jupiter	SA-24	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	17.18	N/A	Restricted for Public Access
ID311	Town of Jupiter	SA-25	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	15.75	N/A	Restricted for Public Access
ID312	Town of Jupiter	SA-26	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	15.14	N/A	Restricted for Public Access
ID313	Town of Jupiter	SA-27	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	16.21	N/A	Restricted for Public Access
ID314	Town of Jupiter	SA-28	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	17.66	N/A	Restricted for Public Access
ID315	Town of Jupiter	SA-29	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	12.82	N/A	Restricted for Public Access
ID316	Town of Jupiter	SA-30	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	13.25	N/A	Restricted for Public Access
ID317	Town of Jupiter	SA-31	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	15.80	N/A	Restricted for Public Access
ID318	Town of Jupiter	SA-32	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	16.04	N/A	Restricted for Public Access
ID319	Town of Jupiter	SA-33	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	16.33	N/A	Restricted for Public Access
ID320	Town of Jupiter	SA-34	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	16.05	N/A	Restricted for Public Access
ID321	Town of Jupiter	SA-35	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	13.46	N/A	Restricted for Public Access
ID322	Town of Jupiter	SA-36	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	14.22	N/A	Restricted for Public Access
ID323	Town of Jupiter	SA-37	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	14.25	N/A	Restricted for Public Access
ID324	Town of Jupiter	SA-39	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	14.55	N/A	Restricted for Public Access
ID325	Town of Jupiter	SA-40	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	14.50	N/A	Restricted for Public Access
ID326	Town of Jupiter	SA-41	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	12.96	N/A	Restricted for Public Access
ID327	Town of Jupiter	SA-42	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	14.34	N/A	Restricted for Public Access
ID328	Town of Jupiter	SA-43	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	14.54	N/A	Restricted for Public Access
ID329	Town of Jupiter	SA-44	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	14.84	N/A	Restricted for Public Access
ID330	Town of Jupiter	SA-45	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	14.83	N/A	Restricted for Public Access
ID331	Town of Jupiter	SA-46	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	14.65	N/A	Restricted for Public Access
ID332	Town of Jupiter	SA-47	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	14.45	N/A	Restricted for Public Access
ID333	Town of Jupiter	SA-48	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	13.88	N/A	Restricted for Public Access
ID334	Town of Jupiter	SA-49	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	14.87	N/A	Restricted for Public Access
ID335	Town of Jupiter	SA-50	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	16.11	N/A	Restricted for Public Access
ID336	Town of Jupiter	SA-51	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	14.12	N/A	Restricted for Public Access
ID337	Town of Jupiter	SA-52	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	13.99	N/A	Restricted for Public Access
ID338	Town of Jupiter	SA-53	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	13.81	N/A	Restricted for Public Access
ID339	Town of Jupiter	SA-54	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	16.88	N/A	Restricted for Public Access
ID340	Town of Jupiter	SA-55	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	14.18	N/A	Restricted for Public Access
ID341	Town of Jupiter	SA-56	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	13.29	N/A	Restricted for Public Access
ID342	Town of Jupiter	SA-57	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	14.40	N/A	Restricted for Public Access
ID343	Town of Jupiter	SA-58	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	12.64	N/A	Restricted for Public Access
ID344	Town of Jupiter	SA-59	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	12.82	N/A	Restricted for Public Access
ID345	Town of Jupiter	SA-60	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	13.98	N/A	Restricted for Public Access
ID346	Town of Jupiter	SA-62	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	14.12	N/A	Restricted for Public Access
ID347	Town of Jupiter	SA-67	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	14.66	N/A	Restricted for Public Access
ID348	Town of Jupiter	SA-68	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	15.66	N/A	Restricted for Public Access
ID349	Town of Jupiter	Central Boulevard High Service Pump Station	Water Utility Conveyance System	Critical Infrastructure	Town of Jupiter	11.36	7.71	Restricted for Public Access
ID350	Town of Jupiter	Juno Repump Station	Water Utility Conveyance System	Critical Infrastructure	Town of Jupiter	8.30	0.92	Restricted for Public Access
ID351	Town of Jupiter	Riverbend Repump Station	Water Utility Conveyance System	Critical Infrastructure	Town of Jupiter	15.98	2.53	Restricted for Public Access
ID352	Town of Jupiter	Seacoast 10" Interconnect	Water Utility Conveyance System	Critical Infrastructure	Town of Jupiter	17.33	1.13	Restricted for Public Access
ID353	Town of Jupiter	Seacoast 12" Interconnect	Water Utility Conveyance System	Critical Infrastructure	Town of Jupiter	9.92	2.5	Restricted for Public Access
ID354	Town of Jupiter	Seacoast 8" Interconnect	Water Utility Conveyance System	Critical Infrastructure	Town of Jupiter	12.11	2.5	Restricted for Public Access
ID355	Town of Jupiter	Tequesta 12" Interconnect	Water Utility Conveyance System	Critical Infrastructure	Town of Jupiter	15.99	1.13	Restricted for Public Access
ID356	Town of Jupiter	Tequesta 8" Interconnect	Water Utility Conveyance System	Critical Infrastructure	Town of Jupiter	5.39	1.13	Restricted for Public Access
ID357	Town of Jupiter	FPL Substation 1	Electric Production and Supply Facility	Critical Infrastructure	Florida Power and Light	6.29	6.5	-
ID358	Town of Jupiter	FPL Substation 2	Electric Production and Supply Facility	Critical Infrastructure	Florida Power and Light	7.76	15.92	-
ID359	Town of Jupiter	FPL Substation 3	Electric Production and Supply Facility	Critical Infrastructure	Florida Power and Light	17.19	1.78	-
ID360	Town of Jupiter	North County Transfer Station	Solid and Hazardous Waste Facility	Critical Infrastructure	Solid Waste Authority of Palm Beach County	10.50	18.61	-
ID361	Town of Jupiter	ABC Montessori Academy	School	Critical Community and Emergency Facilities	Private	6.06	1.24	-
ID362	Town of Jupiter	All Saints Catholic School	School	Critical Community and Emergency Facilities	Private	11.49	23.04	-
ID363	Town of Jupiter	Beacon Cove Intermediate School	School	Critical Community and Emergency Facilities	School District of Palm Beach County	9.88	14.68	-
ID364	Town of Jupiter	Bluff's School	School	Critical Community and Emergency Facilities	Private	13.83	0.6	-
ID365	Town of Jupiter	Children's Enrichment Center - First United Methodist Church	School	Critical Community and Emergency Facilities	Private	8.85	4.36	-
ID366	Town of Jupiter	First Class Preschool	School	Critical Community and Emergency Facilities	Private	5.67	0.68	-
ID367	Town of Jupiter	Florida Virtual School 4 Kids	School	Critical Community and Emergency Facilities	Private	5.85	0.56	-
ID368	Town of Jupiter	Growing Minds Prep Academy	School	Critical Community and Emergency Facilities	Private	2.54	0.62	-
ID369	Town of Jupiter	Jerry Thomas Elementary School	School	Critical Community and Emergency Facilities	School District of Palm Beach County	8.61	17.58	-
ID370	Town of Jupiter	Jupiter Christian School	School	Critical Community and Emergency Facilities	Private	7.92	7.62	-
ID371	Town of Jupiter	Jupiter Christian School - East Campus	School	Critical Community and Emergency Facilities	Private	8.48	2.87	-
ID372	Town of Jupiter	Jupiter Elementary School	School	Critical Community and Emergency Facilities	School District of Palm Beach County	6.49	13.01	-

1 - For all assets represented by polylines, the value is in miles. For all assets represented by polygons, the value is in acres. For all assets represented by points, the value is either flow in MGD or N/A.

AssetUniqueID	EntityName	AssetName	AssetType	AssetClass	AssetOwnerOrOperator	AssetElevation_ftNAVD	AssetSizeOrCapacity[1]	Notes
ID373	Town of Jupiter	Jupiter First Church Preschool	School	Critical Community and Emergency Facilities	Private	11.92	10.49	-
ID374	Town of Jupiter	Jupiter High School	School	Critical Community and Emergency Facilities	School District of Palm Beach County	7.65	50.8	-
ID375	Town of Jupiter	Jupiter Middle School of Technology	School	Critical Community and Emergency Facilities	School District of Palm Beach County	8.35	29.89	-
ID376	Town of Jupiter	Kidz Exploration Center	School	Critical Community and Emergency Facilities	Private	7.57	0.66	-
ID377	Town of Jupiter	Lighthouse Elementary School	School	Critical Community and Emergency Facilities	School District of Palm Beach County	8.55	20	-
ID378	Town of Jupiter	Limestone Creek Elementary School	School	Critical Community and Emergency Facilities	School District of Palm Beach County	9.21	19.38	-
ID379	Town of Jupiter	Lutheran Services Florida Inc Head Start	School	Critical Community and Emergency Facilities	Private	8.58	8.68	-
ID380	Town of Jupiter	Temple Beth Am Preschool	School	Critical Community and Emergency Facilities	Private	12.67	6.67	-
ID381	Town of Jupiter	Thelma B Pittman Jupiter Preschool	School	Critical Community and Emergency Facilities	Private	9.11	0.9	-
ID382	Town of Jupiter	Tiny Turtles Preschool	School	Critical Community and Emergency Facilities	Private	4.77	0.5	-
ID383	Town of Jupiter	Turtle River Montessori - East Campus	School	Critical Community and Emergency Facilities	Private	7.64	1.22	-
ID384	Town of Jupiter	Turtle River Montessori - West Campus	School	Critical Community and Emergency Facilities	Private	9.97	1.76	-
ID385	Town of Jupiter	John D. MacArthur Campus	University	Critical Community and Emergency Facilities	Florida Atlantic University	13.06	96.12	-
ID386	Town of Jupiter	Max Planck Florida Institute for Neuroscience	University	Critical Community and Emergency Facilities	Max Planck Society	13.75	6.08	-
ID387	Town of Jupiter	Scripps Institute	University	Critical Community and Emergency Facilities	University of Florida	13.42	29.92	-
ID388	Town of Jupiter	Jupiter Community Center	Community Center	Critical Community and Emergency Facilities	Town of Jupiter	8.80	1.45	-
ID389	Town of Jupiter	West Jupiter Recreation Center	Community Center	Critical Community and Emergency Facilities	Palm Beach County	12.36	0.39	-
ID390	Town of Jupiter	Police Department	Emergency Operation Center	Critical Community and Emergency Facilities	Town of Jupiter	7.67	0.58	-
ID391	Town of Jupiter	Public Works	Emergency Operation Center	Critical Community and Emergency Facilities	Town of Jupiter	11.74	20	-
ID392	Town of Jupiter	Fire Rescue Station 16	Fire Station	Critical Community and Emergency Facilities	Palm Beach County	10.97	0.14	-
ID393	Town of Jupiter	Fire Rescue Station 18	Fire Station	Critical Community and Emergency Facilities	Palm Beach County	10.87	0.18	-
ID394	Town of Jupiter	Fire Rescue Station 19	Fire Station	Critical Community and Emergency Facilities	Palm Beach County	12.30	0.22	-
ID395	Town of Jupiter	Future Fire Station 1	Fire Station	Critical Community and Emergency Facilities	Town of Jupiter	8.53	0.09	-
ID396	Town of Jupiter	Future Fire Station 2	Fire Station	Critical Community and Emergency Facilities	Town of Jupiter	10.50	0.17	-
ID397	Town of Jupiter	Addington Place Jupiter	Health Care Facility	Critical Community and Emergency Facilities	Private	12.92	1.91	-
ID398	Town of Jupiter	Atria Park of St. Joseph's	Health Care Facility	Critical Community and Emergency Facilities	Private	11.81	0.87	-
ID399	Town of Jupiter	Coastal Dialysis Center	Health Care Facility	Critical Community and Emergency Facilities	Private	12.80	0.4	-
ID400	Town of Jupiter	Courtyard Gardens Jupiter	Health Care Facility	Critical Community and Emergency Facilities	Private	14.69	1.83	-
ID401	Town of Jupiter	Davita Jupiter Dialysis	Health Care Facility	Critical Community and Emergency Facilities	Private	9.75	0.37	-
ID402	Town of Jupiter	Home Suite Home 3	Health Care Facility	Critical Community and Emergency Facilities	Private	15.78	0.07	-
ID403	Town of Jupiter	Home Suite Home 4	Health Care Facility	Critical Community and Emergency Facilities	Private	9.19	0.09	-
ID404	Town of Jupiter	Jupiter Kidney Center LLC	Health Care Facility	Critical Community and Emergency Facilities	Private	8.97	4.3	-
ID405	Town of Jupiter	Jupiter Medical Center Pavilion Incorporated	Health Care Facility	Critical Community and Emergency Facilities	Private	7.70	3.36	-
ID406	Town of Jupiter	Jupiter Rehabilitation and Healthcare Center	Health Care Facility	Critical Community and Emergency Facilities	Private	8.52	0.81	-
ID407	Town of Jupiter	Jupiter Urgent Care Incorporated	Health Care Facility	Critical Community and Emergency Facilities	Private	9.40	0.12	-
ID408	Town of Jupiter	Luxe at Jupiter Rehabilitation Center (The)	Health Care Facility	Critical Community and Emergency Facilities	Private	11.93	2.54	-
ID409	Town of Jupiter	Luxe Senior Living At Jupiter	Health Care Facility	Critical Community and Emergency Facilities	Private	12.02	0.68	-
ID410	Town of Jupiter	Mangrove Bay	Health Care Facility	Critical Community and Emergency Facilities	Private	12.04	1.16	-
ID411	Town of Jupiter	Jupiter Medical Center	Hospital	Critical Community and Emergency Facilities	Private	6.76	27.36	-
ID412	Town of Jupiter	Florida Fish and Wildlife Conservation Commission Law Enforcement Division	Law Enforcement Facility	Critical Community and Emergency Facilities	State of Florida	5.68	1.81	-
ID413	Town of Jupiter	Main Town Hall	Local Government Facility	Critical Community and Emergency Facilities	Town of Jupiter	7.55	0.73	-
ID414	Town of Jupiter	Barcelona Jupiter	Affordable Housing	Critical Community and Emergency Facilities	Private	6.62	24.88	-
ID415	Town of Jupiter	Jupiter Homes Corp	Affordable Housing	Critical Community and Emergency Facilities	Private	7.67	1.66	-
ID416	Town of Jupiter	Seagrape Apartments	Affordable Housing	Critical Community and Emergency Facilities	Private	6.49	7.5	-
ID417	Town of Jupiter	Stephenson Manor	Affordable Housing	Critical Community and Emergency Facilities	Private	6.54	4	-
ID418	Town of Jupiter	The Centre at Abacoa	Affordable Housing	Critical Community and Emergency Facilities	Private	12.05	0.39	-
ID419	Town of Jupiter	Third Housing 401	Affordable Housing	Critical Community and Emergency Facilities	Private	7.18	1.75	-
ID420	Town of Jupiter	Wood Duck Apartments	Affordable Housing	Critical Community and Emergency Facilities	Private	6.40	8	-
ID421	Town of Jupiter	Independence Middle School	Risk Shelter Inventory	Critical Community and Emergency Facilities	School District of Palm Beach County	12.98	18.92	-
ID422	Town of Jupiter	Abacoa - Southeast	Conservation Land	Natural, Cultural, and Historical Resources	Palm Beach County	8.75	9.24	-
ID423	Town of Jupiter	Abacoa - Central	Conservation Land	Natural, Cultural, and Historical Resources	Private	8.83	83.69	-
ID433	Town of Jupiter	Abacoa - Northwest	Conservation Land	Natural, Cultural, and Historical Resources	County, Town of Jupiter	8.71	16.08	-
ID436	Town of Jupiter	Alma's Place Conservation Area	Conservation Land	Natural, Cultural, and Historical Resources	Town of Jupiter	0.50	1.64	-
ID438	Town of Jupiter	Botanica	Conservation Land	Natural, Cultural, and Historical Resources	HOA	3.33	54.36	-
ID450	Town of Jupiter	C-18 Triangle Natural Area	Conservation Land	Natural, Cultural, and Historical Resources	Town of Jupiter	14.24	36.01	-
ID452	Town of Jupiter	Georgian Park	Conservation Land	Natural, Cultural, and Historical Resources	HOA	5.15	1.84	-
ID454	Town of Jupiter	Hamptons	Conservation Land	Natural, Cultural, and Historical Resources	HOA	11.12	0.5	-
ID455	Town of Jupiter	Jones Creek Hammock	Conservation Land	Natural, Cultural, and Historical Resources	Town of Jupiter	2.01	15.41	-
ID457	Town of Jupiter	Jones Creek Preserve	Conservation Land	Natural, Cultural, and Historical Resources	Town of Jupiter	-0.47	2.71	-
ID458	Town of Jupiter	Jupiter High School Ditch	Conservation Land	Natural, Cultural, and Historical Resources	Town of Jupiter	1.88	2.56	-
ID459	Town of Jupiter	Jupiter Lighthouse Natural Area	Conservation Land	Natural, Cultural, and Historical Resources	Federal	9.11	11.39	-
ID460	Town of Jupiter	Georgian Park Preserve	Conservation Land	Natural, Cultural, and Historical Resources	Palm Beach County	7.91	2.3	-
ID461	Town of Jupiter	Jupiter Ridge Natural Area	Conservation Land	Natural, Cultural, and Historical Resources	Palm Beach County	3.59	156.86	-
ID463	Town of Jupiter	Jupiter Yacht Club - Privately Owned Land	Conservation Land	Natural, Cultural, and Historical Resources	Private	-1.20	5.88	-
ID468	Town of Jupiter	Jupiter Yacht Club - Town-Owned Land	Conservation Land	Natural, Cultural, and Historical Resources	Town of Jupiter	-3.93	1.73	-
ID471	Town of Jupiter	Lox River Islands	Conservation Land	Natural, Cultural, and Historical Resources	Town of Jupiter	-3.55	0.64	-
ID473	Town of Jupiter	Mangrove Bay	Conservation Land	Natural, Cultural, and Historical Resources	Private	7.40	2.29	-
ID474	Town of Jupiter	Maplecrest	Conservation Land	Natural, Cultural, and Historical Resources	HOA	4.75	1.75	-
ID475	Town of Jupiter	Jones Creek Headwaters	Conservation Land	Natural, Cultural, and Historical Resources	Town of Jupiter	4.28	22.07	-
ID476	Town of Jupiter	North Jupiter Flatwoods	Conservation Land	Natural, Cultural, and Historical Resources	Town of Jupiter	10.71	142.84	-
ID479	Town of Jupiter	Parcel 19 PUD	Conservation Land	Natural, Cultural, and Historical Resources	Private	12.97	1.71	-
ID480	Town of Jupiter	Parcel 19 W. Station Preserve	Conservation Land	Natural, Cultural, and Historical Resources	Town of Jupiter	15.17	2.5	-
ID484	Town of Jupiter	Paseos	Conservation Land	Natural, Cultural, and Historical Resources	HOA	4.45	24.53	-
ID485	Town of Jupiter	Jupiter River Estates North	Conservation Land	Natural, Cultural, and Historical Resources	Town of Jupiter	4.40	7.3	
ID490	Town of Jupiter	SFWMD - C18	Conservation Land	Natural, Cultural, and Historical Resources	South Florida Water Management District	-7.13	25.69	-
ID491	Town of Jupiter	Shores of Jupiter	Conservation Land	Natural, Cultural, and Historical Resources	Palm Beach County	4.30	24.22	-
ID496	Town of Jupiter	Sims Creek Preserve	Conservation Land	Natural, Cultural, and Historical Resources	Town of Jupiter	5.56	2.96	-
ID497	Town of Jupiter	State of Florida - TIITF	Conservation Land	Natural, Cultural, and Historical Resources	State of Florida	0.48	0.39	-
ID498	Town of Jupiter	Tierra Del Sol	Conservation Land	Natural, Cultural, and Historical Resources	PBC	4.37	1.77	-
ID499	Town of Jupiter	Town of Jupiter - Coastline	Conservation Land	Natural, Cultural, and Historical Resources	Palm Beach County	10.54	1.2	-
ID500	Town of Jupiter	Double Roads - South	Conservation Land	Natural, Cultural, and Historical Resources	TIITF COUNTIES	12.31	6.98	-
ID508	Town of Jupiter	Double Roads - North	Conservation Land	Natural, Cultural, and Historical Resources	Town of Jupiter	10.15	12.37	
ID512	Town of Jupiter	Carlin Park - Town-Owned	Conservation Land	Natural, Cultural, and Historical Resources	Town of Jupiter	3.88	1.7	
ID513	Town of Jupiter	Washington Preserve	Conservation Land	Natural, Cultural, and Historical Resources	Town of Jupiter	12.22	34.2	-
ID515	Town of Jupiter	Burt Reynolds Park	Park	Natural, Cultural, and Historical Resources	Palm Beach County	2.39	30.3	-
ID516	Town of Jupiter	Carlin Park	Park	Natural, Cultural, and Historical Resources	Palm Beach County	1.81	119.99	-
ID517	Town of Jupiter	Cinquez Dog Park	Park	Natural, Cultural, and Historical Resources	Town of Jupiter	6.56	13.07	-
ID518	Town of Jupiter	Daily Park	Park	Natural, Cultural, and Historical Resources	Town of Jupiter	5.02	0.26	-
ID519	Town of Jupiter	Dubois Park	Park	Natural, Cultural, and Historical Resources	Palm Beach County	-1.86	56.74	-
ID520	Town of Jupiter	Eastview Manor Park	Park	Natural, Cultural, and Historical Resources	Town of Jupiter	6.87	0.35	-
ID521	Town of Jupiter	FIND Park	Park	Natural, Cultural, and Historical Resources	F I N D LESSOR	1.79	26.08	-
ID522	Town of Jupiter	Frazier Park	Park	Natural, Cultural, and Historical Resources	Town of Jupiter	5.70	0.35	-
ID523	Town of Jupiter	Karen Golonka Island	Park	Natural, Cultural, and Historical Resources	Palm Beach County	-1.20	12.15	-

1 - For all assets represented by polylines, the value is in miles. For all assets represented by polygons, the value is in acres. For all assets represented by points, the value is either flow in MGD or N/A.

AssetUniqueID	EntityName	AssetName	AssetType	AssetClass	AssetOwnerOrOperator	AssetElevation_ftNAVD	AssetSizeOrCapacity[1]	Notes
ID524	Town of Jupiter	Indian Creek Park	Park	Natural, Cultural, and Historical Resources	Town of Jupiter	11.82	10.05	-
ID525	Town of Jupiter	Johnston Park	Park	Natural, Cultural, and Historical Resources	FEC RY	4.92	3.23	-
ID526	Town of Jupiter	Juno Beach Park	Park	Natural, Cultural, and Historical Resources	Palm Beach County	17.29	4.85	-
ID527	Town of Jupiter	Jupiter Beach Park	Park	Natural, Cultural, and Historical Resources	Palm Beach County	-2.49	17.59	-
ID528	Town of Jupiter	Jupiter Community Park	Park	Natural, Cultural, and Historical Resources	Town of Jupiter	11.86	103.23	-
ID529	Town of Jupiter	Jupiter River Estates Park	Park	Natural, Cultural, and Historical Resources	Town of Jupiter	4.27	0.64	-
ID530	Town of Jupiter	Jupiter Village Park	Park	Natural, Cultural, and Historical Resources	Town of Jupiter	11.43	5.69	-
ID531	Town of Jupiter	Karen Marcus Ocean Preserve	Park	Natural, Cultural, and Historical Resources	Palm Beach County	2.49	151.48	-
ID532	Town of Jupiter	Kennedy Estates	Park	Natural, Cultural, and Historical Resources	Palm Beach County	12.12	1.00	-
ID533	Town of Jupiter	Lighthouse Park	Park	Natural, Cultural, and Historical Resources	Town of Jupiter	5.67	13.4	-
ID534	Town of Jupiter	Limestone Creek Park	Park	Natural, Cultural, and Historical Resources	Palm Beach County	12.42	1.07	-
ID535	Town of Jupiter	Loxahatchee Battlefield	Park	Natural, Cultural, and Historical Resources	Palm Beach County	13.42	61.95	-
ID536	Town of Jupiter	Maplewood Park	Park	Natural, Cultural, and Historical Resources	Town of Jupiter	9.58	11.78	-
ID537	Town of Jupiter	North County Aquatic Complex	Park	Natural, Cultural, and Historical Resources	Palm Beach County	5.59	5.02	-
ID538	Town of Jupiter	North Palm Beach Heights Park	Park	Natural, Cultural, and Historical Resources	Town of Jupiter	13.88	3.95	-
ID539	Town of Jupiter	Ocean Cay Park	Park	Natural, Cultural, and Historical Resources	Palm Beach County	12.08	12.37	-
ID540	Town of Jupiter	Old Town Hall Park	Historical and Cultural Asset	Natural, Cultural, and Historical Resources	Town of Jupiter	2.52	2.41	-
ID541	Town of Jupiter	Pine Gardens Park	Park	Natural, Cultural, and Historical Resources	Palm Beach County	7.78	1.23	-
ID542	Town of Jupiter	Riverbend Park	Park	Natural, Cultural, and Historical Resources	Palm Beach County	13.47	627.73	-
ID543	Town of Jupiter	Sawfish Bay Park	Park	Natural, Cultural, and Historical Resources	Town of Jupiter	3.04	3.09	-
ID544	Town of Jupiter	South Jupiter Community Park	Park	Natural, Cultural, and Historical Resources	Town of Jupiter	13.05	23.6	-
ID545	Town of Jupiter	Sylvia Park	Park	Natural, Cultural, and Historical Resources	Town of Jupiter	3.07	0.52	-
ID546	Town of Jupiter	Waterway Park	Park	Natural, Cultural, and Historical Resources	Palm Beach County	0.26	30.03	-
ID547	Town of Jupiter	West Jupiter Community Center	Park	Natural, Cultural, and Historical Resources	Palm Beach County	8.15	6.02	-
ID548	Town of Jupiter	Dubois Pioneer Home	Historical and Cultural Asset	Natural, Cultural, and Historical Resources	Palm Beach County	18.05	0.04	-
ID549	Town of Jupiter	Florida East Coast Railway Jupiter Train Depot	Historical and Cultural Asset	Natural, Cultural, and Historical Resources	Town of Jupiter	6.17	0.05	-
ID550	Town of Jupiter	Jupiter Civic Center	Historical and Cultural Asset	Natural, Cultural, and Historical Resources	Town of Jupiter	12.01	0.06	-
ID551	Town of Jupiter	Jupiter Inlet Historic and Archaeological Site	Historical and Cultural Asset	Natural, Cultural, and Historical Resources	Bureau of Land Management, Town of Jupiter	3.35	N/A	Restricted for Public Access
ID552	Town of Jupiter	Jupiter Inlet Shipwrecks Historical Marker	Historical and Cultural Asset	Natural, Cultural, and Historical Resources	Palm Beach County	6.96	N/A	-
ID553	Town of Jupiter	Jupiter Lighthouse	Historical and Cultural Asset	Natural, Cultural, and Historical Resources	Bureau of Land Management	49.39	0.01	-
ID554	Town of Jupiter	Life Saving Station	Historical and Cultural Asset	Natural, Cultural, and Historical Resources	Palm Beach County	14.32	0.09	-
ID555	Town of Jupiter	Mt Carmel Baptist Church	Historical and Cultural Asset	Natural, Cultural, and Historical Resources	Private	12.65	0.15	-
ID556	Town of Jupiter	Old Town Hall	Historical and Cultural Asset	Natural, Cultural, and Historical Resources	Town of Jupiter	4.13	0.06	-
ID557	Town of Jupiter	People's Congregation Church	Historical and Cultural Asset	Natural, Cultural, and Historical Resources	Private	6.90	0.35	-
ID558	Town of Jupiter	Riverbend and Loxahatchee River Battlefield Parks	Historical and Cultural Asset	Natural, Cultural, and Historical Resources	Palm Beach County, South Florida Water Mangement District, Private	13.41	159.93	-
ID559	Town of Jupiter	Sims House	Historical and Cultural Asset	Natural, Cultural, and Historical Resources	Private	5.89	0.07	-
ID560	Town of Jupiter	The Alice Kitching Benton House	Historical and Cultural Asset	Natural, Cultural, and Historical Resources	Private	4.40	0.03	-
ID561	Town of Jupiter	The Brooker House	Historical and Cultural Asset	Natural, Cultural, and Historical Resources	Private	7.60	0.04	-
ID562	Town of Jupiter	The Councilor's House	Historical and Cultural Asset	Natural, Cultural, and Historical Resources	Private	8.61	0.04	-
ID563	Town of Jupiter	WWII Naval Housing Building	Historical and Cultural Asset	Natural, Cultural, and Historical Resources	Town of Jupiter	4.95	0.17	-
ID564	Town of Jupiter	River Road	Major Roadway	Transportation Assets and Evacuation Routes	Private	1.99	0.06	-
ID565	Town of Jupiter	Town Hall Avenue	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	2.21	0.32	-
ID566	Town of Jupiter	N Old Dixie Highway	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	7.16	2.54	-
ID567	Town of Jupiter	Loxahatchee River Road	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	5.48	0.37	-
ID568	Town of Jupiter	Eganfuskee Pond	Stormwater Treatment Facility and Pump Station	Critical Infrastructure	Town of Jupiter	1.69	0.13	Restricted for Public Access
ID569	Town of Jupiter	Old Jupiter Beach Road Pond	Stormwater Treatment Facility and Pump Station	Critical Infrastructure	Town of Jupiter	0.77	0.53	Restricted for Public Access
ID570	Town of Jupiter	Cinquez Pond	Stormwater Treatment Facility and Pump Station	Critical Infrastructure	Town of Jupiter	4.27	0.54	Restricted for Public Access
ID571	Town of Jupiter	Jupiter River Estates North Pond	Stormwater Treatment Facility and Pump Station	Critical Infrastructure	Town of Jupiter	2.58	7.4	Restricted for Public Access
ID572	Town of Jupiter	Clemons Pond	Stormwater Treatment Facility and Pump Station	Critical Infrastructure	Town of Jupiter	0.04	0.05	Restricted for Public Access
ID573	Town of Jupiter	Love Street Pond	Stormwater Treatment Facility and Pump Station	Critical Infrastructure	Town of Jupiter	0.87	0.02	Restricted for Public Access
ID574	Town of Jupiter	Greenwood Pond	Stormwater Treatment Facility and Pump Station	Critical Infrastructure	Town of Jupiter	1.20	1.46	Restricted for Public Access
ID575	Town of Jupiter	Seminole Pond	Stormwater Treatment Facility and Pump Station	Critical Infrastructure	Town of Jupiter	1.89	3.09	Restricted for Public Access
ID576	Town of Jupiter	7th Street Pond	Stormwater Treatment Facility and Pump Station	Critical Infrastructure	Town of Jupiter	4.15	0.3	Restricted for Public Access
ID577	Town of Jupiter	Delaware Scrub	Conservation Land	Natural, Cultural, and Historical Resources	Town of Jupiter	2.45	15.59	-
ID578	Town of Jupiter	Todd Street Mangrove Preserve	Conservation Land	Natural, Cultural, and Historical Resources	Town of Jupiter	0.05	1.17	-
ID579	Town of Jupiter	Old Jupiter Beach Road	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	3.48	0.6	-
ID580	Town of Jupiter	Eganfuskee Street	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	2.81	0.15	-
ID581	Town of Jupiter	Elsa Road	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	3.43	0.15	-
ID582	Town of Jupiter	North Loxahatchee Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	5.16	0.69	-
ID583	Town of Jupiter	South Loxahatchee Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	7.96	0.54	-
ID584	Town of Jupiter	Venus Street	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	3.94	0.22	-
ID585	Town of Jupiter	North Pennock Lane	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	7.09	0.52	-
ID586	Town of Jupiter	Anglers Way	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	5.63	0.22	-
ID587	Town of Jupiter	Whitney Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	5.67	0.94	-
ID588	Town of Jupiter	Cheyenne Street	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	4.57	0.18	-
ID589	Town of Jupiter	Reo Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	5.67	0.29	-
ID590	Town of Jupiter	Bush Road	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	10.21	0.54	-
ID591	Town of Jupiter	Dolphin Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	3.49	0.23	-
ID592	Town of Jupiter	Commerce Lane	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	6.48	0.52	-
ID593	Town of Jupiter	Commerce Way	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	6.02	0.74	-
ID594	Town of Jupiter	Cypress Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	7.84	0.45	-
ID595	Town of Jupiter	Riverside Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	5.97	1.11	-
ID596	Town of Jupiter	Seabrook Road	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	4.66	0.29	-
ID597	Town of Jupiter	Lance Road	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	4.78	0.2	-
ID598	Town of Jupiter	Washington Street	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	12.63	0.21	-
ID599	Town of Jupiter	Church Street	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	12.28	1.49	-
ID600	Town of Jupiter	Frederick Small Road	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County/Town of Jupiter	11.6	3.13	-
ID601	Town of Jupiter	Greenway Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	13.27	1.33	-
ID602	Town of Jupiter	Heights Boulevard	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	14.83	1.74	-
ID603	Town of Jupiter	Jupiter Park Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	14.99	1.38	-
ID604	Town of Jupiter	Ocean Way	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	6.95	0.76	-
ID605	Town of Jupiter	Parkside Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	13.91	1.03	-
ID606	Town of Jupiter	University Boulevard	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	11.88	1.16	-
ID607	Town of Jupiter	South Pennock Lane	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	7.65	1.73	-
ID608	Town of Jupiter	Longshore Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	9.38	1.36	-
ID609	Town of Jupiter	Winding Lake Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	8.04	1.55	-
ID610	Town of Jupiter	Northfork Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	9.46	0.82	-
ID611	Town of Jupiter	Carver Avenue	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	7.76	0.23	-
ID612	Town of Jupiter	Thelma Avenue	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	7.21	0.44	-
ID613	Town of Jupiter	Jupiter Village Road	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	10.84	0.78	-
ID614	Town of Jupiter	Indian Creek Drive W	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	12.66	1.1	-
ID615	Town of Jupiter	Egret Landing Boulevard	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	14.86	0.23	-
ID616	Town of Jupiter	Egret Landing Circle	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	13.98	1.74	-

1 - For all assets represented by polylines, the value is in miles. For all assets represented by polygons, the value is in acres. For all assets represented by points, the value is either flow in MGD or N/A.

AssetUniqueID	EntityName	AssetName	AssetType	AssetClass	AssetOwnerOrOperator	AssetElevation_ftNAVD	AssetSizeOrCapacity[1]	Notes
ID617	Town of Jupiter	Pinetree Trail	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	8.02	1.22	-
ID618	Town of Jupiter	Mohican Boulevard	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	6.3	0.44	-
ID619	Town of Jupiter	Mohawk Street	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	5.51	0.45	-
ID620	Town of Jupiter	Caloosahatchee Avenue	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	5.47	0.59	-
ID621	Town of Jupiter	Delaware Boulevard	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	6.13	0.89	-
ID622	Town of Jupiter	Chippewa Street	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	5.15	0.22	-
ID623	Town of Jupiter	Bluff's Boulevard	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	16.72	1.17	-
ID624	Town of Jupiter	Ridge Road	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	29.34	1.06	-
ID625	Town of Jupiter	River Park Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	13.94	1.57	-
ID626	Town of Jupiter	Olympus Circle	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	6.9	0.2	-
ID627	Town of Jupiter	Helios Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	5.33	0.47	-
ID628	Town of Jupiter	Hepburn Avenue	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	6.14	1.05	-
ID629	Town of Jupiter	Orange Avenue	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	5.28	1.05	-
ID630	Town of Jupiter	7th Street	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	6.04	0.35	-
ID631	Town of Jupiter	Love Street	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	5.69	0.15	-
ID632	Town of Jupiter	Clemons Street	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	5.9	0.15	-
ID633	Town of Jupiter	Indian Creek Drive E	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	11.32	0.67	-
ID634	Town of Jupiter	FA-17	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	14.07	N/A	Restricted for Public Access
ID635	Town of Jupiter	FA-18	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	13.54	N/A	Restricted for Public Access
ID636	Town of Jupiter	FA-19	Drinking Water Facility	Critical Infrastructure	Town of Jupiter	14.81	N/A	Restricted for Public Access
ID637	Town of Jupiter	Aicher House	Historical and Cultural Asset	Natural, Cultural, and Historical Resources	Town of Jupiter	6.59	0.03	-
ID638	Town of Jupiter	Jupiter Methodist Church	Historical and Cultural Asset	Natural, Cultural, and Historical Resources	Town of Jupiter	3.8	0.36	-
ID639	Town of Jupiter	JupiterLake Worth Railway (AKA Celestial Railway)	Historical and Cultural Asset	Natural, Cultural, and Historical Resources	Town of Jupiter	8.32	N/A	Restricted for Public Access
ID640	Town of Jupiter	Scheurich Midden	Historical and Cultural Asset	Natural, Cultural, and Historical Resources	Town of Jupiter	8.03	N/A	Restricted for Public Access
ID641	Town of Jupiter	Jupiter Lake Worth Railway Terminus	Historical and Cultural Asset	Natural, Cultural, and Historical Resources	Town of Jupiter	12.89	N/A	Restricted for Public Access
ID642	Town of Jupiter	Sperry Property	Historical and Cultural Asset	Natural, Cultural, and Historical Resources	Town of Jupiter	12.89	N/A	Restricted for Public Access
ID643	Town of Jupiter	River Hammock	Historical and Cultural Asset	Natural, Cultural, and Historical Resources	Town of Jupiter	7.97	N/A	Restricted for Public Access
ID644	Town of Jupiter	20 W Riverside Drive	Historical and Cultural Asset	Natural, Cultural, and Historical Resources	Town of Jupiter	7.34	N/A	Restricted for Public Access
ID645	Town of Jupiter	Sawfish Bay Park Midden	Historical and Cultural Asset	Natural, Cultural, and Historical Resources	Town of Jupiter	4.43	N/A	Restricted for Public Access

1 - For all assets represented by polylines, the value is in miles. For all assets represented by polygons, the value is in acres. For all assets represented by points, the value is either flow in MGD or N/A.



Hazen Project Number: 44250-093
Plot date: 9/2/2025 4:36 PM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Sensitivity Analysis Report
Town of Jupiter

Print Date:	9/2/2025 4:36 PM
Printed By:	J. Pickering
Review By:	J. Bielecki

Location Map
Bridges

Appendix B

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/2/2025 4:25 PM



Hazen Project Number: 44250-093
Plot date: 9/3/2025 8:25 AM By: JPickering
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen	**Sensitivity Analysis Report Town of Jupiter**
Print Date: 9/3/2025 8:25 AM	**Location Map Major Roadways**
Printed By: J. Pickering	**Appendix B**
Review By: J. Bielecki	

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/2/2025 5:14 PM



Hazen Project Number: 44250-093
Plot date: 9/3/2025 8:32 AM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

	Hazen	**Sensitivity Analysis Report Town of Jupiter**	
	Print Date: 9/3/2025 8:32 AM	**Location Map Marinas**	**Appendix B**
	Printed By: J. Pickering		
	Review By: J. Bielecki		

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/2/2025 5:14 PM



Hazen Project Number: 44250-093
Plot date: 9/3/2025 8:35 AM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen	**Sensitivity Analysis Report Town of Jupiter**	
Print Date: 9/3/2025 8:35 AM	**Location Map Railroad**	**Appendix B**
Printed By: J. Pickering		
Review By: J. Bielecki		

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/2/2025 5:14 PM

Legend

- Railroad Bridges (1)
- Town of Jupiter Boundary

Railroad Bridge over Loxahatchee River

Tequesta

Jupiter Inlet Colony

Rood

Limestone Creek

Jupiter

Canal C-18

Juno Beach

0 0.5 1 2 Miles

Hazen Project Number: 44250-093
Plot date: 9/3/2025 8:38 AM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Print Date:	9/3/2025 8:38 AM
Printed By:	J. Pickering
Review By:	J. Bielecki

Sensitivity Analysis Report
Town of Jupiter

Location Map
Railroad Bridges

Appendix B

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/2/2025 5:14 PM


Legend
Lift Stations (202)
Wastewater Treatment Facilities (1)
Town of Jupiter Boundary
Wastewater Treatment Plant
Tequesta
Jupiter Inlet Colony
Jupiter
Limestone Creek
Juno Beach
Rood
Canal C-18
LS163
LS161
LS162
LS171
LS170
LS920
LS172
LS295
LS160
LS159
LS293
LS962
LS984
LS985
LS291
LS294
LS292
LS158
LS157
LS169
LSP01
LSP02
LSP03
LSP04
LS151
LS918
LS917
LS965
LS961
LS153
LS152
LS203
LS154
LS155
LS301
LS199
LS190
LS014
LS013
LS079
LS056
LS063
LS926
LS193
LS972
LS097
LS094
LS934
LS924
LS093
LS925
LS081
LS930
LS973
LS923
LS092
LS091
LS026
LS126
LS083
LS082
LS090
LS096
LS922
LS950
LS099
LS095
LS981
LS080
LS098
LS921
LS138
LS031
LS030
LS951
LS953
LS300
LS032
LS084
LS960
LS952
LS033
LS085
LS034
LS086
LS124
LS139
LS941
LS029
LS088
LS087
LS039
LS089
LS940
LS038
LS102
LS101
LS235
LS037
LS036
LS035
LS028
LS234
LS122
LS226
LS121
LS233
LS228
LS231
LS222
LS104
LS232
LS105
LS237
LS264
LS238
LS114
LS113
LS106
LS908
LS935
LS236
LS248
LS200
LSAM1
LS948
LS252
LS910
LS249
LS242
LS244
LS254
LS212
LS211
LS240
LS241
LS220
LS224
LS911
LS230
LS210
LS213
LS208
LS209
LS218
LS912
LS221
LS012
LS027
LS014
LS011
LS010
LS009
LS001
LS005
LS008
LS003
LS002
LS919
LS007
LS006
LS024
LS932
LS916
LS915
LS017
LS191
LS018
LS179
LS025
LS016
LS015
LS019
LS004
LS020
LS913
LS914
LS035
LS028
LS036
LS037
LS038
LS940
LS039
LS029
LS941
LS139
LS124
LS086
LS088
LS089
LS102
LS101
LS087
LS085
LS952
LS960
LS953
LS951
LS921
LS098
LS922
LS096
LS090
LS091
LS092
LS930
LS925
LS093
LS094
LS972
LS193
LS063
LS926
LS056
LS079
LS013
LS012
LS027
LS014
LS011
LS010
LS009
LS001
LS950
LS138
LS031
LS981
LS080
LS099
LS095
LS083
LS082
LS126
LS026
LS973
LS081
LS934
LS924
LS923
LS097
LS972
LS193
LS163
LS161
LS162
LS171
LS170
LS920
LS172
LS295
LS160
LS159
LS293
LS962
LS984
LS985
LS291
LS294
LS292
LS158
LS157
LS169
LSP01
LSP02
LSP03
LSP04
LS151
LS918
LS917
LS965
LS961
LS153
LS152
LS203
LS154
LS155
LS301
LS199
LS190
LS204
LS205
LS206
LS207
LS021
LS023
LS022
LS226
LS234
LS122



Hazen Project Number: 44250-093
Plot date: 9/4/2025 10:29 AM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Print Date:	9/4/2025 10:29 AM
Printed By:	J. Pickering
Review By:	J. Bielecki

Hazen

Sensitivity Analysis Report
Town of Jupiter

Location Map: Stormwater Treatment Facilities and Pump Stations

Appendix B

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/3/2025 11:15 AM



Hazen Project Number: 44250-093
Plot date: 9/4/2025 11:16 AM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

TOWN OF JUPITER FLORIDA	Hazen	**Sensitivity Analysis Report Town of Jupiter**	
	Print Date: 9/4/2025 11:16 AM		
	Printed By: J. Pickering	**Location Map Drinking Water Facilities**	**Appendix B**
	Review By: J. Bielecki		

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/4/2025 10:34 AM



Hazen Project Number: 44250-093
Plot date: 9/4/2025 11:34 AM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen	**Sensitivity Analysis Report Town of Jupiter**
Print Date: 9/4/2025 11:34 AM	**Location Map Water Utility Conveyance System** — **Appendix B**
Printed By: J. Pickering	
Review By: J. Bielecki	

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/4/2025 10:34 AM



Hazen Project Number: 44250-093
Plot date: 9/4/2025 11:46 AM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen	**Sensitivity Analysis Report Town of Jupiter**
Print Date: 9/4/2025 11:46 AM	
Printed By: J. Pickering	**Location Map: Electric Production and Supply Facilities** — **Appendix B**
Review By: J. Bielecki	

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/4/2025 11:36 AM



Hazen Project Number: 44250-093
Plot date: 9/4/2025 11:49 AM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

	Hazen	Sensitivity Analysis Report Town of Jupiter	
	Print Date: 9/4/2025 11:49 AM	Location Map: Solid and Hazardous Waste Facilities	Appendix B
	Printed By: J. Pickering		
	Review By: J. Bielecki		

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/4/2025 11:36 AM



Hazen Project Number: 44250-093
Plot date: 9/8/2025 8:39 AM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen		**Sensitivity Analysis Report Town of Jupiter**
Print Date:	9/8/2025 8:39 AM	**Location Map Schools** / **Appendix B**
Printed By:	J. Pickering	
Review By:	J. Bielecki	

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/4/2025 9:34 PM



Hazen Project Number: 44250-093
Plot date: 9/8/2025 8:44 AM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen	**Sensitivity Analysis Report Town of Jupiter**	
Print Date: 9/8/2025 8:44 AM	**Location Map Universities**	**Appendix B**
Printed By: J. Pickering		
Review By: J. Bielecki		

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/4/2025 9:34 PM



Hazen Project Number: 44250-093
Plot date: 9/8/2025 8:47 AM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen		**Sensitivity Analysis Report Town of Jupiter**
Print Date:	9/8/2025 8:47 AM	**Location Map Community Centers** / **Appendix B**
Printed By:	J. Pickering	
Review By:	J. Bielecki	

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/4/2025 9:34 PM



Hazen Project Number: 44250-093
Plot date: 9/8/2025 8:51 AM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen		**Sensitivity Analysis Report** **Town of Jupiter**
Print Date:	9/8/2025 8:51 AM	**Location Map** **Emergency Operation Centers** — **Appendix B**
Printed By:	J. Pickering	
Review By:	J. Bielecki	

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/4/2025 9:34 PM



Hazen Project Number: 44250-093
Plot date: 9/8/2025 8:54 AM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen		**Sensitivity Analysis Report Town of Jupiter**
Print Date:	9/8/2025 8:54 AM	**Location Map Fire Stations** / **Appendix B**
Printed By:	J. Pickering	
Review By:	J. Bielecki	

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/4/2025 9:34 PM



Hazen Project Number: 44250-093
Plot date: 9/8/2025 10:53 AM By: JPickering
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Sensitivity Analysis Report
Town of Jupiter

Print Date:	9/8/2025 10:53 AM
Printed By:	J. Pickering
Review By:	J. Bielecki

Location Map
Health Care Facilities

Appendix B



Hazen Project Number: 44250-093
Plot date: 9/8/2025 11:12 AM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

	Hazen	**Sensitivity Analysis Report Town of Jupiter**	
	Print Date: 9/8/2025 11:12 AM	**Location Map Hospitals**	**Appendix B**
	Printed By: J. Pickering		
	Review By: J. Bielecki		

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/4/2025 9:34 PM



Hazen Project Number: 44250-093
Plot date: 9/8/2025 11:26 AM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

	Hazen	**Sensitivity Analysis Report Town of Jupiter**	
	Print Date: 9/8/2025 11:26 AM	**Location Map Law Enforcement Facilities**	**Appendix B**
	Printed By: J. Pickering		
	Review By: J. Bielecki		

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/4/2025 9:34 PM



Hazen Project Number: 44250-093
Plot date: 9/8/2025 11:45 AM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen		**Sensitivity Analysis Report** **Town of Jupiter**
Print Date:	9/8/2025 11:45 AM	**Location Map** **Local Government Facilities** — **Appendix B**
Printed By:	J. Pickering	
Review By:	J. Bielecki	

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/4/2025 9:34 PM



Hazen Project Number: 44250-093
Plot date: 9/8/2025 1:56 PM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

	Hazen	Sensitivity Analysis Report Town of Jupiter	
	Print Date: 9/8/2025 1:56 PM	Location Map Affordable Public Housing	Appendix B
	Printed By: J. Pickering		
	Review By: J. Bielecki		

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/4/2025 9:34 PM



Hazen Project Number: 44250-093
Plot date: 9/8/2025 2:15 PM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen		**Sensitivity Analysis Report** **Town of Jupiter**
Print Date:	9/8/2025 2:15 PM	**Location Map** **Risk Shelter Inventory** — **Appendix B**
Printed By:	J. Pickering	
Review By:	J. Bielecki	

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/4/2025 9:34 PM



Hazen Project Number: 44250-093
Plot date: 9/8/2025 4:45 PM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen	**Sensitivity Analysis Report Town of Jupiter**
Print Date: 9/8/2025 4:45 PM	**Location Map Conservation Lands** — **Appendix B**
Printed By: J. Pickering	
Review By: J. Bielecki	

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/4/2025 9:34 PM



Hazen Project Number: 44250-093
Plot date: 9/9/2025 9:12 AM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen		Sensitivity Analysis Report Town of Jupiter
	Print Date: 9/9/2025 9:12 AM	
	Printed By: J. Pickering	Location Map Historical and Cultural Resources — Appendix B
	Review By: J. Bielecki	

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/8/2025 5:00 PM



Hazen Project Number: 44250-093
Plot date: 9/9/2025 9:26 AM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen	**Sensitivity Analysis Report Town of Jupiter**	
Print Date: 9/9/2025 9:26 AM	**Location Map Parks**	**Appendix B**
Printed By: J. Pickering		
Review By: J. Bielecki		

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/8/2025 5:00 PM

Appendix C: Green Ampt Parameters

Appendix C
Green-Ampt Parameters

MUName	MUKey	Kv-sat (ft/day)	MC Sat (dec)	MC Field (dec)	MC Initial (dec)	MC Wilting (dec)	MC Residual (dec)	Pore Size Index (dec)	Bubble Pressure (in)	Depth to Water Table (ft)
Lawnwood and Myakka fine sands	1421554	9.394	0.3993	0.0620	0.0620	0.0160	0.0080	0.6006	1.5924	0.554
Waveland and Immokalee fine sands	1421556	13.315	0.3991	0.0610	0.0610	0.0160	0.0080	0.5935	1.5928	0.579
Waveland and Lawnwood fine sands, depressional	1421557	13.392	0.3962	0.0610	0.0610	0.0150	0.0075	0.5951	1.6204	0.578
Paola and St. Lucie sands, 0 to 8 percent slopes	1421558	59.528	0.4220	0.0290	0.0290	0.0110	0.0055	0.5824	1.3934	0.264
Palm Beach-Beaches complex, 0 to 8 percent slopes	1421560	59.528	0.4826	0.0370	0.0370	0.0130	0.0065	0.5753	1.0320	0.210
Pomello sand, 0 to 5 percent slopes	1421561	48.136	0.3917	0.0680	0.0680	0.0140	0.0070	0.5940	1.6706	0.292
Placid and Basinger fine sands, depressional	1421564	26.079	0.5084	0.1720	0.1720	0.0440	0.0220	0.5320	0.8333	0.627
Archbold sand	1421565	59.528	0.4235	0.0220	0.0220	0.0090	0.0045	0.5913	1.3792	0.246
Oldsmar fine sand, 0 to 2 percent slopes	1421567	12.638	0.4245	0.0700	0.0700	0.0160	0.0080	0.5782	1.3639	0.808
Wabasso sand, 0 to 2 percent slopes	1421568	11.423	0.4076	0.0810	0.0810	0.0250	0.0125	0.5809	1.4947	0.612
Winder sand, frequently ponded, 0 to 1 percent slopes	3102921	7.527	0.4374	0.1470	0.1470	0.0790	0.0395	0.4286	1.5050	0.831
Pineda-Riviera fine sands association, 0 to 2 percent slopes	3102897	16.082	0.4204	0.0720	0.0720	0.0170	0.0085	0.5843	1.3815	0.607
Okeelanta muck, frequently ponded, 0 to 1 percent slopes	1421572	26.079	0.7921	0.5500	0.5500	0.1200	0.0050	0.3953	11.4749	1.352
Urban land, 0 to 2 percent slopes	1421573	0.000	0.9300	0.0000	0.0000	0.0000	0.0000	0.4445	8.1475	0.494
Arents, organic substratum, 0 to 5 percent slopes	1421577	26.079	0.4867	0.0840	0.0840	0.0310	0.0155	0.5239	0.9084	0.745
Canaveral sand, 0 to 5 percent slopes	1421578	59.528	0.4315	0.0880	0.0880	0.0270	0.0135	0.5561	1.2692	0.297
Bessie muck	1421579	17.683	0.8313	0.7482	0.7482	0.4370	0.2185	0.0771	1.3567	1.022
Salerno sand	1421583	22.216	0.4662	0.0630	0.0630	0.0180	0.0090	0.5603	1.0851	0.469
Arents, 0 to 2 percent slopes	1421584	26.079	0.5048	0.0910	0.0910	0.0350	0.0175	0.4859	0.7778	0.249
Floridana fine sand, frequently ponded, 0 to 1 percent slopes	1421585	8.397	0.4605	0.1600	0.1600	0.1020	0.0467	0.5538	1.0936	0.768
Sanibel muck, frequently ponded, 0 to 1 percent slopes	1421587	59.811	0.6678	0.2760	0.2760	0.1130	0.0352	0.5755	0.5745	0.575
Jonathan sand, 0 to 5 percent slopes	1421588	14.864	0.4773	0.0520	0.0520	0.0150	0.0075	0.5661	1.0538	0.594
Brynwood sand, wet, 0 to 2 percent slopes	3236251	14.989	0.4582	0.0940	0.0940	0.0310	0.0155	0.5701	1.1524	0.081
Cypress Lake fine sand, 0 to 2 percent slopes	3236250	24.131	0.4748	0.0790	0.0790	0.0210	0.0105	0.5640	1.0469	0.518
Pinellas fine sand, 0 to 2 percent slopes	1421592	22.486	0.4764	0.0860	0.0860	0.0270	0.0135	0.5529	1.0032	0.562
Jupiter sand	1421593	6.881	0.4989	0.0660	0.0660	0.0220	0.0110	0.5063	0.8957	0.739
Riviera fine sand, frequently ponded, 0 to 1 percent slopes	1421594	15.141	0.4831	0.0660	0.0660	0.0130	0.0065	0.5652	1.0269	0.620
Wulfert and Durbin mucks, tidal	1421596	26.079	0.6999	0.6299	0.6299	0.4500	0.0023	0.3742	14.4297	1.002
Malabar fine sand, high, 0 to 2 percent slopes	1421598	22.192	0.4845	0.0800	0.0800	0.0240	0.0120	0.5694	1.0171	0.619
Udorthents, 0 to 35 percent slopes	1421600	26.079	0.5355	0.0400	0.0400	0.0110	0.0055	0.5272	0.7977	0.266
Basinger fine sand, 0 to 2 percent slopes	1421602	26.079	0.4876	0.0600	0.0600	0.0130	0.0065	0.5706	1.0089	0.613
Wabasso and Oldsmar fine sands, depressional	1421604	23.115	0.5332	0.0610	0.0610	0.0160	0.0080	0.5638	0.8461	0.495
Chobee muck, frequently ponded, 0 to 1 percent slopes	1421605	6.375	0.5542	0.2710	0.2710	0.1190	0.0572	0.4247	0.9880	0.843
Gator and Tequesta mucks	1421606	15.972	0.7993	0.7194	0.7194	0.4500	0.0052	0.3973	11.2718	0.813
Hobe fine sand, 0 to 5 percent slopes	1421608	48.067	0.5016	0.0460	0.0460	0.0130	0.0065	0.5634	0.9503	0.385
Nettles sand	1421610	10.753	0.5354	0.0620	0.0620	0.0160	0.0080	0.5640	0.8400	0.626
Kesson sand, tidal	1421614	22.403	0.5249	0.0840	0.0840	0.0310	0.0155	0.5468	0.8281	0.696
Samsula muck, frequently ponded, 0 to 1 percent slopes	1421619	26.079	0.7016	0.5350	0.5350	0.2150	0.0023	0.3745	14.3682	1.161
Paola and St. Lucie sands, 8 to 20 percent slopes	1421623	59.528	0.5346	0.0300	0.0300	0.0120	0.0060	0.5640	0.8422	0.209
Water	1421627	0.000	0.9300	0.0000	0.0000	0.0000	0.0000	0.4445	8.1475	0.000
Waters of the Atlantic Ocean	1421628	0.000	0.9300	0.0000	0.0000	0.0000	0.0000	0.4445	8.1475	0.000
Anclote fine sand	1407265	26.079	0.5390	0.0520	0.0520	0.0180	0.0090	0.5393	0.7522	0.519
Arents-Urban land complex, 0 to 5 percent slopes	1407266	26.079	0.5713	0.0860	0.0860	0.0320	0.0160	0.5191	0.6503	0.246
Arents-Urban land complex, organic substratum	1407267	26.079	0.5686	0.0660	0.0660	0.0220	0.0110	0.4928	0.6370	1.022
Basinger fine sand, 0 to 2 percent slopes	1407268	26.079	0.5320	0.0600	0.0600	0.0130	0.0065	0.5702	0.8526	0.613
Basinger and Myakka sands, depressional	1407270	59.528	0.5541	0.0390	0.0390	0.0150	0.0075	0.5701	0.8011	0.374
Beaches	1407271	0.000	0.9300	0.0000	0.0000	0.0000	0.0000	0.4445	8.1475	0.206
Cypress Lake fine sand, 0 to 2 percent slopes	3236252	21.529	0.5434	0.0720	0.0720	0.0170	0.0085	0.5632	0.8140	0.302
Chobee fine sandy loam, frequently ponded, 0 to 1 percent slopes	3045930	2.663	0.5910	0.2500	0.2500	0.1730	0.0681	0.3077	1.2915	1.073
Floridana fine sand, frequently ponded, 0 to 1 percent slopes	1407277	8.397	0.5463	0.1600	0.1600	0.1020	0.0406	0.5483	0.7697	0.768
Brynwood fine sand, 0 to 2 percent slopes	3236253	21.677	0.5582	0.0930	0.0930	0.0300	0.0150	0.5506	0.9217	0.090
Holopaw fine sand, 0 to 2 percent slopes	1407279	21.993	0.5615	0.0850	0.0850	0.0260	0.0130	0.5573	0.7368	0.605
Immokalee fine sand, 0 to 2 percent slopes	1407280	20.516	0.5624	0.0720	0.0720	0.0170	0.0085	0.5752	0.7773	0.623
Jupiter fine sand, 0 to 2 percent slopes	1407281	24.425	0.5695	0.1030	0.1030	0.0390	0.0195	0.5523	0.7185	0.155
Myakka fine sand, 0 to 2 percent slopes	1407283	22.225	0.5738	0.0880	0.0880	0.0260	0.0130	0.5486	0.6962	0.616
Myakka-Urban land complex	1407284	20.307	0.5879	0.0620	0.0620	0.0170	0.0085	0.5658	0.7774	0.447
Okeelanta muck, drained, frequently ponded, 0 to 1 percent slopes	1407286	26.079	0.8099	0.5500	0.5500	0.1200	0.0055	0.4004	10.9809	1.204
Oldsmar sand, 0 to 2 percent slopes	1407287	13.478	0.5690	0.0880	0.0880	0.0260	0.0130	0.5438	0.7306	0.617
Palm Beach-Urban land complex, 0 to 8 percent slopes	1407289	59.528	0.6283	0.0400	0.0400	0.0150	0.0075	0.5916	0.6907	0.205
Pineda-Pineda, wet, fine sand, 0 to 2 percent slopes	1407290	16.082	0.5766	0.0720	0.0720	0.0170	0.0085	0.5740	0.7332	0.590

Appendix C
Green-Ampt Parameters

MUName	MUKey	Kv-sat (ft/day)	MC Sat (dec)	MC Field (dec)	MC Initial (dec)	MC Wilting (dec)	MC Residual (dec)	Pore Size Index (dec)	Bubble Pressure (in)	Depth to Water Table (ft)
Pinellas fine sand, 0 to 2 percent slopes	1407291	22.486	0.5879	0.0860	0.0860	0.0270	0.0135	0.5605	0.6809	0.562
Pits, 0 to 5 percent slopes	1407292	0.000	0.9300	0.0000	0.0000	0.0000	0.0000	0.4445	8.1475	0.243
Pomello fine sand, 0 to 5 percent slopes	1407293	40.959	0.6044	0.0340	0.0340	0.0110	0.0055	0.5998	0.7255	0.362
Pompano fine sand, 0 to 2 percent slopes	1407294	26.005	0.5998	0.0650	0.0650	0.0150	0.0075	0.5797	0.7074	0.532
Quartzipsamments, shaped, 0 to 5 percent slopes	1407295	59.528	0.5981	0.0520	0.0520	0.0150	0.0075	0.5604	0.6704	0.205
Riviera fine sand, 0 to 2 percent slopes	1407296	14.299	0.6025	0.0690	0.0690	0.0150	0.0075	0.5808	0.7036	0.627
Riviera fine sand, frequently ponded, 0 to 1 percent slopes	1407297	15.141	0.6078	0.0660	0.0660	0.0130	0.0065	0.5830	0.6965	0.620
Sanibel muck	1407299	26.079	0.8320	0.5680	0.5680	0.2800	0.0202	0.7895	0.7147	0.614
St. Lucie-Paola-Urban land complex, 0 to 8 percent slopes	1407300	59.528	0.6099	0.0430	0.0430	0.0120	0.0060	0.5964	0.7174	0.205
Tequesta muck, frequently ponded, 0 to 1 percent slopes	1407301	19.535	0.7614	0.3630	0.3630	0.0810	0.0232	0.7081	0.6369	0.940
Terra Ceia muck, drained, frequently ponded, 0 to 1 percent slopes	1407302	26.079	0.8154	0.5500	0.5500	0.1200	0.0056	0.4020	10.8315	2.542
Kesson mucky sand, tidal	1407303	22.403	0.6679	0.0840	0.0840	0.0310	0.0155	0.5639	0.6037	0.785
Wulfert and Durbin muck, tidal	1407304	26.079	0.7964	0.7167	0.7167	0.4500	0.0051	0.3965	11.3554	1.073
Udorthents, 2 to 35 percent slopes	1407306	26.079	0.6596	0.0440	0.0440	0.0120	0.0060	0.5771	0.6061	0.274
Urban land, 0 to 2 percent slopes	1407307	0.000	0.9300	0.0000	0.0000	0.0000	0.0000	0.4445	8.1475	0.494
Wabasso fine sand, 0 to 2 percent slopes	3102930	22.369	0.6297	0.0930	0.0930	0.0320	0.0160	0.5945	0.6576	0.733
Winder fine sand, 0 to 2 percent slopes	1407309	8.843	0.6388	0.1010	0.1010	0.0350	0.0175	0.5496	0.6658	0.760
Water	1407310	0.000	0.9300	0.0000	0.0000	0.0000	0.0000	0.4445	8.1475	0.000
Waters of the Atlantic Ocean	1407362	0.000	0.9300	0.0000	0.0000	0.0000	0.0000	0.4445	8.1475	0.000

Appendix D: Max Node Water Surface Elevations

Appendix D
Max Node Water Surface Elevation

Node Name	Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8	Scenario 9	Scenario 10	Scenario 11	Scenario 12	Scenario 13	Scenario 14	Scenario 15
N-7P-001-1	6.88	7.03	7.29	6.98	7.15	7.4	6.98	7.15	7.4	7.01	7.16	7.42	7.01	7.16	7.56
N-7P-001-2	6.65	6.89	7.24	6.75	7.07	7.38	6.75	7.07	7.38	6.78	7.08	7.4	6.78	7.09	7.59
N-7P-002-1	6.36	6.66	7.13	6.46	6.89	7.36	6.46	6.89	7.36	6.49	6.91	7.48	6.49	6.94	7.68
N-7P-003-1	6.41	6.74	7.25	6.51	6.99	7.46	6.51	6.99	7.46	6.54	7.01	7.49	6.54	7.02	7.68
N-7P-004-1	6.38	6.67	7.15	6.49	6.91	7.34	6.49	6.91	7.34	6.51	6.93	7.46	6.51	6.94	7.66
N-7P-004-2	6.37	6.67	7.14	6.48	6.9	7.35	6.48	6.9	7.35	6.5	6.92	7.47	6.5	6.94	7.67
N-7P-004-3	6.49	6.78	7.2	6.59	7	7.37	6.59	7	7.37	6.62	7.02	7.43	6.62	7.03	7.61
N-7P-004-4	6.44	6.73	7.17	6.54	6.95	7.35	6.54	6.95	7.35	6.57	6.98	7.44	6.57	6.99	7.64
N-7P-004-5	5.6	5.89	6.36	5.7	6.13	6.56	5.7	6.13	6.56	5.73	6.15	6.68	5.73	6.16	6.87
N-7P-004-6	7.43	7.77	8.27	7.54	8.01	8.49	7.54	8.01	8.49	7.57	8.04	8.52	7.57	8.04	8.71
N-CC-001-1	10.1	10.29	10.51	10.15	10.37	10.62	10.15	10.37	10.62	10.16	10.38	10.63	10.16	10.38	10.63
N-CC-002-1	12.44	13.34	15.17	12.65	13.69	15.31	12.65	13.69	15.31	12.71	13.75	15.32	12.71	13.75	15.32
N-CC-003-1	6.46	6.79	7.08	6.64	6.91	7.37	6.65	6.92	7.42	6.7	6.94	7.59	6.76	6.98	7.81
N-CC-004-1	14.88	15.56	15.78	15.14	15.74	15.95	15.14	15.74	15.95	15.22	15.75	15.96	15.22	15.75	15.96
N-CC-005-1	16.85	17.89	18.66	17.11	18.25	19.08	17.11	18.25	19.08	17.19	18.28	19.13	17.19	18.28	19.13
N-CC-006-1	15.28	16.69	17.83	15.54	17.27	18.16	15.54	17.27	18.16	15.63	17.32	18.19	15.63	17.32	18.19
N-CC-007-1	15.23	16.25	17.78	15.46	17.26	18.1	15.46	17.26	18.1	15.54	17.3	18.13	15.54	17.3	18.13
N-CC-008-1	8.58	8.63	8.74	8.62	8.67	8.8	8.62	8.67	8.8	8.63	8.68	8.8	8.63	8.68	8.8
N-CC-009-1	13.76	13.78	13.97	13.78	13.81	14.12	13.78	13.81	14.12	13.79	13.82	14.14	13.79	13.82	14.14
N-CC-010-1	12.68	13.04	13.3	12.77	13.16	13.46	12.77	13.16	13.46	12.8	13.17	13.48	12.8	13.17	13.48
N-CC-011-1	11.52	11.72	11.97	11.61	11.78	12.19	11.61	11.78	12.19	11.62	11.78	12.2	11.62	11.78	12.17
N-CC-012-1	13.15	13.44	13.7	13.32	13.57	13.79	13.32	13.56	13.79	13.37	13.57	13.8	13.36	13.56	13.79
N-CC-013-1	14.9	16.4	17.75	15.14	17.14	18.17	15.14	17.14	18.17	15.23	17.2	18.21	15.23	17.2	18.21
N-CC-013-2	14.95	16.46	17.84	15.19	17.22	18.27	15.19	17.22	18.27	15.28	17.28	18.31	15.28	17.28	18.31
N-CC-014-1	17.21	18.38	19.34	17.5	18.78	19.8	17.5	18.78	19.8	17.59	18.82	19.85	17.59	18.82	19.85
N-CC-015-1	4.5	5.83	7.08	4.97	6.4	7.8	5.13	6.49	7.85	5.5	6.71	8.01	5.99	7.05	8.21
N-CC-015-2	4.68	6.05	7.36	5.15	6.62	8.09	5.31	6.72	8.14	5.69	6.93	8.3	6.2	7.27	8.49
N-CC-015-3	4.56	5.9	7.16	5.03	6.47	7.88	5.19	6.56	7.93	5.56	6.77	8.09	6.05	7.12	8.29
N-CC-015-4	4.52	5.86	7.11	4.99	6.43	7.83	5.15	6.52	7.88	5.52	6.73	8.04	6.02	7.08	8.24
N-CC-015-5	4.65	6.02	7.32	5.12	6.6	8.06	5.28	6.69	8.11	5.66	6.9	8.27	6.17	7.24	8.46
N-CC-015-6	4.59	5.94	7.2	5.06	6.5	7.92	5.22	6.6	7.97	5.59	6.81	8.13	6.09	7.15	8.33
N-CC-016-1	10.9	10.93	11.33	10.92	10.99	11.54	10.92	10.98	11.54	10.93	11	11.55	10.93	10.97	11.55
N-CC-017-1	7.15	7.25	7.47	7.2	7.3	7.68	7.21	7.3	7.68	7.22	7.32	7.72	7.22	7.34	7.84
N-CC-018-1	7.35	7.86	8.11	7.68	7.97	8.22	7.68	7.98	8.22	7.74	8	8.23	7.76	8.05	8.24
N-CC-019-1	11.91	12.19	12.4	11.95	12.29	12.48	11.95	12.29	12.48	11.96	12.3	12.49	11.96	12.3	12.49
N-CC-020-1	17.53	17.98	18.48	17.63	18.16	18.81	17.63	18.16	18.81	17.66	18.18	18.85	17.66	18.18	18.85
N-CC-021-1	13.73	13.97	14.21	13.76	14.07	14.29	13.76	14.07	14.29	13.76	14.08	14.29	13.76	14.08	14.29
N-CC-022-1	4.29	5.58	6.75	4.75	6.13	7.44	4.91	6.23	7.5	5.28	6.44	7.66	5.77	6.78	7.86
N-CC-023-1	11.07	11.84	12.74	11.23	12.15	14.23	11.23	12.15	14.23	11.29	12.19	14.46	11.29	12.19	14.46
N-CC-024-1	16.88	17.93	18.72	17.14	18.29	19.27	17.14	18.29	19.27	17.22	18.32	19.35	17.22	18.32	19.35
N-CC-025-1	8.01	8.17	8.81	8.2	8.42	10.84	8.2	8.42	10.84	8.27	8.45	11.14	8.27	8.45	11.14
N-CC-026-1	17.21	18.38	19.34	17.5	18.79	19.8	17.5	18.79	19.8	17.59	18.83	19.85	17.59	18.83	19.85
N-CC-027-1	15.99	17.22	18.25	16.29	17.65	18.67	16.29	17.65	18.67	16.39	17.69	18.71	16.39	17.69	18.71
N-CC-027-2	15.09	16.65	18.09	15.34	17.45	18.52	15.34	17.45	18.52	15.43	17.51	18.56	15.43	17.51	18.56
N-CC-028-1	15.04	16.6	18.05	15.29	17.4	18.49	15.29	17.4	18.49	15.38	17.46	18.53	15.38	17.46	18.53
N-CC-028-2	14.99	16.52	17.91	15.24	17.28	18.34	15.24	17.28	18.34	15.33	17.34	18.38	15.33	17.34	18.38
N-CC-030-1	16.2	17.4	18.42	16.5	17.82	18.84	16.5	17.82	18.84	16.59	17.86	18.88	16.59	17.86	18.88
N-CC-031-1	16.25	17.34	18.2	16.54	17.7	18.58	16.54	17.7	18.58	16.63	17.73	18.62	16.63	17.73	18.62
N-CC-032-1	17.23	18.39	19.35	17.51	18.8	19.81	17.51	18.8	19.81	17.61	18.84	19.86	17.61	18.84	19.86
N-CC-033-1	17.24	18.4	19.37	17.53	18.81	19.83	17.53	18.81	19.83	17.62	18.85	19.88	17.62	18.85	19.88
N-CC-034-1	18.32	18.91	19.35	18.44	19.14	19.52	18.44	19.14	19.52	18.48	19.16	19.54	18.48	19.16	19.54
N-CC-034-2	18.31	18.92	19.36	18.44	19.15	19.53	18.44	19.15	19.53	18.47	19.17	19.55	18.47	19.17	19.55
N-CC-034-3	17.44	18.15	18.94	17.57	18.45	19.36	17.57	18.45	19.36	17.61	18.48	19.41	17.61	18.48	19.41
N-CC-034-4	17.21	18.37	19.34	17.5	18.78	19.8	17.5	18.78	19.8	17.59	18.82	19.85	17.59	18.82	19.85

Appendix D
Max Node Water Surface Elevation

Node Name	Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8	Scenario 9	Scenario 10	Scenario 11	Scenario 12	Scenario 13	Scenario 14	Scenario 15
N-CC-034-5	16.7	17.88	18.78	16.99	18.26	19.15	16.99	18.26	19.15	17.08	18.3	19.18	17.08	18.3	19.18
N-CC-035-1	17.87	18.47	19.41	18.03	18.85	19.88	18.03	18.85	19.88	18.08	18.89	19.93	18.08	18.89	19.93
N-CC-036-1	18.78	19.28	19.61	18.93	19.42	19.77	18.93	19.42	19.77	18.97	19.44	19.78	18.97	19.44	19.78
N-CC-037-1	19.01	19.31	19.49	19.1	19.39	19.92	19.1	19.39	19.92	19.13	19.39	19.97	19.13	19.39	19.97
N-CC-038-1	21.93	22.16	22.32	22	22.23	22.4	22	22.23	22.4	22.03	22.24	22.41	22.03	22.24	22.41
N-DP-001-1	5.82	6.53	7.1	6.08	6.78	7.38	6.09	6.78	7.38	6.16	6.81	7.41	6.18	6.81	7.42
N-DP-002-1	5.99	6.17	6.43	6.08	6.27	6.58	6.08	6.27	6.58	6.1	6.28	6.6	6.1	6.28	6.6
N-DP-003-1	7.17	7.72	8.12	7.42	7.88	8.32	7.42	7.88	8.32	7.48	7.9	8.34	7.49	7.9	8.34
N-DP-004-1	3.4	3.74	4.56	3.88	4.3	5	4.01	4.38	5.03	4.33	4.6	5.14	4.87	5.07	5.63
N-DP-005-1	3.58	3.93	4.66	4.07	4.47	5.05	4.2	4.54	5.08	4.49	4.72	5.17	4.88	5.08	5.66
N-DP-006-1	5.82	6.49	7.04	6.05	6.74	7.31	6.05	6.74	7.31	6.12	6.76	7.34	6.14	6.77	7.35
N-DP-007-1	5.1	5.54	6.01	5.32	5.72	6.28	5.32	5.72	6.28	5.37	5.74	6.31	5.38	5.74	6.31
N-DP-008-1	5.82	6.46	7.01	6.02	6.72	7.28	6.03	6.72	7.28	6.1	6.74	7.31	6.12	6.75	7.31
N-DP-009-1	6.24	6.33	6.47	6.31	6.38	6.56	6.31	6.38	6.56	6.33	6.39	6.57	6.33	6.39	6.57
N-DP-010-1	3.24	3.56	4.38	3.69	4.11	4.83	3.82	4.21	4.86	4.18	4.46	4.98	4.85	5.04	5.6
N-DP-011-1	3.09	3.13	3.45	3.48	3.67	4.28	3.62	3.83	4.44	4.14	4.32	4.91	4.84	5.01	5.55
N-EM-001-1	5.7	5.8	6.49	5.77	5.89	7.18	5.77	5.94	7.24	5.8	6.18	7.41	5.81	6.56	7.62
N-EM-001-2	4.37	5.46	6.59	4.74	6	7.25	4.88	6.09	7.3	5.22	6.3	7.47	5.71	6.63	7.68
N-EM-001-3	4.33	5.43	6.56	4.7	5.97	7.23	4.84	6.06	7.28	5.19	6.27	7.45	5.68	6.61	7.66
N-EM-003-1	4.58	5.25	6.46	4.67	5.8	7.16	4.68	5.91	7.21	5.02	6.14	7.38	5.54	6.54	7.6
N-EM-003-2	4.27	5.38	6.52	4.65	5.91	7.2	4.79	6.01	7.25	5.14	6.23	7.42	5.63	6.58	7.63
N-EM-004-1	4.54	5.25	6.44	4.63	5.81	7.16	4.67	5.91	7.22	5.03	6.14	7.39	5.54	6.52	7.61
N-IW-001-1	3.17	3.82	4.81	3.81	4.45	5.6	3.96	4.58	5.7	4.44	4.95	5.98	5.06	5.48	6.36
N-IW-002-1	3.07	3.76	4.6	3.71	4.27	5.35	3.87	4.41	5.45	4.36	4.79	5.74	5	5.35	6.13
N-IW-003-1	11.97	12.93	13.55	12.42	13.1	14.02	12.42	13.1	14.02	12.55	13.11	14.08	12.55	13.11	14.09
N-IW-004-1	7.62	7.64	7.89	7.65	7.74	7.99	7.65	7.74	7.99	7.65	7.76	8.01	7.66	7.76	8.01
N-IW-005-1	8.54	9.21	10.65	8.84	9.87	11.06	8.86	9.88	11.06	8.96	9.98	11.11	9.04	10.11	11.13
N-IW-006-1	9.64	9.79	10.19	9.8	9.98	10.39	9.81	9.99	10.4	9.88	10.03	10.43	9.95	10.09	10.46
N-IW-007-1	7.15	8.31	9.68	7.45	9.02	10.03	7.46	9.02	10.03	7.6	9.11	10.07	7.8	9.22	10.09
N-IW-008-1	2.6	2.87	3.41	3.47	3.63	4.2	3.62	3.79	4.37	4.16	4.29	4.83	4.83	4.96	5.48
N-IW-009-1	3.52	3.66	4.59	3.7	4.29	5.34	3.86	4.43	5.44	4.35	4.79	5.71	4.97	5.32	6.09
N-IW-010-1	5.8	6.67	7.24	6.13	6.88	7.46	6.14	6.88	7.46	6.3	6.93	7.59	6.5	7.05	7.77
N-IW-011-1	11.48	12.6	13.53	11.9	12.96	14.03	11.9	12.96	14.03	12.03	12.99	14.1	12.04	12.99	14.11
N-IW-012-1	7.02	8.65	9.73	7.62	9.18	10.04	7.64	9.18	10.04	7.88	9.24	10.07	8.06	9.32	10.1
N-IW-013-1	11.57	12.76	13.59	12	13.07	14.09	12	13.07	14.09	12.14	13.09	14.16	12.14	13.09	14.16
N-IW-014-1	11.57	12.63	13.57	11.99	13.02	14.03	11.99	13.02	14.03	12.11	13.06	14.09	12.12	13.06	14.09
N-IW-015-1	11.48	12.55	13.52	11.89	12.94	14.02	11.89	12.94	14.02	12.02	12.98	14.09	12.02	12.98	14.09
N-IW-016-1	11.41	12.49	13.48	11.83	12.88	13.99	11.83	12.88	13.99	11.96	12.92	14.06	11.96	12.92	14.06
N-IW-017-1	11.53	12.6	13.56	11.94	12.98	14.06	11.94	12.98	14.06	12.07	13.02	14.13	12.07	13.02	14.13
N-IW-018-1	12.47	13.51	13.95	12.78	13.67	14.12	12.78	13.67	14.12	12.87	13.69	14.13	12.88	13.69	14.13
N-IW-019-1	9.17	9.84	10.43	9.57	10.13	10.75	9.57	10.13	10.75	9.65	10.15	10.78	9.65	10.16	10.79
N-IW-020-1	7.07	8.71	9.78	7.68	9.24	10.09	7.69	9.24	10.08	7.94	9.29	10.11	8.11	9.37	10.14
N-IW-021-1	7.1	8.74	9.8	7.71	9.28	10.1	7.72	9.28	10.1	7.97	9.33	10.13	8.14	9.4	10.15
N-IW-022-1	4.64	5.44	6.45	5.08	6.07	6.76	5.2	6.14	6.77	5.53	6.32	6.84	5.99	6.51	6.9
N-IW-023-1	9.22	9.55	9.89	9.29	9.71	10.05	9.29	9.7	10.05	9.33	9.72	10.07	9.35	9.73	10.09
N-IW-024-1	8.41	9.37	9.84	8.77	9.58	10.08	8.77	9.58	10.08	8.89	9.6	10.12	8.96	9.61	10.14
N-IW-025-1	9.34	10.1	11.38	9.62	10.38	12.13	9.63	10.38	12.13	9.71	10.41	12.23	9.74	10.42	12.24
N-IW-026-1	10.13	10.48	10.71	10.26	10.58	10.83	10.26	10.58	10.83	10.3	10.59	10.84	10.3	10.59	10.84
N-IW-027-1	8.24	8.26	8.44	8.26	8.29	8.75	8.26	8.29	8.75	8.27	8.3	8.78	8.27	8.3	8.79
N-IW-028-1	9.28	9.78	10.15	9.46	9.94	10.32	9.46	9.94	10.32	9.52	9.95	10.34	9.54	9.96	10.34
N-IW-029-1	9.4	10.34	11.57	9.74	10.87	12.22	9.74	10.87	12.22	9.86	10.94	12.32	9.92	10.99	12.33
N-IW-030-1	9.47	10.4	11.67	9.81	10.94	12.32	9.81	10.94	12.32	9.93	11.01	12.45	9.99	11.06	12.46
N-IW-031-1	9.7	10.71	11.95	10.09	11.19	12.57	10.1	11.19	12.57	10.22	11.24	12.61	10.24	11.25	12.61
N-IW-032-1	5.78	6.65	7.28	6.11	6.9	7.66	6.12	6.9	7.66	6.28	6.96	7.71	6.49	7.09	7.82

Appendix D
Max Node Water Surface Elevation

Node Name	Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8	Scenario 9	Scenario 10	Scenario 11	Scenario 12	Scenario 13	Scenario 14	Scenario 15
N-IW-033-1	9.63	10.58	11.71	9.97	11.06	12.35	9.97	11.06	12.35	10.1	11.12	12.48	10.15	11.16	12.49
N-IW-034-1	5.74	6.63	7.18	6.02	6.86	7.41	6.02	6.86	7.41	6.15	6.88	7.53	6.16	6.98	7.72
N-IW-035-2	3.25	3.85	4.6	3.77	4.46	5.29	3.98	4.61	5.41	4.42	4.96	5.71	5.1	5.52	6.15
N-IW-035-3	3.21	3.82	4.57	3.73	4.42	5.26	3.94	4.58	5.38	4.38	4.93	5.68	5.07	5.49	6.12
N-IW-035-4	3.16	3.77	4.56	3.67	4.37	5.22	3.88	4.53	5.34	4.33	4.89	5.64	5.02	5.46	6.09
N-IW-035-5	3.12	3.75	4.56	3.62	4.33	5.18	3.84	4.49	5.3	4.29	4.85	5.61	4.99	5.43	6.06
N-IW-035-6	3.07	3.74	4.55	3.63	4.29	5.21	3.8	4.46	5.31	4.29	4.81	5.59	4.95	5.39	6.03
N-IW-036-1	6.27	6.92	8.34	6.63	7.38	9.25	6.61	7.42	9.25	6.93	7.71	9.31	7.62	8.28	9.37
N-IW-037-1	4.69	6.06	7.49	4.99	6.61	7.81	4.99	6.61	7.81	5.1	6.67	7.81	5.1	6.67	7.81
N-IW-038-1	2.49	2.8	3.35	3.15	3.38	4.06	3.33	3.59	4.26	3.88	4.07	4.72	4.62	4.83	5.42
N-IW-039-1	11.55	12.61	13.56	11.96	12.99	14.05	11.96	12.99	14.06	12.09	13.03	14.12	12.09	13.03	14.12
N-IW-040-1	6.16	6.64	7.21	6.29	6.85	7.43	6.29	6.85	7.43	6.33	6.9	7.55	6.48	7.02	7.74
N-IW-041-1	9.46	10.38	11.6	9.79	10.91	12.22	9.79	10.91	12.22	9.91	10.98	12.32	9.97	11.03	12.33
N-IW-042-1	9.44	10.37	11.62	9.77	10.9	12.25	9.78	10.91	12.25	9.9	10.98	12.35	9.96	11.03	12.36
N-IW-043-1	9.51	10.46	11.64	9.85	10.96	12.27	9.86	10.97	12.27	9.98	11.03	12.36	10.04	11.07	12.37
N-IW-044-1	7.4	9.16	10.4	7.98	9.69	10.72	7.98	9.69	10.72	8.24	9.74	10.75	8.34	9.79	10.76
N-IW-045-1	9.7	10.01	10.51	9.91	10.23	10.8	9.91	10.23	10.8	9.97	10.25	10.83	9.96	10.26	10.84
N-IW-046-1	7.15	8.83	9.83	7.77	9.3	10.13	7.78	9.3	10.12	8.03	9.36	10.15	8.18	9.43	10.17
N-IW-047-1	7.05	8.69	9.77	7.66	9.22	10.08	7.67	9.22	10.08	7.92	9.28	10.11	8.09	9.36	10.13
N-IW-048-1	7.21	8.69	9.77	7.65	9.22	10.07	7.67	9.23	10.07	7.91	9.29	10.1	8.09	9.38	10.12
N-IW-049-1	9.24	9.58	9.91	9.32	9.73	10.03	9.32	9.73	10.03	9.36	9.74	10.05	9.37	9.75	10.07
N-IW-050-1	9.18	9.45	9.79	9.25	9.53	10.08	9.25	9.53	10.08	9.28	9.54	10.11	9.29	9.54	10.13
N-IW-051-1	12.27	13.47	13.95	12.64	13.65	14.13	12.64	13.65	14.13	12.75	13.67	14.15	12.75	13.67	14.15
N-IW-052-1	12.95	13.55	13.93	13.27	13.65	14.1	13.27	13.65	14.1	13.32	13.67	14.12	13.32	13.67	14.12
N-IW-053-1	12.25	13.43	13.9	12.61	13.62	14.07	12.61	13.62	14.07	12.72	13.64	14.09	12.72	13.64	14.09
N-IW-054-1	13.26	13.56	13.95	13.31	13.66	14.12	13.31	13.66	14.12	13.35	13.69	14.14	13.35	13.69	14.14
N-IW-055-1	9.64	10.57	11.93	10.13	11.09	12.64	10.13	11.09	12.64	10.27	11.12	12.68	10.27	11.14	12.69
N-IW-056-1	11.54	11.58	11.91	11.58	11.63	12.6	11.58	11.63	12.6	11.6	11.64	12.65	11.6	11.64	12.65
N-IW-057-1	9.37	10.14	11.68	9.65	10.46	12.37	9.65	10.46	12.37	9.74	10.52	12.42	9.77	10.54	12.43
N-IW-058-1	10.09	10.46	10.69	10.23	10.55	10.8	10.23	10.55	10.8	10.27	10.56	10.81	10.28	10.56	10.81
N-IW-059-1	9.48	10.37	11.64	9.8	10.9	12.32	9.81	10.9	12.32	9.92	10.97	12.45	9.97	11.02	12.45
N-IW-060-1	9.5	10.43	11.65	9.84	10.96	12.33	9.84	10.96	12.33	9.96	11.03	12.46	10.02	11.07	12.47
N-IW-061-1	8.24	8.7	9.74	8.51	9.2	10.03	8.51	9.2	10.03	8.58	9.26	10.06	8.58	9.34	10.08
N-IW-062-1	11.74	12.59	13.51	11.92	12.97	14.01	11.92	12.97	14.01	12.05	13	14.09	12.05	13	14.09
N-IW-063-1	11.5	12.57	13.53	11.91	12.96	14.03	11.91	12.96	14.03	12.04	13	14.1	12.05	13	14.1
N-IW-064-1	3.38	3.96	4.71	3.91	4.58	5.41	4.12	4.73	5.52	4.55	5.07	5.82	5.21	5.61	6.24
N-IW-065-1	6.54	7.22	7.83	6.92	7.44	8.12	6.92	7.44	8.12	7	7.46	8.14	7	7.46	8.14
N-IW-066-1	3.27	3.87	4.62	3.8	4.48	5.27	4.01	4.63	5.39	4.45	4.96	5.69	5.09	5.5	6.13
N-IW-067-1	6.29	6.32	6.4	6.32	6.35	6.44	6.32	6.35	6.44	6.33	6.35	6.45	6.33	6.35	6.45
N-IW-068-1	8.01	9.23	10.64	8.49	9.89	11.04	8.51	9.9	11.04	8.71	10	11.08	8.88	10.12	11.1
N-IW-069-1	5.53	6.5	7.88	5.87	6.95	8.4	5.88	6.98	8.41	6.07	7.12	8.47	6.45	7.46	8.52
N-IW-070-1	6.07	8.52	8.98	6.69	8.72	9.19	6.68	8.72	9.19	6.97	8.75	9.22	7.42	8.81	9.25
N-IW-071-1	5.55	6.52	7.9	5.9	6.97	8.41	5.9	7.01	8.42	6.09	7.15	8.48	6.47	7.48	8.54
N-IW-072-1	6.61	8.56	9	7.53	8.75	9.22	7.55	8.75	9.22	7.99	8.78	9.24	8.27	8.84	9.27
N-IW-073-1	5.47	6.44	7.81	5.81	6.88	8.34	5.82	6.92	8.35	6.01	7.06	8.41	6.39	7.4	8.48
N-IW-074-1	6.58	6.53	8.22	6.71	7.01	9.74	6.71	7	9.73	6.74	7.13	9.84	6.46	7.48	9.94
N-IW-075-1	8.43	8.7	9.68	8.59	9.21	9.95	8.59	9.21	9.95	8.65	9.26	9.99	8.65	9.33	10.02
N-IW-076-1	5.06	5.47	5.79	5.14	5.61	5.9	5.14	5.61	5.9	5.16	5.62	5.96	5.17	5.62	6.36
N-IW-077-1	2.37	2.7	3.27	3.14	3.17	3.94	3.32	3.42	4.15	3.87	3.95	4.61	4.61	4.84	5.33
N-IW-078-2	2.59	2.86	3.39	3.45	3.61	4.19	3.6	3.78	4.36	4.14	4.27	4.82	4.82	4.95	5.47
N-IW-079-1	2.42	2.75	3.31	3.15	3.24	3.99	3.33	3.48	4.2	3.88	3.97	4.66	4.62	4.77	5.38
N-IW-080-2	2.4	2.72	3.29	3.15	3.2	3.96	3.33	3.45	4.18	3.88	3.93	4.64	4.62	4.79	5.35
N-IW-080-3	2.42	2.75	3.31	3.15	3.24	4	3.33	3.48	4.21	3.88	3.97	4.67	4.62	4.77	5.38
N-IW-080-4	2.48	2.79	3.35	3.15	3.37	4.06	3.33	3.58	4.25	3.88	4.06	4.71	4.62	4.82	5.42

Appendix D
Max Node Water Surface Elevation

Node Name	Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8	Scenario 9	Scenario 10	Scenario 11	Scenario 12	Scenario 13	Scenario 14	Scenario 15
N-IW-081-2	3.19	3.85	4.85	3.81	4.47	5.64	3.97	4.61	5.74	4.44	4.97	6.03	5.06	5.49	6.4
N-IW-081-3	3.19	3.85	4.85	3.82	4.47	5.64	3.97	4.61	5.74	4.45	4.96	6.02	5.06	5.49	6.4
N-IW-081-4	3.19	3.85	4.84	3.82	4.47	5.63	3.97	4.61	5.73	4.45	4.97	6.02	5.07	5.49	6.39
N-IW-081-5	3.2	3.86	4.86	3.82	4.48	5.65	3.98	4.62	5.75	4.45	4.98	6.03	5.07	5.5	6.4
N-IW-081-6	3.21	3.87	4.87	3.83	4.49	5.67	3.99	4.63	5.76	4.46	4.98	6.04	5.07	5.51	6.42
N-IW-081-7	3.22	3.89	4.89	3.84	4.51	5.69	3.99	4.64	5.78	4.46	4.99	6.06	5.08	5.51	6.43
N-IW-081-8	3.22	3.9	4.91	3.84	4.52	5.7	4	4.65	5.8	4.47	5	6.08	5.08	5.52	6.45
N-IW-082-1	3.2	3.86	4.86	3.82	4.49	5.66	3.98	4.62	5.75	4.45	4.98	6.04	5.07	5.5	6.41
N-IW-083-1	3.21	3.88	4.88	3.83	4.5	5.69	3.99	4.63	5.79	4.46	4.98	6.09	5.07	5.5	6.47
N-IW-083-2	3.55	4.21	5.22	4.16	4.83	6.02	4.32	4.96	6.12	4.79	5.31	6.42	5.4	5.83	6.8
N-IW-083-3	4.99	5.66	6.66	5.61	6.28	7.47	5.77	6.41	7.57	6.24	6.76	7.87	6.85	7.28	8.25
N-IW-084-1	3.12	3.74	4.73	3.74	4.38	5.53	3.91	4.52	5.63	4.39	4.9	5.92	5.03	5.44	6.32
N-IW-085-2	3.07	3.72	4.61	3.7	4.29	5.39	3.87	4.43	5.49	4.35	4.81	5.78	5	5.36	6.17
N-IW-085-3	3.09	3.71	4.65	3.71	4.32	5.43	3.88	4.46	5.53	4.36	4.83	5.82	5	5.38	6.22
N-IW-085-4	3.1	3.71	4.68	3.72	4.35	5.47	3.89	4.48	5.57	4.37	4.86	5.87	5.01	5.41	6.26
N-IW-085-5	3.12	3.73	4.71	3.73	4.36	5.5	3.9	4.5	5.6	4.38	4.88	5.89	5.02	5.42	6.28
N-IW-085-6	3.13	3.75	4.73	3.75	4.38	5.52	3.91	4.52	5.62	4.39	4.89	5.91	5.02	5.43	6.3
N-IW-086-2	3.14	3.77	4.75	3.76	4.4	5.55	3.92	4.54	5.65	4.4	4.91	5.94	5.03	5.44	6.32
N-IW-086-3	3.16	3.79	4.78	3.78	4.42	5.57	3.94	4.56	5.67	4.42	4.93	5.96	5.04	5.46	6.35
N-IW-086-4	3.17	3.82	4.81	3.79	4.44	5.6	3.95	4.58	5.7	4.43	4.94	5.99	5.05	5.47	6.37
N-IW-086-5	3.18	3.84	4.83	3.8	4.46	5.63	3.96	4.59	5.72	4.44	4.95	6.01	5.06	5.48	6.39
N-IW-087-1	3.11	3.72	4.71	3.73	4.36	5.48	3.9	4.5	5.58	4.37	4.87	5.86	5.01	5.41	6.25
N-IW-088-1	3.1	3.72	4.66	3.71	4.32	5.44	3.88	4.46	5.54	4.36	4.84	5.83	5	5.39	6.23
N-IW-089-1	3.15	3.78	4.59	3.65	4.36	5.21	3.87	4.53	5.34	4.32	4.88	5.64	5.02	5.46	6.09
N-IW-090-1	3.48	4.04	4.79	4.03	4.67	5.5	4.22	4.81	5.6	4.65	5.15	5.89	5.29	5.67	6.3
N-IW-091-1	3.06	3.75	4.58	3.68	4.25	5.34	3.85	4.39	5.43	4.33	4.77	5.73	4.98	5.33	6.12
N-IW-092-2	3.51	4.06	4.8	4.06	4.69	5.5	4.25	4.83	5.6	4.67	5.16	5.89	5.29	5.66	6.28
N-IW-092-3	3.45	4.02	4.76	4	4.64	5.47	4.2	4.79	5.57	4.62	5.12	5.86	5.26	5.64	6.27
N-IW-092-4	3.4	3.98	4.72	3.95	4.6	5.43	4.15	4.75	5.54	4.58	5.09	5.83	5.22	5.62	6.25
N-IW-092-5	3.35	3.93	4.68	3.88	4.55	5.38	4.09	4.7	5.49	4.52	5.04	5.79	5.18	5.58	6.21
N-IW-092-6	3.3	3.89	4.63	3.82	4.5	5.33	4.03	4.65	5.45	4.47	5	5.75	5.14	5.55	6.18
N-IW-093-1	3.17	3.78	4.56	3.67	4.38	5.22	3.89	4.54	5.35	4.34	4.89	5.65	5.03	5.46	6.09
N-IW-094-2	3.03	3.73	4.55	3.65	4.26	5.25	3.82	4.42	5.35	4.31	4.78	5.64	4.96	5.36	6.03
N-IW-094-3	3.03	3.73	4.56	3.67	4.22	5.29	3.83	4.39	5.39	4.32	4.74	5.68	4.97	5.33	6.07
N-IW-094-4	3.05	3.74	4.57	3.68	4.25	5.33	3.85	4.39	5.43	4.34	4.77	5.72	4.98	5.32	6.11
N-IW-094-5	3.06	3.73	4.58	3.69	4.27	5.36	3.86	4.41	5.46	4.34	4.79	5.75	4.99	5.34	6.14
N-IW-095-1	6.96	7.37	7.76	7.05	7.55	7.94	7.05	7.55	7.94	7.07	7.57	7.97	7.07	7.57	7.98
N-IW-096-1	5.53	6.52	7.33	5.8	6.92	7.67	5.84	6.93	7.67	6.01	6.99	7.72	6.24	7.07	7.76
N-IW-097-1	3.45	4.02	4.78	4	4.65	5.48	4.19	4.8	5.59	4.62	5.13	5.88	5.27	5.66	6.29
N-IW-098-1	5.49	6.47	7.26	5.76	6.86	7.59	5.8	6.87	7.6	5.96	6.93	7.64	6.19	7.01	7.68
N-IW-099-1	4.81	4.92	5.19	4.89	5.01	5.54	4.9	5.02	5.64	4.93	5.19	5.93	5.3	5.69	6.33
N-IW-100-1	3.7	4.21	4.95	4.17	4.78	5.58	4.34	4.91	5.66	4.73	5.21	5.93	5.32	5.7	6.33
N-IW-101-1	7.64	8.4	9.07	7.99	8.66	9.36	7.99	8.66	9.36	8.1	8.69	9.39	8.1	8.69	9.39
N-IW-102-1	6.3	7.09	7.64	6.56	7.33	7.87	6.57	7.33	7.88	6.67	7.37	7.91	6.75	7.4	7.92
N-IW-103-1	8.12	8.75	9.1	8.31	8.9	9.26	8.31	8.9	9.26	8.36	8.91	9.28	8.36	8.91	9.28
N-IW-104-1	5.55	6.5	7.86	5.88	6.94	8.41	5.89	6.98	8.42	6.08	7.12	8.49	6.45	7.45	8.55
N-IW-105-1	5.92	6.74	8.01	6.21	7.16	8.53	6.2	7.19	8.53	6.36	7.31	8.59	6.68	7.62	8.64
N-IW-106-1	6.51	8.56	8.99	7.34	8.75	9.2	7.35	8.75	9.2	7.75	8.78	9.22	8.23	8.84	9.25
N-IW-107-1	6.8	7.53	8.44	7.1	7.83	8.89	7.09	7.85	8.89	7.21	7.93	8.95	7.41	8.14	9
N-IW-108-1	8.06	8.64	9.03	8.35	8.78	9.23	8.36	8.79	9.23	8.44	8.81	9.25	8.5	8.87	9.27
N-IW-109-1	8.78	9.46	9.94	9.05	9.66	10.14	9.05	9.66	10.14	9.12	9.68	10.18	9.15	9.69	10.2
N-IW-110-1	8.72	9.43	9.92	9	9.64	10.13	9	9.64	10.13	9.08	9.66	10.17	9.11	9.67	10.19
N-IW-111-1	9.91	10.21	10.41	10.03	10.29	10.51	10.03	10.29	10.51	10.06	10.3	10.52	10.07	10.3	10.52
N-IW-112-1	11.53	12.69	13.56	11.96	13.01	14.08	11.96	13.01	14.08	12.09	13.04	14.16	12.09	13.04	14.16

Appendix D
Max Node Water Surface Elevation

Node Name	Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8	Scenario 9	Scenario 10	Scenario 11	Scenario 12	Scenario 13	Scenario 14	Scenario 15
N-IW-113-1	7.5	9.2	10.43	8.02	9.73	10.75	8.02	9.73	10.75	8.28	9.79	10.78	8.37	9.84	10.79
N-IW-114-1	8.06	8.26	8.46	8.11	8.36	8.49	8.11	8.36	8.49	8.12	8.37	8.5	8.12	8.37	8.5
N-IW-115-1	5.63	6.17	6.47	5.82	6.36	6.63	5.82	6.36	6.63	5.88	6.39	6.65	5.92	6.42	6.65
N-IW-116-1	5.46	6.12	6.52	5.57	6.29	6.72	5.57	6.29	6.72	5.63	6.3	6.73	5.63	6.3	6.73
N-IW-117-1	8.99	9.04	9.17	9.04	9.09	9.24	9.04	9.09	9.24	9.05	9.1	9.25	9.05	9.1	9.25
N-IW-118-1	3.19	3.85	4.85	3.81	4.47	5.65	3.97	4.61	5.74	4.44	4.97	6.03	5.06	5.49	6.41
N-IW-118-2	3.2	3.87	4.87	3.82	4.49	5.66	3.98	4.62	5.76	4.45	4.98	6.04	5.07	5.5	6.42
N-IW-118-3	3.21	3.88	4.89	3.83	4.5	5.68	3.99	4.64	5.78	4.46	4.99	6.06	5.07	5.51	6.44
N-IW-118-4	3.22	3.9	4.9	3.84	4.52	5.7	4	4.65	5.8	4.47	5	6.08	5.08	5.52	6.45
N-IW-118-5	3.23	3.91	4.93	3.85	4.53	5.72	4.01	4.66	5.82	4.47	5.01	6.09	5.09	5.53	6.46
N-IW-118-6	3.24	3.93	4.95	3.86	4.55	5.74	4.02	4.68	5.84	4.48	5.03	6.11	5.1	5.54	6.47
N-IW-118-7	3.27	3.97	5	3.89	4.59	5.79	4.04	4.72	5.88	4.51	5.07	6.16	5.12	5.58	6.51
N-IW-118-8	3.3	4.01	5.04	3.91	4.62	5.83	4.07	4.75	5.92	4.53	5.1	6.19	5.14	5.61	6.55
N-IW-120-1	2.96	3.31	3.84	3.5	3.89	4.43	3.71	4.06	4.57	4.17	4.46	4.91	4.89	5.07	5.44
N-IW-120-2	3.48	3.95	4.64	4.03	4.55	5.28	4.21	4.69	5.38	4.62	5.02	5.67	5.24	5.53	6.06
N-IW-120-3	3.69	4.21	4.94	4.26	4.83	5.61	4.43	4.96	5.7	4.82	5.26	5.96	5.39	5.71	6.29
N-IW-120-4	3.61	4.15	4.88	4.17	4.77	5.57	4.35	4.9	5.66	4.76	5.22	5.93	5.35	5.69	6.28
N-IW-120-5	3.54	4.09	4.83	4.1	4.72	5.53	4.29	4.86	5.63	4.7	5.18	5.9	5.32	5.67	6.28
N-IW-121-1	3.75	4.27	5	4.32	4.88	5.67	4.49	5.01	5.75	4.87	5.31	6	5.44	5.75	6.33
N-IW-122-1	3.73	4.25	4.98	4.3	4.86	5.65	4.47	4.99	5.74	4.86	5.3	5.99	5.42	5.74	6.32
N-IW-123-1	2.49	2.49	2.49	3.46	3.46	3.46	3.6	3.6	3.6	4.15	4.15	4.15	4.82	4.82	4.82
N-IW-123-2	2.52	2.55	2.65	3.43	3.49	3.57	3.58	3.63	3.71	4.12	4.16	4.22	4.8	4.81	4.87
N-IW-123-3	2.54	2.59	2.7	3.41	3.52	3.61	3.56	3.66	3.75	4.11	4.17	4.26	4.79	4.82	4.9
N-IW-123-4	2.57	2.67	2.97	3.39	3.56	3.78	3.54	3.7	3.9	4.09	4.19	4.36	4.78	4.84	4.96
N-IW-123-5	2.92	3.26	3.78	3.45	3.83	4.37	3.66	4.01	4.52	4.13	4.41	4.86	4.84	5.03	5.39
N-IW-124-1	2.5	2.5	2.52	3.47	3.49	3.5	3.6	3.63	3.64	4.13	4.18	4.19	4.8	4.84	4.87
N-IW-125-1	2.51	2.51	2.51	3.48	3.48	3.48	3.62	3.62	3.62	4.16	4.16	4.17	4.83	4.83	4.83
N-IW-126-1	6.33	6.64	7.15	6.42	6.87	7.38	6.42	6.87	7.38	6.45	6.89	7.5	6.45	6.95	7.7
N-IW-127-1	6.55	6.85	7.19	6.69	6.93	7.41	6.69	6.93	7.41	6.72	6.93	7.53	6.72	7	7.72
N-IW-128-1	5.66	6.61	7.16	5.94	6.85	7.4	5.94	6.85	7.39	6.1	6.87	7.52	6.11	6.96	7.72
N-JC-001-1	6.72	6.88	7.11	6.82	6.96	7.27	6.82	6.97	7.27	6.85	6.98	7.42	6.86	7	7.62
N-JC-002-1	6.4	7.43	8.4	6.87	7.96	8.78	6.91	7.99	8.8	7.13	8.1	8.88	7.43	8.25	9.03
N-JC-003-1	6.54	6.9	7.07	6.73	6.97	7.36	6.74	6.97	7.4	6.8	6.98	7.55	6.86	6.99	7.75
N-JC-004-1	5.83	6.05	6.69	5.91	6.22	7.26	5.92	6.29	7.31	5.96	6.45	7.46	6.01	6.68	7.66
N-JC-005-1	6.86	8.03	8.77	7.39	8.41	9.03	7.41	8.44	9.05	7.66	8.53	9.11	7.98	8.68	9.2
N-JC-006-1	6.85	7.19	7.68	6.91	7.4	7.88	6.91	7.4	7.88	6.92	7.43	7.89	6.91	7.44	7.9
N-JC-007-1	8.25	8.46	9.17	8.34	8.64	10.02	8.34	8.65	10.03	8.38	8.68	10.11	8.41	8.75	10.15
N-JC-008-1	6.18	7.26	8.05	6.65	7.72	8.42	6.71	7.76	8.44	6.97	7.86	8.53	7.31	7.98	8.68
N-JC-009-1	5.79	6.06	6.72	5.88	6.25	7.29	5.89	6.32	7.33	5.94	6.47	7.49	6.02	6.71	7.69
N-JC-010-1	4.28	5.51	6.65	4.72	6.04	7.31	4.89	6.14	7.36	5.26	6.35	7.53	5.75	6.7	7.73
N-JC-011-1	4.48	5.67	6.71	4.91	6.18	7.33	5.06	6.26	7.37	5.43	6.44	7.53	5.89	6.72	7.73
N-JC-012-1	7.97	8.03	8.31	8.02	8.11	8.51	8.02	8.11	8.52	8.03	8.15	8.57	8.03	8.22	8.64
N-JC-013-1	6.06	6.59	6.97	6.27	6.76	7.33	6.28	6.76	7.37	6.35	6.79	7.52	6.43	6.85	7.72
N-JC-014-1	6.45	7.46	8.66	6.92	7.98	9.29	6.96	8.01	9.32	7.17	8.1	9.44	7.45	8.35	9.58
N-JC-015-1	6.71	7.2	7.65	6.87	7.39	7.85	6.87	7.39	7.85	6.9	7.41	7.87	6.91	7.43	7.87
N-JC-016-1	5.78	6.08	6.73	5.89	6.28	7.3	5.9	6.34	7.35	5.96	6.49	7.5	6.04	6.72	7.7
N-JC-017-1	5.77	6.11	6.71	5.92	6.3	7.28	5.93	6.33	7.33	5.99	6.47	7.48	6.06	6.7	7.68
N-JC-018-1	6.11	6.63	7.03	6.31	6.81	7.34	6.31	6.81	7.38	6.39	6.84	7.53	6.46	6.9	7.73
N-JC-019-1	6.64	7.1	7.41	6.8	7.25	7.52	6.8	7.25	7.52	6.83	7.26	7.56	6.84	7.27	7.75
N-JC-020-1	4.63	5.69	6.73	5.29	6.2	7.36	5.35	6.29	7.4	5.49	6.46	7.56	5.91	6.74	7.76
N-JC-021-1	6.67	7.14	7.48	6.83	7.31	7.61	6.84	7.31	7.61	6.86	7.32	7.63	6.87	7.33	7.77
N-JC-022-1	5.82	6.07	6.71	5.92	6.24	7.29	5.92	6.31	7.34	5.97	6.47	7.49	6.03	6.71	7.7
N-JC-023-1	5.82	6.06	6.7	5.91	6.23	7.28	5.91	6.3	7.32	5.97	6.46	7.48	6.02	6.69	7.68
N-JC-023-2	4.81	5.76	6.73	5.17	6.23	7.32	5.28	6.31	7.36	5.57	6.46	7.52	5.96	6.72	7.72

Appendix D
Max Node Water Surface Elevation

Node Name	Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8	Scenario 9	Scenario 10	Scenario 11	Scenario 12	Scenario 13	Scenario 14	Scenario 15
N-JC-023-3	4.77	5.75	6.73	5.13	6.22	7.32	5.25	6.3	7.37	5.54	6.46	7.53	5.95	6.73	7.73
N-JC-024-1	4.15	5.38	6.54	4.6	5.92	7.25	4.77	6.02	7.3	5.14	6.24	7.48	5.64	6.61	7.69
N-JC-024-2	4.12	5.35	6.52	4.57	5.89	7.24	4.74	5.99	7.3	5.11	6.22	7.47	5.61	6.59	7.69
N-JC-025-1	4.17	5.39	6.54	4.6	5.93	7.23	4.77	6.02	7.29	5.14	6.24	7.46	5.64	6.6	7.67
N-JC-026-2	4.34	5.55	6.65	4.77	6.07	7.3	4.93	6.16	7.35	5.3	6.36	7.51	5.78	6.68	7.72
N-JC-026-3	4.3	5.52	6.64	4.74	6.05	7.29	4.9	6.14	7.34	5.27	6.35	7.51	5.76	6.68	7.71
N-JC-026-4	4.27	5.49	6.63	4.71	6.03	7.29	4.88	6.12	7.34	5.24	6.33	7.5	5.74	6.68	7.71
N-JC-026-5	4.24	5.46	6.59	4.68	5.99	7.25	4.84	6.09	7.3	5.21	6.3	7.46	5.71	6.64	7.67
N-JC-026-6	4.21	5.43	6.57	4.66	5.97	7.25	4.82	6.07	7.3	5.19	6.28	7.47	5.68	6.63	7.68
N-JC-027-1	4.23	5.44	6.56	4.67	5.97	7.22	4.83	6.07	7.27	5.19	6.28	7.44	5.69	6.62	7.65
N-JC-028-1	5.93	6.09	6.73	6	6.25	7.32	6	6.33	7.37	6.02	6.49	7.52	6.05	6.73	7.73
N-JC-028-10	4.53	5.69	6.73	4.96	6.2	7.34	5.11	6.28	7.38	5.46	6.46	7.54	5.91	6.73	7.74
N-JC-028-11	4.51	5.68	6.71	4.94	6.19	7.32	5.09	6.27	7.37	5.44	6.45	7.53	5.9	6.72	7.73
N-JC-028-12	4.49	5.67	6.7	4.92	6.18	7.32	5.08	6.26	7.36	5.43	6.44	7.52	5.9	6.71	7.72
N-JC-028-13	4.46	5.65	6.69	4.89	6.16	7.3	5.05	6.25	7.35	5.41	6.43	7.5	5.88	6.7	7.71
N-JC-028-14	4.43	5.63	6.68	4.86	6.14	7.3	5.02	6.22	7.35	5.38	6.41	7.5	5.85	6.69	7.71
N-JC-028-15	4.57	5.72	6.74	4.99	6.22	7.35	5.14	6.3	7.39	5.49	6.47	7.55	5.94	6.75	7.75
N-JC-028-16	4.4	5.6	6.67	4.84	6.12	7.3	5	6.21	7.35	5.36	6.4	7.5	5.83	6.69	7.71
N-JC-028-2	4.76	5.88	6.86	5.17	6.36	7.47	5.31	6.43	7.51	5.65	6.59	7.67	6.08	6.85	7.84
N-JC-028-3	4.72	5.85	6.84	5.13	6.33	7.44	5.28	6.41	7.49	5.61	6.57	7.64	6.05	6.83	7.83
N-JC-028-4	4.75	5.87	6.87	5.16	6.35	7.47	5.3	6.43	7.52	5.64	6.59	7.67	6.07	6.86	7.86
N-JC-028-5	4.71	5.84	6.84	5.13	6.33	7.44	5.27	6.4	7.49	5.61	6.57	7.64	6.05	6.84	7.83
N-JC-028-6	4.69	5.81	6.81	5.1	6.3	7.42	5.24	6.38	7.47	5.58	6.55	7.62	6.02	6.81	7.81
N-JC-028-7	4.65	5.78	6.79	5.06	6.27	7.4	5.21	6.35	7.44	5.55	6.52	7.6	5.99	6.79	7.79
N-JC-028-8	4.61	5.75	6.76	5.02	6.25	7.37	5.17	6.33	7.41	5.52	6.5	7.57	5.96	6.77	7.77
N-JC-028-9	4.53	5.7	6.72	4.96	6.2	7.33	5.11	6.28	7.38	5.46	6.45	7.53	5.91	6.73	7.73
N-JC-029-1	4.48	5.68	6.67	4.91	6.18	7.28	5.07	6.26	7.32	5.43	6.42	7.48	5.9	6.68	7.68
N-JC-030-1	5.4	5.74	6.75	5.45	6.24	7.36	5.45	6.32	7.41	5.52	6.49	7.56	5.95	6.76	7.76
N-JC-031-1	5.46	5.72	6.74	5.5	6.22	7.35	5.5	6.3	7.39	5.51	6.47	7.55	5.93	6.74	7.75
N-JC-032-1	7.47	7.48	7.51	7.48	7.49	7.81	7.48	7.49	7.84	7.48	7.49	7.93	7.48	7.49	8.06
N-JC-033-1	5.9	6.09	6.72	5.96	6.25	7.31	5.96	6.32	7.35	6	6.48	7.51	6.05	6.72	7.71
N-JC-034-1	5.94	7.04	7.8	6.41	7.5	8.05	6.48	7.53	8.07	6.74	7.64	8.13	7.1	7.76	8.2
N-JC-035-1	5.91	6.99	7.93	6.37	7.5	8.17	6.44	7.56	8.18	6.71	7.73	8.24	7.07	7.89	8.33
N-JC-036-1	7.33	7.63	8.2	7.46	7.79	8.62	7.47	7.8	8.63	7.54	7.83	8.67	7.58	7.87	8.69
N-JC-037-1	6.47	7.48	8.6	6.94	8.01	9.15	6.98	8.04	9.17	7.19	8.13	9.28	7.47	8.37	9.41
N-JC-038-1	6.33	6.36	6.69	6.36	6.44	7.35	6.36	6.45	7.4	6.38	6.46	7.56	6.38	6.71	7.77
N-JC-039-1	5.64	5.94	6.67	5.81	6.12	7.33	5.87	6.16	7.38	5.99	6.38	7.54	6.13	6.7	7.74
N-JC-040-1	6.65	6.8	7.14	6.73	6.91	7.41	6.74	6.92	7.42	6.78	6.94	7.58	6.8	6.99	7.79
N-JC-041-1	6.6	6.79	7.17	6.71	6.94	7.45	6.71	6.94	7.45	6.76	6.97	7.6	6.79	7.02	7.8
N-JC-042-1	7.89	8.42	9.18	8.19	8.66	10.06	8.2	8.67	10.07	8.29	8.72	10.16	8.35	8.79	10.19
N-JI-001-1	2.61	2.9	3.43	3.48	3.66	4.24	3.62	3.82	4.4	4.17	4.31	4.87	4.85	4.99	5.52
N-JI-002-1	4.16	5.4	6.58	4.62	5.95	7.3	4.78	6.05	7.35	5.15	6.27	7.53	5.65	6.65	7.75
N-JI-002-2	4.24	5.53	6.72	4.7	6.08	7.42	4.87	6.18	7.47	5.24	6.39	7.64	5.73	6.75	7.84
N-JI-002-3	4.13	5.37	6.55	4.59	5.91	7.27	4.75	6.01	7.32	5.12	6.24	7.5	5.63	6.62	7.72
N-JI-002-4	4.1	5.34	6.51	4.56	5.88	7.23	4.72	5.98	7.29	5.1	6.21	7.47	5.6	6.59	7.69
N-JI-002-5	4.07	5.3	6.47	4.53	5.85	7.2	4.69	5.95	7.25	5.07	6.17	7.43	5.57	6.55	7.65
N-JI-002-6	4.04	5.27	6.44	4.5	5.81	7.16	4.66	5.91	7.22	5.04	6.14	7.39	5.54	6.52	7.62
N-JI-003-2	4.18	5.41	6.56	4.64	5.95	7.27	4.81	6.05	7.33	5.18	6.26	7.51	5.68	6.63	7.73
N-JI-003-3	4.11	5.34	6.5	4.57	5.88	7.22	4.74	5.98	7.28	5.11	6.2	7.45	5.62	6.58	7.68
N-JI-003-4	4.07	5.3	6.46	4.53	5.84	7.18	4.7	5.94	7.24	5.07	6.16	7.42	5.57	6.54	7.64
N-JI-003-5	4.02	5.25	6.41	4.48	5.79	7.13	4.64	5.89	7.19	5.02	6.11	7.37	5.53	6.5	7.6
N-JI-003-6	3.88	5.09	6.29	4.31	5.64	7.03	4.49	5.75	7.09	4.87	5.99	7.28	5.41	6.39	7.51
N-JI-003-7	3.55	4.55	5.68	4.11	5.03	6.39	4.26	5.16	6.47	4.69	5.42	6.69	5.26	5.89	6.98
N-JI-004-1	4.81	5.37	6.58	4.85	5.92	7.31	4.85	6.03	7.36	5.15	6.28	7.54	5.65	6.66	7.76

Appendix D
Max Node Water Surface Elevation

Node Name	Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8	Scenario 9	Scenario 10	Scenario 11	Scenario 12	Scenario 13	Scenario 14	Scenario 15
N-JI-005-1	4.85	5.65	6.68	4.96	6.15	7.37	5.08	6.22	7.42	5.43	6.41	7.59	5.87	6.74	7.8
N-JI-006-1	5.56	5.76	6.61	5.67	6.04	7.3	5.67	6.12	7.36	5.71	6.33	7.53	5.8	6.67	7.75
N-JI-007-1	4.37	5.35	6.57	4.48	5.92	7.27	4.7	6.03	7.33	5.14	6.27	7.51	5.65	6.64	7.73
N-JI-008-2	3.32	4.03	5.07	3.93	4.65	5.86	4.09	4.78	5.96	4.55	5.12	6.23	5.15	5.63	6.58
N-JI-008-3	3.12	3.73	4.66	3.77	4.36	5.44	3.92	4.5	5.54	4.4	4.87	5.83	5.03	5.41	6.23
N-JI-008-4	2.77	3.14	3.81	3.57	3.86	4.63	3.72	4.02	4.77	4.25	4.49	5.17	4.92	5.11	5.72
N-JI-008-5	2.62	2.88	3.41	3.49	3.65	4.22	3.64	3.81	4.38	4.18	4.31	4.85	4.86	4.98	5.49
N-JI-008-6	2.49	2.49	2.49	3.46	3.46	3.46	3.6	3.6	3.6	4.15	4.15	4.15	4.82	4.82	4.82
N-JP-001-1	14.43	14.58	14.79	14.5	14.67	14.88	14.5	14.67	14.88	14.52	14.68	14.89	14.52	14.68	14.89
N-JP-002-1	14.4	14.65	14.96	14.52	14.79	15.06	14.52	14.79	15.06	14.56	14.8	15.07	14.56	14.8	15.07
N-JP-002-2	14.57	14.73	14.85	14.61	14.79	14.93	14.61	14.79	14.93	14.63	14.79	14.94	14.63	14.79	14.94
N-JP-002-3	14.61	14.78	14.89	14.66	14.83	14.97	14.66	14.83	14.97	14.67	14.83	14.99	14.67	14.83	14.99
N-JW-001-1	10.41	10.47	10.58	10.45	10.52	10.64	10.46	10.52	10.64	10.47	10.53	10.65	10.48	10.53	10.65
N-LC-001-1	11.6	12.22	12.44	11.76	12.32	12.52	11.76	12.32	12.52	11.83	12.33	12.53	11.83	12.33	12.53
N-LC-002-1	12.33	12.58	12.69	12.44	12.62	12.74	12.44	12.62	12.74	12.46	12.63	12.74	12.46	12.63	12.74
N-LC-003-1	11.59	11.73	11.83	11.64	11.77	11.89	11.64	11.77	11.89	11.66	11.77	11.9	11.66	11.77	11.9
N-LC-004-1	12.31	12.53	12.63	12.41	12.58	12.68	12.41	12.58	12.68	12.43	12.58	12.68	12.43	12.58	12.68
N-LC-005-1	11.4	11.68	11.87	11.48	11.76	11.96	11.48	11.76	11.96	11.5	11.77	11.96	11.5	11.77	11.96
N-LC-006-1	4.58	5.92	7.18	5.05	6.49	7.9	5.21	6.58	7.95	5.58	6.79	8.11	6.07	7.14	8.31
N-LC-006-2	9.99	10.26	10.45	10.09	10.35	10.5	10.09	10.35	10.5	10.12	10.36	10.5	10.12	10.36	10.5
N-LR-001-1	16.27	17.34	18.15	16.56	17.65	18.51	16.56	17.65	18.51	16.65	17.69	18.55	16.65	17.69	18.55
N-LR-002-1	16.26	17.33	18.13	16.56	17.64	18.5	16.56	17.64	18.5	16.65	17.67	18.54	16.65	17.67	18.54
N-LR-003-1	16.26	17.34	18.14	16.56	17.66	18.49	16.56	17.66	18.49	16.65	17.7	18.52	16.65	17.7	18.52
N-LR-004-1	16.27	17.35	18.15	16.57	17.67	18.52	16.57	17.67	18.52	16.66	17.7	18.55	16.66	17.7	18.55
N-LR-005-1	16.28	17.35	18.16	16.57	17.67	18.53	16.57	17.67	18.53	16.66	17.7	18.57	16.66	17.7	18.57
N-LR-006-1	8.14	8.42	8.56	8.23	8.48	8.63	8.23	8.48	8.63	8.25	8.48	8.63	8.25	8.48	8.63
N-LR-007-1	6.64	7.03	7.31	6.67	7.15	7.5	6.67	7.15	7.55	6.67	7.16	7.72	6.67	7.16	7.93
N-LR-008-1	7.91	8.01	8.15	7.97	8.06	8.23	7.97	8.06	8.23	7.99	8.07	8.24	7.99	8.07	8.24
N-LR-009-1	16.27	17.35	18.15	16.56	17.67	18.51	16.56	17.67	18.51	16.65	17.71	18.54	16.65	17.71	18.54
N-LR-010-1	8.06	8.87	9.38	8.33	9.11	9.61	8.33	9.11	9.61	8.41	9.13	9.63	8.41	9.13	9.63
N-LR-011-1	8.72	8.87	9.38	8.76	9.11	9.61	8.76	9.11	9.61	8.77	9.13	9.63	8.77	9.13	9.63
N-LR-012-1	6.64	7.8	8.6	6.93	8.11	10.82	6.93	8.11	10.82	7.03	8.15	11.12	7.03	8.15	11.12
N-LR-013-1	16.27	17.34	18.15	16.56	17.66	18.5	16.56	17.66	18.5	16.65	17.69	18.54	16.65	17.69	18.54
N-LR-014-1	4.37	5.66	6.76	4.88	6.2	7.45	5.05	6.28	7.51	5.43	6.48	7.68	5.91	6.82	7.89
N-LR-014-2	4.24	5.5	6.62	4.73	6.03	7.33	4.89	6.12	7.39	5.27	6.33	7.56	5.75	6.69	7.78
N-LR-015-1	4.41	5.69	6.73	4.92	6.19	7.42	5.08	6.27	7.48	5.46	6.46	7.64	5.91	6.79	7.86
N-LR-016-1	4.4	5.69	6.78	4.91	6.23	7.48	5.07	6.31	7.53	5.45	6.5	7.7	5.93	6.84	7.92
N-LR-017-1	4.38	5.68	6.77	4.89	6.21	7.46	5.06	6.29	7.52	5.44	6.49	7.69	5.92	6.83	7.9
N-LR-018-1	14.74	14.86	14.94	14.78	14.89	14.98	14.78	14.89	14.98	14.79	14.9	14.99	14.79	14.9	14.99
N-LR-019-1	16.25	17.35	18.15	16.55	17.68	18.48	16.55	17.68	18.48	16.65	17.71	18.51	16.65	17.71	18.51
N-LR-020-1	16.35	17.39	18.18	16.62	17.7	18.52	16.62	17.7	18.52	16.71	17.74	18.55	16.71	17.74	18.55
N-LR-021-1	16.32	17.38	18.18	16.61	17.69	18.53	16.61	17.69	18.53	16.7	17.73	18.57	16.7	17.73	18.57
N-LR-022-1	16.29	17.36	18.17	16.58	17.68	18.55	16.58	17.68	18.55	16.67	17.71	18.58	16.67	17.71	18.58
N-LS-001-1	11.42	12.45	13.32	11.76	12.85	13.56	11.76	12.85	13.56	11.87	12.89	13.58	11.87	12.89	13.58
N-LS-002-1	13.11	13.3	13.48	13.24	13.39	13.55	13.24	13.39	13.55	13.27	13.39	13.56	13.27	13.39	13.56
N-LS-002-2	11.36	12.4	13.25	11.71	12.79	13.49	11.71	12.79	13.49	11.82	12.83	13.51	11.82	12.83	13.51
N-LS-002-3	11.33	12.37	13.21	11.67	12.76	13.45	11.67	12.76	13.45	11.78	12.8	13.47	11.78	12.8	13.47
N-LX-001-1	3.9	5.19	6.39	4.37	5.74	7.07	4.57	5.85	7.13	4.96	6.08	7.29	5.49	6.47	7.51
N-LX-002-1	4	5.19	6.37	4.43	5.73	7.08	4.6	5.84	7.14	4.97	6.07	7.32	5.48	6.46	7.54
N-NL-001-2	3.99	5.2	6.45	4.43	5.77	7.2	4.61	5.88	7.26	4.99	6.13	7.44	5.52	6.54	7.67
N-NL-001-3	3.95	5.17	6.4	4.39	5.73	7.15	4.57	5.84	7.21	4.95	6.08	7.39	5.48	6.49	7.62
N-NL-001-4	3.91	5.12	6.33	4.34	5.67	7.06	4.52	5.78	7.13	4.9	6.02	7.31	5.44	6.43	7.55
N-NL-002-1	4.29	5.4	6.64	4.73	5.98	7.37	4.88	6.09	7.43	5.2	6.33	7.61	5.71	6.72	7.83
N-PP-001-1	4.12	5.31	6.48	4.57	5.85	7.2	4.73	5.95	7.26	5.08	6.17	7.43	5.58	6.56	7.65

Appendix D
Max Node Water Surface Elevation

Node Name	Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8	Scenario 9	Scenario 10	Scenario 11	Scenario 12	Scenario 13	Scenario 14	Scenario 15
N-PW-001-1	4.63	5.23	6.43	4.72	5.78	7.12	4.72	5.88	7.18	5.01	6.12	7.35	5.52	6.51	7.56
N-PW-002-1	4.03	5.23	6.42	4.47	5.78	7.13	4.63	5.88	7.19	5	6.11	7.36	5.52	6.5	7.58
N-RL-001-1	9.86	9.99	10.18	9.92	10.07	10.31	9.92	10.07	10.31	9.94	10.07	10.33	9.94	10.07	10.32
N-RL-002-1	7.11	7.2	7.4	7.16	7.25	7.58	7.16	7.25	7.59	7.18	7.26	7.62	7.18	7.29	7.83
N-RL-003-1	7.21	8.05	8.37	7.86	8.19	8.5	7.86	8.19	8.5	7.91	8.21	8.52	7.95	8.22	8.53
N-RL-003-2	7.15	8.03	8.35	7.83	8.18	8.49	7.83	8.18	8.49	7.88	8.19	8.51	7.93	8.2	8.51
N-RL-003-3	7.16	8.03	8.35	7.84	8.18	8.49	7.84	8.18	8.49	7.89	8.19	8.51	7.93	8.2	8.51
N-RL-003-4	7.17	8.03	8.35	7.84	8.18	8.49	7.84	8.18	8.49	7.89	8.2	8.51	7.94	8.21	8.52
N-RL-004-1	7.08	7.29	7.5	7.2	7.39	7.62	7.21	7.4	7.62	7.25	7.42	7.66	7.29	7.45	7.86
N-RL-005-2	4.41	5.72	6.93	4.88	6.28	7.64	5.04	6.37	7.69	5.41	6.59	7.85	5.89	6.94	8.05
N-RL-005-3	4.38	5.69	6.9	4.85	6.24	7.6	5.01	6.34	7.65	5.38	6.55	7.81	5.86	6.9	8.01
N-RL-005-4	4.35	5.65	6.85	4.81	6.2	7.55	4.97	6.3	7.6	5.34	6.51	7.77	5.83	6.86	7.97
N-RL-005-5	4.31	5.61	6.81	4.78	6.16	7.51	4.94	6.26	7.56	5.31	6.47	7.72	5.8	6.83	7.92
N-RL-005-6	4.28	5.57	6.77	4.74	6.12	7.46	4.9	6.22	7.51	5.27	6.43	7.68	5.76	6.79	7.88
N-RL-005-7	4.44	5.76	6.98	4.91	6.32	7.68	5.07	6.41	7.73	5.44	6.62	7.89	5.92	6.97	8.09
N-RL-006-1	4.28	5.56	6.75	4.75	6.11	7.44	4.91	6.21	7.5	5.28	6.42	7.66	5.76	6.78	7.86
N-RV-001-1	3.88	5.16	6.36	4.35	5.71	7.03	4.54	5.82	7.08	4.93	6.06	7.25	5.46	6.45	7.46
N-RV-002-1	3.89	5.15	6.34	4.34	5.69	7.05	4.53	5.8	7.11	4.92	6.03	7.28	5.45	6.43	7.5
N-SC-001-1	10.79	11.26	11.67	10.89	11.43	11.87	10.89	11.44	11.87	10.94	11.46	11.9	10.94	11.46	11.9
N-SC-002-1	13.27	13.63	13.95	13.39	13.76	14.12	13.39	13.76	14.12	13.43	13.78	14.13	13.43	13.78	14.13
N-SC-003-1	14.8	14.98	15.1	14.86	15.03	15.3	14.86	15.03	15.3	14.88	15.03	15.35	14.88	15.03	15.35
N-SC-004-1	12.63	13.04	13.66	12.67	13.34	13.89	12.67	13.34	13.89	12.67	13.36	13.92	12.67	13.36	13.92
N-SC-005-1	13.53	14.4	15.02	13.7	14.69	15.38	13.7	14.69	15.38	13.78	14.72	15.43	13.78	14.73	15.43
N-SC-006-1	13.55	13.81	14.17	13.56	13.96	14.34	13.56	13.96	14.34	13.56	13.98	14.36	13.56	13.98	14.36
N-SC-006-2	13.64	13.76	14.14	13.65	13.91	14.38	13.65	13.91	14.38	13.66	13.93	14.4	13.66	13.93	14.4
N-SC-007-1	13.63	14.43	14.99	13.65	14.71	15.18	13.65	14.71	15.18	13.67	14.74	15.2	13.67	14.74	15.2
N-SC-007-2	14.26	14.54	15.48	14.33	14.72	15.91	14.33	14.72	15.91	14.35	14.75	15.94	14.35	14.75	15.94
N-SC-007-3	14.3	14.57	15.52	14.37	14.76	15.94	14.37	14.76	15.94	14.39	14.79	15.97	14.39	14.79	15.97
N-SC-008-1	11.79	12.7	13.06	12.22	12.86	13.23	12.22	12.86	13.23	12.34	12.88	13.25	12.37	12.88	13.25
N-SC-009-1	5.72	5.81	6.68	5.79	6.06	7.35	5.8	6.16	7.4	5.83	6.38	7.56	5.87	6.73	7.76
N-SC-010-2	7.35	7.57	8.06	7.46	7.7	8.45	7.46	7.7	8.46	7.5	7.72	8.5	7.53	7.76	8.51
N-SC-010-3	5.71	6.57	7.58	5.94	7.13	8.03	6.01	7.22	8.05	6.24	7.33	8.13	6.56	7.49	8.21
N-SC-011-1	6.75	7.06	7.93	6.89	7.34	8.36	6.89	7.35	8.36	6.95	7.4	8.4	7	7.47	8.42
N-SC-012-1	7.48	7.62	8	7.54	7.75	8.41	7.54	7.76	8.42	7.57	7.77	8.45	7.59	7.79	8.47
N-SC-013-1	9.12	9.55	9.97	9.32	9.74	10.15	9.32	9.74	10.15	9.37	9.75	10.17	9.39	9.75	10.16
N-SC-014-1	10.23	10.65	11.32	10.42	10.95	11.57	10.42	10.95	11.57	10.45	10.96	11.59	10.46	10.93	11.58
N-SC-014-2	9.92	10.25	10.64	9.99	10.42	10.82	10	10.42	10.82	10.02	10.43	10.84	10.03	10.41	10.84
N-SC-014-3	9.98	10.45	10.99	10.06	10.69	11.2	10.06	10.68	11.2	10.09	10.7	11.22	10.1	10.68	11.21
N-SC-014-4	10.02	10.51	11.07	10.1	10.75	11.29	10.1	10.75	11.29	10.14	10.76	11.31	10.16	10.74	11.3
N-SC-014-5	7.18	8.13	9.85	7.52	9.18	10.09	7.52	9.17	10.09	7.69	9.39	10.12	7.94	9.3	10.13
N-SC-014-7	10.06	10.58	11.2	10.25	10.86	11.43	10.25	10.85	11.43	10.3	10.87	11.45	10.32	10.84	11.45
N-SC-015-1	11.09	11.48	11.69	11.25	11.57	11.76	11.25	11.57	11.76	11.29	11.58	11.76	11.29	11.58	11.76
N-SC-016-1	8.78	9.97	11.3	9.18	10.59	11.53	9.2	10.54	11.53	9.47	10.79	11.55	9.61	10.65	11.54
N-SC-017-1	5.59	7.28	8.31	6.02	7.9	8.55	6.1	7.96	8.56	6.41	8.05	8.6	6.75	8.11	8.62
N-SC-017-2	4.75	6.07	7.31	5.23	6.85	7.78	5.37	6.92	7.81	5.71	7.06	7.91	6.16	7.3	8.04
N-SC-018-1	13.2	13.56	13.88	13.32	13.69	14.04	13.32	13.69	14.04	13.36	13.7	14.06	13.36	13.7	14.06
N-SC-019-1	5.63	8.34	10.5	6.45	9.54	10.83	6.53	9.57	10.83	6.86	9.76	10.86	7.17	9.84	10.87
N-SC-020-1	13.24	13.6	13.92	13.36	13.73	14.08	13.36	13.73	14.08	13.39	13.74	14.09	13.39	13.74	14.09
N-SC-021-1	5.1	5.46	6.69	5.12	6.05	7.36	5.12	6.15	7.42	5.19	6.37	7.59	5.7	6.72	7.8
N-SC-022-1	4.2	5.44	6.61	4.66	5.99	7.3	4.83	6.08	7.36	5.19	6.3	7.53	5.69	6.67	7.75
N-SC-022-2	4.17	5.41	6.58	4.63	5.96	7.3	4.8	6.06	7.35	5.17	6.28	7.53	5.66	6.65	7.75
N-SC-022-3	4.16	5.4	6.57	4.62	5.94	7.29	4.78	6.04	7.35	5.15	6.27	7.53	5.65	6.64	7.75
N-SC-023-1	6.08	6.09	6.56	6.09	6.1	7.27	6.09	6.1	7.33	6.1	6.26	7.51	6.1	6.63	7.72
N-SC-024-1	4.47	5.71	6.81	4.94	6.25	7.4	5.09	6.34	7.45	5.45	6.55	7.61	5.92	6.84	7.81

Appendix D
Max Node Water Surface Elevation

Node Name	Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8	Scenario 9	Scenario 10	Scenario 11	Scenario 12	Scenario 13	Scenario 14	Scenario 15
N-SC-025-10	4.33	5.57	6.69	4.79	6.1	7.33	4.95	6.2	7.38	5.31	6.41	7.54	5.79	6.74	7.74
N-SC-025-11	4.3	5.54	6.67	4.76	6.07	7.32	4.92	6.17	7.38	5.28	6.38	7.54	5.77	6.72	7.74
N-SC-025-12	4.26	5.5	6.65	4.73	6.04	7.32	4.89	6.14	7.37	5.25	6.36	7.54	5.74	6.7	7.75
N-SC-025-2	4.68	5.95	7.13	5.16	6.59	7.62	5.3	6.67	7.66	5.64	6.85	7.77	6.09	7.12	7.93
N-SC-025-3	4.59	5.84	6.95	5.06	6.38	7.51	5.21	6.47	7.56	5.57	6.67	7.69	6.03	6.97	7.87
N-SC-025-4	4.55	5.79	6.9	5.01	6.33	7.47	5.17	6.42	7.52	5.52	6.63	7.66	5.99	6.93	7.84
N-SC-025-5	4.5	5.75	6.86	4.97	6.29	7.43	5.13	6.38	7.48	5.48	6.58	7.63	5.95	6.89	7.82
N-SC-025-6	4.46	5.71	6.82	4.93	6.24	7.4	5.09	6.34	7.44	5.44	6.54	7.59	5.92	6.85	7.79
N-SC-025-7	4.42	5.67	6.78	4.89	6.2	7.38	5.05	6.3	7.43	5.4	6.5	7.58	5.88	6.81	7.78
N-SC-025-8	4.38	5.63	6.75	4.85	6.16	7.36	5.01	6.26	7.41	5.37	6.46	7.56	5.85	6.78	7.76
N-SC-025-9	4.36	5.6	6.72	4.82	6.13	7.35	4.98	6.23	7.39	5.34	6.44	7.55	5.82	6.76	7.75
N-SC-026-1	6.01	9.65	12.72	6.98	10.97	14.28	7.06	11	14.29	7.46	11.2	14.46	7.81	11.28	14.47
N-SC-027-1	13.84	13.87	13.95	13.86	13.9	14.37	13.86	13.9	14.37	13.87	13.9	14.52	13.87	13.9	14.53
N-SC-028-10	9.63	12.41	14.15	10	13.29	14.91	10	13.3	14.91	10.12	13.4	15	10.12	13.44	15
N-SC-028-11	8.64	11.23	13.52	8.88	12.27	14.64	8.88	12.28	14.64	8.96	12.43	14.78	8.97	12.49	14.78
N-SC-028-12	7.99	11.03	13.47	8.19	12.17	14.6	8.19	12.19	14.6	8.26	12.35	14.74	8.34	12.4	14.75
N-SC-028-13	6.69	9.88	12.83	7.32	11.14	14.35	7.38	11.16	14.35	7.75	11.36	14.52	8.05	11.44	14.53
N-SC-028-14	6.19	9.79	12.79	7.12	11.08	14.32	7.19	11.11	14.32	7.59	11.31	14.5	7.93	11.39	14.5
N-SC-028-2	10.4	13.9	14.84	11.07	14.44	15.23	11.07	14.44	15.23	11.33	14.49	15.27	11.33	14.5	15.27
N-SC-028-3	10.34	13.88	14.84	10.96	14.43	15.22	10.96	14.43	15.22	11.24	14.48	15.26	11.24	14.49	15.26
N-SC-028-4	10.31	13.87	14.85	10.93	14.42	15.22	10.93	14.43	15.22	11.2	14.48	15.26	11.2	14.49	15.26
N-SC-028-5	10.32	13.84	14.86	10.82	14.42	15.22	10.82	14.42	15.22	11.11	14.48	15.25	11.11	14.5	15.25
N-SC-028-6	10.34	13.83	14.86	10.82	14.42	15.21	10.82	14.42	15.21	11.08	14.48	15.25	11.08	14.5	15.25
N-SC-028-7	10.39	13.81	14.88	10.85	14.43	15.21	10.85	14.43	15.21	11.02	14.49	15.25	11.02	14.51	15.25
N-SC-028-8	10.43	13.8	14.88	10.88	14.43	15.21	10.88	14.44	15.21	11.04	14.5	15.25	11.04	14.52	15.25
N-SC-028-9	9.86	12.52	14.21	10.22	13.35	14.95	10.22	13.36	14.95	10.35	13.47	15.03	10.35	13.5	15.03
N-SC-029-1	13.45	14.2	14.98	13.62	14.6	15.33	13.62	14.61	15.33	13.68	14.65	15.37	13.68	14.66	15.37
N-SC-030-1	11.1	13.83	14.87	11.49	14.46	15.17	11.49	14.46	15.17	11.62	14.52	15.2	11.62	14.54	15.2
N-SC-031-1	14.23	14.49	15.05	14.33	14.74	15.36	14.33	14.74	15.36	14.36	14.77	15.4	14.36	14.77	15.4
N-SC-031-2	14.07	14.44	15.02	14.19	14.71	15.35	14.19	14.71	15.35	14.23	14.74	15.39	14.23	14.75	15.39
N-SC-032-1	14.79	14.97	15.08	14.85	15.02	15.33	14.85	15.02	15.33	14.87	15.02	15.37	14.87	15.02	15.37
N-SC-032-10	12.22	14.2	14.9	12.6	14.56	15.3	12.6	14.57	15.3	12.75	14.6	15.34	12.75	14.61	15.34
N-SC-032-11	11.94	14.17	14.89	12.37	14.55	15.29	12.37	14.55	15.29	12.53	14.59	15.33	12.54	14.6	15.33
N-SC-032-12	11.89	14.16	14.88	12.33	14.54	15.29	12.32	14.54	15.29	12.49	14.58	15.33	12.49	14.59	15.33
N-SC-032-13	11.61	14.13	14.88	12.09	14.53	15.28	12.09	14.53	15.28	12.28	14.57	15.32	12.28	14.58	15.32
N-SC-032-2	14.04	14.42	15.01	14.16	14.7	15.34	14.16	14.7	15.34	14.19	14.73	15.39	14.19	14.73	15.39
N-SC-032-3	13.72	14.38	14.99	13.88	14.67	15.33	13.88	14.67	15.33	13.93	14.7	15.38	13.93	14.71	15.38
N-SC-032-4	13.68	14.36	14.98	13.85	14.66	15.33	13.85	14.66	15.33	13.9	14.69	15.37	13.9	14.7	15.37
N-SC-032-5	13.08	14.32	14.95	13.33	14.63	15.32	13.33	14.63	15.32	13.42	14.66	15.36	13.42	14.67	15.36
N-SC-032-6	13.04	14.3	14.94	13.29	14.62	15.32	13.29	14.62	15.32	13.39	14.65	15.36	13.39	14.66	15.36
N-SC-032-7	12.59	14.27	14.92	12.92	14.59	15.31	12.92	14.6	15.31	13.05	14.63	15.35	13.05	14.64	15.35
N-SC-032-8	12.55	14.25	14.92	12.88	14.59	15.31	12.88	14.59	15.31	13.01	14.62	15.35	13.01	14.63	15.35
N-SC-032-9	12.27	14.22	14.9	12.65	14.57	15.3	12.65	14.57	15.3	12.79	14.61	15.34	12.79	14.61	15.34
N-SC-033-1	14.79	14.96	15.06	14.84	15	15.35	14.84	15	15.35	14.86	15	15.39	14.86	15	15.39
N-SC-034-1	14.83	15.02	15.13	14.89	15.06	15.28	14.89	15.06	15.28	14.91	15.07	15.33	14.91	15.07	15.33
N-SC-034-10	10.68	13.95	14.83	11.33	14.45	15.24	11.33	14.45	15.24	11.57	14.5	15.28	11.57	14.51	15.28
N-SC-034-11	10.43	13.92	14.83	11.11	14.44	15.23	11.11	14.44	15.23	11.37	14.49	15.27	11.37	14.5	15.27
N-SC-034-2	11.54	14.11	14.87	12.04	14.52	15.28	12.04	14.52	15.28	12.23	14.56	15.32	12.23	14.57	15.32
N-SC-034-3	11.26	14.08	14.86	11.8	14.51	15.27	11.8	14.51	15.27	12.01	14.55	15.31	12.01	14.56	15.31
N-SC-034-4	11.21	14.06	14.86	11.76	14.5	15.27	11.76	14.5	15.27	11.97	14.54	15.31	11.97	14.55	15.31
N-SC-034-5	11.08	14.04	14.85	11.65	14.49	15.26	11.65	14.49	15.26	11.87	14.53	15.3	11.87	14.54	15.3
N-SC-034-6	11.04	14.02	14.85	11.62	14.48	15.26	11.62	14.49	15.26	11.84	14.53	15.3	11.84	14.54	15.3
N-SC-034-7	10.9	14	14.84	11.51	14.47	15.25	11.51	14.47	15.25	11.74	14.52	15.29	11.74	14.53	15.29
N-SC-034-8	10.87	13.99	14.84	11.48	14.47	15.25	11.48	14.47	15.25	11.71	14.51	15.29	11.71	14.53	15.29

Appendix D
Max Node Water Surface Elevation

Node Name	Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8	Scenario 9	Scenario 10	Scenario 11	Scenario 12	Scenario 13	Scenario 14	Scenario 15
N-SC-034-9	10.72	13.96	14.83	11.37	14.46	15.24	11.37	14.46	15.24	11.61	14.5	15.28	11.61	14.52	15.28
N-SC-035-1	14.83	15.01	15.12	14.89	15.05	15.31	14.89	15.05	15.31	14.91	15.06	15.36	14.91	15.06	15.36
N-SC-036-1	14.82	15.01	15.12	14.89	15.05	15.25	14.89	15.05	15.25	14.91	15.06	15.29	14.91	15.06	15.29
N-SC-037-1	13.36	13.92	14.92	13.5	14.48	15.25	13.5	14.48	15.25	13.55	14.54	15.29	13.55	14.56	15.29
N-SC-038-1	8.57	8.93	9.15	8.58	9.05	9.19	8.58	9.05	9.19	8.61	9.06	9.19	8.61	9.06	9.19
N-SC-039-1	7.37	7.6	8.12	7.49	7.75	8.52	7.49	7.75	8.53	7.53	7.78	8.57	7.56	7.82	8.58
N-SC-040-1	6.17	6.37	7.04	6.19	6.67	7.48	6.19	6.67	7.52	6.19	6.7	7.65	6.23	6.97	7.83
N-SC-041-1	4.33	5.54	6.67	4.78	6.08	7.31	4.94	6.17	7.36	5.29	6.38	7.52	5.77	6.71	7.73
N-SH-001-1	6.02	7.21	7.99	6.54	7.66	8.23	6.6	7.68	8.23	6.83	7.75	8.27	7.04	7.82	8.3
N-SH-002-1	8.05	8.84	9.35	8.32	9.08	9.56	8.32	9.08	9.56	8.4	9.1	9.58	8.4	9.1	9.58
N-SH-003-1	8.04	8.86	9.38	8.31	9.1	9.59	8.31	9.1	9.59	8.39	9.12	9.61	8.39	9.12	9.61
N-SH-004-1	5.66	6.05	8.02	5.9	6.63	8.85	5.9	6.69	8.85	6	6.91	8.89	6.2	7.23	8.91
N-SH-005-1	8.05	8.87	9.38	8.32	9.11	9.6	8.32	9.11	9.6	8.41	9.13	9.62	8.41	9.13	9.62
N-SH-006-1	7.62	8.34	8.77	7.82	8.58	8.89	7.82	8.58	8.89	7.88	8.6	8.9	7.88	8.58	8.91
N-SH-007-1	7.59	8.34	8.8	7.8	8.6	8.92	7.8	8.6	8.92	7.86	8.62	8.93	7.86	8.6	8.95
N-SH-008-1	4.46	5.73	6.76	4.96	6.23	7.45	5.12	6.31	7.5	5.49	6.49	7.67	5.95	6.82	7.88
N-SH-009-1	8.9	8.93	9.41	8.93	9.13	9.62	8.93	9.13	9.62	8.93	9.15	9.65	8.93	9.15	9.65
N-SH-010-1	6.72	6.83	7.1	6.78	6.88	7.82	6.78	6.88	7.87	6.8	6.89	8.03	6.8	7.07	8.23
N-SH-011-1	10.79	11.28	11.61	10.91	11.43	11.76	10.91	11.43	11.76	10.94	11.44	11.77	10.94	11.44	11.77
N-SH-012-1	5.91	7.31	8.25	6.44	7.87	8.49	6.51	7.9	8.5	6.76	8.01	8.54	6.99	8.12	8.58
N-SP-001-1	3.86	5.11	6.31	4.3	5.66	7.02	4.5	5.77	7.08	4.89	6.01	7.25	5.42	6.41	7.47
N-SP-001-2	5.36	6.57	7.77	5.8	7.12	8.51	5.97	7.23	8.57	6.36	7.47	8.76	6.89	7.87	8.99
N-SP-001-3	4.89	6.1	7.3	5.32	6.64	8.03	5.5	6.75	8.1	5.88	6.99	8.28	6.41	7.4	8.52
N-SP-002-1	3.84	5.14	6.34	4.32	5.69	6.99	4.52	5.8	7.04	4.91	6.04	7.21	5.44	6.43	7.42
N-SP-002-2	0.99	0.99	2.09	0.99	1.44	2.74	0.99	1.55	2.79	0.99	1.79	2.96	1.19	2.18	3.17
N-SP-002-3	6.11	6.77	7.77	6.72	7.39	8.58	6.88	7.52	8.68	7.35	7.87	8.98	7.96	8.39	9.36
N-SP-002-4	1.6	2.14	3.35	1.6	2.7	4	1.61	2.8	4.05	1.92	3.04	4.21	2.45	3.43	4.43
N-TQ-001-1	4.02	5.22	6.39	4.46	5.76	7.11	4.62	5.86	7.16	4.99	6.09	7.34	5.5	6.48	7.56
N-WE-001-1	5.82	6.18	6.74	6.03	6.33	7.42	6.05	6.35	7.47	6.13	6.43	7.63	6.2	6.77	7.84

Appendix D
Max Node Water Surface Elevation

Node Name	Scenario 16	Scenario 17	Scenario 18	Scenario 19	Scenario 20	Scenario 21	Scenario 22	Scenario 23	Scenario 24	Scenario 25	Scenario 26	Scenario 27	Scenario 28	Scenario 29	Scenario 30	Scenario 31
N-7P-001-1	6.88	7.03	7.29	6.98	7.15	7.44	6.98	7.15	7.49	7.01	7.17	7.7	7.07	7.56	8.12	7.69
N-7P-001-2	6.65	6.89	7.24	6.75	7.07	7.46	6.75	7.07	7.52	6.78	7.09	7.73	7.08	7.54	8.14	7.72
N-7P-002-1	6.36	6.66	7.13	6.46	6.89	7.55	6.46	6.89	7.6	6.49	6.92	7.82	7.08	7.54	8.21	7.83
N-7P-003-1	6.41	6.74	7.25	6.51	6.99	7.58	6.51	6.99	7.64	6.65	7.1	7.88	7.43	7.75	8.22	7.83
N-7P-004-1	6.38	6.67	7.15	6.49	6.91	7.52	6.49	6.91	7.58	6.52	6.94	7.8	7.09	7.54	8.19	7.8
N-7P-004-2	6.37	6.67	7.14	6.48	6.9	7.53	6.48	6.9	7.59	6.51	6.93	7.81	7.09	7.54	8.2	7.82
N-7P-004-3	6.49	6.78	7.2	6.59	7	7.49	6.59	7	7.54	6.63	7.03	7.76	7.08	7.54	8.16	7.75
N-7P-004-4	6.44	6.73	7.17	6.54	6.96	7.51	6.54	6.96	7.56	6.58	6.98	7.78	7.09	7.54	8.17	7.78
N-7P-004-5	5.6	5.89	6.36	5.7	6.13	6.74	5.7	6.13	6.8	5.74	6.16	7.02	6.31	6.76	7.41	7.02
N-7P-004-6	7.43	7.77	8.27	7.54	8.01	8.61	7.54	8.02	8.67	7.68	8.13	8.91	8.46	8.78	9.25	8.85
N-CC-001-1	10.1	10.29	10.51	10.15	10.37	10.62	10.15	10.37	10.62	10.16	10.38	10.63	10.16	10.38	10.63	10.72
N-CC-002-1	12.44	13.34	15.17	12.65	13.69	15.31	12.65	13.69	15.31	12.71	13.75	15.32	12.71	13.75	15.32	15.39
N-CC-003-1	6.47	6.79	7.09	6.66	6.94	7.66	6.68	6.95	7.73	6.82	7.21	7.96	7.44	7.76	8.38	7.95
N-CC-004-1	14.88	15.56	15.78	15.14	15.74	15.95	15.14	15.74	15.95	15.22	15.75	15.96	15.22	15.75	15.96	16.15
N-CC-005-1	16.85	17.89	18.66	17.11	18.25	19.08	17.11	18.25	19.08	17.19	18.28	19.13	17.19	18.28	19.13	19.54
N-CC-006-1	15.28	16.69	17.83	15.54	17.27	18.16	15.54	17.27	18.16	15.63	17.32	18.19	15.63	17.32	18.19	18.41
N-CC-007-1	15.23	16.25	17.78	15.46	17.26	18.1	15.46	17.26	18.1	15.54	17.3	18.13	15.54	17.3	18.13	18.36
N-CC-008-1	8.58	8.63	8.74	8.62	8.67	8.8	8.62	8.67	8.8	8.63	8.68	8.8	8.63	8.68	8.8	8.86
N-CC-009-1	13.76	13.78	13.97	13.78	13.81	14.12	13.78	13.81	14.12	13.79	13.82	14.14	13.79	13.82	14.14	14.24
N-CC-010-1	12.68	13.04	13.3	12.77	13.16	13.46	12.77	13.16	13.46	12.8	13.17	13.48	12.8	13.17	13.48	13.67
N-CC-011-1	11.52	11.72	11.96	11.61	11.78	12.17	11.61	11.78	12.16	11.62	11.78	12.17	11.62	11.78	12.19	12.37
N-CC-012-1	13.15	13.43	13.7	13.32	13.55	13.79	13.32	13.55	13.79	13.36	13.56	13.79	13.35	13.56	13.79	13.88
N-CC-013-1	14.9	16.4	17.75	15.14	17.14	18.17	15.14	17.14	18.17	15.23	17.2	18.21	15.23	17.2	18.21	18.53
N-CC-013-2	14.95	16.46	17.84	15.19	17.22	18.27	15.19	17.22	18.27	15.28	17.28	18.31	15.28	17.28	18.31	18.63
N-CC-014-1	17.21	18.38	19.34	17.5	18.78	19.8	17.5	18.78	19.8	17.59	18.82	19.85	17.59	18.82	19.85	20.16
N-CC-015-1	5.81	6.37	7.33	6.62	7.2	8.11	6.75	7.3	8.17	7.13	7.61	8.39	7.74	8.12	8.78	8.38
N-CC-015-2	6	6.61	7.62	6.81	7.45	8.42	6.95	7.56	8.47	7.33	7.86	8.69	7.92	8.36	9.07	8.69
N-CC-015-3	5.87	6.44	7.41	6.68	7.27	8.19	6.82	7.37	8.25	7.19	7.68	8.46	7.8	8.19	8.85	8.46
N-CC-015-4	5.83	6.4	7.36	6.64	7.23	8.14	6.78	7.33	8.2	7.16	7.63	8.42	7.76	8.15	8.81	8.41
N-CC-015-5	5.97	6.58	7.59	6.79	7.42	8.38	6.92	7.53	8.44	7.3	7.83	8.65	7.9	8.34	9.04	8.65
N-CC-015-6	5.9	6.48	7.45	6.71	7.31	8.23	6.85	7.41	8.29	7.23	7.72	8.51	7.83	8.23	8.9	8.5
N-CC-016-1	10.9	10.93	11.33	10.92	10.96	11.53	10.92	10.95	11.53	10.93	10.96	11.55	10.93	10.96	11.56	11.71
N-CC-017-1	7.16	7.25	7.48	7.21	7.31	7.69	7.21	7.31	7.75	7.22	7.33	7.98	7.44	7.75	8.39	7.98
N-CC-018-1	7.35	7.86	8.12	7.68	7.98	8.22	7.68	7.99	8.23	7.74	8.02	8.24	7.84	8.09	8.4	8.27
N-CC-019-1	11.91	12.19	12.4	11.95	12.29	12.48	11.95	12.29	12.48	11.96	12.3	12.49	11.96	12.3	12.49	12.54
N-CC-020-1	17.53	17.98	18.48	17.63	18.16	18.81	17.63	18.16	18.81	17.66	18.18	18.85	17.66	18.18	18.85	19.17
N-CC-021-1	13.73	13.97	14.21	13.76	14.07	14.29	13.76	14.07	14.29	13.76	14.08	14.29	13.76	14.08	14.29	14.34
N-CC-022-1	5.57	6.09	6.96	6.37	6.88	7.75	6.51	6.99	7.8	6.89	7.3	8.02	7.5	7.82	8.42	8.01
N-CC-023-1	11.07	11.84	12.74	11.23	12.15	14.23	11.23	12.15	14.23	11.29	12.19	14.46	11.29	12.19	14.46	16.52
N-CC-024-1	16.88	17.93	18.72	17.14	18.29	19.27	17.14	18.29	19.27	17.22	18.32	19.35	17.22	18.32	19.35	19.89
N-CC-025-1	8.01	8.17	8.81	8.2	8.42	10.84	8.2	8.42	10.84	8.27	8.45	11.14	8.27	8.45	11.14	13.19
N-CC-026-1	17.21	18.38	19.34	17.5	18.79	19.8	17.5	18.79	19.8	17.59	18.83	19.85	17.59	18.83	19.85	20.16
N-CC-027-1	15.99	17.22	18.25	16.29	17.65	18.67	16.29	17.65	18.67	16.39	17.69	18.71	16.39	17.69	18.71	19
N-CC-027-2	15.09	16.65	18.09	15.34	17.45	18.52	15.34	17.45	18.52	15.43	17.51	18.56	15.43	17.51	18.56	18.85
N-CC-028-1	15.04	16.6	18.05	15.29	17.4	18.49	15.29	17.4	18.49	15.38	17.46	18.53	15.38	17.46	18.53	18.86
N-CC-028-2	14.99	16.52	17.91	15.24	17.28	18.34	15.24	17.28	18.34	15.33	17.34	18.38	15.33	17.34	18.38	18.7
N-CC-030-1	16.2	17.4	18.42	16.5	17.82	18.84	16.5	17.82	18.84	16.59	17.86	18.88	16.59	17.86	18.88	19.14
N-CC-031-1	16.25	17.34	18.2	16.54	17.7	18.58	16.54	17.7	18.58	16.63	17.73	18.62	16.63	17.73	18.62	18.9
N-CC-032-1	17.23	18.39	19.35	17.51	18.8	19.81	17.51	18.8	19.81	17.61	18.84	19.86	17.61	18.84	19.86	20.17
N-CC-033-1	17.24	18.4	19.37	17.53	18.81	19.83	17.53	18.81	19.83	17.62	18.85	19.88	17.62	18.85	19.88	20.2
N-CC-034-1	18.32	18.91	19.35	18.44	19.14	19.52	18.44	19.14	19.52	18.48	19.16	19.54	18.48	19.16	19.54	19.68
N-CC-034-2	18.31	18.92	19.36	18.44	19.15	19.53	18.44	19.15	19.53	18.47	19.17	19.55	18.47	19.17	19.55	19.69
N-CC-034-3	17.44	18.15	18.94	17.57	18.45	19.36	17.57	18.45	19.36	17.61	18.48	19.41	17.61	18.48	19.41	19.74
N-CC-034-4	17.21	18.37	19.34	17.5	18.78	19.8	17.5	18.78	19.8	17.59	18.82	19.85	17.59	18.82	19.85	20.17
N-CC-034-5	16.7	17.88	18.78	16.99	18.26	19.15	16.99	18.26	19.15	17.08	18.3	19.18	17.08	18.3	19.18	19.4
N-CC-035-1	17.87	18.47	19.41	18.03	18.85	19.88	18.03	18.85	19.88	18.08	18.89	19.93	18.08	18.89	19.93	20.25
N-CC-036-1	18.78	19.28	19.61	18.93	19.42	19.77	18.93	19.42	19.77	18.97	19.44	19.78	18.97	19.44	19.78	19.92
N-CC-037-1	19.01	19.31	19.49	19.1	19.39	19.92	19.1	19.39	19.92	19.13	19.39	19.97	19.13	19.39	19.97	20.29

Node Name	Scenario 16	Scenario 17	Scenario 18	Scenario 19	Scenario 20	Scenario 21	Scenario 22	Scenario 23	Scenario 24	Scenario 25	Scenario 26	Scenario 27	Scenario 28	Scenario 29	Scenario 30	Scenario 31
N-CC-038-1	21.93	22.16	22.32	22	22.23	22.4	22	22.23	22.4	22.03	22.24	22.41	22.03	22.24	22.41	22.47
N-DP-001-1	5.82	6.53	7.1	6.12	6.79	7.38	6.14	6.8	7.38	6.31	6.89	7.41	7.05	7.46	7.85	7.64
N-DP-002-1	5.99	6.17	6.43	6.13	6.45	6.78	6.28	6.58	6.9	6.76	6.97	7.28	7.43	7.59	7.88	6.77
N-DP-003-1	7.17	7.72	8.12	7.42	7.88	8.32	7.42	7.88	8.32	7.49	7.9	8.34	7.49	7.91	8.35	8.49
N-DP-004-1	5.32	5.51	5.73	6.2	6.43	6.78	6.36	6.57	6.91	6.82	7.01	7.33	7.51	7.67	7.92	5.25
N-DP-005-1	5.32	5.52	5.76	6.21	6.43	6.79	6.37	6.57	6.93	6.82	7.02	7.35	7.51	7.67	7.93	5.25
N-DP-006-1	5.83	6.49	7.04	6.1	6.75	7.31	6.16	6.76	7.31	6.32	6.88	7.34	7.08	7.48	7.86	7.54
N-DP-007-1	5.15	5.56	6.01	6.15	6.42	6.76	6.32	6.55	6.9	6.79	6.99	7.31	7.47	7.63	7.9	6.5
N-DP-008-1	5.83	6.47	7.01	6.1	6.73	7.28	6.18	6.74	7.28	6.34	6.89	7.31	7.1	7.5	7.88	7.5
N-DP-009-1	6.24	6.33	6.47	6.31	6.41	6.76	6.31	6.54	6.89	6.79	6.98	7.31	7.48	7.64	7.91	6.65
N-DP-010-1	5.35	5.52	5.72	6.24	6.45	6.76	6.4	6.59	6.9	6.85	7.04	7.35	7.54	7.7	7.94	5.06
N-DP-011-1	5.37	5.54	5.71	6.27	6.47	6.76	6.43	6.61	6.9	6.88	7.06	7.37	7.55	7.72	7.96	4.47
N-EM-001-1	5.7	5.8	6.7	6.12	6.63	7.5	6.26	6.74	7.56	6.65	7.06	7.79	7.3	7.61	8.21	7.76
N-EM-001-2	5.38	5.91	6.78	6.16	6.69	7.55	6.3	6.79	7.61	6.68	7.1	7.83	7.32	7.64	8.25	7.82
N-EM-001-3	5.36	5.88	6.75	6.15	6.67	7.53	6.29	6.78	7.59	6.67	7.08	7.82	7.32	7.64	8.24	7.8
N-EM-003-1	5.32	5.78	6.67	6.14	6.62	7.48	6.29	6.73	7.54	6.69	7.06	7.78	7.32	7.62	8.2	7.74
N-EM-003-2	5.34	5.84	6.72	6.13	6.65	7.51	6.28	6.76	7.57	6.67	7.07	7.8	7.32	7.62	8.22	7.78
N-EM-004-1	5.32	5.78	6.66	6.15	6.62	7.49	6.3	6.74	7.56	6.7	7.07	7.79	7.34	7.63	8.22	7.75
N-IW-001-1	5.26	5.55	5.98	6.17	6.44	6.92	6.32	6.57	7.03	6.78	7	7.41	7.49	7.68	7.99	6.22
N-IW-002-1	5.15	5.43	5.84	6.09	6.34	6.82	6.25	6.49	6.93	6.74	6.91	7.31	7.5	7.61	7.9	5.98
N-IW-003-1	11.97	12.93	13.55	12.42	13.1	14.02	12.42	13.1	14.02	12.55	13.11	14.09	12.55	13.11	14.09	14.37
N-IW-004-1	7.62	7.64	7.89	7.65	7.74	7.99	7.65	7.74	7.99	7.66	7.76	8.01	7.66	7.76	8.01	8.08
N-IW-005-1	8.54	9.21	10.65	8.88	9.91	11.07	8.91	9.94	11.07	9.02	10.08	11.12	9.12	10.26	11.16	11.38
N-IW-006-1	9.67	9.82	10.21	9.85	10.03	10.41	9.88	10.04	10.42	9.95	10.09	10.45	10.04	10.16	10.48	10.53
N-IW-007-1	7.14	8.32	9.68	7.52	9.07	10.03	7.58	9.09	10.03	7.83	9.22	10.08	8.33	9.4	10.13	10.81
N-IW-008-1	5.38	5.54	5.7	6.29	6.48	6.68	6.45	6.62	6.82	6.91	7.09	7.3	7.6	7.76	7.94	4.42
N-IW-009-1	5.34	5.56	5.87	6.25	6.47	6.82	6.4	6.61	6.94	6.85	7.06	7.38	7.54	7.72	7.98	5.87
N-IW-010-1	5.82	6.68	7.24	6.26	6.91	7.63	6.32	6.92	7.69	6.56	6.99	7.9	7.06	7.6	8.28	7.92
N-IW-011-1	11.48	12.6	13.53	11.9	12.96	14.03	11.9	12.96	14.03	12.04	12.99	14.11	12.04	12.99	14.11	14.42
N-IW-012-1	7.04	8.65	9.73	7.73	9.22	10.05	7.77	9.23	10.05	8.07	9.32	10.09	8.58	9.5	10.15	10.26
N-IW-013-1	11.57	12.76	13.59	12	13.07	14.09	12	13.07	14.09	12.14	13.09	14.16	12.15	13.09	14.16	14.46
N-IW-014-1	11.57	12.63	13.57	11.99	13.02	14.03	11.99	13.02	14.03	12.12	13.06	14.09	12.12	13.05	14.1	14.38
N-IW-015-1	11.48	12.55	13.52	11.89	12.94	14.02	11.89	12.94	14.02	12.02	12.98	14.09	12.03	12.97	14.09	14.39
N-IW-016-1	11.41	12.49	13.48	11.83	12.88	13.99	11.83	12.88	13.99	11.96	12.92	14.06	11.97	12.92	14.06	14.36
N-IW-017-1	11.53	12.6	13.56	11.94	12.98	14.06	11.94	12.98	14.06	12.07	13.02	14.13	12.08	13.02	14.13	14.44
N-IW-018-1	12.47	13.51	13.95	12.78	13.67	14.12	12.78	13.67	14.12	12.88	13.69	14.13	12.88	13.69	14.13	14.26
N-IW-019-1	9.16	9.84	10.43	9.56	10.13	10.75	9.56	10.13	10.75	9.65	10.15	10.79	9.73	10.19	10.82	10.99
N-IW-020-1	7.09	8.71	9.78	7.78	9.27	10.09	7.82	9.28	10.09	8.12	9.36	10.13	8.63	9.54	10.19	10.3
N-IW-021-1	7.12	8.74	9.81	7.81	9.31	10.11	7.85	9.32	10.11	8.16	9.4	10.15	8.66	9.57	10.21	10.32
N-IW-022-1	4.93	5.74	6.54	5.71	6.38	6.85	5.94	6.44	6.87	6.76	6.9	7.1	7.72	7.76	7.83	6.91
N-IW-023-1	9.22	9.55	9.89	9.3	9.7	10.05	9.3	9.7	10.06	9.34	9.72	10.09	9.38	9.74	10.13	10.24
N-IW-024-1	8.42	9.37	9.84	8.82	9.58	10.09	8.85	9.58	10.09	8.99	9.6	10.13	9.13	9.63	10.18	10.87
N-IW-025-1	9.34	10.1	11.38	9.64	10.38	12.13	9.64	10.38	12.13	9.74	10.41	12.24	9.8	10.45	12.25	13.08
N-IW-026-1	10.13	10.48	10.71	10.26	10.58	10.83	10.26	10.58	10.83	10.3	10.59	10.84	10.32	10.59	10.84	10.94
N-IW-027-1	8.24	8.26	8.44	8.26	8.29	8.75	8.26	8.29	8.75	8.27	8.3	8.79	8.27	8.3	8.83	9.19
N-IW-028-1	9.28	9.78	10.15	9.47	9.94	10.32	9.47	9.94	10.32	9.54	9.95	10.34	9.59	9.97	10.35	10.98
N-IW-029-1	9.4	10.34	11.57	9.77	10.9	12.22	9.79	10.91	12.22	9.93	10.99	12.34	10.08	11.07	12.35	13.21
N-IW-030-1	9.47	10.4	11.67	9.84	10.96	12.32	9.85	10.97	12.32	10	11.06	12.46	10.13	11.14	12.47	13.29
N-IW-031-1	9.7	10.71	11.95	10.1	11.19	12.57	10.1	11.19	12.57	10.24	11.24	12.61	10.3	11.29	12.62	13.33
N-IW-032-1	5.8	6.67	7.28	6.28	6.94	7.7	6.35	6.95	7.75	6.59	7.02	7.94	7.08	7.64	8.32	7.97
N-IW-033-1	9.62	10.58	11.71	10	11.08	12.35	10.01	11.09	12.35	10.16	11.16	12.5	10.28	11.22	12.51	13.32
N-IW-034-1	5.74	6.64	7.18	6.02	6.86	7.58	6.02	6.86	7.64	6.29	6.92	7.85	7.05	7.57	8.24	7.87
N-IW-035-2	5.14	5.34	5.66	6.15	6.3	6.65	6.32	6.45	6.77	6.83	6.93	7.2	7.6	7.68	7.84	5.61
N-IW-035-3	5.13	5.35	5.68	6.14	6.3	6.68	6.31	6.45	6.8	6.81	6.92	7.21	7.58	7.66	7.85	5.66
N-IW-035-4	5.13	5.36	5.71	6.13	6.3	6.7	6.3	6.45	6.82	6.8	6.92	7.23	7.56	7.65	7.86	5.73
N-IW-035-5	5.13	5.37	5.73	6.12	6.31	6.73	6.29	6.45	6.85	6.79	6.91	7.25	7.54	7.64	7.87	5.78
N-IW-035-6	5.13	5.38	5.76	6.11	6.31	6.75	6.28	6.46	6.87	6.77	6.91	7.26	7.53	7.63	7.88	5.83
N-IW-036-1	6.15	6.84	8.37	6.97	7.85	9.28	7.19	8	9.3	7.71	8.41	9.37	8.55	8.98	9.45	9.58

Appendix D
Max Node Water Surface Elevation

Node Name	Scenario 16	Scenario 17	Scenario 18	Scenario 19	Scenario 20	Scenario 21	Scenario 22	Scenario 23	Scenario 24	Scenario 25	Scenario 26	Scenario 27	Scenario 28	Scenario 29	Scenario 30	Scenario 31
N-IW-037-1	4.69	6.06	7.49	4.99	6.61	7.81	4.99	6.61	7.81	5.1	6.67	7.81	5.13	6.71	7.83	8.04
N-IW-038-1	4.83	5.03	5.27	5.76	5.97	6.29	5.94	6.14	6.45	6.4	6.59	6.91	7.19	7.37	7.64	4.37
N-IW-039-1	11.55	12.61	13.56	11.96	12.99	14.06	11.96	12.99	14.06	12.09	13.03	14.12	12.1	13.03	14.12	14.41
N-IW-040-1	6.16	6.65	7.2	6.29	6.87	7.6	6.29	6.88	7.66	6.53	6.96	7.87	7.06	7.58	8.26	7.89
N-IW-041-1	9.46	10.38	11.6	9.82	10.94	12.22	9.84	10.95	12.22	9.98	11.03	12.33	10.12	11.11	12.34	13.15
N-IW-042-1	9.44	10.37	11.62	9.8	10.93	12.25	9.82	10.94	12.25	9.97	11.03	12.36	10.11	11.1	12.37	13.19
N-IW-043-1	9.51	10.46	11.64	9.88	10.99	12.27	9.9	11	12.27	10.05	11.08	12.38	10.18	11.14	12.39	13.24
N-IW-044-1	7.4	9.15	10.39	8.02	9.7	10.72	8.03	9.7	10.72	8.34	9.78	10.75	8.83	9.94	10.79	10.97
N-IW-045-1	9.7	10.01	10.51	9.9	10.23	10.8	9.9	10.23	10.8	9.96	10.25	10.84	10.02	10.3	10.87	11.06
N-IW-046-1	7.16	8.83	9.83	7.85	9.33	10.13	7.89	9.35	10.13	8.19	9.42	10.17	8.69	9.59	10.23	10.34
N-IW-047-1	7.07	8.69	9.77	7.76	9.26	10.08	7.8	9.27	10.08	8.11	9.36	10.12	8.61	9.54	10.18	10.3
N-IW-048-1	7.21	8.69	9.77	7.76	9.26	10.07	7.8	9.28	10.07	8.11	9.37	10.11	8.61	9.55	10.17	10.29
N-IW-049-1	9.24	9.58	9.91	9.33	9.73	10.03	9.33	9.73	10.03	9.37	9.75	10.06	9.4	9.77	10.11	10.21
N-IW-050-1	9.18	9.45	9.79	9.25	9.53	10.09	9.25	9.53	10.09	9.29	9.54	10.13	9.32	9.59	10.18	10.29
N-IW-051-1	12.27	13.47	13.95	12.64	13.65	14.13	12.64	13.65	14.13	12.75	13.67	14.15	12.75	13.67	14.15	14.28
N-IW-052-1	12.95	13.55	13.93	13.27	13.65	14.1	13.27	13.65	14.1	13.32	13.67	14.12	13.32	13.67	14.12	14.26
N-IW-053-1	12.25	13.43	13.9	12.61	13.62	14.07	12.61	13.62	14.07	12.72	13.64	14.09	12.72	13.64	14.09	14.23
N-IW-054-1	13.26	13.56	13.95	13.31	13.66	14.12	13.31	13.66	14.12	13.35	13.69	14.14	13.35	13.69	14.14	14.28
N-IW-055-1	9.64	10.57	11.93	10.13	11.09	12.64	10.13	11.09	12.64	10.27	11.12	12.68	10.28	11.16	12.69	13.42
N-IW-056-1	11.54	11.58	11.91	11.58	11.63	12.6	11.58	11.63	12.6	11.6	11.64	12.65	11.6	11.62	12.66	13.38
N-IW-057-1	9.37	10.14	11.68	9.66	10.46	12.37	9.67	10.46	12.37	9.76	10.52	12.42	9.83	10.6	12.43	13.13
N-IW-058-1	10.09	10.46	10.69	10.24	10.55	10.8	10.24	10.55	10.8	10.27	10.56	10.81	10.29	10.57	10.81	10.96
N-IW-059-1	9.48	10.37	11.64	9.82	10.92	12.32	9.84	10.94	12.32	9.97	11.02	12.46	10.11	11.1	12.47	13.3
N-IW-060-1	9.5	10.43	11.65	9.87	10.98	12.33	9.88	10.99	12.33	10.03	11.08	12.47	10.16	11.15	12.48	13.3
N-IW-061-1	8.24	8.7	9.74	8.5	9.23	10.03	8.49	9.25	10.03	8.57	9.33	10.07	8.71	9.51	10.13	10.24
N-IW-062-1	11.74	12.59	13.52	11.92	12.97	14.02	11.92	12.97	14.02	12.05	13	14.09	12.06	13	14.09	14.39
N-IW-063-1	11.5	12.57	13.53	11.91	12.96	14.03	11.92	12.96	14.04	12.05	13	14.11	12.05	12.99	14.11	14.41
N-IW-064-1	5.17	5.34	5.63	6.19	6.32	6.61	6.35	6.47	6.73	6.86	6.95	7.16	7.64	7.7	7.82	5.67
N-IW-065-1	6.54	7.22	7.83	6.92	7.44	8.12	6.92	7.44	8.12	7	7.46	8.14	7.69	7.74	8.14	8.28
N-IW-066-1	5.13	5.34	5.69	6.14	6.29	6.67	6.3	6.44	6.8	6.81	6.92	7.21	7.57	7.66	7.84	5.65
N-IW-067-1	6.29	6.32	6.4	6.32	6.36	6.51	6.44	6.51	6.65	6.96	7.02	7.13	7.73	7.77	7.83	6.49
N-IW-068-1	8.01	9.23	10.63	8.57	9.93	11.04	8.62	9.96	11.05	8.85	10.09	11.1	9.12	10.27	11.13	11.35
N-IW-069-1	5.7	6.61	7.96	6.53	7.49	8.45	6.66	7.58	8.47	7.08	7.86	8.53	7.74	8.18	8.63	8.7
N-IW-070-1	6.11	8.54	8.98	7.08	8.76	9.2	7.21	8.77	9.2	8.09	8.82	9.24	8.66	8.9	9.31	9.43
N-IW-071-1	5.67	6.59	7.98	6.5	7.46	8.46	6.63	7.55	8.48	7.05	7.84	8.54	7.73	8.17	8.64	8.71
N-IW-072-1	6.62	8.58	9.01	7.84	8.79	9.22	7.99	8.8	9.23	8.35	8.84	9.26	8.69	8.93	9.32	9.44
N-IW-073-1	5.64	6.56	7.89	6.48	7.44	8.4	6.61	7.53	8.42	7.04	7.81	8.49	7.7	8.14	8.59	8.66
N-IW-074-1	6.58	6.58	8.18	6.7	7.46	9.76	6.63	7.55	9.78	7.06	7.83	9.92	7.72	8.17	10.1	10.34
N-IW-075-1	8.43	8.7	9.68	8.59	9.24	9.95	8.59	9.25	9.96	8.65	9.32	10.01	8.64	9.46	10.15	10.38
N-IW-076-1	5.14	5.47	5.95	6.1	6.4	6.98	6.26	6.54	7.09	6.71	6.94	7.44	7.42	7.6	7.99	6.24
N-IW-077-1	4.31	4.53	4.9	5.29	5.53	6.01	5.52	5.74	6.2	6.02	6.23	6.68	6.91	7.1	7.47	4.29
N-IW-078-2	5.36	5.53	5.68	6.28	6.47	6.67	6.43	6.61	6.81	6.89	7.07	7.28	7.58	7.74	7.93	4.4
N-IW-079-1	4.37	4.59	4.96	5.36	5.59	6.06	5.57	5.79	6.25	6.08	6.28	6.73	6.96	7.14	7.51	4.33
N-IW-080-2	4.34	4.56	4.93	5.32	5.56	6.04	5.55	5.77	6.23	6.05	6.26	6.71	6.94	7.12	7.49	4.31
N-IW-080-3	4.38	4.59	4.96	5.36	5.59	6.07	5.58	5.8	6.26	6.09	6.29	6.74	6.97	7.15	7.52	4.33
N-IW-080-4	4.84	5.03	5.27	5.76	5.97	6.28	5.94	6.14	6.45	6.4	6.59	6.92	7.19	7.37	7.64	4.36
N-IW-081-2	5.23	5.53	5.99	6.14	6.42	6.96	6.3	6.56	7.07	6.75	6.97	7.44	7.45	7.64	7.99	6.29
N-IW-081-3	5.24	5.53	5.99	6.14	6.42	6.95	6.3	6.56	7.06	6.76	6.98	7.43	7.46	7.65	7.99	6.28
N-IW-081-4	5.24	5.54	5.99	6.15	6.43	6.94	6.31	6.56	7.05	6.76	6.99	7.43	7.47	7.66	7.99	6.26
N-IW-081-5	5.24	5.54	6	6.14	6.43	6.95	6.3	6.56	7.06	6.76	6.98	7.43	7.47	7.66	7.99	6.28
N-IW-081-6	5.24	5.54	6.01	6.14	6.43	6.96	6.3	6.57	7.07	6.75	6.98	7.44	7.46	7.65	7.99	6.3
N-IW-081-7	5.24	5.55	6.01	6.14	6.43	6.97	6.3	6.57	7.08	6.75	6.98	7.44	7.46	7.65	8	6.32
N-IW-081-8	5.24	5.55	6.02	6.14	6.44	6.98	6.3	6.57	7.09	6.75	6.97	7.45	7.45	7.64	8	6.34
N-IW-082-1	5.24	5.54	6	6.14	6.42	6.96	6.3	6.56	7.07	6.75	6.98	7.44	7.46	7.65	7.99	6.3
N-IW-083-1	5.23	5.53	6	6.12	6.42	7.02	6.28	6.56	7.13	6.72	6.96	7.49	7.42	7.62	8.02	6.38
N-IW-083-2	5.56	5.86	6.33	6.46	6.75	7.35	6.61	6.9	7.46	7.06	7.3	7.82	7.75	7.95	8.35	6.71
N-IW-083-3	7	7.3	7.77	7.9	8.2	8.8	8.06	8.34	8.91	8.5	8.74	9.26	9.2	9.4	9.8	8.16
N-IW-084-1	5.19	5.48	5.93	6.1	6.38	6.95	6.27	6.52	7.06	6.73	6.93	7.42	7.44	7.61	7.97	6.19

Node Name	Scenario 16	Scenario 17	Scenario 18	Scenario 19	Scenario 20	Scenario 21	Scenario 22	Scenario 23	Scenario 24	Scenario 25	Scenario 26	Scenario 27	Scenario 28	Scenario 29	Scenario 30	Scenario 31
N-IW-085-2	5.14	5.41	5.85	6.08	6.33	6.86	6.24	6.47	6.97	6.73	6.9	7.34	7.46	7.59	7.91	6.03
N-IW-085-3	5.15	5.42	5.87	6.08	6.35	6.88	6.24	6.49	7	6.72	6.91	7.36	7.44	7.58	7.92	6.08
N-IW-085-4	5.16	5.44	5.9	6.09	6.36	6.91	6.25	6.5	7.02	6.72	6.92	7.38	7.43	7.59	7.94	6.13
N-IW-085-5	5.17	5.46	5.91	6.09	6.36	6.91	6.26	6.5	7.02	6.72	6.92	7.38	7.43	7.6	7.94	6.15
N-IW-085-6	5.19	5.47	5.92	6.1	6.38	6.91	6.27	6.51	7.03	6.73	6.93	7.39	7.44	7.61	7.95	6.18
N-IW-086-2	5.2	5.49	5.94	6.12	6.39	6.92	6.28	6.53	7.03	6.74	6.95	7.4	7.45	7.63	7.96	6.2
N-IW-086-3	5.23	5.51	5.95	6.13	6.41	6.93	6.29	6.54	7.04	6.75	6.97	7.41	7.46	7.64	7.97	6.23
N-IW-086-4	5.22	5.52	5.97	6.13	6.41	6.95	6.29	6.55	7.06	6.75	6.96	7.43	7.45	7.64	7.98	6.26
N-IW-086-5	5.23	5.52	5.98	6.13	6.41	6.97	6.29	6.55	7.08	6.74	6.96	7.44	7.44	7.63	7.99	6.28
N-IW-087-1	5.16	5.44	5.91	6.08	6.36	6.9	6.25	6.5	7	6.71	6.91	7.35	7.4	7.56	7.91	6.12
N-IW-088-1	5.15	5.43	5.88	6.08	6.34	6.88	6.24	6.49	6.99	6.71	6.9	7.35	7.43	7.57	7.92	6.09
N-IW-089-1	5.13	5.38	5.73	6.12	6.31	6.72	6.29	6.46	6.84	6.78	6.92	7.25	7.54	7.64	7.87	5.77
N-IW-090-1	5.19	5.32	5.54	6.24	6.34	6.53	6.41	6.5	6.66	6.94	7	7.12	7.72	7.76	7.82	5.74
N-IW-091-1	5.13	5.41	5.83	6.08	6.32	6.83	6.25	6.47	6.94	6.74	6.89	7.32	7.47	7.6	7.9	5.97
N-IW-092-2	5.2	5.33	5.54	6.24	6.34	6.52	6.41	6.49	6.66	6.93	7	7.12	7.71	7.76	7.83	5.73
N-IW-092-3	5.18	5.32	5.56	6.22	6.33	6.54	6.39	6.48	6.67	6.91	6.98	7.13	7.7	7.74	7.82	5.71
N-IW-092-4	5.17	5.32	5.58	6.2	6.32	6.57	6.37	6.47	6.69	6.89	6.97	7.14	7.68	7.73	7.82	5.68
N-IW-092-5	5.16	5.33	5.61	6.18	6.31	6.6	6.35	6.46	6.72	6.87	6.95	7.16	7.65	7.71	7.82	5.64
N-IW-092-6	5.15	5.33	5.64	6.16	6.3	6.63	6.34	6.46	6.75	6.84	6.94	7.18	7.62	7.69	7.83	5.6
N-IW-093-1	5.13	5.36	5.71	6.13	6.3	6.7	6.3	6.44	6.82	6.8	6.91	7.23	7.56	7.65	7.86	5.74
N-IW-094-2	5.13	5.39	5.78	6.1	6.32	6.78	6.27	6.46	6.89	6.76	6.9	7.28	7.51	7.62	7.88	5.88
N-IW-094-3	5.13	5.4	5.8	6.09	6.32	6.8	6.26	6.46	6.91	6.75	6.9	7.3	7.5	7.61	7.89	5.92
N-IW-094-4	5.13	5.41	5.82	6.09	6.33	6.82	6.25	6.47	6.93	6.74	6.9	7.31	7.48	7.6	7.9	5.96
N-IW-094-5	5.13	5.41	5.84	6.08	6.33	6.84	6.25	6.47	6.95	6.73	6.89	7.32	7.47	7.59	7.91	6
N-IW-095-1	6.96	7.37	7.76	7.05	7.55	7.94	7.05	7.55	7.95	7.07	7.57	7.98	7.44	7.57	8	8.12
N-IW-096-1	5.6	6.54	7.34	6.08	6.97	7.69	6.23	6.99	7.7	6.74	7.06	7.75	7.56	7.62	7.79	7.91
N-IW-097-1	5.19	5.33	5.56	6.22	6.33	6.54	6.39	6.48	6.67	6.91	6.98	7.12	7.71	7.76	7.83	5.73
N-IW-098-1	5.56	6.49	7.27	6.1	6.9	7.61	6.25	6.93	7.62	6.76	7	7.67	7.6	7.66	7.75	7.83
N-IW-099-1	5.2	5.35	5.58	6.2	6.33	6.56	6.37	6.47	6.68	6.89	6.96	7.12	7.68	7.73	7.8	5.78
N-IW-100-1	5.15	5.29	5.53	6.2	6.31	6.52	6.37	6.46	6.64	6.89	6.95	7.11	7.73	7.77	7.84	5.8
N-IW-101-1	7.64	8.4	9.07	7.99	8.66	9.36	7.99	8.66	9.36	8.1	8.69	9.39	8.1	8.69	9.39	9.56
N-IW-102-1	6.33	7.1	7.64	6.63	7.34	7.88	6.65	7.35	7.88	6.75	7.39	7.92	7.51	7.58	7.94	8.06
N-IW-103-1	8.12	8.75	9.1	8.31	8.9	9.26	8.31	8.9	9.26	8.36	8.91	9.28	8.36	8.91	9.28	9.41
N-IW-104-1	5.72	6.62	7.94	6.54	7.49	8.47	6.67	7.58	8.48	7.09	7.86	8.56	7.75	8.18	8.68	8.79
N-IW-105-1	6.05	6.85	8.08	6.75	7.64	8.57	6.88	7.72	8.59	7.26	7.97	8.65	7.87	8.27	8.74	8.84
N-IW-106-1	6.53	8.57	9	7.64	8.79	9.2	7.78	8.8	9.21	8.32	8.85	9.24	8.68	8.93	9.3	9.41
N-IW-107-1	6.89	7.59	8.49	7.45	8.12	8.92	7.53	8.18	8.93	7.8	8.34	8.99	8.23	8.55	9.09	9.25
N-IW-108-1	8.08	8.65	9.04	8.43	8.82	9.23	8.45	8.83	9.24	8.56	8.87	9.27	8.73	8.95	9.31	9.42
N-IW-109-1	8.78	9.46	9.94	9.07	9.66	10.15	9.09	9.66	10.15	9.16	9.69	10.19	9.23	9.72	10.24	10.93
N-IW-110-1	8.73	9.43	9.92	9.03	9.64	10.14	9.04	9.64	10.14	9.12	9.67	10.18	9.2	9.7	10.23	10.93
N-IW-111-1	9.91	10.21	10.41	10.03	10.29	10.51	10.03	10.29	10.51	10.07	10.3	10.52	10.09	10.31	10.52	10.97
N-IW-112-1	11.53	12.69	13.56	11.96	13.01	14.08	11.96	13.01	14.08	12.09	13.04	14.16	12.1	13.04	14.16	14.49
N-IW-113-1	7.5	9.19	10.43	8.05	9.74	10.75	8.07	9.75	10.75	8.37	9.82	10.79	8.86	9.98	10.83	11.01
N-IW-114-1	8.06	8.26	8.46	8.11	8.36	8.49	8.11	8.36	8.49	8.12	8.37	8.5	8.12	8.37	8.5	8.51
N-IW-115-1	5.64	6.17	6.47	5.87	6.41	6.97	5.93	6.51	7.08	6.5	6.93	7.42	7.44	7.59	7.96	6.78
N-IW-116-1	5.46	6.12	6.52	6.11	6.48	7.02	6.25	6.6	7.13	6.68	6.98	7.47	7.42	7.62	8	6.83
N-IW-117-1	8.99	9.04	9.17	9.04	9.09	9.24	9.04	9.09	9.24	9.05	9.1	9.25	9.05	9.1	9.25	9.3
N-IW-118-1	5.23	5.53	5.99	6.13	6.42	6.97	6.29	6.56	7.08	6.74	6.97	7.44	7.45	7.64	7.99	6.3
N-IW-118-2	5.23	5.53	6	6.13	6.42	6.98	6.29	6.56	7.09	6.74	6.97	7.45	7.45	7.64	8	6.31
N-IW-118-3	5.24	5.54	6.01	6.13	6.43	6.98	6.29	6.57	7.1	6.74	6.97	7.46	7.44	7.64	8	6.33
N-IW-118-4	5.24	5.55	6.02	6.13	6.44	7	6.29	6.57	7.11	6.74	6.97	7.46	7.44	7.63	8.01	6.35
N-IW-118-5	5.25	5.56	6.03	6.14	6.45	6.99	6.3	6.58	7.1	6.75	6.98	7.46	7.45	7.64	8.01	6.36
N-IW-118-6	5.26	5.58	6.04	6.15	6.46	6.99	6.31	6.59	7.09	6.76	6.99	7.46	7.46	7.65	8.02	6.38
N-IW-118-7	5.27	5.6	6.08	6.16	6.48	7.02	6.32	6.61	7.12	6.76	7	7.49	7.46	7.66	8.03	6.42
N-IW-118-8	5.28	5.62	6.11	6.17	6.49	7.04	6.33	6.62	7.14	6.77	7.01	7.51	7.46	7.67	8.05	6.46
N-IW-120-1	5.35	5.43	5.53	6.39	6.44	6.53	6.56	6.6	6.67	7.08	7.11	7.17	7.83	7.85	7.88	4.5
N-IW-120-2	5.28	5.38	5.52	6.34	6.41	6.51	6.51	6.56	6.66	7.02	7.07	7.15	7.79	7.82	7.86	5.46
N-IW-120-3	5.27	5.37	5.51	6.32	6.39	6.51	6.49	6.55	6.65	7.01	7.05	7.13	7.77	7.8	7.85	5.83

Appendix D
Max Node Water Surface Elevation

Node Name	Scenario 16	Scenario 17	Scenario 18	Scenario 19	Scenario 20	Scenario 21	Scenario 22	Scenario 23	Scenario 24	Scenario 25	Scenario 26	Scenario 27	Scenario 28	Scenario 29	Scenario 30	Scenario 31
N-IW-120-4	5.24	5.35	5.51	6.28	6.37	6.5	6.45	6.52	6.64	6.97	7.03	7.12	7.74	7.78	7.84	5.79
N-IW-120-5	5.21	5.33	5.53	6.26	6.35	6.51	6.43	6.5	6.65	6.95	7.01	7.12	7.73	7.77	7.83	5.75
N-IW-121-1	5.29	5.39	5.53	6.35	6.42	6.53	6.52	6.57	6.67	7.03	7.08	7.15	7.79	7.82	7.87	5.88
N-IW-122-1	5.25	5.36	5.5	6.3	6.37	6.5	6.46	6.53	6.64	6.98	7.03	7.12	7.75	7.78	7.84	5.86
N-IW-123-1	5.69	5.69	5.69	6.66	6.66	6.66	6.8	6.8	6.8	7.35	7.35	7.35	8.02	8.02	8.02	2.49
N-IW-123-2	5.61	5.63	5.65	6.6	6.61	6.62	6.74	6.75	6.77	7.28	7.29	7.3	7.97	7.98	7.98	2.81
N-IW-123-3	5.58	5.6	5.62	6.57	6.58	6.61	6.72	6.72	6.75	7.26	7.26	7.28	7.95	7.95	7.96	2.87
N-IW-123-4	5.51	5.54	5.59	6.51	6.53	6.57	6.66	6.67	6.71	7.19	7.2	7.23	7.9	7.91	7.93	3.39
N-IW-123-5	5.38	5.45	5.55	6.42	6.46	6.54	6.58	6.62	6.68	7.11	7.13	7.19	7.85	7.86	7.89	4.44
N-IW-124-1	5.64	5.64	5.65	6.6	6.61	6.62	6.74	6.75	6.75	7.28	7.28	7.29	7.96	7.96	7.97	2.54
N-IW-125-1	5.68	5.68	5.68	6.66	6.66	6.67	6.8	6.8	6.8	7.34	7.34	7.34	8.02	8.02	8.02	2.51
N-IW-126-1	6.33	6.64	7.15	6.42	6.87	7.56	6.42	6.87	7.62	6.46	6.9	7.84	7.07	7.55	8.23	7.85
N-IW-127-1	6.55	6.85	7.19	6.69	6.93	7.58	6.69	6.93	7.64	6.72	6.95	7.85	7.06	7.57	8.24	7.87
N-IW-128-1	5.67	6.61	7.16	5.94	6.85	7.58	5.96	6.85	7.64	6.31	6.9	7.86	7.05	7.57	8.25	7.87
N-JC-001-1	6.72	6.88	7.11	6.83	6.97	7.49	6.83	6.97	7.55	6.86	7.02	7.77	7.26	7.57	8.18	7.76
N-JC-002-1	6.47	7.5	8.41	7.05	8.06	8.81	7.13	8.1	8.83	7.39	8.19	8.92	7.81	8.38	9.1	9.09
N-JC-003-1	6.54	6.9	7.08	6.76	6.97	7.6	6.77	6.97	7.66	6.85	7.07	7.87	7.25	7.6	8.26	7.89
N-JC-004-1	5.83	6.06	6.82	6.13	6.67	7.54	6.26	6.77	7.59	6.64	7.07	7.82	7.28	7.61	8.22	7.81
N-JC-005-1	6.87	8.05	8.78	7.48	8.47	9.06	7.56	8.51	9.08	7.89	8.59	9.14	8.23	8.75	9.22	9.26
N-JC-006-1	6.85	7.19	7.68	6.9	7.4	7.88	6.9	7.4	7.88	6.91	7.43	7.9	7.22	7.59	8.25	8
N-JC-007-1	8.25	8.47	9.19	8.34	8.66	10.04	8.34	8.67	10.04	8.39	8.71	10.13	8.48	8.79	10.18	10.56
N-JC-008-1	6.31	7.36	8.06	6.93	7.85	8.45	7.03	7.89	8.48	7.31	7.96	8.58	7.69	8.09	8.76	8.75
N-JC-009-1	5.8	6.08	6.85	6.15	6.68	7.56	6.26	6.78	7.61	6.63	7.07	7.83	7.26	7.6	8.23	7.84
N-JC-010-1	5.45	5.97	6.84	6.23	6.76	7.61	6.37	6.87	7.67	6.74	7.16	7.89	7.37	7.7	8.3	7.88
N-JC-011-1	5.45	6.02	6.87	6.14	6.72	7.6	6.28	6.82	7.66	6.68	7.12	7.89	7.33	7.67	8.29	7.88
N-JC-012-1	7.97	8.03	8.32	8.02	8.12	8.53	8.02	8.14	8.54	8.03	8.18	8.59	8.03	8.26	8.67	8.71
N-JC-013-1	6.07	6.59	6.97	6.3	6.77	7.58	6.32	6.79	7.64	6.62	7.05	7.85	7.23	7.59	8.24	7.87
N-JC-014-1	6.52	7.52	8.68	7.09	8.06	9.33	7.16	8.09	9.36	7.41	8.21	9.48	7.82	8.49	9.64	9.77
N-JC-015-1	6.71	7.2	7.65	6.88	7.39	7.85	6.89	7.4	7.85	6.91	7.42	7.87	7.21	7.58	8.25	7.97
N-JC-016-1	5.78	6.1	6.86	6.14	6.68	7.57	6.26	6.78	7.62	6.63	7.06	7.84	7.25	7.6	8.23	7.85
N-JC-017-1	5.78	6.13	6.84	6.14	6.67	7.55	6.25	6.77	7.61	6.63	7.06	7.83	7.26	7.6	8.22	7.83
N-JC-018-1	6.12	6.63	7.04	6.34	6.82	7.59	6.36	6.83	7.65	6.63	7.06	7.86	7.24	7.59	8.25	7.88
N-JC-019-1	6.64	7.1	7.41	6.81	7.25	7.61	6.82	7.25	7.67	6.84	7.27	7.87	7.22	7.59	8.26	7.91
N-JC-020-1	5.46	6.04	6.89	6.15	6.74	7.63	6.29	6.84	7.69	6.69	7.14	7.91	7.34	7.69	8.32	7.91
N-JC-021-1	6.68	7.15	7.48	6.85	7.31	7.63	6.85	7.31	7.69	6.88	7.33	7.88	7.23	7.59	8.26	7.93
N-JC-022-1	5.83	6.08	6.85	6.15	6.69	7.56	6.27	6.79	7.62	6.65	7.08	7.84	7.28	7.62	8.25	7.84
N-JC-023-1	5.83	6.07	6.83	6.14	6.68	7.55	6.26	6.78	7.61	6.64	7.07	7.83	7.27	7.62	8.23	7.83
N-JC-023-2	5.53	6.06	6.87	6.15	6.71	7.58	6.28	6.8	7.64	6.66	7.1	7.86	7.29	7.63	8.26	7.86
N-JC-023-3	5.52	6.06	6.88	6.16	6.71	7.59	6.28	6.81	7.65	6.66	7.11	7.87	7.29	7.64	8.26	7.87
N-JC-024-1	5.38	5.87	6.75	6.19	6.69	7.57	6.33	6.8	7.63	6.73	7.13	7.86	7.37	7.68	8.28	7.84
N-JC-024-2	5.39	5.85	6.73	6.2	6.68	7.57	6.34	6.79	7.63	6.74	7.12	7.86	7.38	7.68	8.28	7.83
N-JC-025-1	5.38	5.87	6.74	6.18	6.68	7.55	6.33	6.8	7.61	6.72	7.11	7.84	7.36	7.66	8.26	7.81
N-JC-026-2	5.42	5.96	6.83	6.19	6.73	7.58	6.33	6.83	7.64	6.7	7.13	7.87	7.34	7.67	8.28	7.86
N-JC-026-3	5.43	5.96	6.82	6.2	6.74	7.59	6.34	6.84	7.65	6.71	7.14	7.87	7.35	7.68	8.28	7.86
N-JC-026-4	5.44	5.95	6.82	6.21	6.74	7.59	6.35	6.85	7.65	6.72	7.14	7.87	7.36	7.68	8.29	7.85
N-JC-026-5	5.42	5.93	6.78	6.2	6.71	7.55	6.34	6.82	7.61	6.71	7.11	7.84	7.34	7.66	8.26	7.81
N-JC-026-6	5.41	5.91	6.77	6.19	6.71	7.56	6.33	6.81	7.62	6.71	7.12	7.85	7.35	7.66	8.26	7.82
N-JC-027-1	5.41	5.91	6.75	6.18	6.69	7.53	6.32	6.79	7.59	6.69	7.09	7.82	7.33	7.64	8.23	7.79
N-JC-028-1	5.93	6.1	6.87	6.15	6.7	7.59	6.28	6.81	7.65	6.66	7.1	7.87	7.3	7.65	8.28	7.87
N-JC-028-10	5.47	6.04	6.88	6.15	6.72	7.61	6.29	6.83	7.67	6.68	7.13	7.89	7.33	7.67	8.3	7.89
N-JC-028-11	5.46	6.03	6.87	6.15	6.72	7.6	6.28	6.82	7.66	6.67	7.12	7.88	7.32	7.67	8.28	7.88
N-JC-028-12	5.47	6.03	6.86	6.15	6.71	7.59	6.28	6.81	7.65	6.67	7.11	7.87	7.31	7.66	8.27	7.87
N-JC-028-13	5.46	6.02	6.85	6.14	6.7	7.58	6.28	6.8	7.64	6.67	7.11	7.86	7.31	7.65	8.27	7.85
N-JC-028-14	5.44	6	6.84	6.15	6.71	7.58	6.29	6.81	7.64	6.68	7.11	7.86	7.32	7.66	8.27	7.85
N-JC-028-15	5.5	6.07	6.9	6.17	6.73	7.61	6.3	6.84	7.67	6.69	7.13	7.89	7.32	7.66	8.28	7.89
N-JC-028-16	5.43	5.99	6.84	6.16	6.71	7.58	6.3	6.81	7.64	6.68	7.12	7.86	7.32	7.66	8.27	7.86
N-JC-028-2	5.62	6.19	7.01	6.26	6.83	7.72	6.38	6.93	7.77	6.76	7.22	7.96	7.39	7.72	8.34	7.98
N-JC-028-3	5.6	6.16	6.99	6.24	6.81	7.69	6.37	6.91	7.75	6.75	7.2	7.95	7.37	7.71	8.33	7.97

Node Name	Scenario 16	Scenario 17	Scenario 18	Scenario 19	Scenario 20	Scenario 21	Scenario 22	Scenario 23	Scenario 24	Scenario 25	Scenario 26	Scenario 27	Scenario 28	Scenario 29	Scenario 30	Scenario 31
N-JC-028-4	5.62	6.19	7.02	6.27	6.84	7.72	6.4	6.94	7.78	6.77	7.23	7.97	7.39	7.74	8.32	8
N-JC-028-5	5.6	6.16	6.99	6.25	6.82	7.69	6.37	6.91	7.75	6.75	7.2	7.95	7.37	7.72	8.32	7.97
N-JC-028-6	5.58	6.14	6.97	6.23	6.79	7.67	6.35	6.89	7.73	6.73	7.19	7.93	7.36	7.7	8.31	7.95
N-JC-028-7	5.55	6.11	6.94	6.21	6.77	7.65	6.33	6.87	7.71	6.72	7.17	7.92	7.35	7.69	8.3	7.93
N-JC-028-8	5.53	6.09	6.92	6.19	6.75	7.63	6.32	6.85	7.69	6.7	7.15	7.9	7.33	7.68	8.29	7.91
N-JC-028-9	5.49	6.05	6.88	6.15	6.72	7.6	6.29	6.82	7.66	6.68	7.12	7.88	7.31	7.66	8.28	7.88
N-JC-029-1	5.47	6.03	6.83	6.13	6.68	7.55	6.27	6.79	7.61	6.66	7.09	7.84	7.3	7.63	8.24	7.82
N-JC-030-1	5.51	6.07	6.91	6.18	6.74	7.62	6.31	6.84	7.68	6.69	7.14	7.9	7.33	7.67	8.3	7.91
N-JC-031-1	5.48	6.05	6.89	6.16	6.73	7.61	6.29	6.83	7.67	6.68	7.13	7.9	7.32	7.68	8.3	7.9
N-JC-032-1	7.47	7.48	7.51	7.48	7.49	7.86	7.48	7.49	7.89	7.48	7.49	7.99	7.48	7.76	8.34	8.12
N-JC-033-1	5.9	6.11	6.86	6.15	6.69	7.57	6.27	6.79	7.63	6.65	7.09	7.86	7.29	7.63	8.26	7.86
N-JC-034-1	6.13	7.17	7.81	6.76	7.6	8.08	6.86	7.64	8.1	7.14	7.71	8.16	7.51	7.85	8.36	8.23
N-JC-035-1	6.16	7.14	7.95	6.78	7.74	8.2	6.88	7.8	8.22	7.19	7.88	8.27	7.63	7.98	8.36	8.36
N-JC-036-1	7.34	7.64	8.22	7.48	7.81	8.64	7.49	7.82	8.64	7.57	7.85	8.69	7.64	7.94	8.72	8.91
N-JC-037-1	6.53	7.54	8.61	7.11	8.09	9.18	7.18	8.12	9.21	7.43	8.23	9.32	7.85	8.48	9.47	9.69
N-JC-038-1	6.34	6.36	6.87	6.37	6.76	7.65	6.37	6.87	7.7	6.71	7.17	7.93	7.37	7.72	8.34	7.91
N-JC-039-1	5.74	6.03	6.85	6.21	6.74	7.62	6.35	6.85	7.68	6.71	7.15	7.9	7.35	7.69	8.31	7.89
N-JC-040-1	6.65	6.81	7.16	6.75	6.93	7.65	6.76	6.94	7.71	6.8	7.16	7.94	7.35	7.71	8.35	7.94
N-JC-041-1	6.61	6.81	7.19	6.73	6.96	7.66	6.74	6.97	7.72	6.79	7.17	7.95	7.35	7.72	8.35	7.95
N-JC-042-1	7.89	8.42	9.2	8.2	8.69	10.08	8.21	8.7	10.09	8.33	8.75	10.18	8.44	8.84	10.23	10.62
N-JI-001-1	5.39	5.55	5.71	6.3	6.48	6.74	6.45	6.62	6.88	6.9	7.08	7.35	7.58	7.74	7.96	4.42
N-JI-002-1	5.45	5.91	6.79	6.26	6.74	7.62	6.4	6.85	7.69	6.8	7.18	7.92	7.43	7.73	8.34	7.89
N-JI-002-2	5.54	6.04	6.94	6.35	6.86	7.73	6.48	6.96	7.79	6.87	7.28	8.01	7.48	7.8	8.41	7.99
N-JI-002-3	5.42	5.87	6.76	6.24	6.71	7.59	6.38	6.82	7.66	6.77	7.15	7.89	7.4	7.71	8.31	7.86
N-JI-002-4	5.39	5.84	6.72	6.21	6.68	7.56	6.35	6.79	7.63	6.75	7.13	7.86	7.38	7.68	8.29	7.83
N-JI-002-5	5.37	5.81	6.69	6.19	6.65	7.53	6.33	6.77	7.6	6.73	7.1	7.83	7.37	7.66	8.26	7.8
N-JI-002-6	5.34	5.78	6.65	6.17	6.62	7.5	6.31	6.74	7.56	6.72	7.08	7.8	7.36	7.64	8.23	7.76
N-JI-003-2	5.42	5.86	6.77	6.21	6.69	7.59	6.35	6.81	7.65	6.74	7.14	7.89	7.39	7.69	8.31	7.87
N-JI-003-3	5.38	5.82	6.71	6.19	6.66	7.55	6.33	6.77	7.61	6.72	7.1	7.85	7.36	7.66	8.27	7.82
N-JI-003-4	5.35	5.79	6.67	6.17	6.63	7.51	6.31	6.75	7.58	6.71	7.08	7.82	7.36	7.64	8.24	7.78
N-JI-003-5	5.33	5.76	6.63	6.15	6.61	7.48	6.3	6.72	7.54	6.71	7.07	7.78	7.35	7.63	8.21	7.74
N-JI-003-6	5.3	5.72	6.56	6.13	6.57	7.42	6.28	6.69	7.49	6.7	7.04	7.73	7.37	7.63	8.17	7.65
N-JI-003-7	5.27	5.68	6.34	6.15	6.54	7.24	6.3	6.66	7.32	6.74	7.02	7.62	7.41	7.65	8.11	7.08
N-JI-004-1	5.37	5.82	6.8	6.18	6.7	7.61	6.33	6.82	7.67	6.75	7.15	7.91	7.4	7.7	8.33	7.9
N-JI-005-1	5.51	5.95	6.87	6.27	6.75	7.65	6.4	6.87	7.71	6.79	7.19	7.95	7.43	7.74	8.36	7.95
N-JI-006-1	5.56	5.89	6.81	6.23	6.72	7.61	6.37	6.83	7.67	6.77	7.16	7.91	7.41	7.71	8.33	7.89
N-JI-007-1	5.29	5.82	6.78	6.17	6.69	7.58	6.33	6.8	7.65	6.73	7.13	7.88	7.38	7.68	8.3	7.86
N-JI-008-2	5.29	5.63	6.13	6.18	6.51	7.06	6.34	6.63	7.17	6.77	7.02	7.53	7.46	7.68	8.06	6.49
N-JI-008-3	5.32	5.59	5.94	6.22	6.48	6.89	6.37	6.61	7.01	6.82	7.05	7.43	7.51	7.71	8.02	6
N-JI-008-4	5.37	5.57	5.79	6.27	6.49	6.77	6.43	6.63	6.9	6.88	7.08	7.37	7.57	7.75	7.99	4.94
N-JI-008-5	5.41	5.57	5.72	6.32	6.51	6.71	6.48	6.65	6.84	6.94	7.11	7.32	7.63	7.78	7.97	4.39
N-JI-008-6	5.69	5.69	5.69	6.66	6.66	6.66	6.8	6.8	6.8	7.35	7.35	7.35	8.02	8.02	8.02	2.49
N-JP-001-1	14.43	14.58	14.79	14.5	14.67	14.88	14.5	14.67	14.88	14.52	14.68	14.89	14.52	14.68	14.89	14.95
N-JP-002-1	14.4	14.65	14.96	14.52	14.79	15.06	14.52	14.79	15.06	14.56	14.8	15.07	14.56	14.8	15.07	15.14
N-JP-002-2	14.57	14.73	14.85	14.61	14.79	14.93	14.61	14.79	14.93	14.63	14.79	14.94	14.63	14.79	14.94	15.23
N-JP-002-3	14.61	14.78	14.89	14.66	14.83	14.97	14.66	14.83	14.97	14.67	14.83	14.99	14.67	14.83	14.99	15.27
N-JW-001-1	10.42	10.48	10.58	10.46	10.53	10.64	10.46	10.53	10.64	10.48	10.53	10.65	10.48	10.54	10.65	10.69
N-LC-001-1	11.6	12.22	12.44	11.76	12.32	12.52	11.76	12.32	12.52	11.83	12.33	12.53	11.83	12.33	12.53	12.58
N-LC-002-1	12.33	12.58	12.69	12.44	12.62	12.74	12.44	12.62	12.74	12.46	12.63	12.74	12.46	12.63	12.74	12.78
N-LC-003-1	11.59	11.73	11.83	11.64	11.77	11.89	11.64	11.77	11.89	11.66	11.77	11.9	11.66	11.77	11.9	11.95
N-LC-004-1	12.31	12.53	12.63	12.41	12.58	12.68	12.41	12.58	12.68	12.43	12.58	12.68	12.43	12.58	12.68	12.72
N-LC-005-1	11.4	11.68	11.87	11.48	11.76	11.96	11.48	11.76	11.96	11.5	11.77	11.96	11.5	11.77	11.96	12.03
N-LC-006-1	5.89	6.46	7.42	6.7	7.29	8.21	6.83	7.39	8.27	7.21	7.69	8.48	7.81	8.2	8.87	8.48
N-LC-006-2	9.99	10.26	10.45	10.09	10.35	10.5	10.09	10.35	10.5	10.12	10.36	10.5	10.12	10.36	10.5	10.54
N-LR-001-1	16.27	17.34	18.15	16.56	17.65	18.51	16.56	17.65	18.51	16.65	17.69	18.55	16.65	17.69	18.55	18.81
N-LR-002-1	16.26	17.33	18.13	16.56	17.64	18.5	16.56	17.64	18.5	16.65	17.67	18.54	16.65	17.67	18.54	18.81
N-LR-003-1	16.26	17.34	18.14	16.56	17.66	18.49	16.56	17.66	18.49	16.65	17.7	18.52	16.65	17.7	18.52	18.78
N-LR-004-1	16.27	17.35	18.15	16.57	17.67	18.52	16.57	17.67	18.52	16.66	17.7	18.55	16.66	17.7	18.55	18.81

Appendix D
Max Node Water Surface Elevation

Node Name	Scenario 16	Scenario 17	Scenario 18	Scenario 19	Scenario 20	Scenario 21	Scenario 22	Scenario 23	Scenario 24	Scenario 25	Scenario 26	Scenario 27	Scenario 28	Scenario 29	Scenario 30	Scenario 31
N-LR-005-1	16.28	17.35	18.16	16.57	17.67	18.53	16.57	17.67	18.53	16.66	17.7	18.57	16.66	17.7	18.57	18.83
N-LR-006-1	8.14	8.42	8.56	8.23	8.48	8.63	8.23	8.48	8.63	8.25	8.48	8.63	8.25	8.48	8.63	8.69
N-LR-007-1	6.64	7.03	7.31	6.67	7.15	7.77	6.67	7.15	7.84	6.81	7.22	8.01	7.45	7.76	8.4	8.08
N-LR-008-1	7.91	8.01	8.15	7.97	8.06	8.23	7.97	8.06	8.23	7.99	8.07	8.24	7.99	8.07	8.41	8.31
N-LR-009-1	16.27	17.35	18.15	16.56	17.67	18.51	16.56	17.67	18.51	16.65	17.71	18.54	16.65	17.71	18.54	18.8
N-LR-010-1	8.06	8.87	9.38	8.33	9.11	9.61	8.33	9.11	9.61	8.41	9.13	9.63	8.39	9.12	9.63	9.81
N-LR-011-1	8.72	8.87	9.38	8.76	9.11	9.61	8.76	9.11	9.61	8.77	9.13	9.63	8.77	9.11	9.63	9.81
N-LR-012-1	6.64	7.8	8.6	6.93	8.11	10.82	6.93	8.11	10.82	7.03	8.15	11.12	7.59	8.15	11.12	13.17
N-LR-013-1	16.27	17.34	18.15	16.56	17.66	18.5	16.56	17.66	18.5	16.65	17.69	18.54	16.65	17.69	18.54	18.8
N-LR-014-1	5.53	5.98	6.95	6.3	6.8	7.73	6.44	6.91	7.8	6.83	7.23	8	7.47	7.78	8.42	8.04
N-LR-014-2	5.46	5.9	6.82	6.25	6.73	7.63	6.38	6.85	7.69	6.78	7.17	7.93	7.42	7.73	8.35	7.92
N-LR-015-1	5.54	5.99	6.93	6.3	6.79	7.7	6.44	6.9	7.76	6.82	7.22	7.98	7.46	7.77	8.39	8
N-LR-016-1	5.54	6	6.98	6.32	6.81	7.76	6.45	6.91	7.82	6.83	7.23	8	7.46	7.77	8.4	8.06
N-LR-017-1	5.52	5.98	6.96	6.3	6.79	7.74	6.43	6.91	7.81	6.83	7.23	8	7.46	7.77	8.41	8.05
N-LR-018-1	14.74	14.86	14.94	14.78	14.89	14.98	14.78	14.89	14.98	14.79	14.9	14.99	14.79	14.9	14.99	15.05
N-LR-019-1	16.25	17.35	18.15	16.55	17.68	18.48	16.55	17.68	18.48	16.65	17.71	18.51	16.64	17.71	18.51	18.77
N-LR-020-1	16.35	17.39	18.18	16.62	17.7	18.52	16.62	17.7	18.52	16.71	17.74	18.55	16.71	17.74	18.55	18.81
N-LR-021-1	16.32	17.38	18.18	16.61	17.69	18.53	16.61	17.69	18.53	16.7	17.73	18.57	16.7	17.73	18.57	18.83
N-LR-022-1	16.29	17.36	18.17	16.58	17.68	18.55	16.58	17.68	18.55	16.67	17.71	18.58	16.67	17.71	18.58	18.86
N-LS-001-1	11.42	12.45	13.32	11.76	12.85	13.56	11.76	12.85	13.56	11.87	12.89	13.58	11.87	12.89	13.58	13.72
N-LS-002-1	13.11	13.3	13.48	13.24	13.39	13.55	13.24	13.39	13.55	13.27	13.39	13.56	13.27	13.39	13.56	13.62
N-LS-002-2	11.36	12.4	13.25	11.71	12.79	13.49	11.71	12.79	13.49	11.82	12.83	13.51	11.82	12.83	13.51	13.65
N-LS-002-3	11.33	12.37	13.21	11.67	12.76	13.45	11.67	12.76	13.45	11.78	12.8	13.47	11.78	12.8	13.47	13.61
N-LX-001-1	5.29	5.73	6.61	6.12	6.56	7.4	6.26	6.68	7.47	6.68	7.02	7.7	7.34	7.6	8.13	7.65
N-LX-002-1	5.3	5.73	6.6	6.13	6.58	7.43	6.28	6.69	7.49	6.69	7.04	7.73	7.35	7.61	8.16	7.67
N-NL-001-2	5.26	5.77	6.68	6.12	6.64	7.54	6.28	6.76	7.61	6.7	7.09	7.85	7.36	7.66	8.27	7.81
N-NL-001-3	5.25	5.74	6.64	6.12	6.61	7.5	6.27	6.73	7.57	6.69	7.07	7.81	7.35	7.63	8.24	7.76
N-NL-001-4	5.28	5.73	6.59	6.12	6.58	7.45	6.27	6.71	7.52	6.69	7.05	7.76	7.36	7.63	8.19	7.68
N-NL-002-1	5.33	5.87	6.86	6.22	6.74	7.66	6.37	6.86	7.73	6.78	7.18	7.95	7.43	7.73	8.37	7.97
N-PP-001-1	5.36	5.81	6.69	6.18	6.65	7.53	6.32	6.76	7.59	6.72	7.1	7.83	7.36	7.65	8.25	7.79
N-PW-001-1	5.31	5.76	6.64	6.13	6.6	7.45	6.27	6.71	7.51	6.67	7.04	7.74	7.32	7.6	8.17	7.7
N-PW-002-1	5.31	5.75	6.63	6.14	6.6	7.47	6.28	6.72	7.53	6.69	7.05	7.77	7.33	7.62	8.19	7.72
N-RL-001-1	9.86	9.99	10.18	9.92	10.07	10.31	9.92	10.07	10.31	9.94	10.07	10.32	9.94	10.07	10.33	10.46
N-RL-002-1	7.11	7.2	7.41	7.16	7.26	7.68	7.16	7.26	7.74	7.18	7.27	7.96	7.44	7.75	8.38	7.97
N-RL-003-1	7.24	8.06	8.37	7.87	8.2	8.5	7.88	8.2	8.5	7.96	8.22	8.52	8.02	8.23	8.55	8.69
N-RL-003-2	7.19	8.04	8.35	7.84	8.18	8.49	7.86	8.18	8.49	7.93	8.2	8.51	8	8.21	8.53	8.67
N-RL-003-3	7.2	8.04	8.35	7.84	8.18	8.49	7.86	8.19	8.49	7.94	8.2	8.51	8	8.22	8.53	8.67
N-RL-003-4	7.2	8.04	8.36	7.85	8.19	8.49	7.87	8.19	8.49	7.94	8.21	8.52	8	8.22	8.54	8.68
N-RL-004-1	7.09	7.31	7.52	7.23	7.42	7.73	7.24	7.43	7.79	7.29	7.45	8.01	7.48	7.8	8.41	8
N-RL-005-2	5.71	6.24	7.16	6.52	7.06	7.94	6.65	7.16	8	7.03	7.47	8.22	7.64	7.99	8.61	8.2
N-RL-005-3	5.68	6.21	7.12	6.49	7.02	7.9	6.62	7.13	7.96	7	7.43	8.18	7.61	7.95	8.57	8.16
N-RL-005-4	5.64	6.17	7.07	6.45	6.98	7.86	6.59	7.09	7.91	6.97	7.39	8.13	7.58	7.91	8.53	8.12
N-RL-005-5	5.61	6.12	7.03	6.42	6.94	7.81	6.55	7.04	7.87	6.93	7.35	8.09	7.54	7.87	8.49	8.07
N-RL-005-6	5.57	6.08	6.98	6.38	6.9	7.77	6.52	7	7.82	6.9	7.31	8.04	7.51	7.84	8.45	8.03
N-RL-005-7	5.74	6.28	7.2	6.55	7.1	7.98	6.69	7.2	8.04	7.07	7.51	8.26	7.67	8.02	8.65	8.25
N-RL-006-1	5.56	6.07	6.96	6.37	6.88	7.75	6.51	6.99	7.81	6.89	7.3	8.03	7.5	7.82	8.43	8.01
N-RV-001-1	5.27	5.72	6.58	6.11	6.54	7.36	6.25	6.65	7.42	6.69	7.01	7.66	7.36	7.6	8.1	7.6
N-RV-002-1	5.28	5.71	6.58	6.12	6.56	7.4	6.26	6.67	7.46	6.69	7.03	7.7	7.36	7.61	8.13	7.64
N-SC-001-1	10.79	11.26	11.67	10.9	11.44	11.87	10.9	11.44	11.87	10.94	11.46	11.9	10.95	11.47	11.91	12.06
N-SC-002-1	13.27	13.63	13.95	13.39	13.76	14.12	13.39	13.76	14.12	13.43	13.78	14.13	13.43	13.78	14.13	14.24
N-SC-003-1	14.8	14.98	15.1	14.86	15.03	15.3	14.86	15.03	15.3	14.88	15.03	15.35	14.88	15.03	15.35	15.6
N-SC-004-1	12.63	13.04	13.66	12.67	13.34	13.89	12.67	13.34	13.89	12.67	13.36	13.92	12.67	13.37	13.92	14.07
N-SC-005-1	13.53	14.4	15.02	13.7	14.7	15.38	13.7	14.7	15.38	13.78	14.73	15.43	13.78	14.74	15.43	15.7
N-SC-006-1	13.55	13.81	14.17	13.56	13.96	14.34	13.56	13.96	14.34	13.56	13.98	14.36	13.56	13.98	14.36	14.6
N-SC-006-2	13.64	13.76	14.14	13.65	13.91	14.38	13.65	13.91	14.38	13.66	13.93	14.4	13.66	13.93	14.4	14.69
N-SC-007-1	13.63	14.44	14.99	13.65	14.71	15.18	13.65	14.71	15.18	13.67	14.74	15.2	13.67	14.74	15.2	15.4
N-SC-007-2	14.26	14.54	15.48	14.33	14.73	15.91	14.33	14.73	15.91	14.35	14.75	15.94	14.35	14.76	15.94	16.22
N-SC-007-3	14.3	14.57	15.52	14.37	14.76	15.94	14.37	14.76	15.94	14.39	14.79	15.97	14.39	14.79	15.97	16.25

Node Name	Scenario 16	Scenario 17	Scenario 18	Scenario 19	Scenario 20	Scenario 21	Scenario 22	Scenario 23	Scenario 24	Scenario 25	Scenario 26	Scenario 27	Scenario 28	Scenario 29	Scenario 30	Scenario 31
N-SC-008-1	11.8	12.7	13.07	12.24	12.86	13.23	12.25	12.86	13.23	12.37	12.88	13.25	12.4	12.89	13.25	13.37
N-SC-009-1	5.74	5.98	6.87	6.25	6.8	7.64	6.39	6.9	7.7	6.77	7.19	7.92	7.39	7.72	8.33	7.9
N-SC-010-2	7.36	7.58	8.08	7.48	7.71	8.47	7.48	7.72	8.47	7.52	7.75	8.51	7.57	7.85	8.55	8.7
N-SC-010-3	5.87	6.73	7.67	6.65	7.35	8.11	6.79	7.39	8.14	7.06	7.51	8.22	7.5	7.87	8.46	8.35
N-SC-011-1	6.76	7.07	7.96	6.91	7.37	8.37	6.92	7.39	8.38	6.99	7.45	8.42	7.38	7.77	8.45	8.6
N-SC-012-1	7.48	7.63	8.03	7.55	7.76	8.43	7.55	7.77	8.43	7.59	7.79	8.47	7.62	7.82	8.5	8.65
N-SC-013-1	9.13	9.55	9.97	9.32	9.73	10.15	9.33	9.73	10.14	9.39	9.75	10.16	9.41	9.76	10.17	10.33
N-SC-014-1	10.23	10.65	11.32	10.4	10.92	11.56	10.41	10.91	11.56	10.45	10.93	11.58	10.46	10.92	11.59	11.75
N-SC-014-2	9.92	10.25	10.64	10	10.41	10.82	10	10.4	10.82	10.03	10.41	10.83	10.03	10.41	10.84	10.99
N-SC-014-3	9.98	10.45	10.99	10.06	10.67	11.2	10.07	10.66	11.19	10.1	10.67	11.21	10.11	10.66	11.23	11.38
N-SC-014-4	10.02	10.5	11.07	10.11	10.73	11.28	10.11	10.72	11.28	10.14	10.74	11.3	10.16	10.73	11.31	11.47
N-SC-014-5	7.25	8.22	9.87	7.66	9.1	10.1	7.74	9.09	10.1	7.96	9.29	10.13	8.26	9.37	10.16	10.29
N-SC-014-7	10.07	10.58	11.2	10.23	10.83	11.43	10.25	10.82	11.42	10.29	10.84	11.45	10.32	10.82	11.46	11.61
N-SC-015-1	11.09	11.48	11.69	11.25	11.57	11.76	11.25	11.57	11.76	11.29	11.58	11.76	11.29	11.58	11.76	11.81
N-SC-016-1	8.8	10.03	11.3	9.27	10.54	11.52	9.31	10.57	11.52	9.61	10.66	11.54	9.86	10.76	11.55	11.7
N-SC-017-1	6.1	7.39	8.34	6.84	8.03	8.57	6.94	8.05	8.58	7.23	8.13	8.62	7.71	8.21	8.66	8.79
N-SC-017-2	5.79	6.44	7.43	6.57	7.22	7.95	6.7	7.29	7.99	7.02	7.52	8.14	7.58	7.92	8.47	8.16
N-SC-018-1	13.2	13.56	13.88	13.32	13.69	14.04	13.32	13.69	14.04	13.36	13.7	14.06	13.36	13.7	14.06	14.16
N-SC-019-1	6.19	8.45	10.51	6.95	9.67	10.84	7.06	9.7	10.84	7.37	9.85	10.87	7.84	9.93	10.88	11.05
N-SC-020-1	13.24	13.6	13.92	13.36	13.73	14.08	13.36	13.73	14.08	13.39	13.74	14.09	13.39	13.74	14.1	14.2
N-SC-021-1	5.48	6.01	6.89	6.32	6.82	7.68	6.46	6.92	7.74	6.84	7.23	7.96	7.45	7.77	8.37	7.94
N-SC-022-1	5.44	5.93	6.81	6.24	6.75	7.62	6.38	6.86	7.68	6.77	7.17	7.91	7.4	7.72	8.33	7.9
N-SC-022-2	5.43	5.91	6.79	6.25	6.74	7.62	6.39	6.85	7.68	6.78	7.17	7.92	7.41	7.72	8.33	7.89
N-SC-022-3	5.43	5.9	6.78	6.25	6.73	7.62	6.39	6.84	7.68	6.79	7.18	7.92	7.41	7.73	8.33	7.89
N-SC-023-1	6.08	6.09	6.77	6.22	6.71	7.6	6.36	6.83	7.66	6.76	7.15	7.89	7.39	7.7	8.31	7.87
N-SC-024-1	5.6	6.15	6.97	6.37	6.89	7.69	6.5	6.98	7.74	6.83	7.25	7.97	7.43	7.76	8.37	7.95
N-SC-025-10	5.5	6.03	6.88	6.28	6.8	7.62	6.41	6.9	7.68	6.77	7.18	7.9	7.38	7.71	8.31	7.88
N-SC-025-11	5.49	6	6.86	6.27	6.79	7.62	6.4	6.89	7.68	6.76	7.18	7.91	7.39	7.71	8.32	7.89
N-SC-025-12	5.47	5.98	6.84	6.25	6.78	7.62	6.39	6.88	7.68	6.76	7.18	7.91	7.39	7.71	8.32	7.89
N-SC-025-2	5.75	6.36	7.26	6.52	7.13	7.83	6.65	7.2	7.88	6.97	7.43	8.07	7.53	7.86	8.43	8.06
N-SC-025-3	5.7	6.27	7.11	6.47	7.02	7.77	6.59	7.1	7.82	6.92	7.36	8.02	7.49	7.82	8.4	8.01
N-SC-025-4	5.67	6.23	7.06	6.43	6.97	7.73	6.56	7.06	7.79	6.89	7.32	7.99	7.46	7.79	8.38	7.98
N-SC-025-5	5.64	6.19	7.02	6.4	6.94	7.7	6.53	7.02	7.76	6.86	7.28	7.97	7.44	7.77	8.37	7.96
N-SC-025-6	5.61	6.15	6.98	6.37	6.9	7.68	6.5	6.98	7.73	6.83	7.25	7.95	7.42	7.75	8.36	7.93
N-SC-025-7	5.58	6.12	6.95	6.35	6.87	7.66	6.48	6.96	7.72	6.81	7.23	7.94	7.41	7.74	8.34	7.92
N-SC-025-8	5.55	6.08	6.92	6.32	6.84	7.65	6.45	6.94	7.7	6.79	7.21	7.92	7.4	7.73	8.33	7.91
N-SC-025-9	5.53	6.05	6.9	6.3	6.82	7.63	6.43	6.92	7.69	6.78	7.2	7.91	7.39	7.72	8.32	7.9
N-SC-026-1	6.29	9.74	12.74	7.33	11.09	14.3	7.44	11.11	14.31	7.86	11.29	14.47	8.33	11.38	14.48	15.26
N-SC-027-1	13.84	13.87	13.95	13.86	13.9	14.38	13.86	13.9	14.38	13.87	13.9	14.53	13.87	13.9	14.54	15.25
N-SC-028-10	9.63	12.46	14.16	10	13.34	14.91	10	13.35	14.91	10.12	13.45	15	10.22	13.49	15	15.4
N-SC-028-11	8.64	11.29	13.54	8.88	12.35	14.65	8.88	12.36	14.65	8.99	12.49	14.79	9.34	12.55	14.79	15.36
N-SC-028-12	7.99	11.1	13.48	8.19	12.25	14.61	8.19	12.27	14.61	8.39	12.41	14.75	8.94	12.48	14.75	15.34
N-SC-028-13	6.69	9.96	12.85	7.6	11.25	14.37	7.7	11.28	14.37	8.09	11.45	14.53	8.51	11.53	14.54	15.29
N-SC-028-14	6.36	9.88	12.81	7.45	11.2	14.34	7.56	11.22	14.34	7.98	11.4	14.5	8.43	11.48	14.51	15.28
N-SC-028-2	10.4	13.92	14.84	11.07	14.45	15.23	11.07	14.45	15.23	11.34	14.5	15.27	11.41	14.52	15.27	15.5
N-SC-028-3	10.34	13.9	14.84	10.96	14.44	15.22	10.96	14.45	15.22	11.24	14.49	15.26	11.32	14.51	15.26	15.49
N-SC-028-4	10.31	13.88	14.85	10.93	14.44	15.22	10.93	14.44	15.22	11.21	14.49	15.26	11.29	14.51	15.26	15.49
N-SC-028-5	10.32	13.86	14.86	10.82	14.44	15.22	10.82	14.44	15.22	11.11	14.5	15.25	11.2	14.52	15.25	15.48
N-SC-028-6	10.34	13.85	14.86	10.82	14.44	15.21	10.82	14.44	15.21	11.08	14.5	15.25	11.17	14.52	15.25	15.48
N-SC-028-7	10.39	13.83	14.88	10.86	14.45	15.21	10.86	14.45	15.21	11.02	14.51	15.25	11.08	14.53	15.25	15.47
N-SC-028-8	10.43	13.82	14.89	10.88	14.45	15.21	10.88	14.46	15.21	11.04	14.52	15.25	11.05	14.54	15.25	15.47
N-SC-028-9	9.86	12.57	14.22	10.22	13.4	14.95	10.22	13.41	14.95	10.35	13.51	15.03	10.42	13.55	15.04	15.42
N-SC-029-1	13.45	14.21	14.98	13.62	14.61	15.33	13.62	14.62	15.33	13.68	14.66	15.37	13.68	14.67	15.37	15.63
N-SC-030-1	11.1	13.85	14.87	11.49	14.48	15.17	11.49	14.48	15.17	11.62	14.54	15.2	11.62	14.56	15.2	15.41
N-SC-031-1	14.23	14.49	15.05	14.33	14.74	15.36	14.33	14.75	15.36	14.36	14.78	15.4	14.36	14.78	15.4	15.66
N-SC-031-2	14.07	14.44	15.02	14.19	14.72	15.35	14.19	14.72	15.35	14.23	14.75	15.39	14.23	14.76	15.39	15.65
N-SC-032-1	14.79	14.97	15.08	14.85	15.02	15.33	14.85	15.02	15.33	14.87	15.02	15.37	14.87	15.02	15.37	15.63
N-SC-032-10	12.22	14.21	14.9	12.6	14.57	15.3	12.6	14.57	15.3	12.75	14.61	15.34	12.79	14.62	15.34	15.59

Appendix D
Max Node Water Surface Elevation

Node Name	Scenario 16	Scenario 17	Scenario 18	Scenario 19	Scenario 20	Scenario 21	Scenario 22	Scenario 23	Scenario 24	Scenario 25	Scenario 26	Scenario 27	Scenario 28	Scenario 29	Scenario 30	Scenario 31
N-SC-032-11	11.94	14.18	14.89	12.37	14.56	15.29	12.37	14.56	15.29	12.54	14.6	15.33	12.58	14.61	15.33	15.58
N-SC-032-12	11.89	14.16	14.89	12.32	14.55	15.29	12.33	14.55	15.29	12.49	14.59	15.33	12.54	14.6	15.33	15.58
N-SC-032-13	11.61	14.13	14.88	12.09	14.54	15.28	12.09	14.54	15.28	12.28	14.58	15.32	12.33	14.59	15.32	15.57
N-SC-032-2	14.04	14.42	15.01	14.16	14.7	15.34	14.16	14.7	15.34	14.19	14.74	15.39	14.19	14.74	15.39	15.65
N-SC-032-3	13.72	14.38	14.99	13.88	14.67	15.34	13.88	14.68	15.34	13.93	14.71	15.38	13.94	14.72	15.38	15.64
N-SC-032-4	13.68	14.37	14.98	13.85	14.66	15.33	13.85	14.66	15.33	13.9	14.7	15.37	13.9	14.71	15.37	15.63
N-SC-032-5	13.08	14.33	14.95	13.33	14.63	15.32	13.33	14.64	15.32	13.42	14.67	15.36	13.44	14.68	15.36	15.62
N-SC-032-6	13.04	14.31	14.94	13.29	14.62	15.32	13.29	14.62	15.32	13.39	14.66	15.36	13.4	14.67	15.36	15.62
N-SC-032-7	12.59	14.27	14.93	12.92	14.6	15.31	12.92	14.6	15.31	13.05	14.64	15.35	13.08	14.65	15.35	15.61
N-SC-032-8	12.55	14.26	14.92	12.88	14.59	15.31	12.88	14.6	15.31	13.01	14.63	15.35	13.04	14.64	15.35	15.6
N-SC-032-9	12.27	14.23	14.91	12.65	14.58	15.3	12.65	14.58	15.3	12.79	14.62	15.34	12.83	14.63	15.34	15.59
N-SC-033-1	14.79	14.96	15.06	14.84	15	15.35	14.84	15	15.35	14.86	15	15.39	14.86	15	15.39	15.66
N-SC-034-1	14.83	15.02	15.13	14.89	15.06	15.28	14.89	15.06	15.28	14.91	15.07	15.33	14.91	15.07	15.33	15.58
N-SC-034-10	10.68	13.96	14.84	11.33	14.46	15.24	11.33	14.47	15.24	11.58	14.51	15.28	11.64	14.53	15.28	15.51
N-SC-034-11	10.43	13.93	14.84	11.11	14.45	15.23	11.11	14.46	15.23	11.37	14.5	15.27	11.44	14.52	15.27	15.5
N-SC-034-2	11.54	14.12	14.87	12.04	14.53	15.28	12.04	14.53	15.28	12.23	14.57	15.32	12.28	14.58	15.32	15.56
N-SC-034-3	11.26	14.09	14.86	11.8	14.52	15.27	11.8	14.52	15.27	12.01	14.56	15.31	12.07	14.57	15.31	15.55
N-SC-034-4	11.21	14.07	14.86	11.76	14.51	15.27	11.76	14.51	15.27	11.97	14.56	15.31	12.03	14.57	15.31	15.55
N-SC-034-5	11.08	14.05	14.85	11.65	14.5	15.26	11.65	14.5	15.26	11.87	14.55	15.3	11.93	14.56	15.3	15.54
N-SC-034-6	11.04	14.04	14.85	11.62	14.5	15.26	11.62	14.5	15.26	11.84	14.54	15.3	11.9	14.55	15.3	15.54
N-SC-034-7	10.9	14.01	14.84	11.51	14.48	15.25	11.51	14.49	15.25	11.74	14.53	15.29	11.8	14.54	15.29	15.53
N-SC-034-8	10.87	14	14.84	11.48	14.48	15.25	11.48	14.48	15.25	11.71	14.53	15.29	11.77	14.54	15.29	15.52
N-SC-034-9	10.72	13.97	14.84	11.37	14.47	15.24	11.37	14.47	15.24	11.61	14.52	15.28	11.68	14.53	15.28	15.52
N-SC-035-1	14.83	15.01	15.12	14.89	15.05	15.31	14.89	15.05	15.31	14.91	15.06	15.36	14.91	15.06	15.36	15.63
N-SC-036-1	14.82	15.01	15.12	14.89	15.05	15.25	14.89	15.05	15.25	14.91	15.06	15.29	14.91	15.06	15.29	15.54
N-SC-037-1	13.36	13.93	14.92	13.5	14.5	15.25	13.5	14.5	15.25	13.55	14.56	15.29	13.55	14.58	15.29	15.52
N-SC-038-1	8.57	8.93	9.15	8.58	9.05	9.19	8.58	9.05	9.19	8.61	9.06	9.19	8.61	9.06	9.19	9.22
N-SC-039-1	7.37	7.61	8.15	7.5	7.76	8.54	7.51	7.77	8.54	7.56	7.8	8.58	7.61	7.9	8.62	8.78
N-SC-040-1	6.17	6.39	7.15	6.46	7.04	7.72	6.59	7.13	7.77	6.91	7.33	7.98	7.45	7.78	8.37	7.97
N-SC-041-1	5.48	6	6.85	6.26	6.78	7.61	6.39	6.88	7.67	6.75	7.17	7.89	7.37	7.7	8.3	7.87
N-SH-001-1	6.21	7.28	8	6.85	7.72	8.24	6.92	7.74	8.25	7.11	7.8	8.29	7.47	7.9	8.41	8.41
N-SH-002-1	8.05	8.84	9.35	8.32	9.08	9.56	8.32	9.08	9.56	8.4	9.1	9.58	8.38	9.08	9.58	9.75
N-SH-003-1	8.04	8.86	9.38	8.31	9.1	9.59	8.31	9.1	9.59	8.39	9.12	9.61	8.37	9.11	9.61	9.79
N-SH-004-1	5.66	6.1	8.13	6.23	6.94	8.87	6.38	7.03	8.88	6.76	7.3	8.91	7.36	7.81	8.93	9.04
N-SH-005-1	8.05	8.87	9.38	8.32	9.11	9.6	8.32	9.11	9.6	8.41	9.13	9.62	8.39	9.11	9.62	9.8
N-SH-006-1	7.62	8.34	8.77	7.82	8.57	8.88	7.82	8.57	8.88	7.86	8.57	8.91	7.79	8.56	8.93	9.03
N-SH-007-1	7.59	8.34	8.8	7.8	8.59	8.91	7.8	8.59	8.91	7.84	8.59	8.95	7.77	8.58	8.96	9.07
N-SH-008-1	5.57	6.02	6.96	6.33	6.82	7.72	6.46	6.93	7.79	6.85	7.25	8	7.47	7.79	8.41	8.02
N-SH-009-1	8.9	8.93	9.41	8.93	9.13	9.62	8.93	9.13	9.62	8.93	9.15	9.65	8.93	9.14	9.64	9.82
N-SH-010-1	6.72	6.83	7.34	6.78	7.21	8.12	6.78	7.31	8.18	7.14	7.62	8.4	7.75	8.13	8.78	8.4
N-SH-011-1	10.79	11.28	11.61	10.91	11.43	11.76	10.91	11.43	11.76	10.94	11.44	11.77	10.94	11.44	11.77	11.88
N-SH-012-1	6.17	7.41	8.27	6.82	7.98	8.52	6.9	8.02	8.53	7.15	8.1	8.56	7.53	8.2	8.6	8.66
N-SP-001-1	5.27	5.7	6.56	6.11	6.55	7.38	6.26	6.66	7.45	6.69	7.02	7.69	7.36	7.61	8.12	7.61
N-SP-001-2	6.78	7.2	8.05	7.61	8.06	8.91	7.76	8.18	8.97	8.18	8.53	9.22	8.85	9.11	9.65	9.13
N-SP-001-3	6.3	6.73	7.57	7.13	7.58	8.43	7.28	7.7	8.5	7.71	8.05	8.74	8.38	8.63	9.17	8.65
N-SP-002-1	5.26	5.7	6.55	6.09	6.52	7.32	6.25	6.63	7.38	6.7	6.99	7.62	7.38	7.6	8.07	7.55
N-SP-002-2	1	1.45	2.3	1.84	2.26	3.07	1.99	2.37	3.13	2.44	2.73	3.37	3.12	3.34	3.81	3.3
N-SP-002-3	8.12	8.42	8.89	9.01	9.31	9.91	9.17	9.45	10.02	9.62	9.86	10.38	10.31	10.51	10.91	9.27
N-SP-002-4	2.26	2.71	3.56	3.1	3.52	4.33	3.25	3.63	4.39	3.69	3.98	4.62	4.37	4.59	5.07	4.56
N-TQ-001-1	5.31	5.74	6.62	6.13	6.58	7.45	6.28	6.7	7.51	6.69	7.05	7.75	7.34	7.62	8.18	7.7
N-WE-001-1	5.87	6.22	6.94	6.36	6.86	7.72	6.49	6.96	7.78	6.86	7.27	8	7.47	7.8	8.4	7.98

Appendix E: Flood Depth Rasters



Hazen Project Number: 44250-093
Plot date: 9/9/2025 11:19 AM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Town-Wide Vulnerability Assessment
Town of Jupiter

Print Date:	9/9/2025
Printed By:	J. Pickering
Review By:	J. Bielecki

Scenario 1 Flood Depth Map
10-Year 24-Hour Storm Event, No SLR, Current Conditions, Normal High Tide

Appendix E-1

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/9/2025 10:01 AM

Tequesta

Jupiter Inlet Colony

Rood

Limestone Creek

Jupiter

Juno Beach

Legend

Flood Depth (ft)

- > 3.00
- 2.01 - 3.00
- 1.51- 2.00
- 1.01 - 1.50
- 0.51 - 1.00
- 0.26 - 0.50
- 0.01 - 0.25
- 0.00
- Town of Jupiter Boundary

0 0.5 1 2 Miles

Hazen Project Number: 44250-093
Plot date: 9/9/2025 11:26 AM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Town-Wide Vulnerability Assessment
Town of Jupiter

Print Date:	9/9/2025
Printed By:	J. Pickering
Review By:	J. Bielecki

Scenario 2 Flood Depth Map
25-Year 72-Hour Storm Event, No SLR, Current Conditions, Normal High Tide

Appendix E-2

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/9/2025 11:21 AM

Rood

Limestone Creek

Tequesta

Jupiter Inlet Colony

Jupiter

Juno Beach

Legend

Flood Depth (ft)

- > 3.00
- 2.01 - 3.00
- 1.51- 2.00
- 1.01 - 1.50
- 0.51 - 1.00
- 0.26 - 0.50
- 0.01 - 0.25
- 0.00
- Town of Jupiter Boundary

0 0.5 1 2 Miles

Hazen Project Number: 44250-093
Plot date: 9/9/2025 11:33 AM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Town-Wide Vulnerability Assessment
Town of Jupiter

Print Date:	9/9/2025
Printed By:	J. Pickering
Review By:	J. Bielecki

Scenario 3 Flood Depth Map
100-Year 72-Hour Storm Event, No SLR, Current Conditions, Normal High Tide

Appendix E-3

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/9/2025 11:21 AM



Hazen Project Number: 44250-093
Plot date: 9/9/2025 11:40 AM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	9/9/2025
Printed By:	J. Pickering
Review By:	J. Bielecki

Town-Wide Vulnerability Assessment
Town of Jupiter

Scenario 4 Flood Depth Map
10-Year 24-Hour Storm Event, 2022 NOAA Intermediate Low, 2050, Normal High Tide

Appendix E-4

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/9/2025 11:21 AM



Hazen Project Number: 44250-093
Plot date: 9/9/2025 1:39 PM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Town-Wide Vulnerability Assessment
Town of Jupiter

Print Date:	9/9/2025
Printed By:	J. Pickering
Review By:	J. Bielecki

Scenario 5 Flood Depth Map
25-Year 72-Hour Storm Event, 2022 NOAA Intermediate Low, 2050, Normal High Tide

Appendix E-5

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/9/2025 11:21 AM

Tequesta

Jupiter Inlet Colony

Rood

Limestone Creek

Jupiter

Juno Beach

Legend

Flood Depth (ft)

- > 3.00
- 2.01 - 3.00
- 1.51- 2.00
- 1.01 - 1.50
- 0.51 - 1.00
- 0.26 - 0.50
- 0.01 - 0.25
- 0.00
- Town of Jupiter Boundary

0 0.5 1 2 Miles

Hazen Project Number: 44250-093
Plot date: 9/9/2025 1:43 PM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Town-Wide Vulnerability Assessment
Town of Jupiter

Print Date:	9/9/2025
Printed By:	J. Pickering
Review By:	J. Bielecki

Scenario 6 Flood Depth Map
100-Year 72-Hour Storm Event, 2022 NOAA Intermediate Low, 2050, Normal High Tide

Appendix E-6

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/9/2025 11:21 AM

Tequesta

Jupiter Inlet Colony

Rood

Limestone Creek

Jupiter

Juno Beach

Legend

Flood Depth (ft)

- > 3.00
- 2.01 - 3.00
- 1.51- 2.00
- 1.01 - 1.50
- 0.51 - 1.00
- 0.26 - 0.50
- 0.01 - 0.25
- 0.00
- Town of Jupiter Boundary

0 0.5 1 2 Miles

Hazen Project Number: 44250-093
Plot date: 9/9/2025 1:46 PM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Town-Wide Vulnerability Assessment
Town of Jupiter

Print Date:	9/9/2025
Printed By:	J. Pickering
Review By:	J. Bielecki

Scenario 7 Flood Depth Map
10-Year 24-Hour Storm Event, 2022 NOAA Intermediate, 2050, Normal High Tide

Appendix E-7

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/9/2025 11:21 AM



Hazen Project Number: 44250-093
Plot date: 9/9/2025 1:47 PM By: JPickering
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Town-Wide Vulnerability Assessment
Town of Jupiter

Print Date:	9/9/2025
Printed By:	J. Pickering
Review By:	J. Bielecki

Scenario 8 Flood Depth Map
25-Year 72-Hour Storm Event, 2022 NOAA Intermediate, 2050, Normal High Tide

Appendix E-8

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/9/2025 11:21 AM



Hazen Project Number: 44250-093
Plot date: 9/9/2025 1:53 PM By: JPickering
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Town-Wide Vulnerability Assessment
Town of Jupiter

Print Date:	9/9/2025
Printed By:	J. Pickering
Review By:	J. Bielecki

Scenario 9 Flood Depth Map
100-Year 72-Hour Storm Event, 2022 NOAA Intermediate, 2050, Normal High Tide

Appendix E-9

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/9/2025 11:21 AM



Hazen Project Number: 44250-093
Plot date: 9/9/2025 2:00 PM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Town-Wide Vulnerability Assessment
Town of Jupiter

Print Date:	9/9/2025
Printed By:	J. Pickering
Review By:	J. Bielecki

Scenario 10 Flood Depth Map
10-Year 24-Hour Storm Event, 2022 NOAA Intermediate Low, 2080, Normal High Tide

Appendix E-10

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/9/2025 11:21 AM



Hazen Project Number: 44250-093
Plot date: 9/9/2025 2:04 PM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Town-Wide Vulnerability Assessment
Town of Jupiter

Print Date:	9/9/2025
Printed By:	J. Pickering
Review By:	J. Bielecki

Scenario 11 Flood Depth Map
25-Year 72-Hour Storm Event, 2022 NOAA Intermediate Low, 2080, Normal High Tide

Appendix E-11

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/9/2025 11:21 AM



Hazen Project Number: 44250-093
Plot date: 9/9/2025 2:06 PM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Town-Wide Vulnerability Assessment
Town of Jupiter

Print Date:	9/9/2025
Printed By:	J. Pickering
Review By:	J. Bielecki

Scenario 12 Flood Depth Map
100-Year 72-Hour Storm Event, 2022 NOAA Intermediate Low, 2080, Normal High Tide

Appendix E-12

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/9/2025 11:21 AM

Tequesta

Jupiter Inlet Colony

Rood

Limestone Creek

Jupiter

Juno Beach

Legend

Flood Depth (ft)

- > 3.00
- 2.01 - 3.00
- 1.51- 2.00
- 1.01 - 1.50
- 0.51 - 1.00
- 0.26 - 0.50
- 0.01 - 0.25
- 0.00
- Town of Jupiter Boundary

0 0.5 1 2 Miles

Hazen Project Number: 44250-093
Plot date: 9/9/2025 2:08 PM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	9/9/2025
Printed By:	J. Pickering
Review By:	J. Bielecki

Town-Wide Vulnerability Assessment
Town of Jupiter

Scenario 13 Flood Depth Map
10-Year 24-Hour Storm Event, 2022 NOAA Intermediate, 2080, Normal High Tide

Appendix E-13

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/9/2025 11:21 AM

Tequesta

Jupiter Inlet Colony

Rood

Limestone Creek

Jupiter

Juno Beach

Legend

Flood Depth (ft)

- > 3.00
- 2.01 - 3.00
- 1.51- 2.00
- 1.01 - 1.50
- 0.51 - 1.00
- 0.26 - 0.50
- 0.01 - 0.25
- 0.00
- Town of Jupiter Boundary

0 0.5 1 2 Miles

Hazen Project Number: 44250-093
Plot date: 9/9/2025 2:09 PM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Town-Wide Vulnerability Assessment
Town of Jupiter

Print Date:	9/9/2025
Printed By:	J. Pickering
Review By:	J. Bielecki

Scenario 14 Flood Depth Map
25-Year 72-Hour Storm Event, 2022 NOAA Intermediate, 2080, Normal High Tide

Appendix E-14

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/9/2025 11:21 AM

Tequesta

Jupiter Inlet Colony

Rood

Limestone Creek

Jupiter

Juno Beach

Legend

Flood Depth (ft)

- > 3.00
- 2.01 - 3.00
- 1.51- 2.00
- 1.01 - 1.50
- 0.51 - 1.00
- 0.26 - 0.50
- 0.01 - 0.25
- 0.00
- Town of Jupiter Boundary

0 0.5 1 2 Miles

Hazen Project Number: 44250-093
Plot date: 9/9/2025 2:10 PM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Town-Wide Vulnerability Assessment
Town of Jupiter

Print Date:	9/9/2025
Printed By:	J. Pickering
Review By:	J. Bielecki

Scenario 15 Flood Depth Map
100-Year 72-Hour Storm Event, 2022 NOAA Intermediate, 2080, Normal High Tide

Appendix E-15

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/9/2025 11:21 AM



Hazen Project Number: 44250-093
Plot date: 9/9/2025 2:11 PM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	9/9/2025
Printed By:	J. Pickering
Review By:	J. Bielecki

Town-Wide Vulnerability Assessment
Town of Jupiter

Scenario 16 Flood Depth Map
10-Year 24-Hour Storm Event, No SLR
Current Conditions, 100-Year Storm Surge

Appendix E-16

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/9/2025 11:21 AM



Hazen Project Number: 44250-093
Plot date: 9/9/2025 2:12 PM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Town-Wide Vulnerability Assessment
Town of Jupiter

Print Date:	9/9/2025
Printed By:	J. Pickering
Review By:	J. Bielecki

Scenario 17 Flood Depth Map
25-Year 72-Hour Storm Event, No SLR
Current Conditions, 100-Year Storm Surge

Appendix E-17

Tequesta

Jupiter Inlet Colony

Rood

Limestone Creek

Jupiter

Juno Beach

Legend

Flood Depth (ft)

- > 3.00
- 2.01 - 3.00
- 1.51- 2.00
- 1.01 - 1.50
- 0.51 - 1.00
- 0.26 - 0.50
- 0.01 - 0.25
- 0.00
- Town of Jupiter Boundary

0 0.5 1 2 Miles

Hazen Project Number: 44250-093
Plot date: 9/9/2025 2:14 PM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Town-Wide Vulnerability Assessment
Town of Jupiter

Print Date:	9/9/2025
Printed By:	J. Pickering
Review By:	J. Bielecki

Scenario 18 Flood Depth Map
100-Year 72-Hour Storm Event, No SLR
Current Conditions, 100-Year Storm Surge

Appendix E-18

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/9/2025 11:21 AM



Hazen Project Number: 44250-093
Plot date: 9/9/2025 2:17 PM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	9/9/2025
Printed By:	J. Pickering
Review By:	J. Bielecki

Town-Wide Vulnerability Assessment
Town of Jupiter

Scenario 19 Flood Depth Map
10-Year 24-Hour Storm Event, 2022 NOAA Intermediate Low, 2050, 100-Year Storm Surge

Appendix E-19

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/9/2025 11:21 AM



Hazen Project Number: 44250-093
Plot date: 9/9/2025 2:18 PM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Town-Wide Vulnerability Assessment
Town of Jupiter

Print Date:	9/9/2025
Printed By:	J. Pickering
Review By:	J. Bielecki

Scenario 20 Flood Depth Map
25-Year 72-Hour Storm Event, 2022 NOAA Intermediate Low, 2050, 100-Year Storm Surge

Appendix E-20

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/9/2025 11:21 AM

Tequesta

Jupiter Inlet Colony

Rood

Limestone Creek

Jupiter

Juno Beach

Legend

Flood Depth (ft)

- > 3.00
- 2.01 - 3.00
- 1.51- 2.00
- 1.01 - 1.50
- 0.51 - 1.00
- 0.26 - 0.50
- 0.01 - 0.25
- 0.00
- Town of Jupiter Boundary

0 0.5 1 2 Miles

Hazen Project Number: 44250-093
Plot date: 9/9/2025 2:34 PM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Town-Wide Vulnerability Assessment
Town of Jupiter

Print Date:	9/9/2025
Printed By:	J. Pickering
Review By:	J. Bielecki

Scenario 21 Flood Depth Map
100-Year 72-Hour Storm Event, 2022 NOAA Intermediate Low, 2050, 100-Year Storm Surge

Appendix E-21

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/9/2025 11:21 AM



Hazen Project Number: 44250-093
Plot date: 9/9/2025 3:05 PM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	9/9/2025
Printed By:	J. Pickering
Review By:	J. Bielecki

Town-Wide Vulnerability Assessment
Town of Jupiter

Scenario 22 Flood Depth Map
10-Year 24-Hour Storm Event, 2022 NOAA Intermediate, 2050, 100-Year Storm Surge

Appendix E-22

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/9/2025 11:21 AM



Hazen Project Number: 44250-093
Plot date: 9/9/2025 3:21 PM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	9/9/2025
Printed By:	J. Pickering
Review By:	J. Bielecki

Town-Wide Vulnerability Assessment
Town of Jupiter

Scenario 23 Flood Depth Map
25-Year 72-Hour Storm Event, 2022 NOAA Intermediate, 2050, 100-Year Storm Surge

Appendix E-23

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/9/2025 11:21 AM

Tequesta

Jupiter Inlet Colony

Rood

Limestone Creek

Jupiter

Juno Beach

Legend

Flood Depth (ft)

- > 3.00
- 2.01 - 3.00
- 1.51- 2.00
- 1.01 - 1.50
- 0.51 - 1.00
- 0.26 - 0.50
- 0.01 - 0.25
- 0.00
- Town of Jupiter Boundary

0 0.5 1 2 Miles

Hazen Project Number: 44250-093
Plot date: 9/9/2025 3:23 PM By: JPickering
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Town-Wide Vulnerability Assessment
Town of Jupiter

Print Date:	9/9/2025
Printed By:	J. Pickering
Review By:	J. Bielecki

Scenario 24 Flood Depth Map
100-Year 72-Hour Storm Event, 2022 NOAA Intermediate, 2050, 100-Year Storm Surge

Appendix E-24

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/9/2025 11:21 AM



Hazen Project Number: 44250-093
Plot date: 9/9/2025 3:28 PM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	9/9/2025
Printed By:	J. Pickering
Review By:	J. Bielecki

Town-Wide Vulnerability Assessment
Town of Jupiter

Scenario 25 Flood Depth Map
10-Year 24-Hour Storm Event, 2022 NOAA Intermediate Low, 2080, 100-Year Storm Surge

Appendix E-25

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/9/2025 11:21 AM



Hazen Project Number: 44250-093
Plot date: 9/9/2025 3:30 PM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Town-Wide Vulnerability Assessment
Town of Jupiter

Print Date:	9/9/2025
Printed By:	J. Pickering
Review By:	J. Bielecki

Scenario 26 Flood Depth Map
25-Year 72-Hour Storm Event, 2022 NOAA Intermediate Low, 2080, 100-Year Storm Surge

Appendix E-26



Hazen Project Number: 44250-093
Plot date: 9/9/2025 3:42 PM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Town-Wide Vulnerability Assessment
Town of Jupiter

Print Date:	9/9/2025
Printed By:	J. Pickering
Review By:	J. Bielecki

Scenario 27 Flood Depth Map
100-Year 72-Hour Storm Event, 2022 NOAA Intermediate Low, 2080, 100-Year Storm Surge

Appendix E-27

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/9/2025 11:21 AM



Hazen Project Number: 44250-093
Plot date: 9/9/2025 4:08 PM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	9/9/2025
Printed By:	J. Pickering
Review By:	J. Bielecki

Town-Wide Vulnerability Assessment
Town of Jupiter

Scenario 28 Flood Depth Map
10-Year 24-Hour Storm Event, 2022 NOAA Intermediate, 2080, 100-Year Storm Surge

Appendix E-28

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/9/2025 11:21 AM

Tequesta

Jupiter Inlet Colony

Rood

Limestone Creek

Jupiter

Juno Beach

Legend

Flood Depth (ft)

- > 3.00
- 2.01 - 3.00
- 1.51- 2.00
- 1.01 - 1.50
- 0.51 - 1.00
- 0.26 - 0.50
- 0.01 - 0.25
- 0.00
- Town of Jupiter Boundary

0 0.5 1 2 Miles

Hazen Project Number: 44250-093
Plot date: 9/9/2025 4:11 PM By: JPickering
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Town-Wide Vulnerability Assessment
Town of Jupiter

Print Date:	9/9/2025
Printed By:	J. Pickering
Review By:	J. Bielecki

Scenario 29 Flood Depth Map
25-Year 72-Hour Storm Event, 2022 NOAA Intermediate, 2080, 100-Year Storm Surge

Appendix E-29

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/9/2025 11:21 AM



Hazen Project Number: 44250-093
Plot date: 9/9/2025 4:12 PM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Town-Wide Vulnerability Assessment
Town of Jupiter

Print Date:	9/9/2025
Printed By:	J. Pickering
Review By:	J. Bielecki

Scenario 30 Flood Depth Map
100-Year 72-Hour Storm Event, 2022 NOAA Intermediate, 2080, 100-Year Storm Surge

Appendix E-30

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/9/2025 11:21 AM

Rood

Limestone Creek

Tequesta

Jupiter Inlet Colony

Jupiter

Juno Beach

Legend

Flood Depth (ft)

- > 3.00
- 2.01 - 3.00
- 1.51- 2.00
- 1.01 - 1.50
- 0.51 - 1.00
- 0.26 - 0.50
- 0.01 - 0.25
- 0.00
- Town of Jupiter Boundary

0 0.5 1 2 Miles

Hazen Project Number: 44250-093
Plot date: 9/9/2025 4:13 PM By: JPickering
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Town-Wide Vulnerability Assessment
Town of Jupiter

Print Date:	9/9/2025
Printed By:	J. Pickering
Review By:	J. Bielecki

Scenario 31 Flood Depth Map
500-Year 72-Hour Storm Event, No SLR, Current Conditions, Normal High Tide

Appendix E-31

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JPickering Save date = 9/9/2025 11:21 AM

Appendix F: Exposure Analysis Results

Asset Unique ID	Asset Name	S-1	S-2	S-3	S-4	S-5	S-6	S-7	S-8	S-9	S-10	S-11	S-12	S-13	S-14	S-15	S-16	S-17	S-18	S-19	S-20	S-21	S-22	S-23	S-24	S-25	S-26	S-27	S-28	S-29	S-30	S-31
ID269	Seminole Stormwater Pump Station	-	-0.38	0.82	-	0.17	1.53	-	0.28	1.59	-	0.52	1.76	-0.07	0.92	1.98	-0.22	0.21	1.07	0.62	1.06	1.89	0.77	1.17	1.96	1.2	1.53	2.2	1.87	2.12	2.63	2.12
ID270	7th Street Stormwater Pump Station	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-0.43	-
ID273	Abacoa Electrical Building and Generator #10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID274	Future Island Way Electrical Building and Generator	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID276	Wellhouse 12 and Generator 2	-	-	-0.48	-	-	-0.25	-	-	-0.25	-	-	-0.23	-	-	-0.24	-	-	-0.48	-	-	-0.26	-	-	-0.26	-	-	-0.24	-	-	-0.23	-0.08
ID277	Wellhouse 15 and Generator 3 for Wellfield #4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID388	Jupiter Community Center	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID389	West Jupiter Recreation Center	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID390	Police Department	-	-	-	-	-	-0.4	-	-	-0.4	-	-	-0.25	-	-	-0.05	-	-	-	-	-	-0.18	-	-	-0.12	-	-	0.1	-0.41	-0.1	0.51	0.09
ID392	Fire Rescue Station 16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-0.1
ID393	Fire Rescue Station 18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID394	Fire Rescue Station 19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID395	Future Fire Station 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-0.12	-
ID396	Future Fire Station 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID397	Addington Place Jupiter	-	-	-	-	-	-	-	-	-	-	-	-0.44	-	-	-0.43	-	-	-	-	-	-	-	-	-	-	-	-0.42	-	-	-0.41	0.4
ID398	Atria Park of St. Joseph's	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID399	Coastal Dialysis Center	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID400	Courtyard Gardens Jupiter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID401	Davita Jupiter Dialysis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID402	Home Suite Home 3	-	-	-	-	-	-0.43	-	-	-0.43	-	-	-0.39	-	-	-0.39	-	-	-	-	-	-0.43	-	-	-0.43	-	-	-0.39	-	-	-0.39	-0.12
ID403	Home Suite Home 4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID404	Jupiter Kidney Center LLC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID405	Jupiter Medical Center Pavilion Incorporated	-	-	-	-	-	-0.29	-	-	-0.29	-	-	-0.17	-	-	0.02	-	-	-	-	-	-0.12	-	-	-0.06	-	-	0.15	-	-0.13	0.54	0.17
ID406	Jupiter Rehabilitation and Healthcare Center	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-0.11	-
ID407	Jupiter Urgent Care Incorporated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID408	Luxe at Jupiter Rehabilitation Center (The)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID409	Luxe Senior Living At Jupiter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID410	Mangrove Bay	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID413	Main Town Hall	-	-	-0.44	-	-	-0.28	-	-	-0.28	-	-	-0.13	-	-	0.07	-	-	-0.44	-	-	-0.06	-	-	0	-	-	0.22	-0.29	0.02	0.63	0.21
ID548	Dubois Pioneer Home	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID549	Florida East Coast Railway Jupiter Train Depot	-	-	-	-	-	-0.48	-	-	-0.38	-	-	-0.08	-	-	0.3	-	-	-0.17	-0.05	0.25	0.85	0.11	0.39	0.96	0.55	0.79	1.32	1.25	1.45	1.85	0.21
ID550	Jupiter Civic Center	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID553	Jupiter Lighthouse	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID554	Life Saving Station	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID555	Mt Carmel Baptist Church	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID556	Old Town Hall	-0.27	0.98	2.18	0.17	1.53	2.89	0.37	1.64	2.95	0.76	1.88	3.12	1.29	2.28	3.34	1.14	1.57	2.43	1.98	2.42	3.25	2.13	2.53	3.32	2.56	2.89	3.56	3.23	3.48	3.99	3.48
ID557	People's Congregation Church	-	-	-	-	-	0.17	-	-	0.23	-	-	0.39	-	-0.43	0.61	-	-	-0.29	-	-0.34	0.5	-	-0.22	0.57	-0.22	0.12	0.8	0.44	0.7	1.23	0.75
ID559	Sims House	-	-	0.47	-	-0.18	1.14	-	-0.07	1.19	-	0.17	1.36	-0.43	0.56	1.57	-	-0.17	0.69	0.22	0.65	1.47	0.36	0.76	1.53	0.8	1.12	1.77	1.47	1.71	2.21	1.71
ID560	The Alice Kitching Benton House	-0.5	0.79	1.99	-0.03	1.34	2.67	0.17	1.45	2.73	0.56	1.68	2.89	1.09	2.07	3.11	0.89	1.33	2.21	1.72	2.16	3	1.86	2.28	3.07	2.28	2.62	3.3	2.94	3.2	3.73	3.25
ID561	The Brooker House	-	-	-	-	-	-0.27	-	-	-0.23	-	-	-0.07	-	-	0.13	-	-	-	-	-	0	-	-	0.06	-	-0.48	0.29	-0.27	0.07	0.69	0.28
ID562	The Councilor's House	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-0.43	-
ID563	WWII Naval Housing Building	-	-	-0.36	-	-	0.39	-	-	0.49	-	-0.16	0.76	0.02	0.37	1.14	0.39	0.61	0.92	1.3	1.52	1.87	1.45	1.66	1.99	1.9	2.11	2.43	2.59	2.77	3.03	0.92
ID637	Aicher House	-	-	-	-	-	-	-	-	-	-	-	-0.5	-	-	-0.12	-	-	-	-0.47	-0.17	0.43	-0.31	-0.03	0.54	0.13	0.37	0.9	0.83	1.03	1.43	-0.21
ID638	Jupiter Methodist Church	0.06	1.31	2.51	0.5	1.86	3.22	0.7	1.97	3.28	1.09	2.21	3.45	1.62	2.61	3.67	1.47	1.9	2.76	2.31	2.75	3.58	2.46	2.86	3.65	2.89	3.22	3.89	3.56	3.81	4.32	3.81

Critical Facilities - Buildings		
Exposure Level	**Exposure Score**	**Flood Depths**
Severe	5	> 2
High	4	1 - 2
Medium	3	0.5 - 1
Low	2	0 - 0.5
Minimal	1	-0.5 - 0
None	0	< -0.5

Appendix F
Flooding by Percent Area - Parcels

Asset Unique ID	Asset Name	S-1						S-2						S-3						S-4						S-5					
		0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5
		≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'
ID060	Admiral's Cove Marina	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID061	Jupiter Inlet Marina	91%	-	-	-	9%	-	91%	-	-	-	-	9%	91%	-	-	-	-	9%	91%	-	-	-	-	9%	91%	-	-	-	-	9%
ID064	Wastewater Treatment Plant	76%	8%	5%	4%	3%	5%	74%	7%	5%	5%	5%	5%	72%	4%	7%	5%	4%	7%	75%	8%	5%	4%	3%	5%	73%	6%	5%	5%	5%	6%
ID267	Egret's Landing Recharge System Pump Station	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID268	North Old Dixie Highway Stormwater Pump Station	100%	-	-	-	-	-	-	100%	-	-	-	-	-	-	-	-	100%	-	100%	-	-	-	-	-	-	-	50%	50%	-	-
ID271	Salinity Barrier Structure	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID272	St Peters Recharge System Pump Station	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID275	Water Treatment Plant	61%	22%	8%	1%	-	7%	54%	25%	10%	3%	-	7%	41%	30%	18%	3%	1%	7%	58%	24%	9%	2%	-	7%	47%	28%	14%	3%	1%	7%
ID349	Central Boulevard High Service Pump Station	65%	21%	5%	-	5%	4%	57%	18%	15%	-	2%	8%	45%	21%	21%	4%	-	9%	63%	20%	8%	-	5%	5%	50%	23%	17%	-	2%	8%
ID350	Juno Repump Station	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID351	Riverbend Repump Station	35%	23%	9%	7%	12%	14%	7%	9%	14%	16%	21%	33%	2%	-	5%	9%	14%	70%	26%	14%	23%	7%	7%	23%	2%	5%	12%	14%	23%	44%
ID357	FPL Substation 1	100%	-	-	-	-	-	91%	5%	3%	-	-	-	56%	21%	13%	6%	4%	-	95%	3%	2%	-	-	-	79%	12%	5%	3%	-	-
ID358	FPL Substation 2	89%	5%	4%	2%	-	-	86%	3%	5%	5%	1%	-	76%	11%	3%	6%	4%	-	88%	4%	5%	3%	-	-	83%	5%	4%	5%	3%	-
ID359	FPL Substation 3	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID360	North County Transfer Station	83%	2%	-	-	-	13%	79%	-	1%	2%	3%	15%	76%	2%	-	-	-	20%	81%	2%	2%	-	1%	13%	78%	-	-	1%	1%	18%
ID361	ABC Montessori Academy	55%	20%	10%	5%	5%	5%	50%	15%	20%	5%	5%	5%	10%	40%	15%	20%	5%	10%	55%	10%	20%	5%	5%	5%	25%	30%	20%	10%	5%	10%
ID362	All Saints Catholic School	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID363	Beacon Cove Intermediate School	100%	-	-	-	-	-	99%	-	-	-	-	-	81%	14%	4%	1%	-	-	100%	-	-	-	-	-	95%	4%	-	-	-	-
ID364	Bluff's School	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID365	Children's Enrichment Center - First United Methodist Church	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID366	First Class Preschool	100%	-	-	-	-	-	100%	-	-	-	-	-	83%	17%	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID367	Florida Virtual School 4 Kids	-	25%	50%	13%	13%	-		13%	50%	25%	-	13%	-	-	25%	50%	13%	13%	-	13%	50%	25%	-	13%	-	13%	38%	38%	-	13%
ID368	Growing Minds Prep Academy	25%	8%	42%	17%	8%	-	17%	-	8%	-	17%	58%	-	-	17%	-	-	83%	25%	-	8%	42%	17%	8%	-	17%	-	8%	-	75%
ID369	Jerry Thomas Elementary School	82%	4%	1%	2%	4%	6%	72%	13%	1%	1%	4%	9%	64%	16%	6%	2%	-	12%	82%	4%	1%	2%	4%	7%	68%	15%	3%	1%	3%	10%
ID370	Jupiter Christian School	100%	-	-	-	-	-	100%	-	-	-	-	-	93%	6%	-	-	-	-	100%	-	-	-	-	-	99%	-	-	-	-	-
ID371	Jupiter Christian School - East Campus	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID372	Jupiter Elementary School	71%	10%	7%	2%	1%	9%	65%	14%	7%	3%	2%	10%	59%	14%	11%	5%	2%	10%	66%	15%	6%	3%	1%	9%	62%	15%	8%	4%	2%	10%
ID373	Jupiter First Church Preschool	100%	-	-	-	-	-	100%	-	-	-	-	-	99%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID374	Jupiter High School	88%	1%	-	-	1%	9%	88%	1%	-	-	-	9%	87%	1%	1%	-	-	10%	88%	1%	-	-	-	9%	88%	1%	-	1%	-	9%
ID375	Jupiter Middle School of Technology	77%	10%	4%	3%	2%	4%	50%	13%	15%	9%	4%	9%	33%	11%	18%	16%	8%	14%	65%	16%	8%	4%	2%	5%	45%	12%	13%	13%	6%	11%
ID376	Kidz Exploration Center	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID377	Lighthouse Elementary School	92%	2%	-	1%	-	4%	77%	11%	4%	1%	1%	5%	25%	13%	33%	16%	5%	8%	90%	3%	2%	1%	-	4%	44%	31%	13%	6%	1%	5%
ID378	Limestone Creek Elementary School	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID379	Lutheran Services Florida Inc Head Start	91%	2%	3%	3%	-	-	91%	-	3%	2%	3%	-	89%	2%	3%	3%	3%	-	91%	2%	3%	3%	1%	-	91%	-	2%	3%	3%	-
ID380	Temple Beth Am Preschool	80%	14%	4%	2%	-	-	47%	40%	9%	3%	2%	-	23%	16%	39%	16%	5%	2%	76%	17%	5%	2%	-	-	36%	26%	28%	7%	2%	-
ID381	Thelma B Pittman Jupiter Preschool	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID382	Tiny Turtles Preschool	100%	-	-	-	-	-	63%	25%	13%	-	-	-	-	38%	25%	-	25%	13%	88%	13%	-	-	-	-	50%	13%	25%	-	13%	-
ID383	Turtle River Montessori - East Campus	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID384	Turtle River Montessori - West Campus	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID385	John D. MacArthur Campus	78%	7%	3%	-	-	11%	63%	12%	8%	3%	2%	13%	45%	19%	12%	7%	3%	15%	75%	7%	5%	1%	-	12%	56%	15%	9%	4%	3%	13%
ID386	Max Planck Florida Institute for Neuroscience	97%	-	-	1%	2%	-	85%	10%	2%	-	-	3%	69%	17%	10%	1%	-	3%	97%	-	-	-	2%	1%	79%	13%	5%	-	-	3%
ID387	Scripps Institute	92%	2%	-	-	-	5%	66%	25%	3%	-	-	6%	46%	28%	18%	1%	-	7%	82%	10%	-	-	-	6%	60%	27%	6%	-	-	6%
ID391	Public Works	57%	17%	10%	6%	2%	9%	46%	20%	13%	7%	5%	9%	42%	22%	13%	10%	4%	10%	52%	18%	11%	7%	3%	9%	44%	21%	13%	8%	5%	9%
ID411	Jupiter Medical Center	84%	-	-	-	-	16%	78%	4%	1%	-	-	16%	61%	17%	5%	1%	-	16%	83%	-	-	-	-	16%	74%	8%	2%	-	-	16%
ID412	Florida Fish and Wildlife Conservation Commission Law Enforcement Division	58%	9%	6%	6%	3%	18%	58%	6%	6%	3%	9%	18%	55%	3%	9%	6%	3%	24%	58%	3%	9%	3%	9%	18%	55%	3%	12%	3%	6%	21%
ID414	Barcelona Jupiter	77%	2%	-	-	4%	16%	74%	2%	2%	-	1%	20%	59%	17%	-	2%	-	21%	76%	2%	-	1%	2%	18%	70%	6%	2%	-	1%	20%
ID415	Jupiter Homes Corp	100%	-	-	-	-	-	100%	-	-	-	-	-	96%	4%	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID416	Seagrape Apartments	80%	6%	-	-	-	12%	70%	11%	5%	-	-	12%	52%	16%	12%	6%	-	14%	80%	7%	-	2%	-	12%	65%	14%	7%	-	2%	12%
ID417	Stephenson Manor	88%	11%	1%	-	-	-	68%	21%	10%	1%	-	-	50%	21%	14%	14%	1%	-	82%	15%	3%	-	-	-	63%	19%	13%	6%	-	-
ID418	The Centre at Abacoa	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID419	Third Housing 401	97%	3%	-	-	-	-	97%	-	3%	-	-	-	71%	26%	-	3%	-	-	97%	3%	-	-	-	-	89%	8%	3%	-	-	-
ID420	Wood Duck Apartments	86%	14%	-	-	-	-	65%	20%	14%	-	-	-	35%	24%	24%	16%	-	-	83%	15%	2%	-	-	-	54%	26%	18%	2%	-	-
ID421	Independence Middle School	100%	-	-	-	-	-	87%	12%	2%	-	-	-	62%	12%	16%	10%	-	-	100%	-	-	-	-	-	74%	17%	9%	-	-	-
ID422	Abacoa - Southeast	89%	-	1%	1%	1%	7%	76%	11%	-	1%	-	11%	38%	18%	20%	12%	1%	12%	88%	1%	-	-	2%	8%	56%	20%	12%	1%	-	11%
ID423	Abacoa - Central	69%	5%	3%	3%	4%	17%	60%	8%	5%	2%	2%	22%	48%	11%	8%	5%	3%	25%	67%	6%	3%	2%	3%	20%	56%	9%	6%	4%	2%	23%
ID433	Abacoa - Northwest	56%	4%	-	2%	2%	36%	47%	6%	2%	4%	1%	40%	22%	16%	9%	7%	2%	44%	54%	3%	3%	-	2%	37%	38%	10%	6%	2%	3%	40%
ID436	Alma's Place Conservation Area	-	4%	-	-	-	96%	-	-	-	4%	-	96%	-	-	-	-	-	100%	-	4%	-	-	-	96%	-	-	-	-	4%	96%
ID438	Botanica	33%	6%	7%	9%	10%	35%	23%	5%	6%	6%	7%	52%	20%	3%	5%	6%	6%	60%	29%	6%	7%	7%	9%	42%	22%	4%	6%	6%	7%	55%
ID450	C-18 Triangle Natural Area	2%	-	3%	11%	16%	68%	2%	-	-	-	1%	96%	1%	-	-	-	-	98%	2%	-	-	7%	13%	76%	2%	-	-	-	-	98%
ID452	Georgian Park	43%	31%	11%	3%	3%	9%	23%	31%	20%	14%	3%	9%	20%	-	26%	29%	14%	11%	34%	34%	9%	11%	3%	9%	20%	23%	31%	11%	3%	11%
ID454	Hamptons	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID455	Jones Creek Hammock	11%	9%	12%	11%	10%	48%	7%	8%	11%	11%	12%	51%	3%	3%	7%	10%	13%	65%	10%	8%	12%	11%	11%	49%	6%	6%	10%	13%	11%	55%
ID457	Jones Creek Preserve	10%	-	-	4%	6%	79%	6%	2%	2%	4%	2%	83%	-	4%	2%	2%	4%	88%	10%	-	-	4%	4%	81%	4%	2%	2%	4%	4%	83%
ID458	Jupiter High School Ditch	67%	33%	-	-	-	-	67%	33%	-	-	-	-	-	67%	33%	-	-	-	67%	33%	-	-	-	-	67%	33%	-	-	-	-
ID459	Jupiter Lighthouse Natural Area	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID460	Georgian Park Preserve	97%	3%	-	-	-	-	97%	3%	-	-	-	-	95%	3%	-	3%	-	-	97%	3%	-	-	-	-	97%	-	3%	-	-	-
ID461	Jupiter Ridge Natural Area	77%	2%	2%	-	1%	17%	74%	2%	2%	2%	1%	18%	69%	3%	3%	2%	2%	21%	74%	2%	2%	2%	1%	18%	71%	3%	2%	2%	2%	19%
ID463	Jupiter Yacht Club - Privately Owned Land	-	-	-	2%	8%	88%	-	-	-	-	-	98%	-	-	-	-	-	99%	-	-	-	-	98%	-	-	-	-	-	99%
ID468	Jupiter Yacht Club - Town-Owned Land	6%	-	9%	6%	3%	76%	6%	-	-	3%	12%	79%	-	-	6%	-	-	94%	6%	-	-	3%	12%	79%	-	3%	3%	-	3%	91%
ID471	Lox River Islands	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID473	Mangrove Bay	100%	-	-	-	-	-	100%	-	-	-	-	-	98%	2%	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID474	Maplecrest	23%	17%	20%	20%	20%	-	7%	13%	20%	20%	20%	20%	-	13%	10%	17%	20%	40%	17%	13%	20%	23%	27%	-	7%	10%	13%	20%	23%	27%
ID475	Jones Creek Headwaters	31%	9%	10%	13%	18%	20%	19%	12%	8%	11%	12%	38%	11%	10%	10%	10%	11%	48%	26%	9%	12%	11%	14%	28%	15%	11%	9%	12%	11%	42%
ID476	North Jupiter Flatwoods	61%	18%	12%	7%	2%	-	45%	21%	17%	10%	5%	2%	34%	21%	20%	12%	8%	5%	57%	19%	13%	8%	3%	-	39%	21%	19%	11%	6%	3%
ID479	Parcel 19 PUD	4%	4%	-	4%	32%	57%	4%	-	-	-	4%	93%	4%	-	-	-	-	96%	4%	-	4%	-	18%	75%	4%	-	-	-	-	96%
ID480	Parcel 19 W. Station Preserve	18%	9%	14%	16%	25%	18%	14%	2%	2%	5%	18%	59%	13%	2%	-	4%	-	82%	18%	4%	11%	9%	23%	36%	14%	-	4%	-	9%	73%
ID484	Paseos	25%	14%	17%	16%	16%	12%	17%	8%	14%	17%	15%	29%	10%	8%	10%	13%	17%	42%	20%	14%	15%	17%	16%	18%	13%	7%	14%	15%	17%	34%
ID485	Jupiter River Estates North	77%	6%	5%	5%	-	8%	37%	16%	19%	11%	2%	16%	5%	10%	16%	16%	22%	31%	68%	11%	4%	5%	5%	8%	18%	18%	16%	19%	12%	18%
ID490	SFWMD - C18	40%	2%	2%	2%	-	54%	40%	1%	1%	2%	-	54%	37%	3%	2%	3%	-	55%	40%	2%	2%	2%	-	54%	38%	2%	1%	2%	-	55%
ID491	Shores of Jupiter	52%	21%	19%	5%	1%	1%	23%	7%	13%	22%	19%	16%	12%	5%	7%	7%	15%	53%	37%	15%	22%	19%	5%	3%	16%	7%	8%	14%	21%	34%
ID496	Sims Creek Preserve	87%	4%	-	2%	-	8%	69%	6%	8%	6%	2%	10%	27%	25%	13%	10%	6%	19%	77%	10%	4%	-	2%	8%	54%	15%	6%	6%	8%	12%
ID497	State of Florida - TIITF	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID498	Tierra Del Sol	94%	6%	-	-	-	-	85%	6%	9%	-	-	-	70%	12%	3%	6%	9%	-	85%	6%	9%	-	-	-	79%	6%	6%	6%	3%	-

Appendix F
Flooding by Percent Area - Parcels

Asset Unique ID	Asset Name	S-1						S-2						S-3						S-4						S-5					
		0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5
		≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'
ID499	Town of Jupiter - Coastline	95%	-	-	-	5%	-	91%	-	5%	-	-	5%	86%	5%	5%	-	-	5%	91%	5%	-	-	-	5%	86%	5%	5%	-	-	5%
ID500	Double Roads - South	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID508	Double Roads - North	95%	-	1%	-	-	2%	94%	-	-	-	1%	3%	93%	-	-	-	1%	4%	95%	-	1%	1%	-	2%	93%	-	-	-	1%	4%
ID512	Carlin Park - Town-Owned	97%	3%	-	-	-	-	84%	16%	-	-	-	-	61%	16%	16%	6%	-	-	81%	16%	3%	-	-	-	65%	19%	13%	3%	-	-
ID513	Washington Preserve	71%	15%	7%	4%	1%	2%	61%	19%	10%	6%	3%	2%	56%	21%	11%	6%	4%	2%	67%	17%	8%	4%	2%	2%	59%	20%	10%	6%	3%	2%
ID515	Burt Reynolds Park	68%	4%	4%	4%	2%	18%	62%	4%	4%	5%	5%	21%	51%	5%	6%	4%	4%	30%	62%	4%	4%	4%	5%	21%	55%	6%	4%	4%	5%	26%
ID516	Carlin Park	34%	10%	9%	10%	9%	29%	28%	7%	9%	9%	10%	36%	22%	5%	7%	9%	10%	47%	30%	8%	9%	10%	9%	34%	25%	6%	9%	9%	10%	41%
ID517	Cinquez Dog Park	61%	12%	13%	7%	-	6%	54%	13%	13%	12%	2%	6%	47%	16%	12%	14%	4%	7%	57%	15%	12%	9%	1%	6%	51%	15%	12%	12%	4%	7%
ID518	Daily Park	100%	-	-	-	-	-	50%	50%	-	-	-	-	-	-	25%	75%	-	-	100%	-	-	-	-	-	-	50%	50%	-	-	-
ID519	Dubois Park	62%	2%	3%	1%	2%	30%	60%	3%	1%	2%	2%	31%	53%	5%	3%	2%	2%	34%	54%	6%	3%	2%	2%	33%	51%	7%	3%	2%	3%	34%
ID520	Eastview Manor Park	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID521	FIND Park	62%	3%	5%	6%	6%	18%	57%	4%	3%	4%	7%	24%	53%	3%	4%	3%	4%	34%	58%	4%	3%	5%	6%	24%	54%	3%	4%	3%	4%	33%
ID522	Frazier Park	100%	-	-	-	-	-	100%	-	-	-	-	-	60%	40%	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID523	Karen Golonka Island	8%	-	1%	2%	3%	85%	5%	2%	2%	-	1%	89%	2%	-	2%	2%	2%	91%	5%	2%	1%	-	2%	89%	3%	-	3%	1%	-	91%
ID524	Indian Creek Park	72%	6%	2%	3%	-	17%	55%	13%	5%	6%	2%	19%	28%	32%	8%	5%	5%	21%	68%	5%	6%	2%	2%	17%	44%	21%	6%	5%	3%	21%
ID525	Johnston Park	98%	2%	-	-	-	-	95%	3%	2%	-	-	-	78%	14%	3%	3%	2%	-	95%	3%	2%	-	-	-	90%	5%	3%	2%	-	-
ID526	Juno Beach Park	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID527	Jupiter Beach Park	53%	3%	1%	-	-	41%	50%	5%	2%	1%	-	42%	45%	5%	4%	3%	1%	42%	44%	4%	5%	3%	-	43%	42%	5%	5%	3%	1%	43%
ID528	Jupiter Community Park	84%	3%	1%	-	-	11%	65%	17%	5%	2%	-	12%	56%	21%	9%	2%	-	12%	81%	5%	2%	-	-	11%	61%	19%	6%	2%	-	12%
ID529	Jupiter River Estates Park	8%	25%	50%	-	-	17%	8%	17%	42%	17%	-	17%	8%	-	8%	17%	42%	25%	8%	25%	42%	8%	-	17%	8%	8%	17%	42%	8%	17%
ID530	Jupiter Village Park	100%	-	-	-	-	-	100%	-	-	-	-	-	89%	10%	1%	-	-	-	100%	-	-	-	-	-	98%	2%	-	-	-	-
ID531	Karen Marcus Ocean Preserve	37%	7%	6%	4%	4%	42%	27%	7%	7%	7%	5%	47%	21%	5%	7%	8%	6%	53%	33%	8%	7%	6%	4%	44%	24%	6%	7%	7%	6%	49%
ID532	Kennedy Estates	100%	-	-	-	-	-	100%	-	-	-	-	-	87%	13%	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID533	Lighthouse Park	98%	-	-	-	-	1%	97%	1%	-	-	-	1%	93%	3%	1%	1%	-	1%	97%	1%	-	-	-	1%	96%	-	2%	-	-	1%
ID534	Limestone Creek Park	100%	-	-	-	-	-	93%	7%	-	-	-	-	79%	21%	-	-	-	-	100%	-	-	-	-	-	93%	7%	-	-	-	-
ID535	Loxahatchee Battlefield	3%	2%	6%	18%	23%	48%	2%	-	-	1%	5%	91%	1%	-	-	-	-	97%	2%	-	3%	10%	22%	62%	2%	-	-	-	3%	94%
ID536	Maplewood Park	100%	-	-	-	-	-	100%	-	-	-	-	-	90%	8%	-	-	-	-	100%	-	-	-	-	-	99%	-	-	-	-	-
ID537	North County Aquatic Complex	79%	13%	6%	1%	-	-	72%	15%	12%	1%	-	-	56%	7%	19%	15%	1%	1%	75%	15%	9%	1%	-	-	62%	21%	15%	1%	1%	-
ID538	North Palm Beach Heights Park	91%	3%	1%	-	-	4%	44%	31%	16%	3%	1%	4%	10%	26%	29%	27%	3%	6%	81%	10%	4%	-	-	4%	29%	27%	26%	10%	4%	4%
ID539	Ocean Cay Park	97%	1%	-	-	-	-	95%	1%	2%	-	-	-	94%	1%	2%	-	1%	-	96%	1%	1%	1%	-	-	94%	2%	2%	-	1%	-
ID540	Old Town Hall Park	-	7%	29%	48%	14%	2%	-	-	-	5%	12%	83%	-	-	-	-	-	100%	-	-	7%	38%	38%	17%	-	-	-	-	5%	95%
ID541	Pine Gardens Park	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID542	Riverbend Park	8%	4%	8%	14%	16%	50%	4%	-	2%	4%	8%	81%	3%	-	-	1%	3%	92%	6%	3%	6%	11%	15%	60%	3%	-	1%	3%	5%	86%
ID543	Sawfish Bay Park	82%	2%	2%	-	2%	13%	69%	9%	5%	-	2%	15%	9%	35%	25%	9%	5%	16%	69%	11%	4%	2%	-	15%	25%	42%	7%	9%	-	16%
ID544	South Jupiter Community Park	100%	-	-	-	-	-	88%	8%	5%	-	-	-	45%	30%	14%	9%	-	-	98%	2%	-	-	-	-	76%	14%	9%	1%	-	-
ID545	Sylvia Park	44%	11%	22%	-	-	22%	33%	-	-	22%	22%	22%	33%	-	-	-	-	67%	33%	11%	11%	22%	-	22%	33%	-	-	-	22%	44%
ID546	Waterway Park	43%	2%	4%	3%	4%	44%	38%	5%	2%	3%	3%	49%	22%	9%	7%	5%	2%	55%	38%	5%	2%	3%	3%	49%	29%	7%	6%	3%	3%	53%
ID547	West Jupiter Community Center	86%	3%	4%	5%	1%	-	86%	1%	5%	3%	4%	-	83%	3%	4%	4%	4%	1%	86%	3%	4%	4%	2%	-	86%	1%	3%	4%	5%	-
ID558	Riverbend and Loxahatchee River Battlefield Parks	95%	2%	2%	-	-	1%	90%	2%	2%	2%	2%	2%	84%	3%	3%	3%	2%	5%	94%	2%	2%	1%	-	1%	88%	3%	3%	2%	2%	3%
ID568	Eganfuskee Pond	-	-	67%	-	33%	-	-	-	-	33%	33%	33%	-	-	-	-	-	100%	-	-	-	33%	33%	33%	-	-	-	-	-	100%
ID569	Old Jupiter Beach Road Pond	-	-	10%	-	10%	80%	-	-	-	10%	-	90%	-	-	-	-	-	100%	-	-	-	10%	-	90%	-	-	-	-	-	100%
ID570	Cinquez Pond	17%	-	8%	-	8%	67%	8%	8%	-	8%	8%	67%	8%	8%	-	8%	8%	67%	8%	8%	8%	-	8%	67%	8%	8%	-	8%	8%	67%
ID571	Jupiter River Estates North Pond	50%	-	25%	25%	-	-	-	-	-	50%	25%	25%	-	-	-	-	-	100%	-	50%	-	25%	25%	-	-	-	-	-	-	50%	50%
ID572	Clemons Pond	-	-	-	-	100%	-	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID573	Love Street Pond	33%	-	33%	-	-	33%	33%	-	-	-	33%	33%	-	-	33%	-	-	67%	-	-	33%	33%	-	33%	-	-	33%	-	-	67%
ID574	Greenwood Pond	47%	-	3%	-	3%	47%	34%	9%	-	3%	-	53%	13%	9%	9%	13%	-	56%	44%	3%	-	3%	-	50%	22%	13%	9%	-	3%	53%
ID575	Seminole Pond	28%	4%	9%	6%	36%	17%	26%	2%	-	2%	9%	62%	-	4%	15%	9%	-	72%	28%	2%	2%	9%	6%	53%	4%	19%	4%	-	2%	70%
ID576	7th Street Pond	50%	17%	-	17%	-	17%	50%	-	17%	-	17%	17%	50%	-	-	17%	-	33%	50%	17%	-	17%	-	17%	50%	-	17%	-	17%	17%
ID577	Delaware Scrub	57%	6%	4%	3%	5%	25%	43%	6%	5%	6%	6%	34%	22%	7%	12%	7%	5%	46%	53%	4%	6%	4%	3%	29%	33%	9%	7%	5%	5%	41%
ID578	Todd Street Mangrove Preserve	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%

Asset Unique ID	Asset Name	S-6						S-7						S-8						S-9						S-10					
		0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5
		≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'
ID060	Admiral's Cove Marina	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID061	Jupiter Inlet Marina	91%	-	-	-	-	9%	91%	-	-	-	-	9%	91%	-	-	-	-	9%	91%	-	-	-	-	9%	91%	-	-	-	-	9%
ID064	Wastewater Treatment Plant	72%	3%	8%	5%	4%	8%	75%	8%	5%	4%	3%	5%	73%	6%	5%	5%	5%	6%	72%	3%	8%	5%	4%	8%	75%	8%	5%	4%	3%	5%
ID267	Egret's Landing Recharge System Pump Station	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID268	North Old Dixie Highway Stormwater Pump Station	-	-	-	-	-	100%	100%	-	-	-	-	-	-	-	-	100%	-	-	-	-	-	-	-	100%	-	100%	-	-	-	-
ID271	Salinity Barrier Structure	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID272	St Peters Recharge System Pump Station	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID275	Water Treatment Plant	33%	33%	18%	7%	1%	7%	58%	24%	9%	2%	-	7%	47%	28%	14%	3%	1%	7%	33%	33%	18%	7%	1%	7%	58%	22%	11%	2%	-	7%
ID349	Central Boulevard High Service Pump Station	31%	28%	19%	12%	-	9%	63%	20%	8%	-	5%	5%	50%	23%	17%	-	2%	8%	31%	28%	19%	12%	-	9%	61%	21%	8%	-	5%	5%
ID350	Juno Repump Station	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID351	Riverbend Repump Station	2%	-	-	5%	9%	84%	26%	14%	23%	7%	7%	23%	2%	5%	12%	14%	23%	44%	2%	-	-	5%	9%	84%	23%	12%	28%	5%	9%	23%
ID357	FPL Substation 1	16%	36%	18%	17%	7%	6%	95%	3%	2%	-	-	-	73%	15%	7%	3%	2%	-	13%	36%	21%	17%	7%	7%	92%	3%	4%	-	-	-
ID358	FPL Substation 2	73%	11%	5%	4%	5%	3%	88%	4%	5%	3%	-	-	83%	5%	4%	5%	3%	-	73%	11%	5%	4%	5%	3%	88%	4%	5%	3%	-	-
ID359	FPL Substation 3	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID360	North County Transfer Station	74%	2%	2%	-	-	21%	81%	2%	2%	-	1%	13%	78%	-	-	1%	1%	18%	74%	2%	2%	-	-	21%	80%	1%	3%	-	-	14%
ID361	ABC Montessori Academy	5%	20%	30%	20%	10%	15%	55%	10%	20%	5%	5%	5%	25%	30%	20%	10%	5%	10%	5%	20%	30%	20%	10%	15%	55%	10%	20%	5%	5%	5%
ID362	All Saints Catholic School	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID363	Beacon Cove Intermediate School	72%	17%	8%	2%	-	-	100%	-	-	-	-	-	95%	4%	-	-	-	-	72%	17%	8%	2%	-	-	100%	-	-	-	-	-
ID364	Bluff's School	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID365	Children's Enrichment Center - First United Methodist Church	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID366	First Class Preschool	67%	17%	17%	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	58%	25%	17%	-	-	-	100%	-	-	-	-	-
ID367	Florida Virtual School 4 Kids	-	-	25%	50%	13%	13%	-	13%	50%	25%	-	13%	-	13%	38%	38%	-	13%	-	-	25%	50%	13%	13%	-	13%	50%	25%	-	13%
ID368	Growing Minds Prep Academy	-	-	-	8%	8%	83%	17%	8%	8%	17%	33%	17%	-	17%	-	8%	-	75%	-	-	-	-	17%	83%	17%	-	8%	8%	33%	33%
ID369	Jerry Thomas Elementary School	61%	15%	7%	3%	1%	12%	82%	4%	1%	2%	4%	7%	68%	15%	3%	1%	3%	10%	61%	15%	7%	3%	1%	12%	82%	5%	1%	2%	3%	7%
ID370	Jupiter Christian School	88%	12%	-	-	-	-	100%	-	-	-	-	-	99%	-	-	-	-	-	88%	12%	-	-	-	-	100%	-	-	-	-	-
ID371	Jupiter Christian School - East Campus	96%	2%	2%	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	96%	2%	2%	-	-	-	100%	-	-	-	-	-
ID372	Jupiter Elementary School	52%	16%	13%	8%	2%	10%	66%	15%	6%	3%	1%	9%	62%	15%	8%	4%	2%	10%	52%	16%	13%	8%	2%	10%	66%	14%	6%	3%	1%	10%
ID373	Jupiter First Church Preschool	94%	4%	1%	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	94%	4%	1%	-	-	-	100%	-	-	-	-	-
ID374	Jupiter High School	84%	3%	1%	-	-	10%	88%	1%	-	-	-	9%	87%	1%	-	1%	-	9%	84%	3%	1%	-	-	10%	88%	1%	-	-	-	9%
ID375	Jupiter Middle School of Technology	29%	7%	17%	16%	12%	18%	65%	16%	8%	4%	2%	5%	45%	12%	13%	13%	6%	11%	29%	7%	17%	16%	12%	18%	63%	15%	10%	4%	2%	6%
ID376	Kidz Exploration Center	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID377	Lighthouse Elementary School	15%	14%	19%	29%	12%	11%	90%	3%	2%	1%	-	4%	44%	31%	13%	6%	1%	5%	15%	14%	19%	29%	12%	11%	89%	3%	2%	1%	-	4%
ID378	Limestone Creek Elementary School	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID379	Lutheran Services Florida Inc Head Start	87%	3%	2%	3%	3%	-	91%	2%	3%	3%	1%	-	91%	-	2%	3%	3%	-	87%	3%	2%	3%	3%	-	91%	-	4%	3%	1%	-
ID380	Temple Beth Am Preschool	14%	21%	22%	34%	8%	3%	76%	17%	5%	2%	-	-	36%	26%	28%	7%	2%	-	14%	21%	22%	34%	8%	3%	76%	17%	5%	2%	-	-
ID381	Thelma B Pittman Jupiter Preschool	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID382	Tiny Turtles Preschool	-	-	13%	50%	-	38%	88%	13%	-	-	-	-	38%	25%	-	25%	13%	-	-	-	-	63%	-	38%	63%	25%	13%	-	-	-
ID383	Turtle River Montessori - East Campus	87%	9%	4%	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	87%	9%	4%	-	-	-	100%	-	-	-	-	-
ID384	Turtle River Montessori - West Campus	86%	14%	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	82%	18%	-	-	-	-	100%	-	-	-	-	-
ID385	John D. MacArthur Campus	37%	21%	14%	9%	3%	16%	75%	7%	5%	1%	-	12%	56%	15%	9%	4%	3%	13%	37%	21%	14%	9%	3%	16%	74%	7%	5%	1%	-	12%
ID386	Max Planck Florida Institute for Neuroscience	59%	21%	14%	3%	-	3%	97%	-	-	-	2%	1%	79%	13%	5%	-	-	3%	59%	21%	14%	3%	-	3%	97%	-	-	-	1%	2%
ID387	Scripps Institute	39%	23%	27%	5%	-	7%	82%	10%	-	-	-	6%	60%	27%	6%	-	-	6%	39%	23%	27%	5%	-	7%	81%	12%	-	-	-	6%
ID391	Public Works	41%	22%	13%	10%	5%	10%	52%	18%	11%	7%	3%	9%	44%	21%	13%	8%	5%	9%	41%	22%	13%	10%	5%	10%	51%	18%	13%	6%	3%	9%
ID411	Jupiter Medical Center	46%	26%	9%	2%	-	16%	83%	-	-	-	-	16%	74%	8%	2%	-	-	16%	46%	26%	9%	2%	-	16%	82%	1%	-	-	-	16%
ID412	Florida Fish and Wildlife Conservation Commission Law Enforcement Division	52%	3%	3%	12%	3%	27%	58%	3%	9%	3%	9%	18%	55%	3%	12%	3%	6%	21%	48%	6%	3%	12%	3%	27%	55%	3%	12%	3%	9%	18%
ID414	Barcelona Jupiter	48%	21%	7%	1%	1%	21%	76%	2%	-	1%	2%	18%	70%	6%	2%	-	1%	20%	47%	21%	8%	1%	1%	21%	76%	1%	-	1%	2%	18%
ID415	Jupiter Homes Corp	84%	16%	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	84%	16%	-	-	-	-	100%	-	-	-	-	-
ID416	Seagrape Apartments	41%	22%	13%	9%	2%	14%	80%	7%	-	2%	-	12%	65%	14%	7%	-	2%	12%	41%	22%	13%	9%	2%	14%	80%	7%	-	2%	-	12%
ID417	Stephenson Manor	33%	28%	21%	11%	7%	-	82%	15%	3%	-	-	-	63%	19%	13%	6%	-	-	32%	29%	21%	11%	7%	-	81%	14%	6%	-	-	-
ID418	The Centre at Abacoa	25%	63%	13%	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	25%	63%	13%	-	-	-	100%	-	-	-	-	-
ID419	Third Housing 401	61%	29%	8%	3%	-	-	97%	3%	-	-	-	-	89%	8%	3%	-	-	-	61%	29%	8%	3%	-	-	97%	3%	-	-	-	-
ID420	Wood Duck Apartments	29%	18%	31%	19%	3%	-	83%	15%	2%	-	-	-	54%	26%	18%	2%	-	-	29%	18%	31%	19%	3%	-	81%	17%	2%	-	-	-
ID421	Independence Middle School	44%	19%	12%	17%	9%	-	100%	-	-	-	-	-	74%	17%	9%	-	-	-	44%	19%	12%	17%	9%	-	99%	-	-	-	-	-
ID422	Abacoa - Southeast	29%	12%	22%	15%	8%	12%	88%	1%	-	-	2%	8%	56%	20%	12%	1%	-	11%	29%	12%	22%	15%	8%	12%	88%	-	1%	-	-	9%
ID423	Abacoa - Central	37%	14%	12%	6%	4%	26%	67%	6%	3%	2%	3%	20%	56%	9%	6%	4%	2%	23%	37%	14%	12%	6%	4%	26%	65%	6%	3%	2%	3%	20%
ID433	Abacoa - Northwest	12%	10%	16%	9%	7%	46%	54%	3%	3%	-	2%	37%	38%	10%	6%	2%	3%	40%	12%	10%	16%	9%	7%	46%	54%	2%	4%	1%	2%	37%
ID436	Alma's Place Conservation Area	-	-	-	-	-	100%	-	-	4%	-	-	96%	-	-	-	-	4%	96%	-	-	-	-	-	100%	-	-	-	4%	-	96%
ID438	Botanica	18%	4%	4%	6%	7%	62%	28%	6%	7%	7%	9%	42%	22%	4%	6%	6%	7%	55%	18%	4%	4%	6%	7%	62%	27%	6%	6%	7%	9%	45%
ID450	C-18 Triangle Natural Area	-	-	-	-	-	98%	2%	-	-	7%	13%	76%	2%	-	-	-	-	98%	-	-	-	-	-	98%	2%	-	-	5%	12%	80%
ID452	Georgian Park	11%	6%	3%	20%	34%	26%	34%	34%	9%	11%	3%	9%	20%	20%	31%	14%	3%	11%	11%	3%	6%	20%	31%	29%	29%	29%	20%	11%	3%	9%
ID454	Hamptons	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID455	Jones Creek Hammock	-	1%	3%	6%	10%	79%	10%	8%	12%	11%	11%	49%	5%	6%	9%	13%	11%	56%	-	1%	3%	6%	8%	80%	9%	8%	12%	11%	11%	49%
ID457	Jones Creek Preserve	-	-	2%	4%	2%	92%	8%	2%	-	4%	4%	81%	2%	4%	2%	4%	2%	85%	-	-	2%	4%	2%	92%	6%	4%	-	4%	2%	83%
ID458	Jupiter High School Ditch	-	-	33%	67%	-	-	67%	33%	-	-	-	-	33%	33%	33%	-	-	-	-	-	33%	33%	33%	-	67%	33%	-	-	-	-
ID459	Jupiter Lighthouse Natural Area	99%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	99%	-	-	-	-	-	100%	-	-	-	-	-
ID460	Georgian Park Preserve	92%	3%	3%	-	3%	-	97%	3%	-	-	-	-	95%	3%	3%	-	-	-	92%	3%	-	3%	3%	-	97%	3%	-	-	-	-
ID461	Jupiter Ridge Natural Area	64%	3%	3%	3%	2%	24%	73%	2%	2%	2%	1%	18%	70%	3%	2%	3%	2%	20%	63%	3%	3%	3%	3%	25%	71%	3%	2%	2%	2%	19%
ID463	Jupiter Yacht Club - Privately Owned Land	-	-	-	-	-	99%	-	-	-	-	-	98%	-	-	-	-	-	99%	-	-	-	-	-	99%	-	-	-	-	-	99%
ID468	Jupiter Yacht Club - Town-Owned Land	-	-	-	3%	3%	94%	3%	3%	-	3%	12%	79%	-	3%	3%	-	-	94%	-	-	-	3%	3%	94%	-	3%	3%	-	3%	91%
ID471	Lox River Islands	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID473	Mangrove Bay	95%	2%	2%	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	95%	2%	2%	-	-	-	100%	-	-	-	-	-
ID474	Maplecrest	-	7%	10%	13%	17%	53%	17%	13%	20%	23%	27%	-	7%	10%	13%	20%	23%	27%	-	7%	10%	13%	13%	57%	13%	17%	13%	23%	30%	3%
ID475	Jones Creek Headwaters	7%	8%	11%	9%	11%	54%	26%	9%	12%	11%	14%	28%	15%	11%	9%	12%	11%	42%	6%	8%	11%	9%	11%	55%	24%	10%	11%	11%	14%	30%
ID476	North Jupiter Flatwoods	29%	22%	20%	15%	8%	7%	57%	19%	13%	8%	3%	-	39%	21%	19%	11%	6%	3%	29%	22%	20%	15%	8%	7%	56%	19%	14%	8%	3%	-
ID479	Parcel 19 PUD	4%	-	-	-	-	96%	4%	-	4%	-	18%	75%	4%	-	-	-	-	96%	4%	-	-	-	-	96%	4%	-	4%	-	11%	82%
ID480	Parcel 19 W. Station Preserve	13%	-	2%	-	4%	82%	18%	4%	11%	9%	23%	36%	14%	-	4%	-	9%	73%	13%	-	2%	-	4%	82%	18%	2%	13%	9%	20%	39%
ID484	Paseos	6%	7%	7%	12%	16%	52%	20%	14%	15%	17%	16%	18%	13%	7%	14%	14%	15%	34%	5%	6%	8%	12%	15%	54%	19%	12%	14%	19%	17%	20%
ID485	Jupiter River Estates North	-	3%	10%	10%	17%	59%	60%	16%	7%	4%	5%	9%	15%	17%	16%	22%	12%	19%	-	2%	9%	10%	17%	60%	43%	22%	12%	5%	5%	12%
ID490	SFWMD - C18	35%	3%	2%	2%	2%	55%	40%	2%	2%	2%	-	54%	38%	2%	1%	2%	-	55%	35%	3%	2%	2%	2%	55%	40%	1%	1%	3%	-	54%
ID491	Shores of Jupiter	10%	4%	5%	6%	8%	66%	33%	14%	20%	21%	8%	3%	16%	7%	7%	7%	13%	20%	38%	10%	4%	5%	7%	8%	67%	27%	11%	19%	20%	17%
ID496	Sims Creek Preserve	8%	17%	21%	17%	10%	27%	77%	8%	4%	2%	2%	8%	50%	13%	12%	6%	8%	12%	6%	15%	23%	17%	12%	27%	73%	4%	10%	4%	-	10%
ID497	State of Florida - TIITF	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID498	Tierra Del Sol	39%	21%	15%	9%	-	15%	85%	6%	6%	3%	-	-	73%	9%	3%	9%	6%	-	36%	21%	15%	9%	3%	15%	79%	6%	6%	6%	3%	-

Appendix F
Flooding by Percent Area - Parcels

Asset Unique ID	Asset Name	S-6						S-7						S-8						S-9						S-10					
		0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5
		≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'
ID499	Town of Jupiter - Coastline	86%	5%	-	5%	-	5%	91%	5%	-	-	-	5%	86%	5%	5%	-	-	5%	86%	5%	-	5%	-	5%	91%	5%	-	-	-	5%
ID500	Double Roads - South	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID508	Double Roads - North	92%	-	-	-	-	5%	95%	-	1%	1%	-	2%	93%	-	-	-	1%	4%	92%	-	-	-	-	5%	95%	-	1%	1%	-	3%
ID512	Carlin Park - Town-Owned	48%	13%	16%	16%	6%	-	77%	16%	6%	-	-	-	61%	19%	16%	3%	-	-	48%	13%	16%	16%	6%	-	65%	19%	13%	3%	-	-
ID513	Washington Preserve	53%	23%	12%	6%	4%	2%	67%	17%	8%	4%	2%	2%	59%	20%	10%	6%	3%	2%	53%	23%	12%	6%	4%	2%	66%	18%	8%	4%	2%	2%
ID515	Burt Reynolds Park	39%	8%	6%	6%	5%	36%	61%	4%	4%	5%	4%	22%	53%	6%	5%	4%	4%	28%	37%	9%	6%	5%	6%	37%	55%	7%	4%	4%	5%	26%
ID516	Carlin Park	19%	5%	6%	8%	9%	53%	29%	8%	9%	10%	9%	35%	24%	6%	8%	9%	10%	42%	18%	5%	6%	8%	9%	53%	27%	8%	9%	10%	8%	37%
ID517	Cinquez Dog Park	41%	19%	13%	13%	7%	7%	57%	14%	13%	9%	2%	6%	50%	15%	12%	12%	4%	7%	41%	19%	13%	13%	7%	7%	56%	14%	12%	11%	2%	6%
ID518	Daily Park	-	-	-	25%	25%	50%	100%	-	-	-	-	-	-	25%	75%	-	-	-	-	-	-	-	50%	50%	75%	25%	-	-	-	-
ID519	Dubois Park	45%	5%	7%	3%	3%	38%	53%	6%	3%	3%	2%	33%	49%	6%	5%	3%	2%	35%	44%	4%	5%	5%	3%	38%	46%	6%	7%	3%	3%	35%
ID520	Eastview Manor Park	43%	57%	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	43%	57%	-	-	-	-	100%	-	-	-	-	-
ID521	FIND Park	48%	4%	3%	3%	4%	38%	57%	4%	3%	4%	7%	26%	53%	3%	4%	3%	4%	34%	47%	4%	3%	3%	4%	39%	54%	3%	4%	3%	4%	32%
ID522	Frazier Park	-	-	100%	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	-	-	100%	-	-	-	100%	-	-	-	-	-
ID523	Karen Golonka Island	-	-	-	-	2%	94%	3%	3%	1%	-	2%	89%	3%	-	3%	2%	-	91%	-	-	-	-	3%	94%	3%	-	3%	2%	-	91%
ID524	Indian Creek Park	21%	32%	14%	5%	6%	22%	68%	5%	6%	2%	2%	17%	44%	21%	6%	5%	3%	21%	21%	32%	14%	5%	6%	22%	66%	5%	5%	3%	3%	17%
ID525	Johnston Park	50%	10%	26%	9%	2%	3%	95%	3%	2%	-	-	-	88%	7%	2%	3%	-	-	43%	16%	19%	17%	-	5%	90%	5%	3%	2%	-	-
ID526	Juno Beach Park	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID527	Jupiter Beach Park	38%	4%	5%	6%	3%	45%	42%	5%	6%	3%	1%	43%	40%	5%	5%	4%	2%	44%	38%	3%	5%	5%	5%	46%	38%	4%	5%	5%	3%	44%
ID528	Jupiter Community Park	53%	21%	11%	2%	-	12%	81%	5%	2%	-	-	11%	61%	19%	6%	2%	-	12%	53%	21%	11%	2%	-	12%	79%	6%	2%	-	-	12%
ID529	Jupiter River Estates Park	8%	-	-	8%	8%	75%	8%	25%	42%	8%	-	17%	8%	8%	8%	42%	17%	17%	8%	-	-	-	8%	83%	8%	25%	42%	8%	-	17%
ID530	Jupiter Village Park	57%	36%	6%	-	-	-	100%	-	-	-	-	-	98%	2%	-	-	-	-	57%	36%	6%	-	-	-	100%	-	-	-	-	-
ID531	Karen Marcus Ocean Preserve	19%	4%	6%	7%	7%	57%	33%	8%	6%	6%	4%	44%	24%	6%	7%	7%	6%	49%	19%	4%	6%	7%	7%	57%	32%	8%	7%	6%	4%	44%
ID532	Kennedy Estates	67%	33%	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	67%	33%	-	-	-	-	100%	-	-	-	-	-
ID533	Lighthouse Park	88%	5%	3%	1%	2%	1%	97%	1%	-	-	-	1%	94%	2%	1%	-	-	1%	86%	6%	3%	2%	-	3%	96%	2%	1%	-	-	1%
ID534	Limestone Creek Park	71%	29%	-	-	-	-	100%	-	-	-	-	-	93%	7%	-	-	-	-	71%	29%	-	-	-	-	100%	-	-	-	-	-
ID535	Loxahatchee Battlefield	-	-	-	-	-	98%	2%	-	3%	10%	22%	62%	2%	-	-	-	3%	94%	-	-	-	-	-	98%	2%	-	3%	8%	21%	65%
ID536	Maplewood Park	54%	27%	14%	5%	-	-	100%	-	-	-	-	-	99%	-	-	-	-	-	53%	27%	15%	5%	-	-	100%	-	-	-	-	-
ID537	North County Aquatic Complex	50%	3%	9%	21%	10%	7%	75%	15%	9%	1%	-	-	62%	19%	12%	6%	1%	-	50%	3%	9%	16%	15%	7%	75%	15%	9%	1%	-	-
ID538	North Palm Beach Heights Park	4%	10%	31%	27%	19%	9%	81%	10%	4%	-	-	4%	29%	27%	26%	10%	4%	4%	4%	10%	31%	27%	19%	9%	79%	13%	3%	1%	-	4%
ID539	Ocean Cay Park	94%	-	1%	2%	-	1%	96%	1%	1%	1%	-	-	94%	2%	2%	-	1%	-	94%	-	1%	2%	-	1%	96%	1%	-	2%	-	-
ID540	Old Town Hall Park	-	-	-	-	-	100%	-	-	5%	19%	50%	26%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	7%	29%	64%
ID541	Pine Gardens Park	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID542	Riverbend Park	2%	-	-	-	2%	94%	6%	3%	6%	11%	15%	60%	3%	-	1%	3%	5%	86%	2%	-	-	-	2%	94%	6%	3%	5%	9%	14%	63%
ID543	Sawfish Bay Park	-	5%	7%	47%	11%	29%	67%	7%	9%	-	2%	15%	16%	45%	9%	13%	-	16%	-	2%	9%	38%	20%	31%	29%	38%	7%	9%	-	16%
ID544	South Jupiter Community Park	23%	26%	28%	17%	6%	-	98%	2%	-	-	-	-	76%	14%	9%	1%	-	-	23%	26%	28%	17%	6%	-	96%	4%	-	-	-	-
ID545	Sylvia Park	22%	11%	-	-	-	67%	33%	11%	11%	22%	-	22%	33%	-	-	-	22%	44%	22%	11%	-	-	-	67%	33%	-	11%	11%	22%	22%
ID546	Waterway Park	10%	6%	9%	9%	6%	60%	35%	6%	3%	3%	3%	49%	26%	8%	6%	4%	3%	54%	9%	6%	8%	10%	6%	61%	29%	7%	6%	3%	3%	53%
ID547	West Jupiter Community Center	81%	5%	3%	4%	5%	1%	86%	3%	4%	4%	2%	-	86%	1%	3%	4%	5%	-	81%	5%	3%	4%	5%	1%	86%	1%	6%	4%	2%	-
ID558	Riverbend and Loxahatchee River Battlefield Parks	73%	4%	5%	6%	4%	8%	94%	2%	2%	1%	-	1%	88%	3%	3%	2%	2%	3%	73%	4%	5%	6%	4%	8%	93%	2%	2%	1%	-	1%
ID568	Eganfuskee Pond	-	-	-	-	-	100%	-	-	-	-	67%	33%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID569	Old Jupiter Beach Road Pond	-	-	-	-	-	100%	-	-	-	-	10%	90%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID570	Cinquez Pond	8%	8%	-	8%	-	75%	8%	8%	8%	-	8%	67%	8%	8%	-	8%	8%	67%	8%	8%	-	8%	-	75%	8%	8%	-	8%	8%	67%
ID571	Jupiter River Estates North Pond	-	-	-	-	-	100%	-	-	50%	25%	25%	-	-	-	-	-	50%	50%	-	-	-	-	-	100%	-	-	50%	-	25%	25%
ID572	Clemons Pond	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID573	Love Street Pond	-	-	-	33%	-	67%	-	-	33%	-	33%	33%	-	-	33%	-	-	67%	-	-	-	33%	-	67%	-	-	-	33%	-	67%
ID574	Greenwood Pond	3%	6%	9%	9%	13%	59%	44%	-	3%	3%	-	50%	22%	6%	16%	-	3%	53%	3%	6%	9%	9%	13%	59%	41%	3%	3%	-	3%	50%
ID575	Seminole Pond	-	-	-	11%	15%	74%	28%	-	2%	9%	2%	60%	4%	15%	9%	-	2%	70%	-	-	-	9%	17%	74%	26%	2%	-	2%	11%	60%
ID576	7th Street Pond	50%	-	-	17%	-	33%	50%	17%	-	17%	-	17%	50%	-	17%	-	17%	17%	50%	-	-	17%	-	33%	50%	17%	-	17%	-	17%
ID577	Delaware Scrub	6%	14%	8%	10%	9%	54%	51%	5%	5%	5%	3%	30%	30%	12%	7%	5%	5%	41%	4%	14%	8%	10%	10%	54%	48%	5%	4%	6%	4%	33%
ID578	Todd Street Mangrove Preserve	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%

Appendix F
Flooding by Percent Area - Parcels

Asset Unique ID	Asset Name	S-11						S-12						S-13						S-14						S-15					
		0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5
		≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'
ID060	Admiral's Cove Marina	100%	-	-	-	-	-	-	100%	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	-	100%	-	-	-	-
ID061	Jupiter Inlet Marina	91%	-	-	-	-	9%	91%	-	-	-	-	9%	91%	-	-	-	-	9%	91%	-	-	-	-	9%	91%	-	-	-	-	9%
ID064	Wastewater Treatment Plant	73%	5%	6%	5%	5%	6%	72%	3%	8%	5%	4%	8%	75%	8%	5%	4%	3%	5%	73%	5%	6%	5%	5%	6%	72%	3%	8%	5%	4%	8%
ID267	Egret's Landing Recharge System Pump Station	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID268	North Old Dixie Highway Stormwater Pump Station	-	-	-	100%	-	-	-	-	-	-	-	100%	-	-	100%	-	-	-	-	-	-	-	100%	-	-	-	-	-	-	100%
ID271	Salinity Barrier Structure	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID272	St Peters Recharge System Pump Station	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID275	Water Treatment Plant	47%	28%	14%	3%	1%	7%	31%	33%	20%	7%	1%	7%	58%	22%	11%	2%	-	7%	47%	28%	14%	3%	1%	7%	31%	35%	18%	7%	1%	7%
ID349	Central Boulevard High Service Pump Station	50%	23%	17%	-	2%	8%	31%	28%	18%	14%	-	9%	61%	21%	8%	-	5%	5%	50%	23%	17%	-	2%	8%	31%	28%	20%	11%	-	9%
ID350	Juno Repump Station	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID351	Riverbend Repump Station	2%	5%	9%	14%	21%	49%	2%	-	-	5%	9%	84%	23%	12%	28%	5%	9%	23%	2%	5%	9%	14%	21%	49%	2%	-	-	5%	9%	84%
ID357	FPL Substation 1	69%	17%	6%	4%	3%	-	4%	36%	26%	16%	9%	9%	86%	7%	3%	3%	-	-	56%	20%	14%	6%	3%	2%	3%	19%	32%	20%	15%	12%
ID358	FPL Substation 2	83%	5%	4%	6%	3%	-	73%	11%	5%	4%	5%	3%	88%	4%	6%	3%	-	-	82%	6%	3%	6%	3%	-	73%	11%	5%	4%	5%	3%
ID359	FPL Substation 3	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID360	North County Transfer Station	78%	-	-	1%	1%	18%	74%	2%	2%	-	-	21%	80%	-	3%	1%	-	14%	78%	-	-	-	2%	18%	74%	2%	2%	-	-	21%
ID361	ABC Montessori Academy	25%	30%	10%	20%	5%	10%	-	20%	35%	10%	20%	15%	55%	10%	20%	5%	5%	5%	20%	35%	10%	20%	5%	10%	-	10%	40%	15%	20%	15%
ID362	All Saints Catholic School	100%	-	-	-	-	-	99%	1%	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	98%	2%	-	-	-	-
ID363	Beacon Cove Intermediate School	95%	4%	1%	-	-	-	70%	17%	9%	2%	-	-	100%	-	-	-	-	-	92%	6%	1%	-	-	-	69%	17%	11%	2%	-	-
ID364	Bluff's School	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID365	Children's Enrichment Center - First United Methodist Church	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID366	First Class Preschool	83%	17%	-	-	-	-	50%	17%	17%	17%	-	-	83%	17%	-	-	-	-	67%	17%	17%	-	-	-	33%	25%	8%	17%	17%	-
ID367	Florida Virtual School 4 Kids	-	-	50%	38%	-	13%	-	-	25%	38%	25%	13%	-	13%	50%	25%	-	13%	-	-	50%	38%	-	13%	-	-	13%	50%	25%	13%
ID368	Growing Minds Prep Academy	-	8%	8%	-	8%	75%	-	-	-	-	17%	83%	8%	8%	-	8%	8%	67%	-	-	8%	8%	-	83%	-	-	-	-	8%	92%
ID369	Jerry Thomas Elementary School	68%	15%	3%	1%	3%	10%	61%	15%	8%	3%	-	12%	81%	5%	1%	1%	3%	8%	67%	16%	3%	1%	3%	10%	61%	15%	8%	3%	1%	12%
ID370	Jupiter Christian School	99%	-	-	-	-	-	86%	8%	5%	-	-	-	100%	-	-	-	-	-	99%	-	-	-	-	-	78%	13%	8%	-	-	-
ID371	Jupiter Christian School - East Campus	100%	-	-	-	-	-	94%	4%	2%	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	90%	6%	2%	2%	-	-
ID372	Jupiter Elementary School	62%	15%	8%	4%	2%	10%	47%	17%	14%	7%	3%	11%	65%	14%	7%	3%	1%	10%	61%	15%	8%	4%	2%	10%	39%	18%	16%	10%	5%	12%
ID373	Jupiter First Church Preschool	100%	-	-	-	-	-	94%	4%	1%	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	94%	3%	2%	-	-	-
ID374	Jupiter High School	87%	1%	-	-	-	9%	81%	6%	-	1%	-	10%	88%	1%	-	-	-	9%	87%	1%	1%	-	-	10%	75%	11%	1%	2%	-	10%
ID375	Jupiter Middle School of Technology	43%	12%	14%	12%	7%	11%	29%	7%	16%	16%	14%	18%	61%	14%	11%	5%	3%	6%	41%	14%	14%	13%	6%	11%	29%	7%	16%	16%	14%	18%
ID376	Kidz Exploration Center	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID377	Lighthouse Elementary School	39%	32%	15%	6%	2%	5%	14%	14%	17%	30%	13%	11%	87%	4%	2%	-	1%	4%	36%	31%	18%	8%	3%	5%	13%	15%	17%	31%	13%	12%
ID378	Limestone Creek Elementary School	100%	-	-	-	-	-	99%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	99%	1%	-	-	-	-
ID379	Lutheran Services Florida Inc Head Start	91%	-	2%	3%	3%	-	87%	3%	2%	3%	3%	-	91%	-	3%	2%	3%	-	90%	-	3%	3%	3%	-	87%	4%	-	3%	2%	3%
ID380	Temple Beth Am Preschool	36%	25%	28%	8%	2%	-	14%	21%	22%	34%	8%	3%	76%	17%	5%	2%	-	-	36%	25%	28%	8%	2%	-	14%	21%	22%	34%	8%	3%
ID381	Thelma B Pittman Jupiter Preschool	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID382	Tiny Turtles Preschool	-	63%	-	25%	13%	-	-	-	-	38%	25%	38%	63%	-	25%	13%	-	-	-	38%	25%	-	25%	13%	-	-	-	38%	25%	38%
ID383	Turtle River Montessori - East Campus	100%	-	-	-	-	-	83%	9%	9%	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	83%	9%	4%	4%	-	-
ID384	Turtle River Montessori - West Campus	100%	-	-	-	-	-	75%	25%	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	71%	29%	-	-	-	-
ID385	John D. MacArthur Campus	56%	14%	10%	4%	3%	13%	36%	21%	14%	9%	4%	16%	74%	7%	5%	1%	-	12%	56%	14%	10%	4%	3%	13%	36%	21%	14%	9%	4%	16%
ID386	Max Planck Florida Institute for Neuroscience	79%	13%	5%	-	-	3%	59%	21%	14%	3%	-	3%	97%	-	-	-	1%	2%	79%	13%	5%	-	-	3%	59%	21%	14%	3%	-	3%
ID387	Scripps Institute	59%	27%	7%	-	-	6%	39%	22%	27%	6%	-	7%	81%	12%	-	-	-	6%	59%	27%	7%	-	-	6%	39%	22%	27%	6%	-	7%
ID391	Public Works	44%	21%	13%	8%	5%	9%	41%	22%	13%	10%	5%	10%	51%	18%	13%	6%	3%	9%	44%	21%	13%	8%	5%	9%	41%	22%	13%	10%	5%	10%
ID411	Jupiter Medical Center	73%	8%	2%	-	-	16%	42%	27%	12%	2%	1%	16%	82%	1%	-	-	-	16%	70%	10%	2%	1%	-	16%	32%	27%	18%	5%	2%	16%
ID412	Florida Fish and Wildlife Conservation Commission Law Enforcement Division	55%	3%	12%	3%	6%	21%	45%	9%	3%	12%	3%	27%	55%	3%	12%	3%	6%	21%	48%	9%	12%	3%	6%	21%	45%	3%	9%	12%	3%	27%
ID414	Barcelona Jupiter	69%	7%	1%	1%	1%	20%	41%	18%	17%	-	2%	22%	76%	-	1%	-	2%	19%	66%	10%	1%	-	1%	21%	35%	17%	21%	5%	2%	22%
ID415	Jupiter Homes Corp	100%	-	-	-	-	-	72%	24%	4%	-	-	-	100%	-	-	-	-	-	96%	4%	-	-	-	-	60%	36%	4%	-	-	-
ID416	Seagrape Apartments	65%	12%	8%	2%	2%	12%	34%	23%	17%	8%	5%	14%	75%	9%	2%	2%	-	12%	58%	15%	9%	4%	2%	12%	27%	23%	15%	14%	7%	14%
ID417	Stephenson Manor	61%	21%	13%	6%	-	-	24%	29%	22%	17%	7%	1%	76%	17%	7%	-	-	-	56%	21%	17%	6%	1%	-	18%	28%	24%	15%	13%	3%
ID418	The Centre at Abacoa	100%	-	-	-	-	-	13%	75%	13%	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	13%	75%	13%	-	-	-
ID419	Third Housing 401	87%	11%	3%	-	-	-	61%	21%	16%	3%	-	-	97%	3%	-	-	-	-	84%	13%	3%	-	-	-	47%	24%	26%	-	3%	-
ID420	Wood Duck Apartments	49%	30%	19%	2%	-	-	25%	16%	29%	18%	11%	-	74%	20%	6%	-	-	-	42%	29%	19%	9%	-	-	18%	17%	22%	27%	15%	1%
ID421	Independence Middle School	74%	16%	10%	-	-	-	40%	21%	12%	16%	10%	-	99%	1%	-	-	-	-	74%	16%	10%	-	-	-	40%	21%	12%	16%	10%	-
ID422	Abacoa - Southeast	54%	19%	12%	2%	-	12%	27%	14%	22%	15%	9%	12%	88%	-	1%	-	1%	9%	53%	18%	14%	3%	-	12%	27%	12%	23%	15%	10%	12%
ID423	Abacoa - Central	56%	9%	6%	4%	2%	23%	37%	14%	12%	6%	4%	27%	65%	6%	3%	2%	2%	21%	56%	9%	7%	4%	2%	23%	36%	14%	12%	6%	4%	27%
ID433	Abacoa - Northwest	38%	10%	7%	2%	3%	41%	11%	10%	16%	10%	6%	47%	54%	2%	4%	-	2%	38%	38%	10%	7%	2%	3%	41%	11%	10%	16%	10%	7%	47%
ID436	Alma's Place Conservation Area	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	4%	96%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID438	Botanica	22%	4%	6%	7%	7%	55%	17%	3%	4%	5%	7%	64%	25%	5%	7%	6%	8%	50%	21%	4%	5%	7%	6%	58%	16%	3%	3%	5%	6%	67%
ID450	C-18 Triangle Natural Area	2%	-	-	-	-	98%	-	-	-	-	-	98%	2%	-	-	5%	12%	80%	2%	-	-	-	-	98%	-	-	-	-	-	98%
ID452	Georgian Park	20%	6%	34%	17%	11%	11%	9%	6%	6%	6%	31%	43%	26%	29%	20%	14%	3%	9%	20%	-	26%	29%	14%	11%	6%	6%	9%	3%	23%	54%
ID454	Hamptons	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID455	Jones Creek Hammock	3%	6%	8%	11%	11%	60%	-	-	2%	5%	8%	84%	8%	8%	11%	12%	12%	50%	3%	3%	7%	10%	12%	65%	-	-	2%	4%	6%	87%
ID457	Jones Creek Preserve	2%	2%	2%	4%	4%	85%	-	-	2%	2%	2%	94%	4%	4%	2%	4%	2%	83%	-	4%	2%	2%	4%	88%	-	-	-	4%	2%	94%
ID458	Jupiter High School Ditch	-	67%	33%	-	-	-	-	-	-	67%	33%	-	67%	33%	-	-	-	-	-	67%	33%	-	-	-	-	-	-	67%	33%	-
ID459	Jupiter Lighthouse Natural Area	100%	-	-	-	-	-	99%	-	-	-	-	-	99%	-	-	-	-	-	99%	-	-	-	-	-	98%	-	-	-	-	-
ID460	Georgian Park Preserve	95%	3%	3%	-	-	-	92%	3%	-	3%	3%	-	97%	3%	-	-	-	-	95%	3%	3%	-	-	-	89%	5%	-	3%	3%	-
ID461	Jupiter Ridge Natural Area	68%	3%	3%	2%	2%	22%	62%	3%	3%	3%	3%	26%	67%	3%	3%	3%	3%	22%	64%	3%	3%	3%	3%	24%	58%	4%	3%	3%	3%	28%
ID463	Jupiter Yacht Club - Privately Owned Land	-	-	-	-	-	99%	-	-	-	-	-	99%	-	-	-	-	-	99%	-	-	-	-	-	99%	-	-	-	-	-	100%
ID468	Jupiter Yacht Club - Town-Owned Land	-	-	3%	3%	-	94%	-	-	-	-	3%	97%	-	-	3%	3%	-	94%	-	-	-	3%	3%	94%	-	-	-	-	-	100%
ID471	Lox River Islands	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID473	Mangrove Bay	98%	2%	-	-	-	-	95%	-	2%	2%	-	-	98%	-	2%	-	-	-	95%	2%	2%	-	-	-	93%	2%	2%	-	2%	-
ID474	Maplecrest	7%	10%	13%	17%	23%	30%	-	3%	10%	10%	17%	60%	13%	13%	17%	17%	33%	7%	7%	7%	17%	13%	23%	33%	-	3%	3%	13%	13%	67%
ID475	Jones Creek Headwaters	15%	11%	9%	11%	11%	43%	4%	7%	10%	10%	10%	59%	22%	11%	9%	12%	13%	33%	13%	10%	10%	11%	11%	44%	3%	5%	9%	11%	8%	63%
ID476	North Jupiter Flatwoods	39%	21%	19%	11%	6%	4%	29%	22%	20%	15%	8%	7%	56%	19%	14%	8%	3%	-	39%	21%	19%	11%	6%	4%	29%	22%	20%	15%	8%	7%
ID479	Parcel 19 PUD	4%	-	-	-	-	96%	4%	-	-	-	-	96%	4%	-	4%	-	11%	82%	4%	-	-	-	-	96%	4%	-	-	-	-	96%
ID480	Parcel 19 W. Station Preserve	14%	-	4%	-	5%	77%	13%	-	2%	-	4%	82%	18%	2%	13%	9%	20%	39%	14%	-	4%	-	5%	77%	13%	-	2%	-	4%	82%
ID484	Paseos	13%	7%	12%	16%	17%	35%	4%	6%	8%	10%	13%	59%	19%	11%	13%	18%	16%	23%	11%	8%	12%	14%	19%	36%	3%	4%	8%	8%	13%	64%
ID485	Jupiter River Estates North	12%	11%	16%	22%	14%	25%	-	2%	5%	11%	19%	64%	27%	16%	23%	11%	5%	17%	4%	10%	14%	17%	23%	32%	-	-	3%	10%	13%	73%
ID490	SFWMD - C18	38%	2%	2%	2%	-	55%	35%	3%	2%	3%	2%	56%	40%	2%	1%	2%	1%	54%	38%	3%	1%	3%	-	55%	35%	3%	2%	3%	2%	56%
ID491	Shores of Jupiter	14%	7%	6%	11%	19%	42%	9%	4%	5%	6%	9%	67%	23%	8%	11%	18%	21%	18%	13%	7%	6%	8%	16%	51%	8%	3%	6%	5%	8%	70%
ID496	Sims Creek Preserve	38%	21%	13%	4%	8%	15%	4%	15%	19%	19%	12%	31%	63%	10%	4%	10%	4%	10%	27%	23%	13%	12%	6%	19%	-	10%	17%	27%	12%	35%
ID497	State of Florida - TIITF	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID498	Tierra Del Sol	61%	18%	6%	6%	6%	3%	30%	18%	12%	18%	6%	15%	61%	12%	9%	3%	9%	6%	42%	18%	18%	6%	6%	9%	24%	12%	12%	18%	15%	18%

Appendix F
Flooding by Percent Area - Parcels

Asset Unique ID	Asset Name	S-11						S-12						S-13						S-14						S-15					
		0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5
		≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'
ID499	Town of Jupiter - Coastline	86%	5%	5%	-	-	5%	86%	5%	-	5%	-	5%	91%	5%	-	-	-	5%	86%	5%	5%	-	-	5%	86%	5%	-	5%	-	5%
ID500	Double Roads - South	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID508	Double Roads - North	93%	-	-	-	1%	4%	92%	-	-	-	-	5%	95%	-	-	2%	-	3%	93%	-	-	-	1%	4%	92%	-	-	-	-	5%
ID512	Carlin Park - Town-Owned	58%	16%	19%	6%	-	-	48%	10%	13%	19%	10%	-	52%	10%	19%	16%	3%	-	48%	13%	13%	19%	6%	-	45%	3%	10%	13%	19%	10%
ID513	Washington Preserve	58%	20%	10%	6%	3%	2%	53%	23%	12%	6%	4%	2%	66%	18%	8%	4%	2%	2%	58%	20%	10%	6%	3%	2%	53%	23%	12%	6%	4%	2%
ID515	Burt Reynolds Park	49%	5%	6%	4%	4%	31%	32%	10%	7%	5%	6%	40%	49%	5%	6%	4%	4%	32%	43%	6%	5%	6%	4%	35%	27%	7%	10%	6%	5%	44%
ID516	Carlin Park	23%	6%	8%	9%	10%	43%	18%	4%	6%	8%	9%	54%	25%	8%	9%	10%	9%	40%	21%	6%	8%	8%	11%	45%	17%	4%	6%	9%	8%	57%
ID517	Cinquez Dog Park	49%	15%	13%	12%	4%	7%	39%	18%	15%	13%	8%	7%	54%	13%	13%	12%	2%	6%	49%	15%	12%	14%	4%	7%	32%	20%	14%	12%	13%	10%
ID518	Daily Park	-	25%	25%	50%	-	-	-	-	-	-	50%	50%	25%	50%	25%	-	-	-	-	-	25%	50%	25%	-	-	-	-	-	25%	75%
ID519	Dubois Park	44%	5%	7%	5%	2%	37%	40%	4%	5%	5%	6%	40%	40%	4%	6%	6%	5%	39%	39%	4%	4%	7%	6%	40%	34%	4%	4%	4%	6%	47%
ID520	Eastview Manor Park	100%	-	-	-	-	-	14%	57%	29%	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	-	43%	57%	-	-	-
ID521	FIND Park	50%	4%	3%	4%	3%	36%	46%	3%	4%	2%	4%	41%	49%	5%	3%	4%	3%	37%	47%	2%	4%	3%	4%	40%	44%	2%	3%	4%	3%	44%
ID522	Frazier Park	100%	-	-	-	-	-	-	-	60%	40%	-	-	100%	-	-	-	-	-	40%	60%	-	-	-	-	-	-	-	100%	-	-
ID523	Karen Golonka Island	2%	-	-	3%	1%	92%	-	-	-	-	-	97%	2%	-	-	3%	2%	92%	-	-	-	-	3%	93%	-	-	-	-	-	97%
ID524	Indian Creek Park	41%	24%	6%	5%	2%	21%	21%	33%	14%	4%	6%	22%	65%	6%	5%	3%	3%	18%	41%	24%	6%	5%	2%	21%	21%	33%	14%	4%	6%	22%
ID525	Johnston Park	69%	21%	5%	3%	2%	-	26%	29%	9%	26%	5%	5%	66%	24%	5%	2%	3%	-	57%	10%	22%	5%	3%	2%	12%	22%	22%	12%	21%	10%
ID526	Juno Beach Park	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID527	Jupiter Beach Park	38%	3%	5%	5%	4%	46%	35%	3%	3%	5%	5%	50%	35%	3%	3%	5%	5%	50%	32%	5%	1%	6%	4%	52%	29%	3%	6%	1%	5%	57%
ID528	Jupiter Community Park	61%	19%	6%	2%	-	12%	52%	21%	11%	2%	-	12%	79%	6%	2%	-	-	12%	61%	19%	6%	2%	-	12%	52%	21%	11%	2%	-	12%
ID529	Jupiter River Estates Park	8%	-	8%	33%	33%	17%	-	8%	-	-	8%	83%	8%	8%	33%	33%	-	17%	8%	-	8%	17%	42%	25%	-	8%	-	-	8%	83%
ID530	Jupiter Village Park	97%	3%	-	-	-	-	55%	39%	6%	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	56%	38%	6%	-	-	-
ID531	Karen Marcus Ocean Preserve	24%	6%	8%	7%	6%	50%	18%	4%	6%	7%	7%	57%	31%	8%	6%	6%	4%	44%	24%	6%	8%	7%	6%	50%	18%	4%	6%	7%	7%	57%
ID532	Kennedy Estates	100%	-	-	-	-	-	67%	33%	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	73%	27%	-	-	-	-
ID533	Lighthouse Park	93%	3%	1%	1%	-	1%	72%	18%	3%	3%	1%	3%	91%	3%	3%	-	-	1%	89%	4%	3%	2%	1%	1%	59%	19%	13%	2%	3%	4%
ID534	Limestone Creek Park	93%	7%	-	-	-	-	71%	29%	-	-	-	-	100%	-	-	-	-	-	93%	7%	-	-	-	-	71%	29%	-	-	-	-
ID535	Loxahatchee Battlefield	2%	-	-	-	3%	94%	-	-	-	-	-	98%	2%	-	-	3%	8%	21%	2%	-	-	-	3%	94%	-	-	-	-	-	98%
ID536	Maplewood Park	99%	-	-	-	-	-	47%	28%	17%	7%	-	-	100%	-	-	-	-	-	98%	1%	-	-	-	-	44%	30%	17%	7%	-	-
ID537	North County Aquatic Complex	62%	13%	15%	9%	1%	-	50%	3%	9%	13%	15%	10%	75%	15%	9%	1%	-	-	56%	7%	19%	15%	1%	1%	47%	4%	4%	7%	22%	15%
ID538	North Palm Beach Heights Park	27%	26%	27%	11%	4%	4%	4%	9%	29%	31%	19%	9%	79%	13%	3%	1%	-	4%	27%	26%	27%	11%	4%	4%	4%	9%	29%	31%	19%	9%
ID539	Ocean Cay Park	94%	2%	1%	1%	1%	-	94%	-	1%	2%	-	1%	96%	1%	-	2%	-	-	94%	2%	1%	1%	1%	-	94%	-	1%	2%	-	1%
ID540	Old Town Hall Park	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	7%	93%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID541	Pine Gardens Park	100%	-	-	-	-	-	88%	13%	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	75%	25%	-	-	-	-
ID542	Riverbend Park	3%	-	1%	3%	5%	87%	2%	-	-	-	1%	94%	6%	3%	5%	9%	14%	63%	3%	-	1%	3%	5%	87%	2%	-	-	-	1%	94%
ID543	Sawfish Bay Park	9%	20%	38%	7%	9%	16%	-	-	7%	16%	40%	36%	7%	11%	45%	9%	11%	16%	-	7%	16%	44%	7%	25%	-	-	-	9%	24%	67%
ID544	South Jupiter Community Park	75%	15%	9%	2%	-	-	20%	24%	31%	18%	6%	-	96%	4%	-	-	-	-	75%	15%	9%	2%	-	-	20%	24%	31%	18%	6%	-
ID545	Sylvia Park	33%	-	-	-	11%	56%	11%	11%	11%	-	-	67%	33%	-	-	11%	11%	44%	33%	-	-	-	-	67%	-	22%	11%	-	-	67%
ID546	Waterway Park	19%	9%	7%	6%	3%	56%	7%	5%	7%	10%	7%	65%	17%	10%	7%	6%	4%	56%	12%	7%	10%	6%	7%	59%	5%	3%	6%	7%	9%	71%
ID547	West Jupiter Community Center	86%	1%	3%	4%	5%	-	81%	5%	3%	4%	5%	1%	86%	1%	5%	3%	4%	-	85%	1%	4%	4%	4%	1%	80%	6%	1%	4%	3%	5%
ID558	Riverbend and Loxahatchee River Battlefield Parks	87%	3%	3%	2%	2%	3%	73%	3%	4%	6%	5%	10%	93%	2%	2%	1%	-	1%	87%	3%	3%	2%	2%	3%	73%	3%	4%	6%	5%	10%
ID568	Eganfuskee Pond	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID569	Old Jupiter Beach Road Pond	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID570	Cinquez Pond	8%	8%	-	8%	8%	67%	8%	8%	-	8%	-	75%	8%	8%	-	8%	8%	67%	8%	8%	-	8%	8%	67%	8%	-	8%	-	8%	75%
ID571	Jupiter River Estates North Pond	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	50%	-	50%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID572	Clemons Pond	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID573	Love Street Pond	-	-	-	33%	-	67%	-	-	-	-	33%	67%	-	-	-	-	33%	67%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID574	Greenwood Pond	19%	6%	16%	3%	-	56%	-	6%	9%	6%	13%	66%	28%	13%	3%	3%	-	53%	13%	9%	6%	16%	-	56%	-	3%	9%	6%	9%	72%
ID575	Seminole Pond	-	11%	15%	2%	-	72%	-	-	-	4%	15%	81%	15%	11%	2%	-	2%	70%	-	-	15%	11%	2%	72%	-	-	-	-	11%	89%
ID576	7th Street Pond	50%	-	17%	-	17%	17%	50%	-	-	17%	-	33%	50%	17%	-	17%	-	17%	50%	-	17%	-	17%	17%	50%	-	-	-	17%	33%
ID577	Delaware Scrub	26%	10%	10%	5%	5%	43%	3%	9%	11%	10%	10%	57%	39%	9%	5%	4%	6%	37%	21%	8%	12%	8%	5%	46%	2%	7%	12%	8%	11%	61%
ID578	Todd Street Mangrove Preserve	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%

Appendix F
Flooding by Percent Area - Parcels

Asset Unique ID	Asset Name	S-16						S-17						S-18						S-19						S-20					
		0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5
		≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'
ID060	Admiral's Cove Marina	100%	-	-	-	-	-	100%	-	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	-	100%	-	-	-
ID061	Jupiter Inlet Marina	91%	-	-	-	-	9%	91%	-	-	-	-	9%	91%	-	-	-	-	9%	91%	-	-	-	-	9%	91%	-	-	-	-	9%
ID064	Wastewater Treatment Plant	76%	8%	5%	4%	3%	5%	74%	7%	5%	5%	5%	5%	72%	4%	7%	5%	4%	7%	75%	8%	5%	4%	3%	5%	73%	6%	5%	5%	5%	6%
ID267	Egret's Landing Recharge System Pump Station	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID268	North Old Dixie Highway Stormwater Pump Station	-	-	100%	-	-	-	-	-	50%	50%	-	-	-	-	-	-	100%	-	-	-	-	100%	-	-	-	-	-	-	100%	-
ID271	Salinity Barrier Structure	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID272	St Peters Recharge System Pump Station	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID275	Water Treatment Plant	61%	22%	8%	1%	-	7%	54%	25%	10%	3%	-	7%	41%	30%	18%	3%	1%	7%	58%	24%	9%	2%	-	7%	47%	28%	14%	3%	1%	7%
ID349	Central Boulevard High Service Pump Station	65%	21%	5%	-	5%	4%	57%	18%	15%	-	2%	8%	45%	21%	21%	4%	-	9%	63%	20%	8%	-	5%	5%	50%	23%	17%	-	2%	8%
ID350	Juno Repump Station	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID351	Riverbend Repump Station	35%	23%	9%	7%	12%	14%	7%	9%	14%	16%	21%	33%	2%	-	5%	9%	14%	70%	26%	14%	23%	7%	7%	23%	2%	5%	12%	14%	23%	44%
ID357	FPL Substation 1	92%	4%	3%	-	-	-	83%	9%	4%	4%	-	-	50%	21%	16%	7%	3%	3%	79%	11%	5%	4%	-	-	56%	20%	14%	6%	3%	2%
ID358	FPL Substation 2	89%	5%	4%	2%	-	-	86%	3%	5%	5%	1%	-	76%	11%	3%	6%	4%	-	88%	4%	5%	3%	-	-	83%	5%	4%	5%	3%	-
ID359	FPL Substation 3	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID360	North County Transfer Station	83%	2%	-	-	-	13%	79%	-	1%	2%	3%	15%	76%	2%	-	-	-	20%	81%	2%	2%	-	1%	13%	78%	-	-	1%	1%	18%
ID361	ABC Montessori Academy	55%	20%	10%	5%	5%	5%	50%	15%	20%	5%	5%	5%	10%	40%	15%	20%	5%	10%	55%	10%	20%	5%	5%	5%	25%	30%	20%	10%	5%	10%
ID362	All Saints Catholic School	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID363	Beacon Cove Intermediate School	100%	-	-	-	-	-	99%	-	-	-	-	-	81%	14%	4%	1%	-	-	100%	-	-	-	-	-	95%	4%	-	-	-	-
ID364	Bluff's School	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID365	Children's Enrichment Center - First United Methodist Church	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID366	First Class Preschool	83%	17%	-	-	-	-	67%	17%	17%	-	-	-	58%	8%	17%	17%	-	-	50%	17%	17%	17%	-	-	33%	25%	8%	17%	17%	-
ID367	Florida Virtual School 4 Kids	-	25%	50%	13%	13%	-	-	13%	50%	25%	-	13%	-	-	25%	50%	13%	13%	-	13%	50%	25%	-	13%	-	13%	38%	38%	-	13%
ID368	Growing Minds Prep Academy	17%	-	8%	-	17%	58%	-	17%	-	8%	-	75%	-	-	8%	8%	-	83%	-	-	17%	-	8%	75%	-	-	8%	8%	-	83%
ID369	Jerry Thomas Elementary School	82%	4%	1%	2%	4%	6%	72%	13%	1%	1%	4%	9%	64%	16%	6%	2%	-	12%	82%	4%	1%	2%	4%	7%	68%	15%	3%	1%	3%	10%
ID370	Jupiter Christian School	100%	-	-	-	-	-	100%	-	-	-	-	-	93%	6%	-	-	-	-	99%	-	-	-	-	-	99%	-	-	-	-	-
ID371	Jupiter Christian School - East Campus	100%	-	-	-	-	-	100%	-	-	-	-	-	98%	2%	-	-	-	-	100%	-	-	-	-	-	98%	2%	-	-	-	-
ID372	Jupiter Elementary School	71%	10%	7%	2%	1%	9%	65%	14%	7%	3%	2%	10%	59%	14%	11%	5%	2%	10%	66%	14%	7%	3%	-	10%	62%	15%	8%	4%	2%	10%
ID373	Jupiter First Church Preschool	100%	-	-	-	-	-	100%	-	-	-	-	-	99%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID374	Jupiter High School	88%	1%	-	-	1%	9%	88%	1%	-	-	-	9%	87%	1%	1%	-	-	10%	88%	1%	-	-	-	9%	87%	1%	-	-	-	10%
ID375	Jupiter Middle School of Technology	77%	11%	4%	3%	2%	4%	50%	13%	15%	9%	4%	9%	33%	11%	18%	16%	8%	14%	64%	15%	9%	4%	3%	5%	44%	12%	14%	13%	6%	11%
ID376	Kidz Exploration Center	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID377	Lighthouse Elementary School	92%	2%	-	1%	-	4%	77%	11%	4%	1%	1%	5%	25%	13%	33%	16%	5%	8%	90%	3%	1%	-	-	4%	41%	32%	14%	6%	2%	5%
ID378	Limestone Creek Elementary School	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID379	Lutheran Services Florida Inc Head Start	91%	2%	3%	3%	-	-	91%	-	3%	2%	3%	-	89%	2%	3%	2%	3%	-	91%	2%	3%	3%	1%	-	91%	-	2%	3%	3%	-
ID380	Temple Beth Am Preschool	80%	14%	4%	2%	-	-	47%	40%	9%	3%	2%	-	23%	16%	39%	16%	5%	2%	76%	17%	5%	2%	-	-	36%	26%	28%	7%	2%	-
ID381	Thelma B Pittman Jupiter Preschool	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID382	Tiny Turtles Preschool	63%	-	25%	13%	-	-	50%	13%	25%	-	13%	-	-	-	63%	-	25%	13%	-	63%	-	25%	13%	-	-	-	63%	-	25%	13%
ID383	Turtle River Montessori - East Campus	100%	-	-	-	-	-	100%	-	-	-	-	-	96%	4%	-	-	-	-	100%	-	-	-	-	-	96%	4%	-	-	-	-
ID384	Turtle River Montessori - West Campus	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID385	John D. MacArthur Campus	78%	7%	3%	-	-	11%	63%	12%	8%	3%	2%	13%	45%	19%	12%	7%	3%	15%	75%	7%	5%	1%	-	12%	56%	15%	9%	4%	3%	13%
ID386	Max Planck Florida Institute for Neuroscience	97%	-	-	1%	2%	-	85%	10%	2%	-	-	3%	69%	17%	10%	1%	-	3%	97%	-	-	-	2%	1%	79%	13%	5%	-	-	3%
ID387	Scripps Institute	92%	2%	-	-	-	5%	66%	25%	3%	-	-	6%	46%	28%	18%	1%	-	7%	82%	10%	-	-	-	6%	60%	27%	6%	-	-	6%
ID391	Public Works	57%	17%	10%	6%	2%	9%	46%	20%	13%	7%	5%	9%	42%	22%	13%	10%	4%	10%	52%	18%	11%	7%	3%	9%	44%	21%	13%	8%	5%	9%
ID411	Jupiter Medical Center	84%	-	-	-	-	16%	78%	4%	1%	-	-	16%	61%	17%	5%	1%	-	16%	83%	-	-	-	-	16%	74%	8%	2%	-	-	16%
ID412	Florida Fish and Wildlife Conservation Commission Law Enforcement Division	58%	9%	6%	3%	6%	18%	58%	3%	9%	3%	9%	18%	48%	9%	9%	6%	-	27%	48%	6%	15%	3%	9%	18%	48%	3%	18%	3%	6%	21%
ID414	Barcelona Jupiter	77%	2%	-	-	4%	16%	74%	2%	2%	-	1%	20%	59%	17%	-	2%	-	21%	76%	1%	1%	1%	2%	18%	69%	7%	2%	-	1%	20%
ID415	Jupiter Homes Corp	100%	-	-	-	-	-	100%	-	-	-	-	-	96%	4%	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID416	Seagrape Apartments	80%	6%	-	-	-	12%	70%	11%	6%	-	-	12%	52%	17%	11%	6%	-	14%	80%	7%	-	2%	-	12%	65%	14%	5%	2%	2%	12%
ID417	Stephenson Manor	88%	11%	1%	-	-	-	68%	19%	11%	1%	-	-	50%	21%	15%	13%	1%	-	82%	15%	3%	-	-	-	63%	19%	13%	6%	-	-
ID418	The Centre at Abacoa	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID419	Third Housing 401	97%	3%	-	-	-	-	97%	-	3%	-	-	-	71%	26%	-	3%	-	-	97%	3%	-	-	-	-	89%	8%	3%	-	-	-
ID420	Wood Duck Apartments	86%	14%	-	-	-	-	65%	21%	14%	-	-	-	37%	24%	23%	16%	-	-	83%	15%	2%	-	-	-	51%	29%	18%	2%	-	-
ID421	Independence Middle School	100%	-	-	-	-	-	87%	12%	2%	-	-	-	62%	12%	16%	10%	-	-	100%	-	-	-	-	-	74%	17%	9%	-	-	-
ID422	Abacoa - Southeast	89%	-	1%	1%	1%	7%	76%	11%	-	1%	-	11%	38%	18%	20%	11%	2%	12%	88%	-	1%	-	-	9%	56%	20%	11%	2%	-	12%
ID423	Abacoa - Central	69%	5%	3%	3%	4%	17%	60%	8%	5%	2%	2%	22%	48%	11%	8%	5%	3%	25%	67%	6%	3%	2%	3%	20%	56%	9%	6%	4%	2%	23%
ID433	Abacoa - Northwest	56%	4%	-	2%	2%	36%	47%	6%	2%	4%	1%	40%	22%	16%	9%	7%	2%	44%	54%	3%	3%	-	2%	37%	38%	10%	6%	2%	3%	40%
ID436	Alma's Place Conservation Area	-	-	-	4%	-	96%	-	-	-	-	4%	96%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID438	Botanica	33%	6%	7%	9%	10%	36%	23%	4%	6%	6%	7%	52%	20%	3%	5%	6%	6%	60%	27%	6%	6%	7%	9%	44%	22%	4%	6%	6%	7%	55%
ID450	C-18 Triangle Natural Area	2%	-	3%	11%	16%	68%	2%	-	-	-	1%	96%	1%	-	-	-	-	98%	2%	-	-	7%	13%	76%	2%	-	-	-	-	98%
ID452	Georgian Park	43%	31%	11%	3%	3%	9%	23%	31%	20%	14%	3%	9%	14%	6%	20%	31%	11%	17%	23%	29%	23%	14%	3%	9%	20%	3%	29%	23%	14%	11%
ID454	Hamptons	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID455	Jones Creek Hammock	11%	8%	12%	11%	10%	48%	7%	8%	11%	11%	12%	51%	2%	3%	7%	8%	12%	68%	7%	7%	12%	11%	11%	53%	3%	3%	7%	11%	12%	65%
ID457	Jones Creek Preserve	6%	2%	2%	4%	6%	79%	4%	2%	2%	6%	2%	83%	-	2%	4%	2%	2%	90%	4%	2%	2%	6%	2%	83%	-	4%	2%	2%	6%	85%
ID458	Jupiter High School Ditch	67%	33%	-	-	-	-	67%	33%	-	-	-	-	-	33%	33%	33%	-	-	67%	33%	-	-	-	-	-	67%	33%	-	-	-
ID459	Jupiter Lighthouse Natural Area	99%	-	-	-	-	-	99%	-	-	-	-	-	98%	-	-	-	-	-	98%	-	-	-	-	-	97%	-	-	-	-	-
ID460	Georgian Park Preserve	97%	3%	-	-	-	-	97%	3%	-	-	-	-	95%	-	3%	3%	-	-	97%	3%	-	-	-	-	95%	3%	3%	-	-	-
ID461	Jupiter Ridge Natural Area	66%	3%	3%	3%	2%	23%	64%	3%	3%	3%	2%	24%	61%	3%	3%	3%	3%	26%	59%	4%	3%	3%	3%	28%	57%	4%	3%	3%	3%	29%
ID463	Jupiter Yacht Club - Privately Owned Land	-	-	-	-	-	99%	-	-	-	-	-	99%	-	-	-	-	-	99%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID468	Jupiter Yacht Club - Town-Owned Land	-	-	-	6%	-	94%	-	-	-	3%	3%	94%	-	-	-	-	3%	97%	-	-	-	-	3%	97%	-	-	-	-	-	100%
ID471	Lox River Islands	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID473	Mangrove Bay	98%	-	2%	-	-	-	95%	2%	2%	-	-	-	95%	-	2%	2%	-	-	93%	2%	2%	-	2%	-	90%	5%	-	2%	2%	-
ID474	Maplecrest	23%	17%	20%	20%	20%	-	7%	13%	20%	20%	20%	20%	-	13%	10%	17%	20%	40%	17%	13%	17%	23%	30%	-	7%	10%	13%	20%	23%	27%
ID475	Jones Creek Headwaters	31%	9%	10%	13%	18%	20%	19%	12%	8%	11%	12%	38%	11%	10%	10%	10%	11%	48%	26%	9%	11%	11%	14%	29%	15%	11%	9%	12%	11%	43%
ID476	North Jupiter Flatwoods	61%	18%	12%	7%	2%	-	45%	21%	17%	10%	5%	2%	34%	21%	20%	12%	8%	5%	57%	19%	13%	8%	3%	-	39%	21%	19%	11%	6%	3%
ID479	Parcel 19 PUD	4%	4%	-	4%	32%	57%	4%	-	-	-	4%	93%	4%	-	-	-	-	96%	4%	-	4%	-	18%	75%	4%	-	-	-	-	96%
ID480	Parcel 19 W. Station Preserve	18%	9%	14%	16%	25%	18%	14%	2%	2%	5%	18%	59%	13%	2%	-	4%	-	82%	18%	4%	11%	9%	23%	36%	14%	-	4%	-	9%	73%
ID484	Paseos	25%	14%	17%	15%	16%	12%	17%	8%	14%	17%	15%	29%	10%	8%	10%	13%	17%	42%	20%	12%	16%	17%	16%	19%	13%	7%	13%	15%	18%	34%
ID485	Jupiter River Estates North	38%	16%	19%	9%	4%	14%	19%	18%	17%	19%	9%	18%	3%	10%	11%	16%	21%	39%	14%	13%	17%	24%	11%	21%	4%	10%	12%	17%	22%	34%
ID490	SFWMD - C18	40%	1%	2%	2%	1%	54%	39%	2%	1%	2%	-	55%	37%	3%	1%	3%	-	55%	39%	2%	2%	2%	-	55%	37%	3%	1%	3%	-	55%
ID491	Shores of Jupiter	33%	15%	16%	16%	14%	6%	22%	5%	11%	18%	20%	24%	12%	5%	7%	7%	13%	57%	22%	8%	12%	14%	16%	27%	14%	6%	6%	8%	17%	49%
ID496	Sims Creek Preserve	69%	8%	8%	4%	2%	10%	56%	13%	8%	6%	6%	12%	21%	21%	19%	12%	4%	23%	48%	15%	12%	6%	8%	12%	25%	21%	17%	10%	4%	23%
ID497	State of Florida - TIITF	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID498	Tierra Del Sol	52%	21%	9%	3%	6%	9%	39%	21%	18%	6%	6%	9%	27%	15%	18%	18%	6%	15%	27%	9%	21%	15%	9%	18%	18%	12%	18%	12%	18%	21%
ID411	Jupiter Medical Center	84%	-	-	-	-	16%	78%	4%	1%	-	-	16%	61%	17%	5%	1%	-	16%	83%	-	-	-	-	16%	74%	8%	2%	-	-	16%

Appendix F
Flooding by Percent Area - Parcels

Asset Unique ID	Asset Name	S-16						S-17						S-18						S-19						S-20					
		0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5
		≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'
ID499	Town of Jupiter - Coastline	95%	-	-	-	5%	-	91%	-	5%	-	-	5%	86%	5%	5%	-	-	5%	91%	5%	-	-	-	5%	86%	5%	5%	-	-	5%
ID500	Double Roads - South	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID508	Double Roads - North	95%	-	1%	-	-	2%	94%	-	-	-	1%	3%	93%	-	-	-	1%	4%	95%	-	1%	1%	-	2%	93%	-	-	-	1%	4%
ID512	Carlin Park - Town-Owned	45%	6%	13%	19%	13%	3%	45%	3%	13%	16%	16%	6%	45%	3%	6%	10%	19%	16%	45%	-	3%	6%	13%	32%	42%	3%	-	6%	10%	39%
ID513	Washington Preserve	71%	15%	7%	4%	1%	2%	61%	19%	10%	6%	3%	2%	56%	21%	11%	6%	4%	2%	67%	17%	8%	4%	2%	2%	59%	20%	10%	6%	3%	2%
ID515	Burt Reynolds Park	46%	6%	5%	6%	4%	33%	42%	7%	5%	6%	4%	36%	32%	11%	6%	5%	6%	39%	31%	9%	7%	6%	6%	41%	26%	7%	10%	6%	5%	45%
ID516	Carlin Park	25%	9%	9%	9%	8%	40%	21%	6%	9%	9%	9%	46%	18%	4%	7%	9%	9%	53%	16%	4%	5%	9%	9%	57%	15%	2%	5%	7%	8%	62%
ID517	Cinquez Dog Park	61%	12%	13%	7%	-	6%	54%	13%	13%	12%	3%	6%	46%	17%	12%	15%	4%	7%	56%	14%	12%	9%	2%	6%	49%	15%	13%	12%	4%	7%
ID518	Daily Park	50%	50%	-	-	-	-	-	50%	50%	-	-	-	-	-	25%	25%	50%	-	-	25%	25%	50%	-	-	-	-	25%	50%	25%	-
ID519	Dubois Park	35%	5%	5%	5%	6%	44%	35%	4%	4%	5%	7%	46%	34%	3%	4%	4%	6%	49%	29%	3%	3%	5%	4%	55%	28%	3%	3%	4%	5%	56%
ID520	Eastview Manor Park	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID521	FIND Park	49%	4%	2%	4%	3%	38%	47%	4%	4%	3%	5%	38%	45%	3%	4%	3%	3%	42%	43%	3%	3%	4%	2%	45%	43%	3%	2%	4%	3%	46%
ID522	Frazier Park	100%	-	-	-	-	-	100%	-	-	-	-	-	-	100%	-	-	-	-	100%	-	-	-	-	-	40%	60%	-	-	-	-
ID523	Karen Golonka Island	1%	-	-	3%	1%	93%	-	-	-	-	3%	93%	-	-	-	-	-	97%	-	-	-	-	-	97%	-	-	-	-	-	97%
ID524	Indian Creek Park	71%	6%	2%	3%	-	17%	55%	13%	5%	6%	2%	19%	28%	32%	9%	5%	5%	21%	68%	4%	6%	2%	3%	17%	44%	21%	6%	5%	3%	21%
ID525	Johnston Park	60%	21%	14%	2%	2%	2%	55%	10%	24%	5%	2%	3%	31%	26%	10%	22%	5%	5%	24%	31%	9%	24%	7%	5%	12%	24%	21%	19%	14%	10%
ID526	Juno Beach Park	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID527	Jupiter Beach Park	29%	5%	3%	3%	5%	55%	28%	3%	6%	1%	4%	57%	26%	5%	5%	2%	4%	58%	22%	4%	4%	5%	3%	63%	21%	3%	4%	4%	5%	63%
ID528	Jupiter Community Park	84%	3%	1%	-	-	11%	65%	17%	5%	2%	-	12%	56%	21%	9%	2%	-	12%	81%	5%	2%	-	-	11%	61%	19%	6%	2%	-	12%
ID529	Jupiter River Estates Park	8%	25%	50%	-	-	17%	8%	8%	33%	33%	-	17%	8%	-	-	8%	42%	42%	8%	8%	33%	25%	8%	17%	8%	-	8%	17%	42%	25%
ID530	Jupiter Village Park	100%	-	-	-	-	-	100%	-	-	-	-	-	89%	10%	1%	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID531	Karen Marcus Ocean Preserve	37%	7%	6%	4%	4%	42%	27%	7%	7%	7%	5%	47%	21%	5%	7%	8%	6%	53%	32%	8%	7%	6%	4%	44%	24%	6%	7%	7%	6%	49%
ID532	Kennedy Estates	100%	-	-	-	-	-	100%	-	-	-	-	-	87%	13%	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID533	Lighthouse Park	88%	6%	3%	2%	-	1%	80%	11%	3%	3%	-	2%	66%	22%	5%	3%	2%	3%	52%	18%	20%	3%	3%	3%	42%	21%	22%	7%	3%	6%
ID534	Limestone Creek Park	100%	-	-	-	-	-	93%	7%	-	-	-	-	79%	21%	-	-	-	-	100%	-	-	-	-	-	93%	7%	-	-	-	-
ID535	Loxahatchee Battlefield	3%	2%	6%	18%	23%	48%	2%	-	-	1%	5%	91%	1%	-	-	-	-	97%	2%	-	3%	10%	22%	62%	2%	-	-	-	3%	94%
ID536	Maplewood Park	100%	-	-	-	-	-	100%	-	-	-	-	-	90%	9%	-	-	-	-	100%	-	-	-	-	-	99%	-	-	-	-	-
ID537	North County Aquatic Complex	79%	13%	6%	1%	-	-	72%	13%	13%	1%	-	-	53%	9%	16%	15%	6%	1%	66%	19%	13%	1%	-	-	56%	7%	22%	12%	1%	1%
ID538	North Palm Beach Heights Park	91%	3%	1%	-	-	4%	44%	31%	16%	3%	1%	4%	10%	26%	29%	27%	3%	6%	81%	10%	4%	-	-	4%	27%	29%	26%	10%	4%	4%
ID539	Ocean Cay Park	97%	1%	-	-	-	-	95%	1%	2%	-	-	-	94%	1%	2%	-	1%	-	96%	1%	1%	1%	-	-	94%	2%	2%	-	1%	-
ID540	Old Town Hall Park	-	-	-	-	7%	93%	-	-	-	-	5%	95%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID541	Pine Gardens Park	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID542	Riverbend Park	8%	4%	8%	14%	16%	50%	4%	-	2%	4%	8%	81%	3%	-	-	1%	3%	92%	6%	3%	6%	11%	15%	60%	3%	-	1%	3%	5%	86%
ID543	Sawfish Bay Park	4%	7%	44%	15%	13%	18%	-	7%	16%	40%	9%	27%	-	-	7%	16%	44%	33%	-	-	7%	7%	47%	38%	-	-	-	9%	27%	64%
ID544	South Jupiter Community Park	100%	-	-	-	-	-	88%	8%	5%	-	-	-	45%	30%	14%	9%	-	-	98%	2%	-	-	-	-	76%	14%	9%	1%	-	-
ID545	Sylvia Park	33%	-	-	22%	22%	22%	33%	-	-	-	22%	44%	33%	-	-	-	-	67%	33%	-	-	-	11%	56%	33%	-	-	-	-	67%
ID546	Waterway Park	15%	8%	9%	6%	4%	57%	11%	6%	10%	7%	6%	60%	7%	5%	7%	9%	6%	65%	6%	4%	6%	9%	9%	66%	5%	2%	5%	7%	9%	70%
ID547	West Jupiter Community Center	86%	3%	4%	5%	1%	-	86%	1%	4%	3%	5%	-	83%	3%	4%	3%	5%	1%	86%	3%	4%	4%	2%	-	86%	1%	3%	4%	5%	-
ID558	Riverbend and Loxahatchee River Battlefield Parks	95%	2%	2%	-	-	1%	90%	2%	2%	2%	2%	2%	84%	3%	3%	3%	2%	5%	94%	2%	2%	1%	-	1%	88%	3%	3%	2%	2%	3%
ID568	Eganfuskee Pond	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID569	Old Jupiter Beach Road Pond	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID570	Cinquez Pond	17%	-	8%	-	8%	67%	8%	8%	-	8%	8%	67%	8%	8%	-	8%	8%	67%	8%	8%	8%	-	8%	67%	8%	8%	-	8%	8%	67%
ID571	Jupiter River Estates North Pond	-	-	-	50%	25%	25%	-	-	-	-	50%	50%	-	-	-	-	-	100%	-	-	-	-	50%	50%	-	-	-	-	-	100%
ID572	Clemons Pond	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID573	Love Street Pond	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID574	Greenwood Pond	34%	9%	-	3%	-	53%	22%	13%	9%	-	3%	53%	9%	9%	9%	13%	3%	56%	19%	9%	13%	3%	3%	53%	9%	9%	9%	13%	3%	56%
ID575	Seminole Pond	19%	9%	-	2%	4%	66%	4%	15%	9%	-	2%	70%	-	-	11%	15%	2%	72%	-	6%	19%	2%	-	72%	-	-	11%	15%	2%	72%
ID576	7th Street Pond	50%	17%	-	17%	-	17%	50%	-	17%	-	17%	17%	50%	-	-	17%	-	33%	50%	17%	-	17%	-	17%	50%	-	17%	-	17%	17%
ID577	Delaware Scrub	45%	6%	4%	7%	4%	33%	36%	9%	6%	5%	6%	39%	19%	8%	10%	10%	5%	49%	28%	11%	9%	6%	4%	42%	19%	9%	10%	9%	6%	46%
ID578	Todd Street Mangrove Preserve	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%

Appendix F
Flooding by Percent Area - Parcels

Asset Unique ID	Asset Name	S-21						S-22						S-23						S-24						S-25					
		0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5
		≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'
ID060	Admiral's Cove Marina	-	-	-	100%	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-
ID061	Jupiter Inlet Marina	91%	-	-	-	-	9%	91%	-	-	-	-	9%	91%	-	-	-	-	9%	91%	-	-	-	-	9%	91%	-	-	-	-	9%
ID064	Wastewater Treatment Plant	72%	3%	8%	5%	4%	8%	75%	8%	5%	4%	3%	5%	73%	6%	5%	5%	5%	6%	72%	3%	8%	5%	4%	8%	75%	8%	5%	4%	3%	5%
ID267	Egret's Landing Recharge System Pump Station	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID268	North Old Dixie Highway Stormwater Pump Station	-	-	-	-	-	100%	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	-	100%	-	-	-	-	50%	50%
ID271	Salinity Barrier Structure	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID272	St Peters Recharge System Pump Station	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID275	Water Treatment Plant	33%	33%	18%	7%	1%	7%	58%	24%	9%	2%	-	7%	47%	28%	14%	3%	1%	7%	33%	33%	18%	7%	1%	7%	58%	22%	11%	2%	-	7%
ID349	Central Boulevard High Service Pump Station	31%	28%	20%	11%	-	9%	63%	20%	8%	-	5%	5%	50%	23%	17%	-	2%	8%	32%	27%	20%	11%	-	9%	61%	21%	8%	-	5%	5%
ID350	Juno Repump Station	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID351	Riverbend Repump Station	2%	-	-	5%	9%	84%	26%	14%	23%	7%	7%	23%	2%	5%	12%	14%	23%	44%	2%	-	-	5%	9%	84%	23%	12%	28%	5%	9%	23%
ID357	FPL Substation 1	4%	26%	32%	18%	10%	9%	73%	15%	7%	3%	2%	-	52%	20%	15%	8%	3%	2%	3%	22%	32%	21%	12%	9%	57%	21%	12%	5%	3%	-
ID358	FPL Substation 2	73%	11%	5%	4%	5%	3%	88%	4%	5%	3%	-	-	83%	5%	4%	5%	3%	-	73%	11%	5%	4%	5%	3%	88%	4%	6%	3%	-	-
ID359	FPL Substation 3	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID360	North County Transfer Station	74%	2%	2%	-	-	21%	81%	2%	2%	-	1%	13%	78%	-	-	1%	1%	18%	74%	2%	2%	-	-	21%	80%	-	3%	1%	-	14%
ID361	ABC Montessori Academy	-	20%	35%	10%	20%	15%	55%	10%	20%	5%	5%	5%	25%	30%	20%	10%	5%	10%	-	20%	30%	15%	20%	15%	55%	10%	20%	5%	5%	5%
ID362	All Saints Catholic School	99%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	99%	-	-	-	-	-	100%	-	-	-	-	-
ID363	Beacon Cove Intermediate School	71%	17%	9%	2%	-	-	100%	-	-	-	-	-	95%	4%	1%	-	-	-	71%	17%	9%	2%	-	-	100%	-	-	-	-	-
ID364	Bluff's School	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID365	Children's Enrichment Center - First United Methodist Church	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID366	First Class Preschool	-	33%	17%	17%	17%	17%	42%	17%	25%	17%	-	-	33%	17%	17%	17%	17%	-	-	33%	17%	17%	17%	17%	33%	8%	17%	25%	17%	-
ID367	Florida Virtual School 4 Kids	-	-	13%	50%	25%	13%	-	13%	50%	25%	-	13%	-	13%	38%	38%	-	13%	-	-	13%	50%	25%	13%	-	13%	50%	25%	-	13%
ID368	Growing Minds Prep Academy	-	-	-	-	8%	92%	-	-	17%	-	8%	75%	-	-	-	17%	-	83%	-	-	-	-	8%	92%	-	-	-	17%	-	83%
ID369	Jerry Thomas Elementary School	61%	15%	8%	3%	1%	12%	82%	4%	1%	2%	3%	7%	68%	15%	3%	1%	3%	10%	61%	15%	8%	3%	1%	12%	81%	5%	1%	1%	3%	8%
ID370	Jupiter Christian School	83%	9%	7%	-	-	-	99%	-	-	-	-	-	99%	-	-	-	-	-	80%	12%	8%	-	-	-	99%	-	-	-	-	-
ID371	Jupiter Christian School - East Campus	92%	6%	2%	-	-	-	100%	-	-	-	-	-	98%	2%	-	-	-	-	90%	8%	2%	-	-	-	98%	2%	-	-	-	-
ID372	Jupiter Elementary School	45%	16%	14%	9%	4%	11%	66%	14%	7%	3%	-	10%	62%	15%	8%	4%	2%	10%	42%	18%	15%	9%	4%	11%	65%	14%	7%	3%	1%	10%
ID373	Jupiter First Church Preschool	94%	4%	1%	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	94%	4%	1%	-	-	-	100%	-	-	-	-	-
ID374	Jupiter High School	79%	8%	-	1%	-	10%	88%	1%	-	-	-	9%	87%	1%	-	-	-	10%	78%	9%	-	1%	-	10%	87%	1%	-	-	-	10%
ID375	Jupiter Middle School of Technology	29%	7%	17%	16%	12%	18%	64%	15%	9%	3%	3%	5%	44%	13%	14%	13%	6%	11%	29%	7%	17%	16%	12%	18%	60%	15%	10%	6%	3%	6%
ID376	Kidz Exploration Center	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID377	Lighthouse Elementary School	15%	14%	19%	30%	12%	11%	89%	3%	1%	1%	-	4%	41%	32%	14%	6%	2%	5%	15%	14%	19%	30%	12%	11%	87%	5%	2%	-	1%	4%
ID378	Limestone Creek Elementary School	99%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	99%	-	-	-	-	-	100%	-	-	-	-	-
ID379	Lutheran Services Florida Inc Head Start	87%	4%	2%	3%	3%	1%	91%	2%	3%	3%	1%	-	91%	-	2%	3%	3%	-	87%	4%	-	3%	2%	3%	91%	-	3%	2%	3%	-
ID380	Temple Beth Am Preschool	14%	21%	22%	34%	8%	3%	76%	17%	5%	2%	-	-	36%	26%	28%	7%	2%	-	14%	21%	22%	34%	8%	3%	76%	17%	5%	2%	-	-
ID381	Thelma B Pittman Jupiter Preschool	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID382	Tiny Turtles Preschool	-	-	-	38%	25%	38%	-	38%	25%	25%	-	13%	-	-	50%	13%	25%	13%	-	-	-	38%	25%	38%	-	-	50%	13%	25%	13%
ID383	Turtle River Montessori - East Campus	83%	9%	9%	-	-	-	100%	-	-	-	-	-	96%	4%	-	-	-	-	83%	9%	9%	-	-	-	96%	4%	-	-	-	-
ID384	Turtle River Montessori - West Campus	79%	21%	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	79%	21%	-	-	-	-	100%	-	-	-	-	-
ID385	John D. MacArthur Campus	37%	21%	14%	9%	3%	16%	75%	7%	5%	1%	-	12%	56%	15%	9%	4%	3%	13%	37%	21%	14%	9%	3%	16%	74%	7%	5%	1%	-	12%
ID386	Max Planck Florida Institute for Neuroscience	59%	21%	14%	3%	-	3%	97%	-	-	-	2%	1%	79%	13%	5%	-	-	3%	59%	21%	14%	3%	-	3%	97%	-	-	-	1%	2%
ID387	Scripps Institute	39%	23%	27%	5%	-	7%	82%	10%	-	-	-	6%	60%	27%	6%	-	-	6%	39%	23%	27%	5%	-	7%	81%	12%	-	-	-	6%
ID391	Public Works	41%	22%	13%	10%	5%	10%	52%	18%	11%	7%	3%	9%	44%	21%	13%	8%	5%	9%	41%	22%	13%	10%	5%	10%	51%	18%	13%	6%	3%	9%
ID411	Jupiter Medical Center	39%	28%	12%	4%	1%	16%	83%	1%	-	-	-	16%	74%	8%	2%	-	-	16%	36%	28%	15%	4%	1%	16%	82%	2%	-	-	-	16%
ID412	Florida Fish and Wildlife Conservation Commission Law Enforcement Division	45%	3%	3%	18%	3%	27%	48%	3%	18%	3%	9%	18%	48%	3%	15%	6%	6%	21%	45%	3%	3%	18%	3%	27%	48%	3%	12%	9%	6%	21%
ID414	Barcelona Jupiter	40%	17%	18%	2%	2%	22%	76%	1%	1%	-	3%	18%	69%	7%	1%	1%	1%	20%	37%	17%	20%	2%	2%	22%	74%	2%	2%	-	1%	20%
ID415	Jupiter Homes Corp	72%	24%	4%	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	64%	32%	4%	-	-	-	100%	-	-	-	-	-
ID416	Seagrape Apartments	32%	24%	16%	9%	5%	14%	80%	7%	-	2%	-	12%	65%	14%	6%	2%	2%	12%	29%	24%	16%	11%	6%	14%	73%	9%	4%	2%	-	12%
ID417	Stephenson Manor	21%	32%	22%	15%	8%	1%	82%	15%	3%	-	-	-	61%	21%	13%	6%	-	-	19%	31%	21%	17%	11%	1%	74%	19%	6%	1%	-	-
ID418	The Centre at Abacoa	25%	63%	13%	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	25%	63%	13%	-	-	-	100%	-	-	-	-	-
ID419	Third Housing 401	58%	24%	16%	3%	-	-	97%	3%	-	-	-	-	89%	8%	3%	-	-	-	58%	18%	21%	3%	-	-	97%	3%	-	-	-	-
ID420	Wood Duck Apartments	23%	17%	28%	19%	12%	-	83%	15%	2%	-	-	-	51%	28%	19%	2%	-	-	22%	17%	24%	23%	14%	-	71%	18%	10%	-	-	-
ID421	Independence Middle School	44%	19%	12%	17%	9%	-	100%	-	-	-	-	-	74%	17%	9%	-	-	-	44%	19%	12%	17%	9%	-	99%	1%	-	-	-	-
ID422	Abacoa - Southeast	28%	14%	22%	14%	9%	12%	88%	-	1%	-	-	9%	55%	20%	11%	2%	-	12%	28%	14%	22%	14%	9%	12%	88%	-	1%	-	-	10%
ID423	Abacoa - Central	37%	14%	12%	6%	4%	26%	67%	6%	3%	2%	3%	20%	56%	9%	6%	4%	2%	23%	37%	14%	12%	6%	4%	26%	65%	6%	3%	2%	2%	21%
ID433	Abacoa - Northwest	12%	11%	16%	9%	7%	46%	54%	3%	3%	-	2%	37%	38%	10%	6%	2%	3%	40%	12%	11%	16%	9%	7%	46%	54%	2%	4%	-	2%	38%
ID436	Alma's Place Conservation Area	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID438	Botanica	17%	3%	4%	5%	6%	65%	27%	6%	6%	7%	9%	46%	22%	4%	5%	7%	7%	55%	17%	3%	3%	5%	6%	66%	24%	5%	7%	6%	7%	51%
ID450	C-18 Triangle Natural Area	-	-	-	-	-	98%	2%	-	-	7%	13%	76%	2%	-	-	-	-	98%	-	-	-	-	-	98%	2%	-	-	5%	12%	80%
ID452	Georgian Park	9%	6%	6%	6%	29%	46%	20%	23%	31%	11%	3%	11%	17%	3%	23%	31%	11%	14%	6%	9%	6%	3%	31%	46%	20%	3%	31%	20%	14%	11%
ID454	Hamptons	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID455	Jones Creek Hammock	-	-	2%	4%	8%	85%	5%	6%	10%	13%	11%	55%	2%	3%	6%	9%	13%	67%	-	1%	1%	4%	8%	85%	3%	4%	7%	11%	11%	64%
ID457	Jones Creek Preserve	-	-	2%	2%	2%	94%	2%	4%	2%	4%	4%	83%	-	2%	4%	2%	4%	88%	-	-	2%	2%	2%	94%	-	4%	2%	2%	6%	85%
ID458	Jupiter High School Ditch	-	-	-	67%	33%	-	33%	67%	-	-	-	-	-	33%	33%	33%	-	-	-	-	-	67%	33%	-	-	67%	33%	-	-	-
ID459	Jupiter Lighthouse Natural Area	96%	1%	-	-	-	-	97%	-	-	-	-	-	97%	-	-	-	-	-	96%	-	-	-	-	-	96%	1%	-	-	-	-
ID460	Georgian Park Preserve	92%	3%	-	3%	3%	-	97%	-	3%	-	-	-	95%	3%	-	3%	-	-	92%	3%	-	3%	3%	-	95%	3%	3%	-	-	-
ID461	Jupiter Ridge Natural Area	54%	3%	4%	3%	3%	33%	58%	4%	3%	3%	3%	29%	56%	4%	4%	3%	3%	30%	53%	3%	4%	3%	3%	33%	55%	3%	4%	3%	3%	32%
ID463	Jupiter Yacht Club - Privately Owned Land	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID468	Jupiter Yacht Club - Town-Owned Land	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID471	Lox River Islands	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID473	Mangrove Bay	83%	7%	5%	-	2%	2%	93%	2%	-	2%	2%	-	90%	5%	-	2%	2%	-	83%	7%	5%	-	2%	2%	85%	7%	2%	-	2%	2%
ID474	Maplecrest	-	3%	3%	17%	17%	60%	17%	13%	13%	27%	30%	-	7%	10%	13%	17%	23%	30%	-	3%	3%	13%	20%	60%	7%	13%	20%	20%	20%	20%
ID475	Jones Creek Headwaters	4%	6%	10%	11%	9%	60%	25%	9%	11%	12%	14%	29%	15%	11%	9%	11%	11%	43%	4%	5%	10%	11%	9%	61%	19%	12%	8%	11%	12%	38%
ID476	North Jupiter Flatwoods	29%	22%	20%	15%	8%	7%	57%	19%	13%	8%	3%	-	39%	21%	19%	11%	6%	3%	29%	22%	20%	15%	8%	7%	56%	19%	14%	8%	3%	-
ID479	Parcel 19 PUD	4%	-	-	-	-	96%	4%	-	4%	-	18%	75%	4%	-	-	-	-	96%	4%	-	-	-	-	96%	4%	-	4%	-	11%	82%
ID480	Parcel 19 W. Station Preserve	13%	-	2%	-	4%	82%	18%	4%	11%	9%	23%	36%	14%	-	4%	-	9%	73%	13%	-	2%	-	4%	82%	18%	2%	13%	9%	20%	39%
ID484	Paseos	4%	5%	9%	8%	14%	60%	20%	12%	15%	17%	16%	19%	13%	7%	13%	15%	18%	34%	3%	5%	9%	8%	13%	62%	17%	8%	14%	17%	15%	29%
ID485	Jupiter River Estates North	-	-	4%	11%	17%	67%	12%	10%	17%	22%	14%	25%	2%	10%	10%	17%	22%	39%	-	-	4%	9%	16%	70%	4%	10%	13%	17%	22%	33%
ID490	SFWMD - C18	35%	3%	2%	3%	2%	56%	39%	2%	2%	2%	-	55%	37%	3%	1%	3%	-	55%	35%	3%	2%	3%	1%	56%	38%	2%	2%	3%	-	55%
ID491	Shores of Jupiter	9%	3%	6%	6%	9%	68%	21%	8%	11%	14%	16%	30%	14%	5%	6%	9%	15%	51%	9%	3%	6%	6%	9%	68%	18%	7%	9%	11%	15%	40%
ID496	Sims Creek Preserve	2%	12%	21%	21%	13%	31%	42%	19%	12%	4%	10%	13%	21%	21%	19%	12%	4%	23%	-	12%	21%	23%	13%	31%	27%	23%	15%	10%	6%	19%
ID497	State of Florida - TIITF	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID498	Tierra Del Sol	9%	9%	12%	15%	15%	39%	24%	12%	12%	18%	15%	18%	12%	15%	9%	24%	12%	27%	9%	3%	15%	9%	24%	39%	12%	15%	9%	12%	21%	30%

Appendix F
Flooding by Percent Area - Parcels

Asset Unique ID	Asset Name	S-21						S-22						S-23						S-24						S-25					
		0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5
		≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'
ID499	Town of Jupiter - Coastline	86%	5%	-	5%	-	5%	91%	5%	-	-	-	5%	86%	5%	5%	-	-	5%	86%	5%	-	5%	-	5%	91%	5%	-	-	-	5%
ID500	Double Roads - South	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID508	Double Roads - North	92%	-	-	-	-	5%	95%	-	-	2%	-	3%	93%	-	-	-	1%	4%	92%	-	-	-	-	5%	94%	-	-	1%	-	3%
ID512	Carlin Park - Town-Owned	39%	3%	3%	-	10%	45%	42%	3%	-	6%	13%	35%	39%	6%	-	3%	13%	39%	39%	3%	3%	-	6%	48%	39%	3%	3%	-	6%	48%
ID513	Washington Preserve	53%	23%	12%	6%	4%	2%	67%	17%	8%	4%	2%	2%	59%	20%	10%	6%	3%	2%	53%	23%	12%	6%	4%	2%	66%	18%	8%	4%	2%	2%
ID515	Burt Reynolds Park	18%	7%	8%	11%	6%	50%	28%	7%	9%	7%	5%	43%	24%	8%	10%	7%	5%	46%	17%	6%	8%	10%	7%	51%	21%	9%	8%	9%	6%	48%
ID516	Carlin Park	14%	2%	3%	5%	8%	68%	15%	3%	5%	8%	8%	60%	14%	2%	4%	6%	9%	64%	13%	2%	3%	5%	7%	70%	13%	2%	3%	5%	8%	68%
ID517	Cinquez Dog Park	37%	19%	14%	12%	9%	8%	56%	14%	12%	10%	2%	6%	49%	15%	12%	13%	4%	7%	35%	19%	13%	13%	12%	8%	54%	13%	13%	12%	2%	6%
ID518	Daily Park	-	-	-	-	25%	75%	-	-	50%	50%	-	-	-	-	-	50%	50%	-	-	-	-	-	25%	75%	-	-	-	50%	50%	-
ID519	Dubois Park	26%	3%	4%	3%	4%	59%	28%	3%	3%	4%	5%	56%	27%	4%	3%	4%	4%	58%	25%	3%	3%	3%	5%	60%	25%	3%	3%	3%	5%	60%
ID520	Eastview Manor Park	14%	43%	43%	-	-	-	100%	-	-	-	-	-	86%	14%	-	-	-	-	14%	29%	57%	-	-	-	100%	-	-	-	-	-
ID521	FIND Park	41%	2%	2%	3%	4%	48%	43%	3%	2%	4%	3%	46%	42%	3%	2%	3%	4%	46%	40%	2%	3%	2%	4%	49%	41%	2%	3%	2%	4%	49%
ID522	Frazier Park	-	-	40%	60%	-	-	100%	-	-	-	-	-	-	100%	-	-	-	-	-	-	40%	60%	-	-	-	100%	-	-	-	-
ID523	Karen Golonka Island	-	-	-	-	-	98%	-	-	-	-	-	97%	-	-	-	-	-	97%	-	-	-	-	-	98%	-	-	-	-	-	98%
ID524	Indian Creek Park	21%	32%	14%	5%	6%	22%	68%	4%	6%	2%	3%	17%	44%	21%	6%	5%	3%	21%	21%	32%	14%	5%	6%	22%	65%	6%	5%	3%	3%	18%
ID525	Johnston Park	7%	3%	17%	28%	10%	34%	12%	34%	12%	19%	17%	5%	10%	16%	29%	10%	24%	10%	7%	3%	12%	33%	7%	38%	7%	5%	36%	12%	21%	19%
ID526	Juno Beach Park	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID527	Jupiter Beach Park	19%	3%	4%	4%	5%	64%	21%	4%	3%	5%	4%	63%	20%	4%	4%	3%	5%	64%	19%	3%	4%	4%	5%	66%	19%	3%	4%	4%	5%	66%
ID528	Jupiter Community Park	53%	21%	11%	2%	-	12%	81%	5%	2%	-	-	11%	61%	19%	6%	2%	-	12%	53%	21%	11%	2%	-	12%	79%	6%	2%	-	-	12%
ID529	Jupiter River Estates Park	-	8%	-	-	8%	83%	8%	8%	8%	50%	8%	17%	8%	-	8%	8%	42%	33%	-	8%	-	-	8%	83%	8%	-	8%	33%	25%	25%
ID530	Jupiter Village Park	58%	35%	6%	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	58%	35%	6%	-	-	-	100%	-	-	-	-	-
ID531	Karen Marcus Ocean Preserve	19%	4%	6%	7%	7%	57%	32%	8%	7%	6%	4%	44%	24%	6%	7%	7%	6%	50%	19%	4%	6%	7%	7%	57%	30%	8%	7%	6%	5%	45%
ID532	Kennedy Estates	73%	27%	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	73%	27%	-	-	-	-	100%	-	-	-	-	-
ID533	Lighthouse Park	31%	18%	19%	21%	4%	7%	44%	21%	21%	7%	3%	5%	35%	22%	21%	13%	3%	6%	29%	14%	21%	22%	6%	8%	31%	18%	18%	21%	5%	7%
ID534	Limestone Creek Park	71%	29%	-	-	-	-	100%	-	-	-	-	-	93%	7%	-	-	-	-	71%	29%	-	-	-	-	100%	-	-	-	-	-
ID535	Loxahatchee Battlefield	-	-	-	-	-	98%	2%	-	3%	10%	22%	62%	2%	-	-	-	3%	94%	-	-	-	-	-	98%	2%	-	3%	8%	21%	65%
ID536	Maplewood Park	52%	28%	15%	4%	-	-	100%	-	-	-	-	-	99%	-	-	-	-	-	52%	28%	15%	4%	-	-	100%	-	-	-	-	-
ID537	North County Aquatic Complex	50%	3%	9%	12%	13%	13%	62%	21%	10%	6%	1%	-	53%	9%	21%	10%	6%	1%	50%	1%	7%	10%	16%	15%	59%	7%	19%	13%	1%	-
ID538	North Palm Beach Heights Park	4%	10%	31%	27%	19%	9%	81%	10%	4%	-	-	4%	27%	29%	26%	10%	4%	4%	4%	10%	31%	27%	19%	9%	79%	13%	3%	1%	-	4%
ID539	Ocean Cay Park	94%	-	1%	2%	-	1%	96%	1%	1%	1%	-	-	94%	2%	2%	-	1%	-	94%	-	1%	2%	-	1%	96%	1%	-	2%	-	-
ID540	Old Town Hall Park	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID541	Pine Gardens Park	83%	17%	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	79%	21%	-	-	-	-	100%	-	-	-	-	-
ID542	Riverbend Park	2%	-	-	-	2%	94%	6%	3%	6%	11%	15%	60%	3%	-	1%	3%	5%	86%	2%	-	-	-	2%	94%	6%	3%	5%	9%	14%	63%
ID543	Sawfish Bay Park	-	-	-	-	7%	93%	-	-	2%	9%	35%	55%	-	-	-	7%	11%	82%	-	-	-	-	5%	95%	-	-	-	4%	7%	89%
ID544	South Jupiter Community Park	23%	26%	28%	17%	6%	-	98%	2%	-	-	-	-	76%	14%	9%	1%	-	-	23%	26%	28%	17%	6%	-	96%	4%	-	-	-	-
ID545	Sylvia Park	-	22%	11%	-	-	67%	33%	-	-	-	-	67%	33%	-	-	-	-	67%	-	22%	11%	-	-	67%	33%	-	-	-	-	67%
ID546	Waterway Park	4%	-	3%	5%	6%	82%	5%	3%	6%	9%	9%	68%	4%	2%	4%	6%	10%	73%	4%	-	2%	4%	6%	84%	4%	2%	3%	6%	9%	77%
ID547	West Jupiter Community Center	80%	6%	3%	4%	4%	2%	86%	3%	4%	4%	2%	-	86%	1%	3%	4%	5%	-	80%	6%	1%	5%	3%	4%	86%	1%	5%	3%	4%	-
ID558	Riverbend and Loxahatchee River Battlefield Parks	73%	4%	5%	6%	4%	8%	94%	2%	2%	1%	-	1%	88%	3%	3%	2%	2%	3%	73%	4%	5%	6%	4%	8%	93%	2%	2%	1%	-	1%
ID568	Eganfuskee Pond	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID569	Old Jupiter Beach Road Pond	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID570	Cinquez Pond	8%	-	8%	8%	-	75%	8%	8%	-	8%	8%	67%	8%	8%	-	8%	8%	67%	8%	-	8%	-	8%	75%	8%	8%	-	8%	8%	67%
ID571	Jupiter River Estates North Pond	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID572	Clemons Pond	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID573	Love Street Pond	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID574	Greenwood Pond	-	3%	13%	6%	9%	69%	19%	6%	13%	6%	-	56%	9%	9%	6%	16%	3%	56%	-	3%	9%	9%	6%	72%	9%	9%	9%	13%	3%	56%
ID575	Seminole Pond	-	-	-	2%	13%	85%	-	4%	15%	9%	-	72%	-	-	4%	19%	4%	72%	-	-	-	-	11%	89%	-	-	4%	17%	6%	72%
ID576	7th Street Pond	50%	-	-	17%	-	33%	50%	17%	-	17%	-	17%	50%	-	17%	-	17%	17%	50%	-	-	17%	-	33%	50%	17%	-	-	17%	17%
ID577	Delaware Scrub	3%	9%	12%	7%	12%	58%	25%	11%	10%	5%	6%	43%	18%	7%	11%	10%	5%	49%	2%	7%	13%	7%	12%	59%	19%	9%	11%	9%	6%	46%
ID578	Todd Street Mangrove Preserve	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%

Appendix F
Flooding by Percent Area - Parcels

Asset Unique ID	Asset Name	S-26						S-27						S-28						S-29						S-30						S-31					
		0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5
		≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'
ID060	Admiral's Cove Marina	-	-	-	100%	-	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	100%	-	-	-	-	-
ID061	Jupiter Inlet Marina	91%	-	-	-	-	9%	82%	9%	-	-	-	9%	82%	9%	-	-	-	9%	64%	27%	-	-	-	9%	55%	27%	9%	-	-	9%	91%	-	-	-	-	-	9%
ID064	Wastewater Treatment Plant	73%	5%	6%	5%	5%	6%	72%	3%	8%	5%	4%	8%	75%	8%	5%	4%	3%	5%	73%	5%	6%	5%	5%	6%	72%	3%	8%	5%	4%	8%	71%	4%	8%	5%	4%	9%
ID267	Egret's Landing Recharge System Pump Station	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	-	100%	-	-	-	-
ID268	North Old Dixie Highway Stormwater Pump Station	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID271	Salinity Barrier Structure	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID272	St Peters Recharge System Pump Station	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID275	Water Treatment Plant	47%	28%	14%	3%	1%	7%	31%	35%	18%	7%	1%	7%	58%	22%	11%	2%	-	7%	47%	28%	14%	3%	1%	7%	31%	33%	20%	7%	1%	7%	27%	29%	24%	10%	3%	7%
ID349	Central Boulevard High Service Pump Station	50%	23%	17%	-	2%	8%	31%	28%	20%	11%	-	9%	61%	21%	8%	-	5%	5%	50%	23%	17%	-	2%	8%	31%	28%	19%	12%	-	9%	21%	27%	20%	21%	-	9%
ID350	Juno Repump Station	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID351	Riverbend Repump Station	2%	5%	9%	14%	21%	49%	2%	-	-	5%	9%	84%	23%	12%	28%	5%	9%	23%	2%	5%	9%	14%	21%	49%	2%	-	-	5%	9%	84%	2%	-	-	2%	5%	91%
ID357	FPL Substation 1	30%	31%	20%	10%	5%	4%	-	10%	38%	21%	17%	14%	15%	37%	20%	15%	8%	5%	3%	22%	32%	21%	12%	9%	-	-	18%	33%	21%	27%	-	11%	37%	21%	17%	14%
ID358	FPL Substation 2	82%	6%	4%	6%	3%	-	73%	11%	5%	4%	5%	3%	86%	3%	5%	4%	2%	-	77%	10%	3%	6%	3%	-	67%	7%	11%	3%	4%	7%	70%	10%	7%	3%	6%	3%
ID359	FPL Substation 3	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID360	North County Transfer Station	78%	-	-	-	2%	18%	74%	2%	2%	-	-	21%	79%	-	-	3%	1%	15%	78%	-	-	-	1%	19%	74%	2%	2%	-	-	21%	70%	6%	2%	-	-	21%
ID361	ABC Montessori Academy	20%	35%	10%	20%	5%	10%	-	5%	30%	20%	25%	20%	15%	35%	15%	20%	5%	10%	-	20%	35%	10%	20%	15%	-	-	10%	35%	20%	35%	-	5%	30%	20%	25%	20%
ID362	All Saints Catholic School	100%	-	-	-	-	-	99%	1%	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	97%	3%	-	-	-	-	91%	8%	1%	-	-	-
ID363	Beacon Cove Intermediate School	93%	6%	1%	-	-	-	69%	16%	11%	2%	-	-	99%	-	-	-	-	-	91%	7%	2%	-	-	-	66%	17%	12%	4%	-	-	62%	18%	14%	5%	1%	-
ID364	Bluff's School	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID365	Children's Enrichment Center - First United Methodist Church	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID366	First Class Preschool	8%	25%	25%	8%	17%	17%	-	8%	25%	25%	8%	33%	-	8%	25%	25%	8%	33%	-	-	33%	17%	17%	33%	-	-	-	33%	17%	50%	33%	25%	17%	8%	17%	-
ID367	Florida Virtual School 4 Kids	-	-	50%	38%	-	13%	-	-	-	38%	50%	13%	-	13%	50%	25%	-	13%	-	-	13%	50%	25%	13%	-	-	-	13%	50%	38%	-	-	-	38%	50%	13%
ID368	Growing Minds Prep Academy	-	-	-	8%	8%	83%	-	-	-	-	-	100%	-	-	-	-	8%	92%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID369	Jerry Thomas Elementary School	67%	16%	3%	1%	3%	10%	61%	15%	8%	3%	1%	12%	81%	5%	1%	1%	4%	8%	67%	15%	4%	1%	2%	10%	60%	15%	7%	4%	1%	12%	59%	15%	8%	3%	3%	12%
ID370	Jupiter Christian School	92%	7%	-	-	-	-	73%	14%	12%	-	-	-	90%	9%	-	-	-	-	80%	12%	8%	-	-	-	64%	12%	13%	9%	-	-	73%	14%	12%	-	-	-
ID371	Jupiter Christian School - East Campus	98%	2%	-	-	-	-	88%	8%	2%	2%	-	-	96%	2%	2%	-	-	-	90%	6%	2%	2%	-	-	80%	10%	6%	2%	2%	-	90%	6%	2%	2%	-	-
ID372	Jupiter Elementary School	61%	14%	9%	4%	2%	10%	35%	17%	16%	13%	8%	12%	53%	16%	13%	7%	2%	10%	41%	19%	15%	10%	4%	12%	17%	21%	16%	18%	11%	17%	35%	18%	16%	13%	7%	12%
ID373	Jupiter First Church Preschool	100%	-	-	-	-	-	94%	3%	2%	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	94%	3%	2%	-	-	-	91%	4%	4%	1%	-	-
ID374	Jupiter High School	87%	-	1%	-	-	10%	70%	14%	3%	1%	-	11%	84%	3%	1%	-	-	10%	77%	10%	-	2%	-	10%	56%	17%	12%	2%	2%	11%	70%	14%	3%	1%	-	11%
ID375	Jupiter Middle School of Technology	41%	14%	15%	12%	6%	11%	29%	7%	16%	16%	14%	18%	55%	13%	14%	6%	3%	8%	38%	15%	15%	13%	6%	12%	29%	7%	13%	17%	15%	19%	22%	4%	7%	9%	19%	39%
ID376	Kidz Exploration Center	100%	-	-	-	-	-	80%	20%	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	50%	40%	10%	-	-	-	80%	20%	-	-	-	-
ID377	Lighthouse Elementary School	36%	31%	18%	8%	3%	5%	13%	15%	17%	31%	13%	11%	79%	10%	5%	-	1%	4%	32%	24%	25%	10%	3%	6%	10%	17%	16%	32%	14%	12%	1%	5%	18%	11%	30%	35%
ID378	Limestone Creek Elementary School	100%	-	-	-	-	-	96%	4%	-	-	-	-	100%	-	-	-	-	-	99%	-	-	-	-	-	84%	14%	2%	-	-	-	96%	4%	-	-	-	-
ID379	Lutheran Services Florida Inc Head Start	90%	-	3%	3%	3%	-	84%	5%	2%	3%	2%	4%	90%	1%	3%	3%	3%	-	87%	4%	-	3%	3%	3%	80%	6%	6%	-	2%	6%	84%	5%	2%	3%	3%	3%
ID380	Temple Beth Am Preschool	36%	25%	28%	8%	2%	-	14%	21%	22%	34%	8%	3%	76%	17%	5%	2%	-	-	34%	26%	29%	8%	2%	-	14%	21%	22%	34%	8%	3%	10%	17%	17%	41%	9%	5%
ID381	Thelma B Pittman Jupiter Preschool	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID382	Tiny Turtles Preschool	-	-	13%	50%	-	38%	-	-	-	-	50%	50%	-	-	-	38%	25%	38%	-	-	-	-	63%	38%	-	-	-	-	100%	-	-	-	-	63%	38%
ID383	Turtle River Montessori - East Campus	91%	9%	-	-	-	-	74%	13%	9%	4%	-	-	87%	9%	4%	-	-	-	83%	9%	4%	4%	-	-	65%	9%	13%	9%	4%	-	74%	13%	9%	4%	-	-
ID384	Turtle River Montessori - West Campus	100%	-	-	-	-	-	71%	29%	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	71%	29%	-	-	-	-	54%	25%	21%	-	-	-
ID385	John D. MacArthur Campus	56%	14%	10%	4%	3%	13%	36%	21%	14%	9%	4%	16%	74%	7%	5%	1%	-	12%	56%	14%	10%	4%	3%	13%	36%	21%	14%	9%	4%	16%	30%	23%	15%	11%	5%	16%
ID386	Max Planck Florida Institute for Neuroscience	79%	13%	5%	-	-	3%	59%	21%	14%	3%	-	3%	97%	-	-	1%	2%	79%	13%	5%	-	-	3%	59%	21%	14%	3%	-	3%	55%	19%	18%	5%	-	3%
ID387	Scripps Institute	59%	27%	7%	-	-	6%	39%	22%	27%	6%	-	7%	81%	12%	-	-	-	6%	59%	27%	7%	-	-	6%	39%	22%	27%	6%	-	7%	32%	23%	28%	10%	-	7%
ID391	Public Works	44%	21%	13%	8%	5%	9%	41%	22%	13%	10%	5%	10%	51%	18%	13%	6%	3%	9%	44%	21%	13%	8%	5%	9%	41%	22%	13%	10%	5%	10%	40%	20%	13%	11%	5%	10%
ID411	Jupiter Medical Center	72%	9%	2%	-	-	16%	29%	22%	24%	8%	2%	17%	67%	13%	3%	1%	-	16%	40%	28%	12%	3%	1%	16%	22%	9%	27%	18%	6%	18%	28%	21%	24%	8%	2%	17%
ID412	Florida Fish and Wildlife Conservation Commission Law Enforcement Division	45%	6%	12%	6%	9%	21%	39%	9%	3%	12%	9%	27%	42%	6%	15%	3%	6%	27%	42%	6%	12%	6%	3%	30%	36%	6%	9%	12%	3%	33%	45%	9%	3%	12%	3%	27%
ID414	Barcelona Jupiter	58%	17%	-	2%	-	21%	30%	18%	21%	8%	1%	23%	51%	20%	5%	2%	-	21%	40%	17%	18%	2%	2%	22%	11%	23%	17%	21%	5%	24%	29%	18%	21%	8%	1%	23%
ID415	Jupiter Homes Corp	96%	4%	-	-	-	-	60%	28%	12%	-	-	-	96%	4%	-	-	-	-	64%	32%	4%	-	-	-	48%	12%	32%	8%	-	-	60%	28%	12%	-	-	-
ID416	Seagrape Apartments	62%	14%	9%	2%	2%	12%	16%	28%	21%	14%	5%	15%	57%	17%	8%	5%	2%	12%	33%	24%	17%	8%	5%	14%	-	26%	23%	17%	14%	20%	13%	30%	23%	14%	6%	15%
ID417	Stephenson Manor	57%	22%	14%	7%	-	-	11%	25%	26%	19%	13%	6%	49%	26%	17%	7%	1%	-	21%	32%	22%	17%	7%	1%	1%	15%	28%	22%	17%	17%	10%	25%	26%	21%	13%	6%
ID418	The Centre at Abacoa	100%	-	-	-	-	-	13%	75%	13%	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	13%	75%	13%	-	-	-	-	-	25%	75%	-	-
ID419	Third Housing 401	84%	13%	3%	-	-	-	26%	39%	24%	8%	3%	-	74%	24%	3%	-	-	-	58%	21%	18%	3%	-	-	-	45%	26%	26%	-	3%	26%	39%	24%	8%	3%	-
ID420	Wood Duck Apartments	46%	29%	21%	4%	-	-	14%	18%	19%	29%	18%	2%	41%	29%	18%	11%	-	-	24%	15%	29%	19%	12%	-	4%	14%	17%	20%	28%	17%	13%	17%	21%	29%	19%	2%
ID421	Independence Middle School	74%	16%	10%	-	-	-	40%	21%	12%	16%	10%	-	99%	1%	-	-	-	-	74%	17%	9%	-	-	-	40%	21%	12%	16%	11%	-	32%	19%	15%	11%	19%	4%
ID422	Abacoa - Southeast	53%	18%	14%	3%	-	12%	27%	12%	23%	15%	10%	12%	78%	10%	-	1%	-	11%	44%	21%	15%	7%	-	12%	25%	14%	22%	15%	11%	12%	20%	18%	17%	20%	11%	14%
ID423	Abacoa - Central	56%	9%	6%	4%	2%	23%	36%	14%	12%	6%	4%	27%	65%	7%	3%	2%	2%	21%	56%	9%	7%	4%	2%	24%	36%	14%	13%	6%	4%	27%	19%	15%	16%	12%	7%	30%
ID433	Abacoa - Northwest	38%	10%	7%	2%	3%	41%	11%	10%	16%	10%	7%	47%	54%	2%	4%	-	2%	38%	38%	10%	7%	2%	3%	41%	11%	10%	16%	10%	7%	47%	8%	5%	12%	14%	9%	51%
ID436	Alma's Place Conservation Area	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID438	Botanica	21%	4%	5%	7%	6%	57%	16%	2%	3%	4%	6%	68%	21%	4%	5%	7%	6%	58%	17%	3%	4%	5%	7%	65%	14%	2%	3%	3%	5%	73%	16%	2%	3%	4%	5%	69%
ID450	C-18 Triangle Natural Area	2%	-	-	-	-	98%	-	-	-	-	-	98%	2%	-	-	5%	12%	80%	2%	-	-	-	-	98%	-	-	-	-	-	98%	-	-	-	-	-	98%
ID452	Georgian Park	14%	6%	6%	29%	20%	26%	3%	9%	3%	6%	20%	60%	11%	6%	3%	23%	31%	26%	6%	9%	6%	3%	31%	46%	3%	3%	6%	9%	-	80%	3%	9%	3%	6%	20%	60%
ID454	Hamptons	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID455	Jones Creek Hammock	1%	2%	4%	8%	11%	74%	-	-	1%	3%	6%	89%	-	1%	3%	6%	9%	79%	-	1%	1%	4%	8%	86%	-	-	-	2%	3%	94%	-	-	1%	3%	6%	89%
ID457	Jones Creek Preserve	-	2%	2%	2%	2%	92%	-	-	-	2%	4%	94%	-	-	2%	4%	2%	92%	-	-	-	4%	2%	94%	-	-	-	-	2%	98%	-	-	-	2%	4%	94%
ID458	Jupiter High School Ditch	-	-	67%	33%	-	-	-	-	-	33%	33%	33%	-	-	33%	33%	33%	-	-	-	-	67%	33%	-	-	-	-	-	67%	33%	-	-	-	33%	33%	33%
ID459	Jupiter Lighthouse Natural Area	96%	-	1%	-	-	-	95%	-	-	-	-	-	94%	2%	-	1%	-	1%	94%	1%	1%	-	-	1%	92%	3%	1%	-	-	2%	98%	-	-	-	-	-
ID460	Georgian Park Preserve	95%	-	3%	3%	-	-	82%	11%	3%	-	3%	3%	92%	3%	3%	-	3%	-	92%	3%	-	3%	3%	-	55%	32%	8%	-	3%	3%	82%	11%	3%	-	3%	3%
ID461	Jupiter Ridge Natural Area	54%	3%	4%	3%	3%	33%	51%	3%	3%	4%	3%	36%	50%	3%	3%	4%	3%	36%	50%	3%	3%	4%	4%	37%	48%	3%	3%	3%	4%	39%	60%	4%	3%	3%	3%	28%
ID463	Jupiter Yacht Club - Privately Owned Land	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID468	Jupiter Yacht Club - Town-Owned Land	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	3%	97%
ID471	Lox River Islands	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID473	Mangrove Bay	83%	7%	5%	-	2%	2%	80%	2%	7%	5%	-	5%	78%	5%	7%	5%	-	5%	78%	5%	5%	7%	-	5%	78%	-	5%	7%	5%	5%	93%	2%	2%	-	2%	-
ID474	Maplecrest	3%	3%	17%	17%	20%	40%	-	-	7%	10%	13%	70%	3%	3%	13%	10%	23%	47%	-	3%	3%	17%	17%	60%	-	-	3%	3%	13%	80%	-	-	7%	10%	13%	70%
ID475	Jones Creek Headwaters	10%	10%	11%	9%	11%	48%	2%	4%	7%	11%	9%	66%	8%	9%	11%	9%	12%	51%	4%	6%	10%	11%	9%	60%	1%	2%	5%	9%	11%	72%	2%	4%	8%	11%	9%	66%
ID476	North Jupiter Flatwoods	39%	21%	19%	11%	6%	4%	29%	22%	20%	15%	8%	7%	56%	19%	14%	8%	3%	-	39%	21%	19%	11%	6%	4%	29%	22%	20%	15%	8%	7%	26%	21%	20%	17%	9%	8%
ID479	Parcel 19 PUD	4%	-	-	-	-	96%	4%	-	-	-	-	96%	4%	-	4%	-	11%	82%	4%	-	-	-	-	96%	4%	-	-	-	-	96%	4%	-	-	-	-	96%
ID480	Parcel 19 W. Station Preserve	14%	-	4%	-	5%	77%	13%	-	2%	-	4%	82%	18%	2%	13%	9%	20%	39%	14%	-	4%	-	5%	77%	13%	-	2%	-	4%	82%	11%	2%	-	2%	-	86%
ID484	Paseos	10%	8%	10%	13%	17%	42%	2%	4%	6%	7%	12%	68%	7%	8%	8%	13%	17%	48%	4%	5%	9%	8%	14%	60%	-	2%	5%	8%	8%	77%	2%	3%	6%	8%	12%	69%
ID485	Jupiter River Estates North	-	4%	10%	16%	16%	53%	-	-	2%	10%	10%	78%	-	2%	10%	10%	17%	60%	-	-	3%	10%	14%	72%	-	-	-	3%	10%	86%	-	-	2%	10%	10%	78%
ID490	SFWMD - C18	37%	3%	2%	3%	1%	55%	34%	3%	2%	3%	2%	56%	37%	3%	2%	2%	1%	55%	35%	3%	2%	3%	1%	56%	33%	3%	2%	3%	2%	57%	34%	3%	2%	3%	2%	57%
ID491	Shores of Jupiter	11%	6%	5%	9%	12%	56%	7%	4%	6%	5%	9%	70%	14%	5%	6%	10%	10%	53%	10%	5%	5%	7%	11%	62%	5%	4%	5%	5%	7%	74%	7%	4%	5%	5%	8%	71%
ID496	Sims Creek Preserve	10%	19%	25%	15%	6%	25%	-	6%	15%	23%	17%	38%	8%	15%	23%	17%	10%	27%	-	10%	19%	27%	13%	31%	-	-	8%	19%	21%	52%	-	6%	15%	25%	15%	38%
ID497	State of Florida - TIITF	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID498	Tierra Del Sol	9%	9%	9%	15%	18%	39%	9%	3%	6%	15%	15%	52%	9%	-	9%	12%	15%	55%	6%	3%	3%	15%	9%	64%	3%	6%	-	9%	9%	73%	27%	9%	21%	15%	9%	18%
ID499	Town of Jupiter - Coastline	86%	5%	5%	-	-	5%	86%	5%	-	5%	-	5%	91%	5%	-	-	-	5%	86%	5%	5%	-	-	5%	86%	5%	-	5%	5%	5%	86%	-	5%	5%	-	5%
ID500	Double Roads - South	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID508	Double Roads - North	93%	-	-	-	-	4%	92%	-	-	-	-	5%	93%	-	-	-	1%	4%	91%	2%	-	-	-	5%	89%	3%	1%	-	-	5%	91%	2%	-	-	-	5%
ID512	Carlin Park - Town-Owned	35%	6%	3%	-	3%	52%	32%	6%	3%	3%	-	55%	29%	6%	6%	3%	-	55%	29%	6%	3%	6%	-	55%	29%	3%	3%	6%	3%	55%	48%	6%	10%	19%	13%	3%
ID513	Washington Preserve	58%	20%	10%	6%	3%	2%	53%	23%	12%	6%	4%	2%	66%	18%	8%	4%	2%	2%	58%	20%	10%	6%	3%	2%	53%	23%	12%	6%	4%	2%	51%	22%	14%	7%	3%	3%
ID515	Burt Reynolds Park	18%	7%	7%	11%	6%	51%	16%	3%	7%	7%	11%	56%	16%	3%	7%	8%	11%	56%	15%	2%	6%	8%	9%	61%	13%	2%	2%	7%	8%	68%	28%	7%	9%	7%	5%	43%
ID516	Carlin Park	13%	2%	3%	4%	6%	72%	12%	1%	2%	3%	5%	77%	12%	1%	2%	3%	4%	78%	11%	1%	2%	2%	4%	80%	11%	1%	1%	2%	2%	82%	17%	4%	6%	7%	9%	57%
ID517	Cinquez Dog Park	49%	15%	12%	14%	4%	7%	29%	18%	15%	12%	15%	11%	48%	15%	12%	14%	4%	7%	34%	20%	13%	13%	12%	8%	13%	17%	19%	15%	13%	23%	30%	17%	16%	12%	14%	11%
ID518	Daily Park	-	-	-	25%	50%	25%	-	-	-	-	-	100%	-	-	-	-	50%	50%	-	-	-	-	25%	75%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID519	Dubois Park	24%	3%	3%	4%	4%	62%	22%	3%	3%	3%	3%	64%	19%	5%	3%	3%	4%	66%	19%	4%	4%	3%	4%	67%	17%	3%	4%	3%	3%	69%	44%	4%	5%	5%	2%	39%
ID520	Eastview Manor Park	43%	57%	-	-	-	-	-	43%	29%	29%	-	-	29%	43%	29%	-	-	-	-	43%	57%	-	-	-	-	-	-	43%	57%	-	-	43%	29%	29%	-	-
ID521	FIND Park	40%	2%	3%	2%	4%	49%	39%	1%	2%	2%	3%	52%	38%	2%	2%	2%	3%	53%	38%	2%	2%	2%	3%	54%	38%	1%	2%	1%	3%	55%	45%	3%	4%	3%	3%	42%
ID522	Frazier Park	-	40%	60%	-	-	-	-	-	-	100%	-	-	-	-	80%	20%	-	-	-	-	40%	60%	-	-	-	-	-	-	100%	-	-	-	-	100%	-	-
ID523	Karen Golonka Island	-	-	-	-	-	98%	-	-	-	-	-	99%	-	-	-	-	-	99%	-	-	-	-	-	99%	-	-	-	-	-	99%	-	-	-	-	-	97%
ID524	Indian Creek Park	41%	24%	6%	5%	2%	21%	21%	33%	14%	4%	6%	22%	64%	7%	5%	3%	3%	18%	41%	24%	7%	5%	3%	21%	21%	33%	14%	4%	6%	22%	14%	28%	23%	6%	5%	24%
ID525	Johnston Park	7%	5%	22%	22%	14%	29%	5%	2%	5%	21%	24%	43%	5%	2%	5%	24%	21%	43%	5%	2%	3%	14%	31%	45%	-	5%	2%	3%	17%	72%	12%	24%	22%	19%	14%	9%

Appendix F
Flooding by Percent Area - Parcels

Asset Unique ID	Asset Name	S-26						S-27						S-28						S-29						S-30						S-31					
		0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5
		≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'	≤ 0'	0' - 0.5'	0.5' - 1'	1' - 1.5'	1.5' - 2'	> 2'
ID526	Juno Beach Park	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-
ID527	Jupiter Beach Park	18%	2%	4%	4%	3%	69%	17%	2%	3%	4%	4%	70%	17%	1%	2%	4%	4%	72%	16%	1%	2%	3%	4%	74%	16%	-	1%	3%	4%	75%	38%	3%	5%	5%	4%	46%
ID528	Jupiter Community Park	61%	19%	6%	2%	-	12%	52%	21%	11%	2%	-	12%	79%	6%	2%	-	-	12%	61%	19%	6%	2%	-	12%	52%	21%	11%	2%	-	12%	49%	23%	13%	3%	1%	12%
ID529	Jupiter River Estates Park	8%	-	-	8%	33%	50%	-	8%	-	-	-	92%	8%	-	-	8%	8%	75%	-	8%	-	-	8%	83%	-	-	8%	-	-	92%	-	8%	-	-	-	92%
ID530	Jupiter Village Park	100%	-	-	-	-	-	56%	38%	6%	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	55%	39%	6%	-	-	-	33%	57%	9%	-	-	-
ID531	Karen Marcus Ocean Preserve	23%	6%	7%	7%	6%	51%	18%	4%	6%	7%	7%	57%	22%	5%	7%	8%	7%	52%	18%	4%	5%	7%	7%	58%	16%	2%	5%	6%	7%	64%	17%	3%	5%	6%	8%	60%
ID532	Kennedy Estates	100%	-	-	-	-	-	73%	27%	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	67%	33%	-	-	-	-	60%	27%	13%	-	-	-
ID533	Lighthouse Park	28%	9%	23%	20%	11%	9%	20%	10%	15%	20%	21%	14%	17%	11%	10%	22%	23%	18%	12%	12%	8%	22%	18%	28%	9%	9%	10%	13%	22%	37%	66%	22%	5%	3%	1%	3%
ID534	Limestone Creek Park	93%	7%	-	-	-	-	71%	29%	-	-	-	-	100%	-	-	-	-	-	93%	7%	-	-	-	-	71%	29%	-	-	-	-	71%	29%	-	-	-	-
ID535	Loxahatchee Battlefield	2%	-	-	-	3%	94%	-	-	-	-	-	98%	2%	-	3%	8%	21%	65%	2%	-	-	-	3%	94%	-	-	-	-	-	98%	-	-	-	-	-	98%
ID536	Maplewood Park	99%	-	-	-	-	-	46%	29%	17%	7%	-	-	100%	-	-	-	-	-	97%	2%	-	-	-	-	42%	30%	19%	7%	-	-	17%	34%	29%	14%	5%	-
ID537	North County Aquatic Complex	51%	10%	10%	13%	13%	1%	47%	3%	3%	9%	16%	22%	50%	3%	9%	21%	10%	7%	50%	1%	7%	10%	16%	15%	41%	6%	3%	6%	6%	38%	47%	3%	3%	9%	16%	22%
ID538	North Palm Beach Heights Park	27%	26%	27%	11%	4%	4%	4%	9%	29%	31%	19%	9%	79%	13%	3%	1%	-	4%	27%	26%	27%	11%	4%	4%	4%	9%	29%	31%	19%	9%	3%	4%	20%	29%	26%	19%
ID539	Ocean Cay Park	94%	2%	1%	1%	1%	-	94%	-	1%	2%	-	1%	96%	1%	-	2%	-	-	94%	2%	1%	1%	1%	-	94%	-	1%	2%	-	1%	94%	-	2%	1%	-	2%
ID540	Old Town Hall Park	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID541	Pine Gardens Park	100%	-	-	-	-	-	67%	33%	-	-	-	-	100%	-	-	-	-	-	79%	21%	-	-	-	-	33%	38%	29%	-	-	-	67%	33%	-	-	-	-
ID542	Riverbend Park	3%	-	1%	3%	5%	87%	2%	-	-	-	1%	94%	6%	3%	5%	9%	14%	63%	3%	-	1%	3%	5%	87%	2%	-	-	-	1%	94%	2%	-	-	-	-	95%
ID543	Sawfish Bay Park	-	-	-	-	9%	91%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	2%	7%	36%	55%
ID544	South Jupiter Community Park	75%	15%	9%	2%	-	-	20%	24%	31%	18%	6%	-	96%	4%	-	-	-	-	75%	14%	9%	2%	-	-	20%	24%	31%	18%	6%	-	12%	18%	30%	26%	12%	3%
ID545	Sylvia Park	22%	11%	-	-	-	67%	-	22%	11%	-	-	67%	22%	11%	-	-	-	67%	-	22%	11%	-	-	67%	-	-	22%	11%	-	67%	-	22%	11%	-	-	67%
ID546	Waterway Park	4%	-	2%	5%	7%	81%	3%	-	-	3%	5%	88%	3%	-	1%	2%	5%	88%	3%	-	-	2%	4%	90%	2%	1%	-	-	3%	93%	5%	3%	6%	7%	10%	69%
ID547	West Jupiter Community Center	85%	1%	4%	4%	4%	1%	75%	8%	3%	4%	3%	6%	84%	2%	4%	4%	4%	1%	80%	6%	1%	4%	4%	4%	70%	8%	9%	1%	3%	10%	75%	8%	3%	4%	4%	5%
ID558	Riverbend and Loxahatchee River Battlefield Parks	87%	3%	3%	2%	2%	3%	73%	3%	4%	6%	5%	10%	93%	2%	2%	1%	-	1%	87%	3%	3%	2%	2%	3%	73%	3%	4%	6%	5%	10%	55%	10%	7%	5%	3%	20%
ID568	Eganfuskee Pond	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID569	Old Jupiter Beach Road Pond	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID570	Cinquez Pond	8%	8%	-	8%	8%	67%	8%	-	8%	-	8%	75%	8%	8%	-	8%	8%	67%	8%	-	8%	-	8%	75%	8%	-	-	8%	-	83%	8%	-	8%	-	8%	75%
ID571	Jupiter River Estates North Pond	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID572	Clemons Pond	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%
ID573	Love Street Pond	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	33%	67%
ID574	Greenwood Pond	3%	9%	9%	6%	16%	56%	-	-	6%	13%	6%	75%	-	6%	13%	6%	13%	63%	-	3%	9%	6%	9%	72%	-	-	3%	6%	9%	81%	-	3%	6%	9%	6%	75%
ID575	Seminole Pond	-	-	-	11%	15%	74%	-	-	-	-	4%	96%	-	-	-	4%	13%	83%	-	-	-	-	6%	94%	-	-	-	-	-	100%	-	-	-	-	6%	94%
ID576	7th Street Pond	50%	-	17%	-	17%	17%	33%	17%	-	-	17%	33%	50%	-	17%	-	-	33%	50%	-	-	17%	-	33%	17%	33%	-	-	-	50%	33%	17%	-	-	17%	33%
ID577	Delaware Scrub	10%	13%	7%	12%	7%	51%	-	4%	13%	7%	11%	64%	4%	13%	7%	11%	10%	54%	2%	7%	12%	8%	12%	59%	-	1%	5%	13%	8%	73%	-	4%	13%	7%	11%	64%
ID578	Todd Street Mangrove Preserve	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%

Appendix F
Flooding by Percent Area - Roadways

Asset Unique ID	Asset Name	Roadway To	Roadway From	S-1				S-2				S-3				S-4				S-5			
				0	1	3	5	0	1	3	5	0	1	3	5	0	1	3	5	0	1	3	5
				≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"
ID040A	Alternate A1A	Indiantown Road	US 1	86%	1%	1%	13%	86%	-	-	14%	72%	9%	5%	14%	86%	-	-	14%	84%	2%	1%	14%
ID040B	Alternate A1A	Frederick Small Road	Indiantown Road	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID040C	Alternate A1A	Donald Ross Road	Frederick Small Road	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID041A	Center Street	North Pennock Lane	Indiantown Road	97%	-	-	3%	87%	3%	4%	6%	72%	2%	3%	24%	95%	2%	1%	3%	78%	4%	4%	14%
ID041B	Center Street	Alternate A1A	North Pennock Lane	41%	22%	21%	17%	6%	7%	6%	82%	2%	1%	-	97%	34%	11%	22%	33%	3%	-	1%	96%
ID042	Central Boulevard	Indian Creek Parkway	Indiantown Road	96%	1%	1%	1%	89%	2%	3%	5%	83%	5%	1%	11%	94%	1%	1%	3%	88%	1%	4%	7%
ID043	Central Boulevard	Indiantown Road	Roebuck Road	88%	5%	1%	6%	88%	1%	3%	9%	66%	13%	8%	13%	88%	1%	4%	8%	83%	2%	6%	10%
ID044	Central Boulevard	Donald Ross Road	Indian Creek Parkway	100%	-	-	-	100%	-	-	-	100%	1%	-	-	100%	-	-	-	100%	-	-	-
ID045A	Donald Ross Road	Military Trail	Florida Turnpike	100%	-	-	-	100%	-	-	-	98%	2%	-	-	100%	-	-	-	100%	-	-	-
ID045B	Donald Ross Road	Eastern Town Boundary	Military Trail	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID046A	Florida Turnpike	Canal C-18	Northern Town Boundary	98%	-	-	2%	98%	-	-	2%	93%	2%	2%	3%	98%	-	-	2%	98%	-	-	2%
ID046B	Florida Turnpike	Southern Town Boundary	Canal C-18	99%	-	-	1%	99%	1%	-	1%	77%	16%	4%	4%	99%	-	-	1%	97%	2%	0%	1%
ID047A	Indian Creek Parkway	Central Boulevard	West of Maplewood Drive	100%	-	-	-	100%	-	-	-	99%	1%	-	-	100%	-	-	-	100%	-	-	-
ID047B	Indian Creek Parkway	Military Trail	Central Boulevard	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID048A	Indiantown Road	Central Boulevard	Florida Turnpike	96%	-	-	4%	96%	-	-	4%	95%	-	2%	4%	96%	-	-	4%	96%	-	-	4%
ID048B	Indiantown Road	Military Trail	Central Boulevard	99%	0%	-	1%	94%	2%	1%	3%	91%	2%	1%	6%	94%	2%	1%	2%	93%	1%	1%	4%
ID048C	Indiantown Road	US 1	Military Trail	93%	1%	1%	6%	88%	2%	1%	9%	84%	1%	1%	14%	88%	2%	1%	9%	85%	-	3%	12%
ID049	Indiantown Road	Florida Turnpike	Western Town Boundary	100%	-	-	-	93%	1%	4%	1%	90%	1%	2%	7%	99%	1%	-	-	93%	-	1%	6%
ID050	Indiantown Road	A1A	US 1	87%	4%	7%	2%	73%	13%	5%	9%	67%	-	2%	31%	71%	5%	11%	13%	67%	2%	4%	27%
ID051A	Interstate 95	Canal C-18	Northern Town Boundary	98%	-	-	2%	98%	-	-	2%	97%	0%	0%	2%	98%	0%	0%	2%	98%	-	-	2%
ID051B	Interstate 95	Southern Town Boundary	Canal C-18	99%	-	-	1%	99%	-	-	1%	99%	0%	-	1%	99%	-	-	1%	99%	-	-	1%
ID052	Island Way	Indiantown Road	Northern Town Boundary	98%	-	-	2%	97%	0%	-	2%	94%	3%	-	2%	98%	-	-	2%	97%	1%	-	2%
ID053A	Maplewood Drive	Toney Penna Drive	Indiantown Road	-	3%	-	97%	-	-	3%	97%	-	-	-	100%	-	2%	2%	97%	-	-	2%	98%
ID053B	Maplewood Drive	Indian Creek Parkway	Toney Penna Drive	60%	20%	11%	10%	36%	18%	16%	30%	16%	2%	6%	77%	51%	14%	19%	16%	24%	13%	20%	43%
ID054A	Military Trail	Indian Creek Parkway	Indiantown Road	99%	1%	-	-	99%	1%	-	-	91%	8%	1%	-	99%	1%	-	-	98%	2%	1%	-
ID054B	Military Trail	Donald Ross Road	Indian Creek Parkway	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID055	N A1A	Jupiter Beach Road	US 1	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID056	N A1A	Indiantown Road	Jupiter Beach Road	91%	9%	-	-	76%	11%	9%	4%	36%	13%	4%	47%	64%	16%	11%	9%	44%	9%	13%	33%
ID057	S A1A	Southern Town Boundary	Indiantown Road	100%	-	-	-	99%	1%	-	-	98%	1%	1%	1%	100%	0%	-	-	98%	1%	1%	-
ID058A	Toney Penna Dr	Pinetree Trail	Central Boulevard	89%	8%	3%	-	78%	8%	8%	6%	49%	13%	11%	27%	85%	7%	6%	3%	67%	10%	11%	12%
ID058B	Toney Penna Dr	Alternate A1A	Pinetree Trail	73%	9%	10%	8%	61%	13%	7%	19%	30%	13%	21%	36%	69%	10%	6%	15%	52%	15%	9%	24%
ID059A	US 1	Indiantown Road	Northern Town Boundary	87%	-	-	13%	87%	-	-	13%	86%	1%	-	13%	87%	-	-	13%	87%	-	-	13%
ID059B	US 1	Southern Town Boundary	Indiantown Road	100%	0%	-	-	98%	0%	1%	0%	98%	1%	0%	2%	99%	1%	0%	-	98%	0%	1%	1%
ID062A	FEC Railway	Center Street	Northern Town Boundary	90%	-	-	10%	90%	-	-	10%	90%	-	-	10%	90%	-	-	10%	90%	-	-	10%
ID062B	FEC Railway	Frederick Small Road	Center Street	100%	-	-	-	100%	-	-	-	96%	4%	-	-	100%	-	-	-	99%	1%	-	-
ID062C	FEC Railway	Donald Ross Road	Frederick Small Road	100%	-	-	-	100%	-	-	-	99%	1%	-	-	100%	-	-	-	100%	-	-	-
ID564	River Road	Town Hall Avenue	N/A	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID565	Town Hall Avenue	Center Street	Florida Avenue	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID566A	N Old Dixie Highway	Alternate A1A	Northern Town Boundary	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID566B	N Old Dixie Highway	Indiantown Road	Land's End Way	65%	12%	5%	18%	33%	16%	1%	50%	4%	1%	4%	91%	51%	4%	15%	30%	9%	15%	7%	70%
ID566C	N Old Dixie Highway	Toney Penna Drive	Indiantown Road	89%	4%	5%	2%	88%	4%	2%	7%	77%	11%	4%	9%	88%	4%	4%	5%	86%	4%	4%	7%
ID566D	N Old Dixie Highway	Botanica	Toney Penna Drive	96%	4%	-	-	56%	24%	19%	1%	47%	4%	4%	44%	93%	7%	-	-	51%	4%	24%	21%
ID567	Loxahatchee River Road	Center Street	Northern Town Boundary	87%	3%	-	11%	76%	3%	8%	13%	47%	5%	5%	42%	87%	3%	-	11%	66%	5%	5%	24%
ID567	Loxahatchee River Road	Center Street	Northern Town Boundary	87%	3%	-	11%	76%	3%	8%	13%	47%	5%	5%	42%	87%	3%	-	11%	66%	5%	5%	24%
ID579	Old Jupiter Beach Road	Alternate A1A	N/A	46%	19%	14%	21%	21%	10%	13%	57%	11%	10%	-	79%	22%	13%	10%	56%	21%	-	-	79%
ID580	Eganfuskee Street	Alternate A1A	Waldemar Road	25%	-	13%	63%	6%	13%	-	81%	-	-	-	100%	6%	13%	-	81%	-	6%	-	94%
ID581	Elsa Road	Paulina Road	N/A	60%	7%	33%	-	33%	13%	7%	47%	-	-	-	100%	40%	7%	7%	47%	-	-	7%	93%
ID582A	North Loxahatchee Drive	Center Street	N/A	22%	39%	22%	17%	-	-	-	100%	-	-	-	100%	-	-	28%	72%	-	-	-	100%
ID582B	North Loxahatchee Drive	Indiantown Road	Center Street	100%	-	-	-	77%	2%	6%	15%	13%	6%	6%	75%	91%	6%	4%	-	55%	13%	8%	25%
ID583	South Loxahatchee Drive	Toney Penna Drive	Indiantown Road	91%	9%	-	-	86%	7%	7%	-	79%	5%	9%	7%	86%	9%	5%	-	82%	11%	7%	-
ID584	Venus Street	Hepburn Avenue	N Old Dixie Highway	41%	36%	14%	9%	-	-	9%	91%	-	-	-	100%	18%	14%	14%	55%	-	-	-	100%
ID585	North Pennock Lane	Indiantown Road	Center Street	100%	-	-	-	94%	-	6%	-	81%	2%	2%	15%	100%	-	-	-	89%	4%	2%	6%
ID586	Anglers Way	Stillwater Drive	N Pennock Lane	100%	-	-	-	65%	17%	4%	13%	-	4%	26%	70%	91%	9%	-	-	43%	13%	9%	35%
ID587	Whitney Drive	Indiantown Road	Center Street	86%	3%	8%	3%	67%	11%	4%	18%	15%	14%	14%	57%	81%	8%	6%	5%	53%	8%	6%	33%
ID588A	Cheyenne Street	Todd Street	N Pennock Lane	18%	18%	27%	36%	-	-	9%	91%	-	-	-	100%	18%	18%	9%	55%	-	-	-	100%
ID588B	Cheyenne Street	N/A	Todd Street	100%	-	-	-	-	43%	57%	-	-	-	-	100%	100%	-	-	-	-	-	-	100%

Appendix F
Flooding by Percent Area - Roadways

Asset Unique ID	Asset Name	Roadway To	Roadway From	S-1				S-2				S-3				S-4				S-5			
				0	1	3	5	0	1	3	5	0	1	3	5	0	1	3	5	0	1	3	5
				≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"
ID589	Reo Drive	Whitney Drive	Whitney Drive	100%	-	-	-	97%	3%	-	-	-	-	17%	83%	100%	-	-	-	37%	17%	33%	13%
ID590	Bush Road	Toney Penna Drive	Indiantown Road	89%	9%	2%	-	77%	9%	5%	9%	61%	7%	12%	19%	86%	5%	7%	2%	68%	11%	7%	14%
ID591	Dolphin Drive	Center Street	Dolphin Park	-	17%	52%	30%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID592	Commerce Lane	N/A	Jupiter Christian School	28%	17%	13%	43%	17%	11%	22%	50%	-	-	6%	94%	22%	13%	19%	46%	9%	7%	17%	67%
ID593A	Commerce Way	Commerce Lane	Indiantown Road	43%	14%	11%	32%	36%	7%	14%	43%	18%	14%	11%	57%	43%	4%	14%	39%	32%	11%	4%	54%
ID593B	Commerce Way	Commerce Lane	Commerce Lane	4%	12%	8%	76%	-	10%	8%	82%	-	-	2%	98%	-	12%	12%	76%	-	-	12%	88%
ID594	Cypress Drive	Riverside Drive	Northern Town Boundary	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID595A	Riverside Drive	Alternate A1A	Seabrook Road	100%	-	-	-	77%	6%	11%	6%	49%	1%	6%	44%	100%	-	-	-	57%	7%	13%	23%
ID595B	Riverside Drive	Seabrook Road	Northern Town Boundary	82%	8%	8%	2%	51%	-	2%	47%	33%	4%	2%	61%	75%	10%	10%	6%	41%	2%	6%	51%
ID596	Seabrook Road	Riverside Drive	Northern Town Boundary	57%	23%	20%	-	13%	10%	10%	67%	-	-	-	100%	53%	20%	27%	-	-	3%	7%	90%
ID597	Lance Road	Seabrook Road	Beverly Road	95%	-	5%	-	-	5%	35%	60%	-	-	-	100%	80%	15%	5%	-	-	-	-	100%
ID598	Washington Street	Public Works	Church Street	86%	14%	-	-	55%	32%	14%	-	45%	23%	27%	5%	68%	27%	5%	-	50%	32%	18%	-
ID599	Church Street	Island Way	Central Boulevard	100%	-	-	-	84%	10%	6%	-	80%	6%	8%	5%	99%	1%	-	-	82%	8%	10%	1%
ID600A	Frederick Small Road	Old Dixie Highway	Palmwood Road	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID600B	Frederick Small Road	Central Boulevard	Old Dixie Highway	100%	-	-	-	100%	-	-	-	95%	5%	-	-	100%	-	-	-	99%	1%	-	-
ID600C	Frederick Small Road	Heights Boulevard	Central Boulevard	99%	-	-	1%	68%	18%	13%	2%	45%	11%	17%	28%	99%	-	-	1%	62%	13%	16%	10%
ID601	Greenway Drive	Frederick Small Road	Indian Creek Parkway	100%	-	-	-	96%	3%	1%	-	15%	21%	32%	31%	100%	-	-	-	74%	21%	4%	1%
ID602	Heights Boulevard	Donald Ross Road	North of Frederick Small Road	73%	4%	2%	20%	67%	4%	7%	22%	56%	7%	5%	32%	72%	3%	4%	21%	62%	5%	7%	26%
ID603	Jupiter Park Drive	Park Lane	Central Boulevard	86%	11%	3%	-	72%	18%	8%	3%	57%	16%	16%	11%	80%	13%	7%	-	66%	16%	12%	6%
ID604	Ocean Way	US 1	S A1A	60%	13%	13%	15%	49%	6%	3%	43%	15%	23%	11%	51%	58%	8%	8%	28%	40%	9%	6%	45%
ID605	Parkside Drive	Donald Ross Road	Greenway Drive	100%	-	-	-	69%	22%	9%	-	31%	18%	27%	25%	100%	-	-	-	51%	26%	20%	3%
ID606A	University Boulevard	Military Trail	Quarry Knoll Way	91%	9%	-	-	55%	36%	9%	-	36%	18%	18%	27%	73%	27%	-	-	55%	18%	18%	9%
ID606B	University Boulevard	Parkside Drive	Military Trail	79%	6%	8%	6%	66%	11%	7%	15%	51%	12%	10%	27%	77%	5%	6%	11%	60%	14%	8%	18%
ID607A	South Pennock Lane	Toney Penna Drive	Indiantown Road	56%	14%	13%	17%	48%	8%	14%	30%	29%	8%	8%	56%	54%	10%	13%	24%	44%	6%	8%	41%
ID607B	South Pennock Lane	Indian Creek Parkway	Toney Penna Drive	97%	1%	-	2%	97%	-	-	3%	97%	1%	-	3%	97%	-	1%	2%	97%	-	-	3%
ID608A	Longshore Drive	Northfork Drive	Northern Town Boundary	100%	-	-	-	100%	-	-	-	76%	18%	4%	2%	100%	-	-	-	98%	2%	-	-
ID608B	Longshore Drive	Central Boulevard	Northfork Drive	100%	-	-	-	98%	2%	-	-	83%	7%	5%	5%	100%	-	-	-	91%	5%	1%	2%
ID609	Winding Lake Drive	Big Cypress Drive	Longshore Drive	100%	-	-	-	98%	2%	-	-	54%	17%	14%	15%	100%	-	-	-	74%	16%	8%	2%
ID610	Northfork Drive	Longshore Drive	Northern Town Boundary	100%	-	-	-	95%	5%	-	-	71%	17%	7%	5%	100%	-	-	-	90%	6%	5%	-
ID611	Carver Avenue	Indiantown Road	N/A	58%	29%	8%	4%	54%	8%	25%	13%	46%	8%	17%	29%	54%	21%	13%	13%	46%	13%	29%	13%
ID612	Thelma Avenue	Center Street	180th Street	100%	-	-	-	100%	-	-	-	85%	11%	2%	2%	100%	-	-	-	98%	2%	-	-
ID613	Jupiter Village Road	Central Boulevard	Toney Penna Drive	49%	22%	16%	13%	21%	17%	13%	49%	2%	12%	11%	74%	46%	18%	17%	18%	13%	12%	16%	59%
ID614	Indian Creek Drive W	Central Boulevard	Central Boulevard	37%	14%	11%	38%	16%	11%	15%	58%	2%	4%	6%	88%	32%	13%	13%	42%	6%	9%	15%	70%
ID615	Egret Landing Boulevard	Egret Landing Circle	Indian Creek Parkway	100%	-	-	-	83%	8%	8%	-	46%	13%	21%	21%	100%	-	-	-	63%	17%	13%	8%
ID616	Egret Landing Circle	Egret Landing Boulevard	Egret Landing Boulevard	83%	14%	3%	-	15%	10%	25%	50%	1%	4%	8%	88%	82%	15%	3%	-	5%	9%	10%	76%
ID617	Pinetree Trail	Maplewood Drive	Toney Penna Drive	63%	9%	20%	9%	53%	9%	23%	14%	13%	14%	17%	55%	61%	7%	19%	13%	38%	15%	22%	26%
ID618	Mohican Boulevard	Toney Penna Drive	Pawnee Street	96%	2%	2%	-	89%	7%	2%	2%	13%	15%	22%	50%	96%	2%	2%	-	50%	17%	22%	11%
ID619	Mohawk Street	Delaware Boulevard	Pawnee Street	57%	17%	19%	6%	36%	15%	23%	26%	-	-	-	100%	57%	17%	15%	11%	-	6%	28%	66%
ID620A	Caloosahatchee Avenue	Seneca Street	Hawie Street	100%	-	-	-	-	-	52%	48%	-	-	-	100%	100%	-	-	-	-	-	-	100%
ID620B	Caloosahatchee Avenue	Mohawk Street	Indiantown Road	83%	8%	5%	5%	45%	20%	23%	13%	-	3%	5%	93%	73%	13%	8%	8%	13%	10%	25%	53%
ID621A	Delaware Boulevard	Indiantown Road	River Drive	83%	14%	2%	-	67%	12%	17%	5%	12%	5%	10%	74%	81%	10%	10%	-	33%	24%	19%	24%
ID621B	Delaware Boulevard	Jupiter Chistian School	Indiantown Road	96%	2%	2%	-	50%	17%	13%	19%	23%	6%	8%	63%	73%	12%	8%	8%	35%	10%	10%	46%
ID622	Chippewa Street	Sims Creek Drive	Caloosahatchee Avenue	32%	-	23%	45%	5%	14%	14%	68%	-	-	-	100%	32%	-	5%	64%	-	-	5%	95%
ID623	Bluff's Boulevard	23rd Circuit	US 1	99%	-	-	1%	99%	-	-	1%	95%	2%	2%	1%	99%	-	-	1%	99%	-	-	1%
ID624	Ridge Road	Ocean Bluffs Boulevard	Ocean Bluffs Boulevard	100%	-	-	-	100%	-	-	-	95%	4%	1%	-	100%	-	-	-	100%	-	-	-
ID624	Ridge Road	Ocean Bluffs Boulevard	Ocean Bluffs Boulevard	100%	-	-	-	100%	-	-	-	95%	4%	1%	-	100%	-	-	-	100%	-	-	-
ID625	River Park Drive	Marcinski Road	River Edge Road	99%	-	-	1%	99%	-	-	1%	99%	1%	-	1%	99%	-	-	1%	99%	-	-	1%
ID626	Olympus Circle	US 1	N/A	40%	5%	25%	30%	35%	5%	-	60%	35%	-	-	65%	40%	-	10%	50%	35%	-	5%	60%
ID627	Helios Drive	N/A	Ocean's Way	2%	14%	35%	49%	-	2%	-	98%	-	-	-	100%	2%	-	18%	80%	-	-	2%	98%
ID628A	Hepburn Avenue	Indiantown Road	Center Street	79%	13%	6%	2%	36%	4%	2%	58%	8%	11%	8%	74%	49%	13%	23%	15%	28%	4%	2%	66%
ID628B	Hepburn Avenue	Toney Penna Drive	Indiantown Road	93%	7%	-	-	81%	14%	5%	-	60%	16%	9%	16%	91%	7%	2%	-	72%	12%	12%	4%
ID629A	Orange Avenue	Indiantown Road	Center Street	74%	6%	15%	6%	25%	9%	9%	57%	-	4%	2%	94%	60%	8%	6%	26%	8%	2%	13%	77%
ID629B	Orange Avenue	Toney Penna Drive	Indiantown Road	19%	4%	18%	60%	9%	11%	4%	77%	4%	2%	9%	86%	14%	5%	9%	72%	4%	5%	11%	81%
ID630	7th Street	S Loxahatchee Drive	Old Dixie Highway	39%	6%	11%	44%	36%	3%	6%	56%	17%	6%	14%	64%	39%	3%	6%	53%	22%	14%	3%	61%
ID631	Love Street	N A1A	N/A	100%	-	-	-	100%	-	-	-	87%	7%	7%	-	87%	7%	7%	-	80%	7%	7%	7%
ID632	Clemons Street	N A1A	N/A	100%	-	-	-	94%	-	6%	-	94%	-	-	6%	94%	6%	-	-	94%	-	-	6%
ID633	Indian Creek Drive E	Central Boulevard	Central Boulevard	23%	9%	9%	60%	-	3%	6%	91%	-	-	-	100%	9%	9%	7%	76%	-	-	4%	96%

Appendix F
Flooding by Percent Area - Roadways

Asset Unique ID	Asset Name	Roadway To	Roadway From	S-6				S-7				S-8				S-9				S-10			
				0	1	3	5	0	1	3	5	0	1	3	5	0	1	3	5	0	1	3	5
				≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"
ID040A	Alternate A1A	Indiantown Road	US 1	45%	7%	11%	38%	86%	-	-	14%	81%	5%	1%	14%	43%	7%	9%	42%	84%	1%	1%	14%
ID040B	Alternate A1A	Frederick Small Road	Indiantown Road	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID040C	Alternate A1A	Donald Ross Road	Frederick Small Road	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID041A	Center Street	North Pennock Lane	Indiantown Road	67%	3%	1%	30%	94%	1%	1%	3%	76%	5%	3%	16%	64%	5%	1%	30%	91%	4%	1%	5%
ID041B	Center Street	Alternate A1A	North Pennock Lane	2%	-	-	98%	26%	18%	20%	36%	3%	-	-	97%	2%	-	-	98%	12%	6%	19%	63%
ID042	Central Boulevard	Indian Creek Parkway	Indiantown Road	79%	5%	4%	12%	94%	1%	1%	3%	88%	1%	4%	7%	79%	5%	4%	12%	93%	2%	1%	4%
ID043	Central Boulevard	Indiantown Road	Roebuck Road	61%	8%	14%	17%	88%	1%	4%	8%	83%	2%	5%	11%	61%	7%	13%	19%	88%	1%	4%	8%
ID044	Central Boulevard	Donald Ross Road	Indian Creek Parkway	59%	21%	17%	4%	100%	-	-	-	100%	-	-	-	59%	21%	17%	4%	100%	-	-	-
ID045A	Donald Ross Road	Military Trail	Florida Turnpike	97%	2%	1%	-	100%	-	-	-	100%	-	-	-	97%	2%	1%	-	100%	-	-	-
ID045B	Donald Ross Road	Eastern Town Boundary	Military Trail	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID046A	Florida Turnpike	Canal C-18	Northern Town Boundary	81%	12%	3%	4%	98%	-	-	2%	98%	-	-	2%	81%	12%	3%	4%	98%	-	-	2%
ID046B	Florida Turnpike	Southern Town Boundary	Canal C-18	56%	9%	15%	21%	99%	-	-	1%	97%	2%	0%	1%	56%	9%	15%	21%	99%	-	-	1%
ID047A	Indian Creek Parkway	Central Boulevard	West of Maplewood Drive	96%	1%	2%	1%	100%	-	-	-	100%	-	-	-	96%	1%	2%	1%	100%	-	-	-
ID047B	Indian Creek Parkway	Military Trail	Central Boulevard	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID048A	Indiantown Road	Central Boulevard	Florida Turnpike	94%	1%	-	5%	96%	-	-	4%	96%	-	-	4%	94%	1%	-	5%	96%	-	-	4%
ID048B	Indiantown Road	Military Trail	Central Boulevard	69%	7%	12%	12%	94%	2%	1%	2%	93%	1%	1%	4%	66%	7%	12%	15%	94%	1%	1%	3%
ID048C	Indiantown Road	US 1	Military Trail	77%	4%	1%	17%	88%	3%	1%	9%	85%	-	1%	14%	76%	4%	1%	18%	85%	1%	2%	12%
ID049	Indiantown Road	Florida Turnpike	Western Town Boundary	90%	-	1%	9%	99%	1%	-	-	93%	-	1%	6%	90%	-	1%	9%	99%	1%	-	-
ID050	Indiantown Road	A1A	US 1	65%	-	2%	33%	69%	4%	13%	15%	67%	2%	2%	29%	65%	-	2%	33%	67%	2%	2%	29%
ID051A	Interstate 95	Canal C-18	Northern Town Boundary	97%	-	0%	3%	98%	0%	-	2%	98%	-	-	2%	97%	-	0%	3%	98%	-	0%	2%
ID051B	Interstate 95	Southern Town Boundary	Canal C-18	97%	2%	0%	1%	99%	-	-	1%	99%	-	-	1%	97%	2%	0%	1%	99%	-	-	1%
ID052	Island Way	Indiantown Road	Northern Town Boundary	92%	5%	0%	2%	98%	-	-	2%	97%	1%	-	2%	92%	5%	0%	2%	97%	0%	-	2%
ID053A	Maplewood Drive	Toney Penna Drive	Indiantown Road	-	-	-	100%	-	2%	2%	97%	-	-	2%	98%	-	-	-	100%	-	2%	2%	97%
ID053B	Maplewood Drive	Indian Creek Parkway	Toney Penna Drive	9%	2%	3%	86%	51%	14%	19%	16%	24%	13%	20%	43%	9%	2%	3%	86%	43%	17%	20%	20%
ID054A	Military Trail	Indian Creek Parkway	Indiantown Road	81%	10%	9%	1%	99%	1%	-	-	97%	3%	1%	-	80%	10%	9%	1%	99%	1%	-	-
ID054B	Military Trail	Donald Ross Road	Indian Creek Parkway	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID055	N A1A	Jupiter Beach Road	US 1	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID056	N A1A	Indiantown Road	Jupiter Beach Road	31%	4%	4%	60%	53%	13%	20%	13%	40%	13%	11%	36%	31%	4%	4%	60%	40%	13%	11%	36%
ID057	S A1A	Southern Town Boundary	Indiantown Road	95%	2%	1%	2%	99%	1%	-	-	98%	0%	2%	-	95%	2%	1%	2%	98%	1%	1%	-
ID058A	Toney Penna Dr	Pinetree Trail	Central Boulevard	33%	14%	12%	40%	85%	7%	6%	3%	67%	11%	11%	12%	33%	15%	12%	40%	82%	9%	6%	3%
ID058B	Toney Penna Dr	Alternate A1A	Pinetree Trail	17%	12%	11%	60%	69%	10%	6%	15%	49%	17%	9%	24%	17%	11%	10%	61%	67%	10%	8%	15%
ID059A	US 1	Indiantown Road	Northern Town Boundary	85%	1%	-	14%	87%	-	-	13%	87%	-	-	13%	84%	2%	-	14%	87%	-	-	13%
ID059B	US 1	Southern Town Boundary	Indiantown Road	96%	2%	1%	2%	99%	1%	0%	-	98%	0%	1%	1%	96%	2%	1%	2%	99%	1%	1%	-
ID062A	FEC Railway	Center Street	Northern Town Boundary	90%	-	-	10%	90%	-	-	10%	90%	-	-	10%	90%	-	-	10%	90%	-	-	10%
ID062B	FEC Railway	Frederick Small Road	Center Street	91%	8%	2%	0%	100%	-	-	-	99%	1%	-	-	90%	8%	1%	1%	100%	-	-	-
ID062C	FEC Railway	Donald Ross Road	Frederick Small Road	98%	1%	1%	-	100%	-	-	-	100%	-	-	-	98%	1%	1%	-	100%	-	-	-
ID564	River Road	Town Hall Avenue	N/A	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID565	Town Hall Avenue	Center Street	Florida Avenue	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID566A	N Old Dixie Highway	Alternate A1A	Northern Town Boundary	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID566B	N Old Dixie Highway	Indiantown Road	Land's End Way	2%	-	1%	96%	50%	1%	5%	44%	9%	7%	10%	74%	2%	-	1%	96%	49%	1%	1%	49%
ID566C	N Old Dixie Highway	Toney Penna Drive	Indiantown Road	63%	18%	9%	11%	88%	4%	4%	5%	86%	4%	4%	7%	63%	18%	9%	11%	88%	4%	2%	7%
ID566D	N Old Dixie Highway	Botanica	Toney Penna Drive	33%	15%	3%	49%	93%	7%	-	-	51%	4%	24%	21%	35%	14%	3%	49%	89%	11%	-	-
ID567	Loxahatchee River Road	Center Street	Northern Town Boundary	29%	3%	13%	55%	84%	5%	-	11%	58%	13%	5%	24%	26%	5%	8%	61%	79%	8%	3%	11%
ID567	Loxahatchee River Road	Center Street	Northern Town Boundary	29%	3%	13%	55%	84%	5%	-	11%	58%	13%	5%	24%	26%	5%	8%	61%	79%	8%	3%	11%
ID579	Old Jupiter Beach Road	Alternate A1A	N/A	-	-	-	100%	21%	5%	10%	65%	21%	-	-	79%	-	-	-	100%	21%	-	-	79%
ID580	Eganfuskee Street	Alternate A1A	Waldemar Road	-	-	-	100%	6%	13%	-	81%	-	-	6%	94%	-	-	-	100%	-	6%	-	94%
ID581	Elsa Road	Paulina Road	N/A	-	-	-	100%	7%	33%	7%	53%	-	-	-	100%	-	-	-	100%	-	-	7%	93%
ID582A	North Loxahatchee Drive	Center Street	N/A	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID582B	North Loxahatchee Drive	Indiantown Road	Center Street	4%	6%	-	91%	87%	6%	4%	4%	30%	38%	6%	26%	4%	6%	-	91%	79%	6%	6%	9%
ID583	South Loxahatchee Drive	Toney Penna Drive	Indiantown Road	73%	9%	5%	13%	86%	9%	5%	-	82%	9%	9%	-	73%	9%	5%	13%	86%	7%	7%	-
ID584	Venus Street	Hepburn Avenue	N Old Dixie Highway	-	-	-	100%	14%	5%	18%	64%	-	-	-	100%	-	-	-	100%	-	9%	9%	82%
ID585	North Pennock Lane	Indiantown Road	Center Street	69%	7%	4%	20%	100%	-	-	-	85%	6%	2%	7%	67%	9%	4%	20%	94%	4%	2%	-
ID586	Anglers Way	Stillwater Drive	N Pennock Lane	-	-	-	100%	91%	4%	4%	-	35%	13%	13%	39%	-	-	-	100%	83%	4%	4%	9%
ID587	Whitney Drive	Indiantown Road	Center Street	5%	2%	4%	89%	81%	8%	6%	5%	47%	10%	7%	35%	5%	1%	3%	91%	76%	6%	7%	11%
ID588A	Cheyenne Street	Todd Street	N Pennock Lane	-	-	-	100%	18%	18%	9%	55%	-	-	-	100%	-	-	-	100%	-	9%	9%	82%
ID588B	Cheyenne Street	N/A	Todd Street	-	-	-	100%	100%	-	-	-	-	-	-	100%	-	-	-	100%	43%	57%	-	-

Appendix F
Flooding by Percent Area - Roadways

Asset Unique ID	Asset Name	Roadway To	Roadway From	S-6				S-7				S-8				S-9				S-10			
				0	1	3	5	0	1	3	5	0	1	3	5	0	1	3	5	0	1	3	5
				≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"
ID589	Reo Drive	Whitney Drive	Whitney Drive	-	-	-	100%	100%	-	-	-	17%	33%	23%	27%	-	-	-	100%	100%	-	-	-
ID590	Bush Road	Toney Penna Drive	Indiantown Road	51%	12%	11%	26%	86%	5%	7%	2%	68%	11%	7%	14%	51%	12%	11%	26%	86%	4%	9%	2%
ID591	Dolphin Drive	Center Street	Dolphin Park	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID592	Commerce Lane	N/A	Jupiter Christian School	-	-	-	100%	22%	13%	19%	46%	9%	7%	17%	67%	-	-	-	100%	17%	15%	19%	50%
ID593A	Commerce Way	Commerce Lane	Indiantown Road	7%	7%	18%	68%	43%	4%	14%	39%	32%	11%	4%	54%	7%	7%	18%	68%	43%	-	18%	39%
ID593B	Commerce Way	Commerce Lane	Commerce Lane	-	-	-	100%	-	12%	12%	76%	-	-	12%	88%	-	-	-	100%	-	12%	8%	80%
ID594	Cypress Drive	Riverside Drive	Northern Town Boundary	72%	9%	13%	6%	100%	-	-	-	100%	-	-	-	68%	13%	11%	9%	100%	-	-	-
ID595A	Riverside Drive	Alternate A1A	Seabrook Road	26%	9%	9%	57%	100%	-	-	-	57%	3%	10%	30%	26%	7%	9%	59%	83%	11%	6%	-
ID595B	Riverside Drive	Seabrook Road	Northern Town Boundary	20%	4%	6%	71%	61%	16%	10%	14%	39%	2%	8%	51%	20%	4%	2%	75%	51%	2%	12%	35%
ID596	Seabrook Road	Riverside Drive	Northern Town Boundary	-	-	-	100%	37%	20%	20%	23%	-	-	7%	93%	-	-	-	100%	23%	10%	7%	60%
ID597	Lance Road	Seabrook Road	Beverly Road	-	-	-	100%	65%	20%	10%	5%	-	-	-	100%	-	-	-	100%	5%	35%	35%	25%
ID598	Washington Street	Public Works	Church Street	45%	18%	32%	5%	68%	27%	5%	-	50%	32%	18%	-	45%	18%	32%	5%	64%	32%	5%	-
ID599	Church Street	Island Way	Central Boulevard	79%	6%	4%	10%	99%	1%	-	-	82%	8%	10%	1%	79%	6%	4%	10%	98%	2%	-	-
ID600A	Frederick Small Road	Old Dixie Highway	Palmwood Road	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID600B	Frederick Small Road	Central Boulevard	Old Dixie Highway	94%	5%	1%	-	100%	-	-	-	99%	1%	-	-	94%	5%	1%	-	100%	-	-	-
ID600C	Frederick Small Road	Heights Boulevard	Central Boulevard	29%	12%	16%	44%	99%	-	-	1%	62%	13%	16%	10%	29%	12%	16%	44%	99%	-	-	1%
ID601	Greenway Drive	Frederick Small Road	Indian Creek Parkway	1%	4%	14%	81%	100%	-	-	-	74%	21%	4%	1%	1%	4%	14%	81%	100%	-	-	-
ID602	Heights Boulevard	Donald Ross Road	North of Frederick Small Road	34%	20%	10%	36%	72%	3%	4%	21%	62%	5%	7%	26%	34%	20%	10%	36%	72%	3%	4%	21%
ID603	Jupiter Park Drive	Park Lane	Central Boulevard	51%	16%	15%	18%	80%	13%	7%	-	66%	16%	12%	6%	51%	16%	15%	18%	78%	14%	8%	1%
ID604	Ocean Way	US 1	S A1A	11%	4%	23%	63%	56%	8%	9%	28%	40%	9%	6%	45%	11%	4%	23%	63%	55%	3%	10%	33%
ID605	Parkside Drive	Donald Ross Road	Greenway Drive	27%	6%	26%	41%	100%	-	-	-	51%	26%	20%	3%	27%	6%	26%	41%	100%	-	-	-
ID606A	University Boulevard	Military Trail	Quarry Knoll Way	18%	18%	18%	45%	73%	27%	-	-	55%	18%	18%	9%	18%	18%	18%	45%	73%	18%	9%	-
ID606B	University Boulevard	Parkside Drive	Military Trail	39%	10%	13%	38%	77%	5%	6%	11%	60%	14%	8%	18%	39%	10%	13%	38%	77%	5%	6%	11%
ID607A	South Pennock Lane	Toney Penna Drive	Indiantown Road	11%	5%	8%	76%	52%	11%	13%	24%	40%	8%	10%	43%	11%	5%	6%	78%	51%	8%	14%	27%
ID607B	South Pennock Lane	Indian Creek Parkway	Toney Penna Drive	91%	6%	1%	3%	97%	-	1%	2%	97%	-	-	3%	91%	6%	1%	3%	97%	-	1%	2%
ID608A	Longshore Drive	Northfork Drive	Northern Town Boundary	38%	18%	12%	32%	100%	-	-	-	98%	-	2%	-	38%	18%	12%	32%	100%	-	-	-
ID608B	Longshore Drive	Central Boulevard	Northfork Drive	79%	3%	8%	10%	100%	-	-	-	91%	5%	1%	2%	79%	3%	7%	11%	100%	-	-	-
ID609	Winding Lake Drive	Big Cypress Drive	Longshore Drive	36%	18%	17%	29%	100%	-	-	-	74%	16%	8%	2%	36%	18%	17%	29%	100%	-	-	-
ID610	Northfork Drive	Longshore Drive	Northern Town Boundary	59%	16%	15%	9%	100%	-	-	-	90%	6%	5%	-	59%	16%	15%	9%	100%	-	-	-
ID611	Carver Avenue	Indiantown Road	N/A	46%	-	13%	42%	54%	17%	17%	13%	46%	13%	29%	13%	46%	-	13%	42%	54%	17%	17%	13%
ID612	Thelma Avenue	Center Street	180th Street	30%	35%	13%	22%	100%	-	-	-	98%	2%	-	-	20%	46%	9%	26%	100%	-	-	-
ID613	Jupiter Village Road	Central Boulevard	Toney Penna Drive	-	5%	12%	83%	46%	18%	17%	18%	13%	12%	16%	59%	-	5%	12%	83%	41%	18%	21%	20%
ID614	Indian Creek Drive W	Central Boulevard	Central Boulevard	-	2%	4%	94%	32%	13%	13%	42%	6%	9%	15%	70%	-	2%	4%	94%	30%	15%	11%	43%
ID615	Egret Landing Boulevard	Egret Landing Circle	Indian Creek Parkway	29%	17%	17%	38%	100%	-	-	-	63%	17%	13%	8%	29%	17%	17%	38%	100%	-	-	-
ID616	Egret Landing Circle	Egret Landing Boulevard	Egret Landing Boulevard	1%	1%	5%	94%	82%	15%	3%	-	5%	9%	10%	76%	1%	1%	5%	94%	79%	16%	4%	-
ID617	Pinetree Trail	Maplewood Drive	Toney Penna Drive	5%	1%	14%	80%	61%	7%	19%	13%	37%	14%	23%	26%	4%	2%	13%	82%	58%	10%	19%	13%
ID618	Mohican Boulevard	Toney Penna Drive	Pawnee Street	4%	2%	2%	91%	96%	2%	2%	-	46%	17%	20%	17%	4%	2%	2%	91%	93%	4%	-	2%
ID619	Mohawk Street	Delaware Boulevard	Pawnee Street	-	-	-	100%	53%	21%	15%	11%	-	4%	19%	77%	-	-	-	100%	51%	21%	11%	17%
ID620A	Caloosahatchee Avenue	Seneca Street	Hawie Street	-	-	-	100%	95%	5%	-	-	-	-	-	100%	-	-	-	100%	-	52%	48%	-
ID620B	Caloosahatchee Avenue	Mohawk Street	Indiantown Road	-	-	-	100%	73%	13%	8%	8%	5%	18%	15%	63%	-	-	-	100%	60%	20%	10%	10%
ID621A	Delaware Boulevard	Indiantown Road	River Drive	-	10%	2%	88%	79%	12%	10%	-	26%	21%	24%	29%	-	10%	2%	88%	69%	17%	14%	-
ID621B	Delaware Boulevard	Jupiter Chistian School	Indiantown Road	19%	-	4%	77%	67%	15%	10%	8%	33%	10%	10%	48%	19%	-	4%	77%	65%	12%	12%	12%
ID622	Chippewa Street	Sims Creek Drive	Caloosahatchee Avenue	-	-	-	100%	32%	-	5%	64%	-	-	-	100%	-	-	-	100%	18%	9%	5%	68%
ID623	Bluff's Boulevard	23rd Circuit	US 1	87%	4%	2%	7%	99%	-	-	1%	99%	-	-	1%	87%	4%	2%	7%	99%	-	-	1%
ID624	Ridge Road	Ocean Bluffs Boulevard	Ocean Bluffs Boulevard	93%	1%	3%	4%	100%	-	-	-	100%	-	-	-	93%	1%	3%	4%	100%	-	-	-
ID624	Ridge Road	Ocean Bluffs Boulevard	Ocean Bluffs Boulevard	93%	1%	3%	4%	100%	-	-	-	100%	-	-	-	93%	1%	3%	4%	100%	-	-	-
ID625	River Park Drive	Marcinski Road	River Edge Road	98%	1%	1%	1%	99%	-	-	1%	99%	-	-	1%	97%	1%	2%	1%	99%	-	-	1%
ID626	Olympus Circle	US 1	N/A	35%	-	-	65%	40%	-	10%	50%	35%	-	5%	60%	35%	-	-	65%	40%	-	-	60%
ID627	Helios Drive	N/A	Ocean's Way	-	-	-	100%	2%	-	18%	80%	-	-	2%	98%	-	-	-	100%	2%	-	8%	90%
ID628A	Hepburn Avenue	Indiantown Road	Center Street	-	4%	4%	92%	42%	8%	19%	32%	26%	4%	4%	66%	-	2%	4%	94%	40%	2%	2%	57%
ID628B	Hepburn Avenue	Toney Penna Drive	Indiantown Road	54%	11%	16%	19%	91%	7%	2%	-	72%	12%	12%	4%	54%	11%	16%	19%	89%	5%	5%	-
ID629A	Orange Avenue	Indiantown Road	Center Street	-	-	-	100%	49%	13%	8%	30%	6%	2%	6%	87%	-	-	-	100%	34%	9%	15%	42%
ID629B	Orange Avenue	Toney Penna Drive	Indiantown Road	4%	-	2%	95%	14%	5%	9%	72%	4%	5%	11%	81%	4%	-	2%	95%	14%	5%	7%	74%
ID630	7th Street	S Loxahatchee Drive	Old Dixie Highway	17%	3%	11%	69%	39%	3%	6%	53%	22%	14%	3%	61%	17%	3%	11%	69%	39%	3%	3%	56%
ID631	Love Street	N A1A	N/A	73%	-	7%	20%	80%	7%	7%	7%	80%	7%	-	13%	73%	-	-	27%	73%	-	7%	20%
ID632	Clemons Street	N A1A	N/A	88%	6%	-	6%	94%	-	6%	-	94%	-	-	6%	88%	-	6%	6%	88%	6%	-	6%
ID633	Indian Creek Drive E	Central Boulevard	Central Boulevard	-	-	-	100%	9%	9%	7%	76%	-	-	4%	96%	-	-	-	100%	4%	9%	10%	77%

Appendix F
Flooding by Percent Area - Roadways

Asset Unique ID	Asset Name	Roadway To	Roadway From	S-11				S-12				S-13				S-14				S-15			
				0	1	3	5	0	1	3	5	0	1	3	5	0	1	3	5	0	1	3	5
				≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"
ID040A	Alternate A1A	Indiantown Road	US 1	70%	5%	9%	16%	36%	7%	6%	52%	66%	7%	11%	16%	52%	6%	11%	32%	31%	1%	4%	64%
ID040B	Alternate A1A	Frederick Small Road	Indiantown Road	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID040C	Alternate A1A	Donald Ross Road	Frederick Small Road	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID041A	Center Street	North Pennock Lane	Indiantown Road	74%	3%	4%	19%	60%	8%	1%	31%	82%	4%	4%	9%	71%	3%	1%	26%	55%	8%	6%	32%
ID041B	Center Street	Alternate A1A	North Pennock Lane	3%	-	-	97%	1%	1%	-	98%	3%	1%	8%	89%	2%	1%	-	97%	1%	-	1%	98%
ID042	Central Boulevard	Indian Creek Parkway	Indiantown Road	88%	1%	3%	8%	77%	6%	5%	12%	93%	2%	1%	4%	88%	1%	3%	8%	77%	6%	4%	12%
ID043	Central Boulevard	Indiantown Road	Roebuck Road	78%	6%	5%	12%	59%	8%	13%	21%	87%	1%	4%	9%	71%	13%	4%	13%	58%	8%	12%	23%
ID044	Central Boulevard	Donald Ross Road	Indian Creek Parkway	100%	-	-	-	50%	21%	20%	9%	100%	-	-	-	100%	-	-	-	49%	22%	19%	10%
ID045A	Donald Ross Road	Military Trail	Florida Turnpike	100%	-	-	-	97%	2%	1%	-	100%	-	-	-	100%	-	-	-	97%	2%	1%	-
ID045B	Donald Ross Road	Eastern Town Boundary	Military Trail	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	99%	1%	-	-
ID046A	Florida Turnpike	Canal C-18	Northern Town Boundary	98%	-	-	2%	80%	12%	4%	5%	98%	-	-	2%	98%	-	-	2%	80%	12%	4%	5%
ID046B	Florida Turnpike	Southern Town Boundary	Canal C-18	96%	2%	0%	1%	54%	7%	15%	24%	99%	-	-	1%	96%	2%	0%	1%	54%	7%	15%	24%
ID047A	Indian Creek Parkway	Central Boulevard	West of Maplewood Drive	100%	-	-	-	95%	2%	2%	1%	100%	-	-	-	100%	-	-	-	95%	2%	2%	1%
ID047B	Indian Creek Parkway	Military Trail	Central Boulevard	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID048A	Indiantown Road	Central Boulevard	Florida Turnpike	95%	2%	-	4%	94%	1%	-	5%	96%	-	-	4%	95%	2%	-	4%	94%	1%	-	5%
ID048B	Indiantown Road	Military Trail	Central Boulevard	93%	1%	2%	4%	63%	8%	8%	21%	94%	1%	1%	3%	91%	2%	2%	4%	56%	8%	8%	28%
ID048C	Indiantown Road	US 1	Military Trail	85%	-	1%	14%	69%	11%	1%	19%	84%	2%	-	14%	81%	1%	4%	14%	53%	12%	14%	21%
ID049	Indiantown Road	Florida Turnpike	Western Town Boundary	93%	-	1%	6%	90%	-	1%	9%	99%	1%	-	-	93%	-	1%	6%	90%	-	1%	9%
ID050	Indiantown Road	A1A	US 1	67%	-	2%	31%	65%	-	2%	33%	65%	2%	-	33%	65%	-	2%	33%	64%	2%	-	35%
ID051A	Interstate 95	Canal C-18	Northern Town Boundary	98%	-	-	2%	97%	-	0%	3%	98%	-	0%	2%	98%	-	-	2%	97%	-	0%	3%
ID051B	Interstate 95	Southern Town Boundary	Canal C-18	99%	-	-	1%	94%	5%	0%	1%	99%	-	-	1%	99%	-	-	1%	94%	5%	0%	1%
ID052	Island Way	Indiantown Road	Northern Town Boundary	97%	1%	-	2%	92%	5%	0%	2%	97%	0%	-	2%	97%	1%	-	2%	92%	5%	0%	2%
ID053A	Maplewood Drive	Toney Penna Drive	Indiantown Road	-	-	2%	98%	-	-	-	100%	-	-	3%	97%	-	-	2%	98%	-	-	-	100%
ID053B	Maplewood Drive	Indian Creek Parkway	Toney Penna Drive	21%	13%	18%	48%	9%	1%	4%	86%	39%	20%	17%	24%	20%	11%	16%	53%	8%	2%	4%	86%
ID054A	Military Trail	Indian Creek Parkway	Indiantown Road	97%	3%	1%	-	74%	9%	15%	2%	99%	1%	-	-	97%	3%	1%	-	63%	13%	8%	16%
ID054B	Military Trail	Donald Ross Road	Indian Creek Parkway	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID055	N A1A	Jupiter Beach Road	US 1	100%	-	-	-	97%	3%	-	-	100%	-	-	-	100%	-	-	-	88%	6%	4%	1%
ID056	N A1A	Indiantown Road	Jupiter Beach Road	36%	9%	9%	47%	31%	4%	-	64%	36%	-	16%	49%	31%	4%	4%	60%	24%	7%	-	69%
ID057	S A1A	Southern Town Boundary	Indiantown Road	98%	-	1%	1%	95%	2%	2%	2%	97%	2%	0%	1%	95%	2%	2%	1%	88%	4%	4%	5%
ID058A	Toney Penna Dr	Pinetree Trail	Central Boulevard	64%	12%	11%	13%	27%	18%	12%	43%	82%	7%	8%	3%	62%	14%	11%	14%	25%	18%	11%	46%
ID058B	Toney Penna Dr	Alternate A1A	Pinetree Trail	41%	22%	9%	28%	14%	8%	13%	65%	66%	10%	8%	16%	35%	16%	17%	31%	7%	8%	13%	72%
ID059A	US 1	Indiantown Road	Northern Town Boundary	86%	1%	-	13%	83%	1%	2%	14%	86%	1%	-	13%	86%	-	-	14%	82%	1%	1%	16%
ID059B	US 1	Southern Town Boundary	Indiantown Road	98%	0%	1%	1%	96%	2%	1%	2%	99%	1%	1%	-	98%	0%	1%	1%	95%	2%	1%	2%
ID062A	FEC Railway	Center Street	Northern Town Boundary	90%	-	-	10%	90%	-	-	10%	90%	-	-	10%	90%	-	-	10%	90%	-	-	10%
ID062B	FEC Railway	Frederick Small Road	Center Street	98%	2%	-	-	89%	7%	2%	2%	100%	-	-	-	98%	2%	-	-	82%	13%	1%	3%
ID062C	FEC Railway	Donald Ross Road	Frederick Small Road	100%	-	-	-	98%	1%	1%	-	100%	-	-	-	100%	-	-	-	98%	1%	1%	-
ID564	River Road	Town Hall Avenue	N/A	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID565	Town Hall Avenue	Center Street	Florida Avenue	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID566A	N Old Dixie Highway	Alternate A1A	Northern Town Boundary	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID566B	N Old Dixie Highway	Indiantown Road	Land's End Way	5%	4%	9%	83%	2%	-	-	98%	23%	7%	15%	55%	4%	1%	2%	93%	2%	-	-	98%
ID566C	N Old Dixie Highway	Toney Penna Drive	Indiantown Road	86%	4%	4%	7%	56%	12%	18%	14%	88%	4%	2%	7%	86%	4%	4%	7%	51%	9%	16%	25%
ID566D	N Old Dixie Highway	Botanica	Toney Penna Drive	51%	4%	24%	21%	22%	18%	10%	50%	89%	11%	-	-	50%	4%	8%	38%	8%	17%	18%	57%
ID567	Loxahatchee River Road	Center Street	Northern Town Boundary	53%	11%	8%	29%	24%	5%	5%	66%	74%	3%	3%	21%	47%	5%	3%	45%	13%	11%	5%	71%
ID567	Loxahatchee River Road	Center Street	Northern Town Boundary	53%	11%	8%	29%	24%	5%	5%	66%	74%	3%	3%	21%	47%	5%	3%	45%	13%	11%	5%	71%
ID579	Old Jupiter Beach Road	Alternate A1A	N/A	3%	17%	-	79%	-	-	-	100%	3%	14%	3%	79%	-	-	3%	97%	-	-	-	100%
ID580	Eganfuskee Street	Alternate A1A	Waldemar Road	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID581	Elsa Road	Paulina Road	N/A	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID582A	North Loxahatchee Drive	Center Street	N/A	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID582B	North Loxahatchee Drive	Indiantown Road	Center Street	21%	13%	34%	32%	-	6%	4%	91%	68%	8%	4%	21%	11%	4%	6%	79%	-	-	6%	94%
ID583	South Loxahatchee Drive	Toney Penna Drive	Indiantown Road	82%	5%	11%	2%	68%	11%	5%	16%	86%	7%	7%	-	82%	5%	9%	4%	64%	5%	9%	21%
ID584	Venus Street	Hepburn Avenue	N Old Dixie Highway	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID585	North Pennock Lane	Indiantown Road	Center Street	83%	2%	6%	9%	50%	20%	6%	24%	93%	2%	-	6%	81%	2%	2%	15%	31%	19%	20%	30%
ID586	Anglers Way	Stillwater Drive	N Pennock Lane	9%	35%	4%	52%	-	-	-	100%	57%	9%	17%	17%	-	-	22%	78%	-	-	-	100%
ID587	Whitney Drive	Indiantown Road	Center Street	34%	15%	9%	41%	-	5%	3%	92%	60%	8%	10%	22%	13%	14%	10%	63%	-	-	5%	95%
ID588A	Cheyenne Street	Todd Street	N Pennock Lane	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID588B	Cheyenne Street	N/A	Todd Street	-	-	-	100%	-	-	-	100%	-	-	29%	71%	-	-	-	100%	-	-	-	100%

Appendix F
Flooding by Percent Area - Roadways

Asset Unique ID	Asset Name	Roadway To	Roadway From	S-11				S-12				S-13				S-14				S-15			
				0	1	3	5	0	1	3	5	0	1	3	5	0	1	3	5	0	1	3	5
				≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"
ID589	Reo Drive	Whitney Drive	Whitney Drive	7%	13%	30%	50%	-	-	-	100%	53%	33%	13%	-	-	-	10%	90%	-	-	-	100%
ID590	Bush Road	Toney Penna Drive	Indiantown Road	68%	9%	9%	14%	51%	11%	11%	28%	84%	5%	7%	4%	68%	9%	9%	14%	51%	11%	11%	28%
ID591	Dolphin Drive	Center Street	Dolphin Park	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID592	Commerce Lane	N/A	Jupiter Christian School	9%	6%	15%	70%	-	-	-	100%	17%	15%	19%	50%	4%	7%	17%	72%	-	-	-	100%
ID593A	Commerce Way	Commerce Lane	Indiantown Road	29%	14%	4%	54%	-	11%	14%	75%	36%	7%	14%	43%	29%	11%	4%	57%	-	-	11%	89%
ID593B	Commerce Way	Commerce Lane	Commerce Lane	-	-	12%	88%	-	-	-	100%	-	10%	8%	82%	-	-	10%	90%	-	-	-	100%
ID594	Cypress Drive	Riverside Drive	Northern Town Boundary	100%	-	-	-	51%	21%	9%	19%	100%	-	-	-	98%	2%	-	-	36%	15%	21%	28%
ID595A	Riverside Drive	Alternate A1A	Seabrook Road	50%	7%	3%	40%	17%	9%	9%	66%	66%	11%	6%	17%	46%	4%	4%	46%	4%	17%	4%	74%
ID595B	Riverside Drive	Seabrook Road	Northern Town Boundary	39%	-	2%	59%	18%	2%	4%	76%	43%	6%	2%	49%	31%	4%	4%	61%	16%	2%	2%	80%
ID596	Seabrook Road	Riverside Drive	Northern Town Boundary	-	-	-	100%	-	-	-	100%	3%	10%	10%	77%	-	-	-	100%	-	-	-	100%
ID597	Lance Road	Seabrook Road	Beverly Road	-	-	-	100%	-	-	-	100%	-	-	5%	95%	-	-	-	100%	-	-	-	100%
ID598	Washington Street	Public Works	Church Street	50%	32%	18%	-	45%	18%	32%	5%	64%	32%	5%	-	50%	32%	18%	-	45%	18%	32%	5%
ID599	Church Street	Island Way	Central Boulevard	82%	8%	10%	1%	79%	6%	4%	10%	98%	2%	-	-	82%	8%	10%	1%	79%	6%	4%	10%
ID600A	Frederick Small Road	Old Dixie Highway	Palmwood Road	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID600B	Frederick Small Road	Central Boulevard	Old Dixie Highway	99%	1%	-	-	94%	5%	1%	-	100%	-	-	-	99%	1%	-	-	94%	5%	1%	-
ID600C	Frederick Small Road	Heights Boulevard	Central Boulevard	60%	14%	13%	13%	27%	12%	16%	46%	99%	-	-	1%	60%	14%	13%	13%	27%	12%	16%	46%
ID601	Greenway Drive	Frederick Small Road	Indian Creek Parkway	67%	26%	6%	1%	1%	4%	11%	84%	100%	-	-	-	67%	26%	6%	1%	1%	4%	11%	84%
ID602	Heights Boulevard	Donald Ross Road	North of Frederick Small Road	62%	5%	7%	26%	32%	17%	13%	38%	72%	3%	4%	21%	62%	5%	6%	27%	32%	17%	13%	38%
ID603	Jupiter Park Drive	Park Lane	Central Boulevard	66%	15%	12%	7%	50%	17%	14%	19%	78%	14%	8%	1%	66%	15%	12%	7%	50%	17%	14%	19%
ID604	Ocean Way	US 1	S A1A	39%	10%	5%	46%	11%	4%	19%	66%	55%	3%	9%	34%	39%	10%	5%	46%	11%	4%	19%	66%
ID605	Parkside Drive	Donald Ross Road	Greenway Drive	49%	27%	19%	5%	27%	6%	25%	43%	100%	-	-	-	49%	27%	19%	5%	27%	6%	25%	43%
ID606A	University Boulevard	Military Trail	Quarry Knoll Way	55%	18%	18%	9%	18%	18%	9%	55%	73%	18%	9%	-	55%	18%	18%	9%	9%	27%	9%	55%
ID606B	University Boulevard	Parkside Drive	Military Trail	59%	14%	8%	19%	37%	10%	14%	39%	77%	5%	6%	11%	59%	14%	8%	19%	37%	10%	14%	39%
ID607A	South Pennock Lane	Toney Penna Drive	Indiantown Road	35%	10%	6%	49%	10%	2%	6%	83%	51%	6%	16%	27%	29%	8%	8%	56%	3%	6%	3%	87%
ID607B	South Pennock Lane	Indian Creek Parkway	Toney Penna Drive	97%	-	-	3%	91%	4%	3%	3%	97%	-	-	3%	97%	-	-	3%	91%	4%	2%	3%
ID608A	Longshore Drive	Northfork Drive	Northern Town Boundary	96%	2%	2%	-	38%	14%	10%	38%	100%	-	-	-	90%	8%	2%	-	36%	12%	12%	40%
ID608B	Longshore Drive	Central Boulevard	Northfork Drive	88%	7%	3%	2%	78%	3%	7%	12%	100%	-	-	-	87%	5%	4%	3%	77%	3%	8%	12%
ID609	Winding Lake Drive	Big Cypress Drive	Longshore Drive	71%	14%	12%	3%	34%	18%	17%	31%	100%	-	-	-	65%	14%	15%	6%	30%	18%	17%	34%
ID610	Northfork Drive	Longshore Drive	Northern Town Boundary	88%	7%	5%	-	59%	14%	17%	9%	100%	-	-	-	88%	7%	5%	-	59%	14%	17%	9%
ID611	Carver Avenue	Indiantown Road	N/A	46%	8%	33%	13%	46%	-	13%	42%	54%	8%	25%	13%	46%	8%	21%	25%	42%	4%	-	54%
ID612	Thelma Avenue	Center Street	180th Street	98%	2%	-	-	7%	28%	35%	30%	98%	2%	-	-	85%	9%	4%	2%	-	9%	30%	61%
ID613	Jupiter Village Road	Central Boulevard	Toney Penna Drive	13%	11%	15%	61%	-	4%	11%	85%	41%	18%	21%	20%	13%	11%	15%	61%	-	4%	11%	85%
ID614	Indian Creek Drive W	Central Boulevard	Central Boulevard	6%	8%	13%	73%	-	2%	4%	94%	30%	15%	11%	43%	6%	8%	13%	73%	-	2%	4%	94%
ID615	Egret Landing Boulevard	Egret Landing Circle	Indian Creek Parkway	58%	21%	8%	13%	29%	17%	17%	38%	100%	-	-	-	58%	21%	8%	13%	29%	17%	17%	38%
ID616	Egret Landing Circle	Egret Landing Boulevard	Egret Landing Boulevard	4%	8%	11%	77%	1%	-	4%	95%	79%	16%	4%	-	4%	8%	11%	77%	1%	-	4%	95%
ID617	Pinetree Trail	Maplewood Drive	Toney Penna Drive	34%	13%	23%	31%	3%	2%	9%	87%	53%	10%	23%	13%	23%	15%	16%	47%	2%	2%	5%	91%
ID618	Mohican Boulevard	Toney Penna Drive	Pawnee Street	28%	22%	17%	33%	2%	2%	2%	93%	74%	17%	4%	4%	13%	15%	22%	50%	2%	2%	2%	93%
ID619	Mohawk Street	Delaware Boulevard	Pawnee Street	-	-	6%	94%	-	-	-	100%	9%	30%	15%	47%	-	-	-	100%	-	-	-	100%
ID620A	Caloosahatchee Avenue	Seneca Street	Hawie Street	-	-	-	100%	-	-	-	100%	-	-	5%	95%	-	-	-	100%	-	-	-	100%
ID620B	Caloosahatchee Avenue	Mohawk Street	Indiantown Road	3%	8%	15%	75%	-	-	-	100%	28%	20%	28%	25%	-	3%	5%	93%	-	-	-	100%
ID621A	Delaware Boulevard	Indiantown Road	River Drive	19%	12%	21%	48%	-	5%	5%	90%	62%	14%	12%	12%	12%	5%	10%	74%	-	-	7%	93%
ID621B	Delaware Boulevard	Jupiter Chistian School	Indiantown Road	29%	8%	8%	56%	19%	-	-	81%	42%	12%	15%	31%	25%	4%	8%	63%	19%	-	-	81%
ID622	Chippewa Street	Sims Creek Drive	Caloosahatchee Avenue	-	-	-	100%	-	-	-	100%	-	5%	14%	82%	-	-	-	100%	-	-	-	100%
ID623	Bluff's Boulevard	23rd Circuit	US 1	99%	-	-	1%	86%	3%	4%	7%	99%	-	-	1%	99%	-	-	1%	86%	3%	4%	7%
ID624	Ridge Road	Ocean Bluffs Boulevard	Ocean Bluffs Boulevard	100%	-	-	-	93%	-	4%	4%	100%	-	-	-	100%	-	-	-	93%	-	4%	4%
ID624	Ridge Road	Ocean Bluffs Boulevard	Ocean Bluffs Boulevard	100%	-	-	-	93%	-	4%	4%	100%	-	-	-	100%	-	-	-	93%	-	4%	4%
ID625	River Park Drive	Marcinski Road	River Edge Road	99%	-	-	1%	96%	1%	1%	2%	99%	-	-	1%	98%	1%	1%	1%	96%	-	1%	3%
ID626	Olympus Circle	US 1	N/A	35%	-	5%	60%	35%	-	-	65%	40%	-	-	60%	35%	-	5%	60%	35%	-	-	65%
ID627	Helios Drive	N/A	Ocean's Way	-	-	-	100%	-	-	-	100%	2%	-	8%	90%	-	-	-	100%	-	-	-	100%
ID628A	Hepburn Avenue	Indiantown Road	Center Street	23%	4%	6%	68%	-	-	4%	96%	32%	2%	6%	60%	8%	6%	11%	75%	-	-	-	100%
ID628B	Hepburn Avenue	Toney Penna Drive	Indiantown Road	72%	12%	12%	4%	49%	11%	16%	25%	89%	5%	5%	-	72%	12%	12%	4%	42%	7%	12%	39%
ID629A	Orange Avenue	Indiantown Road	Center Street	4%	2%	2%	92%	-	-	-	100%	9%	13%	11%	66%	-	2%	4%	94%	-	-	-	100%
ID629B	Orange Avenue	Toney Penna Drive	Indiantown Road	4%	5%	11%	81%	4%	-	2%	95%	14%	5%	7%	74%	4%	5%	11%	81%	4%	-	2%	95%
ID630	7th Street	S Loxahatchee Drive	Old Dixie Highway	22%	14%	3%	61%	14%	3%	3%	81%	39%	3%	3%	56%	19%	14%	6%	61%	11%	3%	3%	83%
ID631	Love Street	N A1A	N/A	73%	-	7%	20%	67%	-	7%	27%	67%	-	7%	27%	60%	7%	-	33%	53%	-	7%	40%
ID632	Clemons Street	N A1A	N/A	88%	-	6%	6%	63%	13%	13%	13%	69%	6%	13%	13%	56%	13%	19%	13%	50%	6%	-	44%
ID633	Indian Creek Drive E	Central Boulevard	Central Boulevard	-	-	4%	96%	-	-	-	100%	4%	7%	10%	79%	-	-	4%	96%	-	-	-	100%

Appendix F
Flooding by Percent Area - Roadways

Asset Unique ID	Asset Name	Roadway To	Roadway From	S-16				S-17				S-18				S-19				S-20			
				0	1	3	5	0	1	3	5	0	1	3	5	0	1	3	5	0	1	3	5
				≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"
ID040A	Alternate A1A	Indiantown Road	US 1	58%	11%	5%	26%	50%	8%	9%	33%	36%	7%	9%	48%	34%	6%	7%	53%	32%	1%	5%	63%
ID040B	Alternate A1A	Frederick Small Road	Indiantown Road	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID040C	Alternate A1A	Donald Ross Road	Frederick Small Road	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID041A	Center Street	North Pennock Lane	Indiantown Road	87%	3%	4%	6%	79%	4%	4%	13%	70%	1%	3%	26%	74%	4%	3%	19%	71%	2%	1%	26%
ID041B	Center Street	Alternate A1A	North Pennock Lane	3%	8%	4%	85%	3%	-	1%	96%	1%	1%	1%	97%	2%	1%	-	97%	1%	-	2%	97%
ID042	Central Boulevard	Indian Creek Parkway	Indiantown Road	96%	1%	1%	1%	89%	2%	3%	5%	83%	5%	1%	11%	94%	1%	1%	3%	88%	1%	4%	7%
ID043	Central Boulevard	Indiantown Road	Roebuck Road	88%	5%	1%	6%	87%	-	5%	9%	65%	12%	10%	13%	87%	1%	4%	9%	80%	5%	5%	11%
ID044	Central Boulevard	Donald Ross Road	Indian Creek Parkway	100%	-	-	-	100%	-	-	-	100%	1%	-	-	100%	-	-	-	100%	-	-	-
ID045A	Donald Ross Road	Military Trail	Florida Turnpike	100%	-	-	-	100%	-	-	-	98%	2%	-	-	100%	-	-	-	100%	-	-	-
ID045B	Donald Ross Road	Eastern Town Boundary	Military Trail	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	99%	1%	-	-
ID046A	Florida Turnpike	Canal C-18	Northern Town Boundary	98%	-	-	2%	98%	-	-	2%	93%	2%	2%	3%	98%	-	-	2%	98%	-	-	2%
ID046B	Florida Turnpike	Southern Town Boundary	Canal C-18	99%	-	-	1%	99%	1%	-	1%	77%	16%	4%	4%	99%	-	-	1%	97%	2%	0%	1%
ID047A	Indian Creek Parkway	Central Boulevard	West of Maplewood Drive	100%	-	-	-	100%	-	-	-	99%	1%	-	-	100%	-	-	-	100%	-	-	-
ID047B	Indian Creek Parkway	Military Trail	Central Boulevard	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID048A	Indiantown Road	Central Boulevard	Florida Turnpike	96%	-	-	4%	96%	-	-	4%	95%	-	2%	4%	96%	-	-	4%	96%	-	-	4%
ID048B	Indiantown Road	Military Trail	Central Boulevard	99%	0%	-	1%	94%	2%	1%	3%	85%	7%	2%	6%	94%	2%	1%	2%	90%	4%	2%	4%
ID048C	Indiantown Road	US 1	Military Trail	82%	4%	-	14%	81%	1%	3%	15%	77%	4%	1%	18%	74%	7%	1%	18%	67%	6%	8%	19%
ID049	Indiantown Road	Florida Turnpike	Western Town Boundary	100%	-	-	-	93%	1%	4%	1%	90%	1%	2%	7%	99%	1%	-	-	93%	-	1%	6%
ID050	Indiantown Road	A1A	US 1	65%	-	-	35%	65%	-	-	35%	64%	2%	-	35%	62%	-	2%	36%	60%	2%	-	38%
ID051A	Interstate 95	Canal C-18	Northern Town Boundary	98%	-	-	2%	98%	-	-	2%	97%	0%	0%	2%	98%	0%	-	2%	98%	-	-	2%
ID051B	Interstate 95	Southern Town Boundary	Canal C-18	99%	-	-	1%	99%	-	-	1%	99%	0%	-	1%	99%	-	-	1%	99%	-	-	1%
ID052	Island Way	Indiantown Road	Northern Town Boundary	98%	-	-	2%	97%	0%	-	2%	94%	3%	-	2%	98%	-	-	2%	97%	1%	-	2%
ID053A	Maplewood Drive	Toney Penna Drive	Indiantown Road	-	3%	-	97%	-	-	2%	98%	-	-	-	100%	-	2%	2%	97%	-	-	2%	98%
ID053B	Maplewood Drive	Indian Creek Parkway	Toney Penna Drive	60%	20%	11%	10%	35%	19%	16%	30%	15%	2%	6%	77%	51%	14%	19%	16%	22%	12%	22%	43%
ID054A	Military Trail	Indian Creek Parkway	Indiantown Road	99%	1%	-	-	99%	1%	-	-	91%	8%	1%	-	99%	1%	-	-	97%	3%	1%	-
ID054B	Military Trail	Donald Ross Road	Indian Creek Parkway	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID055	N A1A	Jupiter Beach Road	US 1	97%	3%	-	-	95%	3%	3%	-	91%	5%	4%	-	86%	3%	4%	8%	83%	1%	4%	12%
ID056	N A1A	Indiantown Road	Jupiter Beach Road	31%	-	4%	64%	29%	2%	-	69%	29%	-	2%	69%	27%	-	2%	71%	20%	7%	-	73%
ID057	S A1A	Southern Town Boundary	Indiantown Road	93%	4%	2%	2%	90%	4%	3%	3%	87%	3%	4%	6%	85%	1%	2%	12%	84%	1%	1%	14%
ID058A	Toney Penna Dr	Pinetree Trail	Central Boulevard	89%	8%	3%	-	78%	8%	8%	6%	49%	12%	11%	28%	84%	9%	4%	3%	65%	13%	11%	12%
ID058B	Toney Penna Dr	Alternate A1A	Pinetree Trail	73%	9%	10%	8%	61%	12%	7%	20%	28%	12%	20%	40%	63%	13%	8%	17%	39%	17%	13%	31%
ID059A	US 1	Indiantown Road	Northern Town Boundary	86%	-	1%	13%	85%	1%	-	14%	83%	1%	2%	14%	83%	-	1%	16%	81%	2%	-	17%
ID059B	US 1	Southern Town Boundary	Indiantown Road	100%	0%	-	-	98%	0%	1%	0%	98%	1%	0%	2%	99%	1%	0%	-	97%	2%	1%	1%
ID062A	FEC Railway	Center Street	Northern Town Boundary	90%	-	-	10%	90%	-	-	10%	90%	-	-	10%	90%	-	-	10%	90%	-	-	10%
ID062B	FEC Railway	Frederick Small Road	Center Street	100%	-	-	-	100%	-	-	-	95%	5%	-	-	100%	-	-	-	93%	7%	-	-
ID062C	FEC Railway	Donald Ross Road	Frederick Small Road	100%	-	-	-	100%	-	-	-	99%	1%	-	-	100%	-	-	-	100%	-	-	-
ID564	River Road	Town Hall Avenue	N/A	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID565	Town Hall Avenue	Center Street	Florida Avenue	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID566A	N Old Dixie Highway	Alternate A1A	Northern Town Boundary	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID566B	N Old Dixie Highway	Indiantown Road	Land's End Way	27%	12%	11%	50%	9%	15%	6%	71%	2%	1%	1%	95%	5%	4%	5%	87%	4%	-	2%	94%
ID566C	N Old Dixie Highway	Toney Penna Drive	Indiantown Road	89%	4%	5%	2%	88%	4%	2%	7%	77%	11%	4%	9%	88%	4%	4%	5%	86%	4%	4%	7%
ID566D	N Old Dixie Highway	Botanica	Toney Penna Drive	96%	4%	-	-	56%	24%	19%	1%	47%	4%	4%	44%	93%	7%	-	-	51%	4%	24%	21%
ID567	Loxahatchee River Road	Center Street	Northern Town Boundary	76%	3%	8%	13%	66%	5%	5%	24%	42%	5%	5%	47%	53%	13%	5%	29%	47%	3%	3%	47%
ID567	Loxahatchee River Road	Center Street	Northern Town Boundary	76%	3%	8%	13%	66%	5%	5%	24%	42%	5%	5%	47%	53%	13%	5%	29%	47%	3%	3%	47%
ID579	Old Jupiter Beach Road	Alternate A1A	N/A	-	3%	17%	79%	-	-	3%	97%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID580	Eganfuskee Street	Alternate A1A	Waldemar Road	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID581	Elsa Road	Paulina Road	N/A	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID582A	North Loxahatchee Drive	Center Street	N/A	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID582B	North Loxahatchee Drive	Indiantown Road	Center Street	75%	2%	4%	19%	55%	13%	8%	25%	9%	4%	6%	81%	19%	8%	42%	32%	9%	4%	8%	79%
ID583	South Loxahatchee Drive	Toney Penna Drive	Indiantown Road	91%	9%	-	-	86%	7%	7%	-	79%	5%	9%	7%	86%	9%	5%	-	82%	9%	9%	-
ID584	Venus Street	Hepburn Avenue	N Old Dixie Highway	-	-	9%	91%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID585	North Pennock Lane	Indiantown Road	Center Street	94%	-	2%	4%	91%	2%	2%	6%	80%	2%	2%	17%	83%	2%	6%	9%	81%	-	2%	17%
ID586	Anglers Way	Stillwater Drive	N Pennock Lane	70%	13%	4%	13%	48%	9%	13%	30%	-	-	9%	91%	17%	26%	13%	43%	-	-	17%	83%
ID587	Whitney Drive	Indiantown Road	Center Street	65%	11%	6%	18%	54%	8%	7%	31%	10%	6%	15%	69%	34%	15%	9%	41%	11%	12%	11%	66%
ID588A	Cheyenne Street	Todd Street	N Pennock Lane	-	-	9%	91%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID588B	Cheyenne Street	N/A	Todd Street	-	14%	86%	-	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%

Appendix F
Flooding by Percent Area - Roadways

Asset Unique ID	Asset Name	Roadway To	Roadway From	S-16				S-17				S-18				S-19				S-20			
				0	1	3	5	0	1	3	5	0	1	3	5	0	1	3	5	0	1	3	5
				≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"
ID589	Reo Drive	Whitney Drive	Whitney Drive	87%	10%	3%	-	37%	20%	30%	13%	-	-	3%	97%	7%	13%	30%	50%	-	-	7%	93%
ID590	Bush Road	Toney Penna Drive	Indiantown Road	89%	7%	4%	-	77%	9%	5%	9%	61%	7%	12%	19%	86%	5%	7%	2%	68%	12%	5%	14%
ID591	Dolphin Drive	Center Street	Dolphin Park	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID592	Commerce Lane	N/A	Jupiter Christian School	26%	17%	15%	43%	15%	13%	20%	52%	-	-	4%	96%	20%	11%	20%	48%	9%	7%	17%	67%
ID593A	Commerce Way	Commerce Lane	Indiantown Road	43%	14%	11%	32%	36%	7%	14%	43%	14%	18%	11%	57%	43%	-	18%	39%	32%	7%	7%	54%
ID593B	Commerce Way	Commerce Lane	Commerce Lane	4%	12%	8%	76%	-	6%	12%	82%	-	-	-	100%	-	12%	8%	80%	-	-	12%	88%
ID594	Cypress Drive	Riverside Drive	Northern Town Boundary	100%	-	-	-	100%	-	-	-	94%	6%	-	-	100%	-	-	-	98%	2%	-	-
ID595A	Riverside Drive	Alternate A1A	Seabrook Road	79%	7%	13%	1%	59%	10%	9%	23%	43%	6%	1%	50%	53%	4%	7%	36%	44%	6%	3%	47%
ID595B	Riverside Drive	Seabrook Road	Northern Town Boundary	51%	-	2%	47%	41%	8%	2%	49%	29%	6%	4%	61%	39%	2%	2%	57%	29%	6%	4%	61%
ID596	Seabrook Road	Riverside Drive	Northern Town Boundary	17%	10%	7%	67%	-	7%	7%	87%	-	-	-	100%	-	-	3%	97%	-	-	-	100%
ID597	Lance Road	Seabrook Road	Beverly Road	-	15%	45%	40%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID598	Washington Street	Public Works	Church Street	86%	14%	-	-	55%	32%	14%	-	45%	23%	27%	5%	68%	27%	5%	-	50%	32%	18%	-
ID599	Church Street	Island Way	Central Boulevard	100%	-	-	-	84%	10%	6%	-	80%	6%	8%	5%	99%	1%	-	-	82%	8%	10%	1%
ID600A	Frederick Small Road	Old Dixie Highway	Palmwood Road	100%	-	-	-	100%	-	-	-	100%	-	-	-	99%	1%	-	-	99%	1%	-	-
ID600B	Frederick Small Road	Central Boulevard	Old Dixie Highway	100%	-	-	-	100%	-	-	-	95%	5%	-	-	100%	-	-	-	99%	1%	-	-
ID600C	Frederick Small Road	Heights Boulevard	Central Boulevard	99%	-	-	1%	68%	18%	13%	2%	45%	11%	17%	28%	99%	-	-	1%	62%	13%	16%	10%
ID601	Greenway Drive	Frederick Small Road	Indian Creek Parkway	100%	-	-	-	96%	3%	1%	-	15%	21%	32%	31%	100%	-	-	-	74%	21%	4%	1%
ID602	Heights Boulevard	Donald Ross Road	North of Frederick Small Road	73%	4%	2%	20%	67%	4%	7%	22%	56%	7%	5%	32%	72%	3%	4%	21%	62%	5%	7%	26%
ID603	Jupiter Park Drive	Park Lane	Central Boulevard	86%	11%	3%	-	72%	18%	8%	3%	57%	16%	16%	11%	80%	13%	7%	-	66%	16%	12%	6%
ID604	Ocean Way	US 1	S A1A	59%	10%	15%	16%	49%	6%	3%	43%	15%	23%	11%	51%	55%	3%	10%	33%	39%	10%	6%	45%
ID605	Parkside Drive	Donald Ross Road	Greenway Drive	100%	-	-	-	69%	22%	9%	-	31%	18%	27%	25%	100%	-	-	-	51%	26%	20%	3%
ID606A	University Boulevard	Military Trail	Quarry Knoll Way	91%	9%	-	-	55%	36%	9%	-	36%	18%	18%	27%	73%	27%	-	-	55%	18%	18%	9%
ID606B	University Boulevard	Parkside Drive	Military Trail	79%	6%	8%	6%	66%	11%	7%	15%	51%	12%	10%	27%	77%	5%	6%	11%	60%	14%	8%	18%
ID607A	South Pennock Lane	Toney Penna Drive	Indiantown Road	56%	14%	11%	19%	48%	8%	14%	30%	22%	8%	8%	62%	46%	8%	13%	33%	29%	8%	10%	54%
ID607B	South Pennock Lane	Indian Creek Parkway	Toney Penna Drive	97%	1%	-	2%	97%	-	-	3%	97%	1%	-	3%	97%	-	1%	2%	97%	-	-	3%
ID608A	Longshore Drive	Northfork Drive	Northern Town Boundary	100%	-	-	-	100%	-	-	-	70%	18%	10%	2%	100%	-	-	-	96%	2%	2%	-
ID608B	Longshore Drive	Central Boulevard	Northfork Drive	100%	-	-	-	98%	2%	-	-	82%	7%	7%	5%	100%	-	-	-	91%	4%	2%	2%
ID609	Winding Lake Drive	Big Cypress Drive	Longshore Drive	100%	-	-	-	94%	6%	-	-	52%	18%	14%	15%	100%	-	-	-	72%	15%	10%	2%
ID610	Northfork Drive	Longshore Drive	Northern Town Boundary	100%	-	-	-	95%	5%	-	-	71%	17%	7%	5%	100%	-	-	-	90%	6%	5%	-
ID611	Carver Avenue	Indiantown Road	N/A	58%	29%	8%	4%	54%	8%	25%	13%	46%	8%	13%	33%	54%	17%	17%	13%	46%	8%	33%	13%
ID612	Thelma Avenue	Center Street	180th Street	100%	-	-	-	98%	2%	-	-	78%	9%	11%	2%	98%	2%	-	-	80%	11%	7%	2%
ID613	Jupiter Village Road	Central Boulevard	Toney Penna Drive	49%	22%	16%	13%	21%	17%	13%	49%	2%	12%	11%	74%	45%	18%	18%	18%	13%	12%	16%	59%
ID614	Indian Creek Drive W	Central Boulevard	Central Boulevard	37%	14%	11%	38%	16%	11%	15%	58%	2%	4%	6%	88%	31%	14%	13%	42%	6%	9%	15%	70%
ID615	Egret Landing Boulevard	Egret Landing Circle	Indian Creek Parkway	100%	-	-	-	83%	8%	8%	-	46%	13%	21%	21%	100%	-	-	-	63%	17%	13%	8%
ID616	Egret Landing Circle	Egret Landing Boulevard	Egret Landing Boulevard	83%	14%	3%	-	15%	10%	25%	50%	1%	4%	8%	88%	82%	15%	3%	-	5%	9%	10%	76%
ID617	Pinetree Trail	Maplewood Drive	Toney Penna Drive	63%	9%	20%	9%	53%	9%	23%	14%	13%	13%	18%	55%	61%	7%	19%	13%	35%	13%	24%	27%
ID618	Mohican Boulevard	Toney Penna Drive	Pawnee Street	93%	4%	-	2%	63%	20%	11%	7%	9%	11%	20%	61%	59%	15%	17%	9%	15%	13%	22%	50%
ID619	Mohawk Street	Delaware Boulevard	Pawnee Street	51%	21%	13%	15%	4%	19%	28%	49%	-	-	-	100%	2%	11%	28%	60%	-	-	-	100%
ID620A	Caloosahatchee Avenue	Seneca Street	Hawie Street	-	14%	62%	24%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID620B	Caloosahatchee Avenue	Mohawk Street	Indiantown Road	65%	15%	13%	8%	23%	13%	23%	43%	-	-	3%	98%	13%	15%	23%	50%	-	3%	5%	93%
ID621A	Delaware Boulevard	Indiantown Road	River Drive	69%	21%	5%	5%	38%	29%	17%	17%	12%	-	7%	81%	19%	21%	26%	33%	12%	2%	7%	79%
ID621B	Delaware Boulevard	Jupiter Chistian School	Indiantown Road	65%	12%	13%	10%	40%	10%	17%	33%	21%	4%	6%	69%	38%	6%	12%	44%	25%	4%	8%	63%
ID622	Chippewa Street	Sims Creek Drive	Caloosahatchee Avenue	14%	9%	27%	50%	-	-	9%	91%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID623	Bluff's Boulevard	23rd Circuit	US 1	99%	-	-	1%	99%	-	-	1%	95%	2%	2%	1%	99%	-	-	1%	99%	-	-	1%
ID624	Ridge Road	Ocean Bluffs Boulevard	Ocean Bluffs Boulevard	100%	-	-	-	100%	-	-	-	95%	4%	1%	-	100%	-	-	-	100%	-	-	-
ID624	Ridge Road	Ocean Bluffs Boulevard	Ocean Bluffs Boulevard	100%	-	-	-	100%	-	-	-	95%	4%	1%	-	100%	-	-	-	100%	-	-	-
ID625	River Park Drive	Marcinski Road	River Edge Road	98%	1%	-	1%	98%	1%	1%	1%	96%	1%	1%	2%	97%	-	-	3%	96%	1%	-	3%
ID626	Olympus Circle	US 1	N/A	40%	-	30%	30%	35%	5%	-	60%	35%	-	-	65%	40%	-	-	60%	35%	-	5%	60%
ID627	Helios Drive	N/A	Ocean's Way	2%	14%	35%	49%	-	2%	-	98%	-	-	-	100%	2%	-	10%	88%	-	-	-	100%
ID628A	Hepburn Avenue	Indiantown Road	Center Street	34%	4%	4%	58%	28%	4%	2%	66%	6%	8%	8%	79%	21%	6%	4%	70%	8%	6%	9%	77%
ID628B	Hepburn Avenue	Toney Penna Drive	Indiantown Road	93%	7%	-	-	81%	14%	5%	-	60%	16%	9%	16%	91%	7%	2%	-	72%	12%	12%	4%
ID629A	Orange Avenue	Indiantown Road	Center Street	15%	17%	8%	60%	8%	2%	13%	77%	-	-	4%	96%	4%	2%	2%	92%	-	2%	2%	96%
ID629B	Orange Avenue	Toney Penna Drive	Indiantown Road	19%	4%	18%	60%	9%	11%	4%	77%	4%	2%	9%	86%	14%	5%	9%	72%	4%	5%	11%	81%
ID630	7th Street	S Loxahatchee Drive	Old Dixie Highway	39%	6%	11%	44%	36%	3%	6%	56%	17%	6%	14%	64%	39%	3%	6%	53%	22%	14%	3%	61%
ID631	Love Street	N A1A	N/A	53%	7%	7%	33%	53%	-	7%	40%	53%	-	7%	40%	40%	7%	-	53%	40%	7%	-	53%
ID632	Clemons Street	N A1A	N/A	56%	-	6%	38%	50%	6%	-	44%	50%	-	6%	44%	44%	-	6%	50%	44%	-	6%	50%
ID633	Indian Creek Drive E	Central Boulevard	Central Boulevard	23%	7%	10%	60%	-	3%	6%	91%	-	-	-	100%	9%	7%	7%	77%	-	-	4%	96%

Appendix F
Flooding by Percent Area - Roadways

Asset Unique ID	Asset Name	Roadway To	Roadway From	S-21				S-22				S-23				S-24				S-25			
				0	1	3	5	0	1	3	5	0	1	3	5	0	1	3	5	0	1	3	5
				≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"
ID040A	Alternate A1A	Indiantown Road	US 1	30%	1%	1%	69%	32%	5%	7%	57%	31%	1%	4%	64%	30%	1%	1%	69%	30%	1%	1%	68%
ID040B	Alternate A1A	Frederick Small Road	Indiantown Road	98%	1%	1%	-	100%	-	-	-	100%	-	-	-	98%	1%	2%	-	99%	1%	-	-
ID040C	Alternate A1A	Donald Ross Road	Frederick Small Road	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID041A	Center Street	North Pennock Lane	Indiantown Road	58%	7%	4%	31%	74%	1%	4%	21%	70%	1%	3%	26%	56%	7%	6%	31%	70%	2%	1%	26%
ID041B	Center Street	Alternate A1A	North Pennock Lane	1%	-	-	99%	1%	1%	1%	97%	1%	-	1%	98%	1%	-	-	99%	1%	-	-	99%
ID042	Central Boulevard	Indian Creek Parkway	Indiantown Road	79%	5%	4%	12%	94%	1%	1%	3%	88%	1%	4%	7%	79%	5%	4%	12%	93%	2%	1%	4%
ID043	Central Boulevard	Indiantown Road	Roebuck Road	59%	8%	13%	21%	87%	1%	4%	9%	76%	8%	5%	12%	59%	8%	13%	21%	87%	-	5%	9%
ID044	Central Boulevard	Donald Ross Road	Indian Creek Parkway	59%	21%	17%	4%	100%	-	-	-	100%	-	-	-	59%	21%	17%	4%	100%	-	-	-
ID045A	Donald Ross Road	Military Trail	Florida Turnpike	97%	2%	1%	-	100%	-	-	-	100%	-	-	-	97%	2%	1%	-	100%	-	-	-
ID045B	Donald Ross Road	Eastern Town Boundary	Military Trail	99%	1%	-	-	99%	1%	-	-	99%	1%	-	-	99%	-	1%	-	96%	2%	1%	1%
ID046A	Florida Turnpike	Canal C-18	Northern Town Boundary	81%	12%	3%	4%	98%	-	-	2%	98%	-	-	2%	81%	12%	3%	4%	98%	-	-	2%
ID046B	Florida Turnpike	Southern Town Boundary	Canal C-18	56%	9%	15%	21%	99%	-	-	1%	97%	2%	0%	1%	56%	9%	15%	21%	99%	-	-	1%
ID047A	Indian Creek Parkway	Central Boulevard	West of Maplewood Drive	96%	1%	2%	1%	100%	-	-	-	100%	-	-	-	96%	1%	2%	1%	100%	-	-	-
ID047B	Indian Creek Parkway	Military Trail	Central Boulevard	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID048A	Indiantown Road	Central Boulevard	Florida Turnpike	94%	1%	-	5%	96%	-	-	4%	96%	-	-	4%	94%	1%	-	5%	96%	-	-	4%
ID048B	Indiantown Road	Military Trail	Central Boulevard	60%	7%	7%	26%	94%	2%	0%	3%	85%	8%	2%	4%	58%	8%	8%	27%	91%	4%	2%	3%
ID048C	Indiantown Road	US 1	Military Trail	49%	10%	6%	35%	71%	7%	3%	18%	65%	5%	8%	22%	48%	10%	6%	37%	63%	4%	5%	28%
ID049	Indiantown Road	Florida Turnpike	Western Town Boundary	90%	-	1%	9%	99%	1%	-	-	93%	-	1%	6%	90%	-	1%	9%	99%	1%	-	-
ID050	Indiantown Road	A1A	US 1	60%	-	2%	38%	62%	-	2%	36%	60%	2%	-	38%	58%	2%	-	40%	60%	-	2%	38%
ID051A	Interstate 95	Canal C-18	Northern Town Boundary	97%	-	0%	3%	98%	0%	-	2%	98%	-	-	2%	97%	-	0%	3%	98%	-	0%	2%
ID051B	Interstate 95	Southern Town Boundary	Canal C-18	97%	2%	0%	1%	99%	-	-	1%	99%	-	-	1%	97%	2%	0%	1%	99%	-	-	1%
ID052	Island Way	Indiantown Road	Northern Town Boundary	92%	5%	0%	2%	98%	-	-	2%	97%	1%	-	2%	92%	5%	0%	2%	97%	0%	-	2%
ID053A	Maplewood Drive	Toney Penna Drive	Indiantown Road	-	-	-	100%	-	2%	2%	97%	-	-	2%	98%	-	-	-	100%	-	-	3%	97%
ID053B	Maplewood Drive	Indian Creek Parkway	Toney Penna Drive	9%	2%	3%	86%	48%	16%	18%	17%	22%	12%	22%	43%	9%	2%	3%	86%	40%	19%	20%	21%
ID054A	Military Trail	Indian Creek Parkway	Indiantown Road	71%	12%	10%	8%	99%	1%	-	-	97%	3%	1%	-	68%	11%	9%	12%	99%	1%	-	-
ID054B	Military Trail	Donald Ross Road	Indian Creek Parkway	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID055	N A1A	Jupiter Beach Road	US 1	79%	3%	1%	17%	83%	3%	4%	10%	83%	-	3%	14%	78%	4%	1%	17%	81%	3%	-	17%
ID056	N A1A	Indiantown Road	Jupiter Beach Road	2%	9%	9%	80%	24%	2%	2%	71%	11%	13%	2%	73%	2%	-	13%	84%	2%	13%	9%	76%
ID057	S A1A	Southern Town Boundary	Indiantown Road	84%	-	0%	16%	84%	1%	1%	14%	84%	0%	1%	15%	84%	-	-	16%	84%	-	0%	16%
ID058A	Toney Penna Dr	Pinetree Trail	Central Boulevard	32%	16%	11%	41%	84%	10%	4%	3%	64%	14%	9%	13%	30%	17%	11%	42%	82%	8%	7%	3%
ID058B	Toney Penna Dr	Alternate A1A	Pinetree Trail	12%	8%	13%	68%	62%	11%	9%	18%	37%	15%	16%	32%	10%	9%	11%	69%	50%	11%	14%	25%
ID059A	US 1	Indiantown Road	Northern Town Boundary	81%	1%	-	19%	82%	1%	1%	16%	81%	1%	1%	17%	80%	1%	1%	19%	81%	1%	2%	17%
ID059B	US 1	Southern Town Boundary	Indiantown Road	92%	3%	2%	3%	99%	1%	1%	-	96%	2%	1%	1%	91%	3%	2%	4%	96%	1%	2%	0%
ID062A	FEC Railway	Center Street	Northern Town Boundary	90%	-	-	10%	90%	-	-	10%	90%	-	-	10%	89%	1%	-	10%	90%	-	-	10%
ID062B	FEC Railway	Frederick Small Road	Center Street	80%	8%	3%	9%	100%	0%	-	-	91%	8%	1%	-	80%	7%	3%	10%	91%	3%	7%	-
ID062C	FEC Railway	Donald Ross Road	Frederick Small Road	98%	1%	1%	-	100%	-	-	-	100%	-	-	-	98%	1%	1%	-	100%	-	-	-
ID564	River Road	Town Hall Avenue	N/A	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID565	Town Hall Avenue	Center Street	Florida Avenue	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID566A	N Old Dixie Highway	Alternate A1A	Northern Town Boundary	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID566B	N Old Dixie Highway	Indiantown Road	Land's End Way	2%	-	-	98%	4%	2%	2%	91%	2%	1%	1%	95%	2%	-	-	98%	2%	1%	1%	95%
ID566C	N Old Dixie Highway	Toney Penna Drive	Indiantown Road	56%	9%	18%	18%	88%	4%	4%	5%	86%	4%	4%	7%	54%	11%	16%	19%	88%	4%	2%	7%
ID566D	N Old Dixie Highway	Botanica	Toney Penna Drive	17%	19%	14%	50%	93%	7%	-	-	51%	4%	24%	21%	15%	19%	14%	51%	76%	24%	-	-
ID567	Loxahatchee River Road	Center Street	Northern Town Boundary	21%	5%	5%	68%	53%	8%	11%	29%	39%	8%	5%	47%	16%	11%	5%	68%	47%	-	8%	45%
ID567	Loxahatchee River Road	Center Street	Northern Town Boundary	21%	5%	5%	68%	53%	8%	11%	29%	39%	8%	5%	47%	16%	11%	5%	68%	47%	-	8%	45%
ID579	Old Jupiter Beach Road	Alternate A1A	N/A	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID580	Eganfuskee Street	Alternate A1A	Waldemar Road	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID581	Elsa Road	Paulina Road	N/A	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID582A	North Loxahatchee Drive	Center Street	N/A	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID582B	North Loxahatchee Drive	Indiantown Road	Center Street	-	4%	4%	92%	15%	6%	26%	53%	9%	4%	2%	85%	-	-	8%	92%	9%	4%	2%	85%
ID583	South Loxahatchee Drive	Toney Penna Drive	Indiantown Road	68%	11%	4%	18%	86%	9%	5%	-	82%	9%	9%	-	68%	7%	7%	18%	86%	7%	7%	-
ID584	Venus Street	Hepburn Avenue	N Old Dixie Highway	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID585	North Pennock Lane	Indiantown Road	Center Street	43%	24%	9%	24%	83%	2%	6%	9%	80%	2%	2%	17%	31%	28%	13%	28%	80%	2%	2%	17%
ID586	Anglers Way	Stillwater Drive	N Pennock Lane	-	-	-	100%	-	26%	22%	52%	-	-	4%	96%	-	-	-	100%	-	-	13%	87%
ID587	Whitney Drive	Indiantown Road	Center Street	-	3%	3%	94%	27%	11%	14%	47%	9%	5%	14%	72%	-	2%	4%	94%	10%	7%	14%	69%
ID588A	Cheyenne Street	Todd Street	N Pennock Lane	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID588B	Cheyenne Street	N/A	Todd Street	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%

Appendix F
Flooding by Percent Area - Roadways

Asset Unique ID	Asset Name	Roadway To	Roadway From	S-21				S-22				S-23				S-24				S-25			
				0	1	3	5	0	1	3	5	0	1	3	5	0	1	3	5	0	1	3	5
				≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"
ID589	Reo Drive	Whitney Drive	Whitney Drive	-	-	-	100%	-	10%	27%	63%	-	-	-	100%	-	-	-	100%	-	-	3%	97%
ID590	Bush Road	Toney Penna Drive	Indiantown Road	51%	12%	11%	26%	86%	5%	7%	2%	68%	12%	5%	14%	51%	12%	11%	26%	84%	5%	7%	4%
ID591	Dolphin Drive	Center Street	Dolphin Park	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID592	Commerce Lane	N/A	Jupiter Christian School	-	-	-	100%	20%	11%	19%	50%	9%	6%	17%	69%	-	-	-	100%	17%	15%	19%	50%
ID593A	Commerce Way	Commerce Lane	Indiantown Road	-	7%	7%	86%	43%	-	18%	39%	29%	11%	7%	54%	-	-	14%	86%	32%	7%	18%	43%
ID593B	Commerce Way	Commerce Lane	Commerce Lane	-	-	-	100%	-	12%	8%	80%	-	-	12%	88%	-	-	-	100%	-	10%	8%	82%
ID594	Cypress Drive	Riverside Drive	Northern Town Boundary	47%	21%	13%	19%	100%	-	-	-	91%	9%	-	-	45%	17%	15%	23%	94%	6%	-	-
ID595A	Riverside Drive	Alternate A1A	Seabrook Road	9%	17%	7%	67%	50%	6%	3%	41%	43%	6%	1%	50%	6%	19%	3%	73%	43%	6%	3%	49%
ID595B	Riverside Drive	Seabrook Road	Northern Town Boundary	16%	4%	4%	76%	37%	2%	2%	59%	27%	6%	6%	61%	16%	4%	4%	76%	29%	6%	4%	61%
ID596	Seabrook Road	Riverside Drive	Northern Town Boundary	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID597	Lance Road	Seabrook Road	Beverly Road	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID598	Washington Street	Public Works	Church Street	45%	18%	32%	5%	68%	27%	5%	-	50%	32%	18%	-	45%	18%	32%	5%	64%	32%	5%	-
ID599	Church Street	Island Way	Central Boulevard	79%	6%	4%	10%	99%	1%	-	-	82%	8%	10%	1%	79%	6%	4%	10%	98%	2%	-	-
ID600A	Frederick Small Road	Old Dixie Highway	Palmwood Road	98%	1%	-	1%	99%	1%	-	-	99%	-	1%	-	98%	1%	-	1%	98%	1%	-	1%
ID600B	Frederick Small Road	Central Boulevard	Old Dixie Highway	94%	5%	1%	-	100%	-	-	-	99%	1%	-	-	94%	5%	1%	-	100%	-	-	-
ID600C	Frederick Small Road	Heights Boulevard	Central Boulevard	29%	12%	16%	44%	99%	-	-	1%	62%	13%	16%	10%	29%	12%	16%	44%	99%	-	-	1%
ID601	Greenway Drive	Frederick Small Road	Indian Creek Parkway	1%	4%	14%	81%	100%	-	-	-	74%	21%	4%	1%	1%	4%	14%	81%	100%	-	-	-
ID602	Heights Boulevard	Donald Ross Road	North of Frederick Small Road	34%	20%	10%	36%	72%	3%	4%	21%	62%	5%	7%	26%	34%	20%	10%	36%	72%	3%	4%	21%
ID603	Jupiter Park Drive	Park Lane	Central Boulevard	51%	16%	15%	18%	80%	13%	7%	-	66%	16%	12%	6%	51%	16%	15%	18%	78%	14%	8%	1%
ID604	Ocean Way	US 1	S A1A	11%	4%	23%	63%	55%	3%	9%	34%	39%	10%	5%	46%	11%	4%	23%	63%	53%	3%	4%	41%
ID605	Parkside Drive	Donald Ross Road	Greenway Drive	27%	6%	26%	41%	100%	-	-	-	51%	26%	20%	3%	27%	6%	26%	41%	100%	-	-	-
ID606A	University Boulevard	Military Trail	Quarry Knoll Way	18%	18%	18%	45%	73%	27%	-	-	55%	18%	18%	9%	18%	18%	18%	45%	73%	18%	9%	-
ID606B	University Boulevard	Parkside Drive	Military Trail	39%	10%	13%	38%	77%	5%	6%	11%	60%	14%	8%	18%	39%	10%	13%	38%	77%	5%	6%	11%
ID607A	South Pennock Lane	Toney Penna Drive	Indiantown Road	6%	5%	5%	84%	44%	6%	6%	43%	22%	13%	6%	59%	5%	5%	5%	86%	29%	8%	10%	54%
ID607B	South Pennock Lane	Indian Creek Parkway	Toney Penna Drive	91%	4%	3%	3%	97%	-	1%	2%	97%	-	-	3%	91%	4%	3%	3%	97%	-	-	3%
ID608A	Longshore Drive	Northfork Drive	Northern Town Boundary	38%	18%	10%	34%	100%	-	-	-	96%	2%	2%	-	38%	16%	12%	34%	100%	-	-	-
ID608B	Longshore Drive	Central Boulevard	Northfork Drive	79%	2%	7%	12%	100%	-	-	-	88%	7%	3%	2%	78%	3%	7%	12%	100%	-	-	-
ID609	Winding Lake Drive	Big Cypress Drive	Longshore Drive	35%	19%	17%	29%	100%	-	-	-	71%	14%	12%	3%	34%	18%	18%	29%	100%	-	-	-
ID610	Northfork Drive	Longshore Drive	Northern Town Boundary	59%	16%	15%	9%	100%	-	-	-	90%	6%	5%	-	59%	16%	15%	9%	100%	-	-	-
ID611	Carver Avenue	Indiantown Road	N/A	46%	-	8%	46%	54%	17%	17%	13%	46%	8%	33%	13%	42%	4%	8%	46%	54%	8%	25%	13%
ID612	Thelma Avenue	Center Street	180th Street	2%	17%	46%	35%	96%	2%	2%	-	74%	11%	11%	4%	-	13%	46%	41%	80%	11%	7%	2%
ID613	Jupiter Village Road	Central Boulevard	Toney Penna Drive	-	5%	12%	83%	45%	18%	18%	18%	13%	12%	16%	59%	-	5%	12%	83%	41%	18%	21%	20%
ID614	Indian Creek Drive W	Central Boulevard	Central Boulevard	-	2%	4%	94%	31%	14%	13%	42%	6%	9%	15%	70%	-	2%	4%	94%	30%	15%	11%	43%
ID615	Egret Landing Boulevard	Egret Landing Circle	Indian Creek Parkway	29%	17%	17%	38%	100%	-	-	-	63%	17%	13%	8%	29%	17%	17%	38%	100%	-	-	-
ID616	Egret Landing Circle	Egret Landing Boulevard	Egret Landing Boulevard	1%	1%	5%	94%	82%	15%	3%	-	5%	9%	10%	76%	1%	1%	5%	94%	79%	16%	4%	-
ID617	Pinetree Trail	Maplewood Drive	Toney Penna Drive	3%	2%	12%	84%	59%	9%	19%	13%	34%	13%	23%	31%	3%	2%	11%	84%	55%	11%	21%	13%
ID618	Mohican Boulevard	Toney Penna Drive	Pawnee Street	4%	-	2%	93%	48%	15%	20%	17%	9%	11%	24%	57%	4%	-	2%	93%	17%	22%	20%	41%
ID619	Mohawk Street	Delaware Boulevard	Pawnee Street	-	-	-	100%	-	4%	19%	77%	-	-	-	100%	-	-	-	100%	-	-	2%	98%
ID620A	Caloosahatchee Avenue	Seneca Street	Hawie Street	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID620B	Caloosahatchee Avenue	Mohawk Street	Indiantown Road	-	-	-	100%	5%	18%	15%	63%	-	-	3%	98%	-	-	-	100%	-	3%	10%	88%
ID621A	Delaware Boulevard	Indiantown Road	River Drive	-	-	10%	90%	17%	12%	24%	48%	12%	-	5%	83%	-	-	10%	90%	12%	2%	7%	79%
ID621B	Delaware Boulevard	Jupiter Chistian School	Indiantown Road	19%	-	-	81%	33%	10%	10%	48%	23%	4%	4%	69%	19%	-	-	81%	25%	6%	6%	63%
ID622	Chippewa Street	Sims Creek Drive	Caloosahatchee Avenue	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID623	Bluff's Boulevard	23rd Circuit	US 1	87%	4%	2%	7%	99%	-	-	1%	99%	-	-	1%	87%	3%	3%	7%	99%	-	-	1%
ID624	Ridge Road	Ocean Bluffs Boulevard	Ocean Bluffs Boulevard	93%	1%	3%	4%	100%	-	-	-	100%	-	-	-	93%	1%	3%	4%	100%	-	-	-
ID624	Ridge Road	Ocean Bluffs Boulevard	Ocean Bluffs Boulevard	93%	1%	3%	4%	100%	-	-	-	100%	-	-	-	93%	1%	3%	4%	100%	-	-	-
ID625	River Park Drive	Marcinski Road	River Edge Road	96%	-	1%	3%	96%	1%	-	3%	96%	1%	-	3%	96%	-	1%	4%	96%	-	-	4%
ID626	Olympus Circle	US 1	N/A	35%	-	-	65%	40%	-	-	60%	35%	-	5%	60%	35%	-	-	65%	40%	-	-	60%
ID627	Helios Drive	N/A	Ocean's Way	-	-	-	100%	2%	-	6%	92%	-	-	-	100%	-	-	-	100%	-	2%	-	98%
ID628A	Hepburn Avenue	Indiantown Road	Center Street	-	-	2%	98%	13%	11%	2%	74%	4%	4%	8%	85%	-	-	-	100%	4%	4%	6%	87%
ID628B	Hepburn Avenue	Toney Penna Drive	Indiantown Road	49%	7%	12%	32%	91%	7%	2%	-	72%	12%	12%	4%	47%	9%	9%	35%	89%	5%	5%	-
ID629A	Orange Avenue	Indiantown Road	Center Street	-	-	-	100%	2%	2%	2%	94%	-	-	2%	98%	-	-	-	100%	-	-	2%	98%
ID629B	Orange Avenue	Toney Penna Drive	Indiantown Road	4%	-	2%	95%	14%	5%	9%	72%	4%	5%	11%	81%	4%	-	2%	95%	12%	7%	7%	74%
ID630	7th Street	S Loxahatchee Drive	Old Dixie Highway	11%	6%	3%	81%	39%	3%	6%	53%	22%	14%	3%	61%	11%	6%	3%	81%	39%	3%	3%	56%
ID631	Love Street	N A1A	N/A	33%	7%	7%	53%	40%	7%	-	53%	40%	-	7%	53%	33%	7%	-	60%	33%	-	7%	60%
ID632	Clemons Street	N A1A	N/A	38%	6%	-	56%	44%	-	6%	50%	38%	6%	-	56%	31%	6%	6%	56%	31%	6%	6%	56%
ID633	Indian Creek Drive E	Central Boulevard	Central Boulevard	-	-	-	100%	9%	6%	9%	77%	-	-	4%	96%	-	-	-	100%	4%	7%	10%	79%

Asset Unique ID	Asset Name	Roadway To	Roadway From	S-26				S-27				S-28				S-29				S-30				S-31			
				0	1	3	5	0	1	3	5	0	1	3	5	0	1	3	5	0	1	3	5	0	1	3	5
				≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"
ID040A	Alternate A1A	Indiantown Road	US 1	30%	-	1%	69%	28%	1%	1%	70%	27%	2%	1%	70%	26%	2%	1%	70%	24%	2%	2%	72%	32%	2%	6%	61%
ID040B	Alternate A1A	Frederick Small Road	Indiantown Road	98%	1%	1%	-	96%	1%	2%	2%	96%	1%	2%	2%	95%	1%	2%	2%	93%	2%	0%	5%	100%	-	-	-
ID040C	Alternate A1A	Donald Ross Road	Frederick Small Road	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID041A	Center Street	North Pennock Lane	Indiantown Road	69%	1%	1%	29%	48%	8%	6%	37%	63%	6%	1%	31%	57%	6%	6%	31%	38%	8%	9%	45%	48%	9%	6%	36%
ID041B	Center Street	Alternate A1A	North Pennock Lane	1%	-	-	99%	-	1%	-	99%	-	1%	-	99%	-	-	1%	99%	-	-	-	100%	1%	-	1%	98%
ID042	Central Boulevard	Indian Creek Parkway	Indiantown Road	88%	1%	3%	8%	77%	6%	4%	12%	92%	2%	1%	4%	88%	1%	2%	9%	77%	6%	5%	12%	73%	6%	7%	14%
ID043	Central Boulevard	Indiantown Road	Roebuck Road	72%	12%	4%	13%	59%	7%	13%	22%	86%	1%	4%	10%	69%	13%	6%	13%	57%	9%	9%	26%	54%	10%	9%	28%
ID044	Central Boulevard	Donald Ross Road	Indian Creek Parkway	100%	-	-	-	49%	21%	20%	10%	100%	-	-	-	100%	-	-	-	47%	22%	20%	11%	19%	4%	8%	69%
ID045A	Donald Ross Road	Military Trail	Florida Turnpike	100%	-	-	-	97%	2%	1%	-	100%	-	-	-	100%	-	-	-	97%	2%	1%	-	93%	4%	1%	1%
ID045B	Donald Ross Road	Eastern Town Boundary	Military Trail	95%	3%	1%	1%	94%	4%	2%	1%	84%	2%	6%	7%	84%	2%	5%	9%	84%	2%	4%	10%	100%	-	-	-
ID046A	Florida Turnpike	Canal C-18	Northern Town Boundary	98%	-	-	2%	80%	12%	4%	5%	98%	-	-	2%	98%	-	-	2%	80%	12%	4%	5%	76%	6%	11%	6%
ID046B	Florida Turnpike	Southern Town Boundary	Canal C-18	96%	2%	0%	1%	54%	7%	15%	24%	99%	-	-	1%	96%	2%	0%	1%	54%	7%	15%	24%	40%	3%	12%	44%
ID047A	Indian Creek Parkway	Central Boulevard	West of Maplewood Drive	100%	-	-	-	95%	2%	2%	1%	100%	-	-	-	100%	-	-	-	95%	2%	2%	1%	85%	6%	5%	3%
ID047B	Indian Creek Parkway	Military Trail	Central Boulevard	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	81%	14%	3%	2%
ID048A	Indiantown Road	Central Boulevard	Florida Turnpike	95%	2%	-	4%	94%	1%	-	5%	96%	-	-	4%	95%	2%	-	4%	94%	1%	-	5%	94%	-	1%	5%
ID048B	Indiantown Road	Military Trail	Central Boulevard	73%	11%	10%	6%	54%	5%	8%	33%	67%	9%	12%	12%	58%	9%	9%	25%	46%	5%	5%	44%	54%	6%	8%	33%
ID048C	Indiantown Road	US 1	Military Trail	59%	4%	4%	33%	37%	12%	9%	43%	53%	3%	5%	39%	42%	9%	5%	44%	26%	8%	8%	58%	53%	15%	11%	21%
ID049	Indiantown Road	Florida Turnpike	Western Town Boundary	93%	-	1%	6%	90%	-	1%	9%	99%	1%	-	-	93%	-	1%	6%	90%	-	1%	9%	88%	1%	-	10%
ID050	Indiantown Road	A1A	US 1	58%	2%	-	40%	56%	2%	-	42%	56%	2%	-	42%	56%	-	2%	42%	53%	4%	-	44%	65%	-	2%	33%
ID051A	Interstate 95	Canal C-18	Northern Town Boundary	98%	-	-	2%	97%	-	0%	3%	98%	-	0%	2%	98%	-	-	2%	97%	-	0%	3%	97%	-	-	3%
ID051B	Interstate 95	Southern Town Boundary	Canal C-18	99%	-	-	1%	94%	5%	0%	1%	99%	-	-	1%	99%	-	-	1%	94%	5%	0%	1%	65%	16%	14%	6%
ID052	Island Way	Indiantown Road	Northern Town Boundary	97%	1%	-	2%	92%	5%	0%	2%	97%	0%	-	2%	97%	1%	-	2%	92%	5%	0%	2%	91%	5%	1%	2%
ID053A	Maplewood Drive	Toney Penna Drive	Indiantown Road	-	-	2%	98%	-	-	-	100%	-	-	2%	98%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID053B	Maplewood Drive	Indian Creek Parkway	Toney Penna Drive	21%	12%	17%	49%	8%	2%	4%	86%	32%	21%	17%	30%	20%	10%	12%	58%	7%	2%	3%	88%	7%	1%	2%	91%
ID054A	Military Trail	Indian Creek Parkway	Indiantown Road	95%	5%	1%	-	54%	17%	9%	20%	86%	10%	3%	1%	68%	12%	10%	9%	46%	4%	9%	41%	54%	16%	12%	19%
ID054B	Military Trail	Donald Ross Road	Indian Creek Parkway	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID055	N A1A	Jupiter Beach Road	US 1	78%	3%	3%	17%	69%	5%	5%	21%	65%	6%	6%	22%	62%	6%	5%	26%	52%	5%	9%	34%	94%	4%	3%	-
ID056	N A1A	Indiantown Road	Jupiter Beach Road	2%	2%	13%	82%	-	-	2%	98%	-	-	2%	98%	-	-	-	100%	-	-	-	100%	29%	4%	2%	64%
ID057	S A1A	Southern Town Boundary	Indiantown Road	84%	-	-	16%	84%	-	-	16%	84%	-	-	16%	83%	0%	-	16%	83%	-	0%	16%	93%	3%	2%	3%
ID058A	Toney Penna Dr	Pinetree Trail	Central Boulevard	62%	16%	9%	14%	26%	19%	11%	44%	81%	8%	8%	3%	56%	17%	12%	15%	21%	13%	17%	48%	21%	16%	13%	50%
ID058B	Toney Penna Dr	Alternate A1A	Pinetree Trail	34%	11%	10%	45%	6%	6%	10%	77%	24%	17%	9%	50%	13%	11%	9%	66%	5%	1%	6%	88%	6%	6%	11%	78%
ID059A	US 1	Indiantown Road	Northern Town Boundary	79%	1%	1%	19%	76%	2%	3%	19%	75%	1%	3%	21%	74%	2%	2%	22%	73%	1%	1%	25%	83%	-	1%	16%
ID059B	US 1	Southern Town Boundary	Indiantown Road	94%	1%	2%	2%	90%	2%	2%	6%	93%	2%	2%	4%	89%	3%	2%	6%	84%	4%	3%	9%	93%	2%	2%	2%
ID062A	FEC Railway	Center Street	Northern Town Boundary	90%	-	-	10%	83%	4%	3%	10%	86%	3%	2%	10%	83%	3%	3%	11%	81%	2%	1%	17%	90%	-	-	10%
ID062B	FEC Railway	Frederick Small Road	Center Street	86%	5%	3%	6%	79%	7%	1%	13%	86%	1%	2%	12%	83%	3%	1%	13%	78%	7%	0%	15%	84%	11%	1%	4%
ID062C	FEC Railway	Donald Ross Road	Frederick Small Road	100%	-	-	-	98%	1%	1%	-	100%	-	-	-	100%	-	-	-	98%	1%	1%	-	95%	3%	1%	1%
ID564	River Road	Town Hall Avenue	N/A	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID565	Town Hall Avenue	Center Street	Florida Avenue	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID566A	N Old Dixie Highway	Alternate A1A	Northern Town Boundary	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-
ID566B	N Old Dixie Highway	Indiantown Road	Land's End Way	2%	-	1%	96%	1%	1%	-	98%	2%	-	-	98%	1%	1%	-	98%	-	1%	-	99%	1%	1%	-	98%
ID566C	N Old Dixie Highway	Toney Penna Drive	Indiantown Road	86%	4%	4%	7%	39%	18%	9%	35%	81%	9%	4%	7%	56%	9%	16%	19%	23%	9%	16%	53%	39%	18%	9%	35%
ID566D	N Old Dixie Highway	Botanica	Toney Penna Drive	51%	4%	18%	26%	1%	15%	19%	64%	50%	3%	4%	43%	17%	19%	14%	50%	1%	-	6%	93%	1%	15%	18%	65%
ID567	Loxahatchee River Road	Center Street	Northern Town Boundary	32%	5%	11%	53%	8%	11%	8%	74%	26%	5%	11%	58%	16%	8%	8%	68%	3%	3%	8%	87%	8%	13%	5%	74%
ID567	Loxahatchee River Road	Center Street	Northern Town Boundary	32%	5%	11%	53%	8%	11%	8%	74%	26%	5%	11%	58%	16%	8%	8%	68%	3%	3%	8%	87%	8%	13%	5%	74%
ID579	Old Jupiter Beach Road	Alternate A1A	N/A	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID580	Eganfuskee Street	Alternate A1A	Waldemar Road	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID581	Elsa Road	Paulina Road	N/A	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID582A	North Loxahatchee Drive	Center Street	N/A	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID582B	North Loxahatchee Drive	Indiantown Road	Center Street	6%	4%	2%	89%	-	-	-	100%	-	4%	6%	91%	-	-	4%	96%	-	-	-	100%	-	-	4%	96%
ID583	South Loxahatchee Drive	Toney Penna Drive	Indiantown Road	82%	5%	9%	4%	59%	9%	7%	25%	75%	9%	4%	13%	66%	5%	9%	20%	38%	7%	18%	38%	59%	9%	7%	25%
ID584	Venus Street	Hepburn Avenue	N Old Dixie Highway	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID585	North Pennock Lane	Indiantown Road	Center Street	72%	4%	6%	19%	13%	22%	26%	39%	59%	13%	6%	22%	31%	20%	19%	30%	-	-	19%	81%	13%	28%	26%	33%
ID586	Anglers Way	Stillwater Drive	N Pennock Lane	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID587	Whitney Drive	Indiantown Road	Center Street	6%	3%	4%	87%	-	-	2%	98%	-	6%	2%	92%	-	-	5%	95%	-	-	-	100%	-	-	2%	98%
ID588A	Cheyenne Street	Todd Street	N Pennock Lane	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID588B	Cheyenne Street	N/A	Todd Street	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%

Appendix F
Flooding by Percent Area - Roadways

Asset Unique ID	Asset Name	Roadway To	Roadway From	S-26				S-27				S-28				S-29				S-30				S-31			
				0	1	3	5	0	1	3	5	0	1	3	5	0	1	3	5	0	1	3	5	0	1	3	5
				≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"	≤ 0"	0" - 3"	3" - 6"	>6"
ID589	Reo Drive	Whitney Drive	Whitney Drive	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID590	Bush Road	Toney Penna Drive	Indiantown Road	68%	9%	9%	14%	51%	11%	11%	28%	82%	7%	7%	4%	68%	9%	9%	14%	51%	11%	11%	28%	49%	5%	11%	35%
ID591	Dolphin Drive	Center Street	Dolphin Park	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID592	Commerce Lane	N/A	Jupiter Christian School	4%	7%	17%	72%	-	-	-	100%	9%	13%	22%	56%	-	4%	13%	83%	-	-	-	100%	-	-	-	100%
ID593A	Commerce Way	Commerce Lane	Indiantown Road	14%	18%	7%	61%	-	-	4%	96%	11%	14%	7%	68%	-	-	14%	86%	-	-	-	100%	-	-	4%	96%
ID593B	Commerce Way	Commerce Lane	Commerce Lane	-	-	2%	98%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID594	Cypress Drive	Riverside Drive	Northern Town Boundary	79%	6%	13%	2%	32%	13%	19%	36%	64%	15%	6%	15%	43%	15%	17%	26%	21%	4%	11%	64%	32%	13%	19%	36%
ID595A	Riverside Drive	Alternate A1A	Seabrook Road	31%	7%	7%	54%	4%	1%	20%	74%	26%	6%	7%	61%	6%	17%	3%	74%	4%	-	-	96%	4%	3%	19%	74%
ID595B	Riverside Drive	Seabrook Road	Northern Town Boundary	24%	2%	6%	69%	12%	4%	4%	80%	20%	4%	2%	75%	16%	4%	2%	78%	8%	2%	4%	86%	12%	4%	4%	80%
ID596	Seabrook Road	Riverside Drive	Northern Town Boundary	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID597	Lance Road	Seabrook Road	Beverly Road	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID598	Washington Street	Public Works	Church Street	50%	32%	18%	-	45%	18%	32%	5%	64%	32%	5%	-	50%	32%	18%	-	45%	18%	32%	5%	41%	18%	32%	9%
ID599	Church Street	Island Way	Central Boulevard	82%	8%	10%	1%	79%	6%	4%	10%	98%	2%	-	-	82%	8%	10%	1%	79%	6%	4%	10%	78%	7%	4%	11%
ID600A	Frederick Small Road	Old Dixie Highway	Palmwood Road	97%	1%	1%	1%	97%	-	1%	2%	97%	-	1%	3%	97%	-	1%	3%	96%	1%	-	3%	98%	2%	-	-
ID600B	Frederick Small Road	Central Boulevard	Old Dixie Highway	99%	1%	-	-	94%	5%	1%	-	100%	-	-	-	99%	1%	-	-	94%	5%	1%	-	80%	11%	8%	1%
ID600C	Frederick Small Road	Heights Boulevard	Central Boulevard	60%	14%	13%	13%	27%	12%	16%	46%	99%	-	-	1%	60%	14%	13%	13%	27%	11%	17%	46%	14%	10%	14%	62%
ID601	Greenway Drive	Frederick Small Road	Indian Creek Parkway	67%	26%	6%	1%	1%	4%	11%	84%	100%	-	-	-	67%	26%	6%	1%	1%	4%	11%	84%	1%	1%	4%	94%
ID602	Heights Boulevard	Donald Ross Road	North of Frederick Small Road	62%	5%	6%	27%	32%	17%	13%	38%	72%	3%	4%	21%	61%	6%	6%	27%	32%	17%	13%	38%	28%	3%	17%	51%
ID603	Jupiter Park Drive	Park Lane	Central Boulevard	66%	15%	12%	7%	50%	17%	14%	19%	78%	14%	8%	1%	66%	15%	12%	7%	50%	17%	14%	19%	46%	12%	21%	21%
ID604	Ocean Way	US 1	S A1A	28%	18%	8%	48%	11%	4%	19%	66%	14%	20%	14%	53%	11%	-	8%	81%	10%	1%	-	89%	11%	-	5%	84%
ID605	Parkside Drive	Donald Ross Road	Greenway Drive	49%	27%	19%	5%	27%	6%	25%	43%	100%	-	-	-	49%	27%	19%	5%	27%	6%	25%	43%	26%	1%	18%	56%
ID606A	University Boulevard	Military Trail	Quarry Knoll Way	55%	18%	18%	9%	9%	27%	9%	55%	73%	18%	9%	-	55%	18%	18%	9%	9%	27%	9%	55%	9%	18%	9%	64%
ID606B	University Boulevard	Parkside Drive	Military Trail	59%	14%	8%	19%	37%	10%	14%	39%	77%	4%	7%	12%	60%	14%	7%	19%	37%	9%	15%	39%	25%	9%	12%	54%
ID607A	South Pennock Lane	Toney Penna Drive	Indiantown Road	16%	6%	8%	70%	-	6%	3%	90%	10%	6%	6%	78%	3%	6%	3%	87%	-	-	2%	98%	-	6%	3%	90%
ID607B	South Pennock Lane	Indian Creek Parkway	Toney Penna Drive	97%	-	-	3%	89%	6%	1%	4%	97%	1%	-	3%	95%	1%	2%	3%	51%	27%	14%	8%	85%	8%	3%	4%
ID608A	Longshore Drive	Northfork Drive	Northern Town Boundary	90%	8%	2%	-	36%	12%	12%	40%	98%	2%	-	-	84%	14%	2%	-	34%	10%	14%	42%	34%	10%	14%	42%
ID608B	Longshore Drive	Central Boulevard	Northfork Drive	87%	5%	4%	3%	78%	3%	7%	12%	96%	2%	2%	-	84%	8%	5%	3%	76%	4%	5%	14%	76%	4%	3%	16%
ID609	Winding Lake Drive	Big Cypress Drive	Longshore Drive	66%	15%	14%	6%	31%	20%	15%	34%	87%	10%	2%	-	60%	14%	16%	10%	24%	15%	21%	40%	24%	15%	21%	40%
ID610	Northfork Drive	Longshore Drive	Northern Town Boundary	88%	7%	5%	-	59%	14%	17%	9%	100%	-	-	-	90%	6%	5%	-	59%	14%	17%	9%	52%	9%	15%	23%
ID611	Carver Avenue	Indiantown Road	N/A	46%	8%	21%	25%	33%	13%	-	54%	46%	8%	17%	29%	42%	4%	8%	46%	17%	13%	8%	63%	33%	13%	-	54%
ID612	Thelma Avenue	Center Street	180th Street	59%	15%	11%	15%	-	2%	15%	83%	20%	46%	9%	26%	-	11%	46%	43%	-	-	-	100%	-	2%	17%	80%
ID613	Jupiter Village Road	Central Boulevard	Toney Penna Drive	13%	11%	15%	61%	-	4%	11%	85%	40%	17%	23%	20%	13%	10%	16%	61%	-	2%	12%	85%	-	-	9%	91%
ID614	Indian Creek Drive W	Central Boulevard	Central Boulevard	6%	8%	13%	73%	-	2%	4%	94%	30%	15%	11%	43%	6%	8%	13%	73%	-	2%	4%	94%	-	-	3%	97%
ID615	Egret Landing Boulevard	Egret Landing Circle	Indian Creek Parkway	58%	21%	8%	13%	29%	17%	17%	38%	100%	-	-	-	58%	21%	8%	13%	29%	17%	17%	38%	13%	21%	21%	46%
ID616	Egret Landing Circle	Egret Landing Boulevard	Egret Landing Boulevard	4%	8%	11%	77%	1%	-	4%	95%	79%	16%	4%	-	4%	8%	11%	77%	1%	-	4%	95%	1%	-	1%	99%
ID617	Pinetree Trail	Maplewood Drive	Toney Penna Drive	29%	14%	21%	36%	2%	2%	9%	87%	44%	16%	22%	18%	17%	16%	16%	51%	2%	1%	5%	91%	1%	2%	4%	94%
ID618	Mohican Boulevard	Toney Penna Drive	Pawnee Street	7%	2%	11%	80%	2%	2%	-	96%	4%	2%	4%	89%	4%	-	2%	93%	-	4%	-	96%	2%	2%	-	96%
ID619	Mohawk Street	Delaware Boulevard	Pawnee Street	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID620A	Caloosahatchee Avenue	Seneca Street	Hawie Street	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID620B	Caloosahatchee Avenue	Mohawk Street	Indiantown Road	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID621A	Delaware Boulevard	Indiantown Road	River Drive	10%	2%	-	88%	-	-	-	100%	-	10%	2%	88%	-	-	10%	90%	-	-	-	100%	-	-	-	100%
ID621B	Delaware Boulevard	Jupiter Chistian School	Indiantown Road	19%	4%	2%	75%	17%	2%	-	81%	19%	-	4%	77%	19%	-	-	81%	15%	2%	2%	81%	17%	2%	-	81%
ID622	Chippewa Street	Sims Creek Drive	Caloosahatchee Avenue	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID623	Bluff's Boulevard	23rd Circuit	US 1	99%	-	-	1%	86%	3%	4%	7%	98%	1%	-	1%	96%	2%	1%	2%	86%	3%	4%	7%	85%	2%	3%	11%
ID624	Ridge Road	Ocean Bluffs Boulevard	Ocean Bluffs Boulevard	100%	-	-	-	93%	-	4%	4%	100%	-	-	-	99%	1%	-	-	93%	-	3%	5%	92%	1%	-	7%
ID624	Ridge Road	Ocean Bluffs Boulevard	Ocean Bluffs Boulevard	100%	-	-	-	93%	-	4%	4%	100%	-	-	-	99%	1%	-	-	93%	-	3%	5%	92%	1%	-	7%
ID625	River Park Drive	Marcinski Road	River Edge Road	96%	-	-	4%	95%	1%	1%	4%	96%	-	1%	4%	95%	1%	1%	4%	95%	-	1%	4%	96%	1%	1%	2%
ID626	Olympus Circle	US 1	N/A	35%	-	-	65%	35%	-	-	65%	35%	-	-	65%	30%	5%	-	65%	30%	-	5%	65%	30%	5%	-	65%
ID627	Helios Drive	N/A	Ocean's Way	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID628A	Hepburn Avenue	Indiantown Road	Center Street	-	4%	4%	92%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID628B	Hepburn Avenue	Toney Penna Drive	Indiantown Road	70%	14%	12%	4%	35%	12%	9%	44%	58%	19%	18%	5%	46%	9%	9%	37%	19%	7%	14%	60%	35%	12%	9%	44%
ID629A	Orange Avenue	Indiantown Road	Center Street	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%	-	-	-	100%
ID629B	Orange Avenue	Toney Penna Drive	Indiantown Road	4%	5%	11%	81%	2%	2%	-	96%	5%	5%	5%	84%	4%	-	2%	95%	-	-	2%	98%	2%	2%	-	96%
ID630	7th Street	S Loxahatchee Drive	Old Dixie Highway	19%	14%	6%	61%	8%	3%	6%	83%	19%	11%	6%	64%	11%	6%	3%	81%	6%	3%	3%	89%	8%	3%	6%	83%
ID631	Love Street	N A1A	N/A	27%	7%	7%	60%	20%	7%	7%	67%	20%	-	7%	73%	13%	7%	-	80%	7%	7%	7%	80%	67%	7%	-	27%
ID632	Clemons Street	N A1A	N/A	25%	6%	13%	56%	6%	19%	6%	69%	-	13%	13%	75%	-	-	25%	75%	-	-	-	100%	88%	-	6%	6%
ID633	Indian Creek Drive E	Central Boulevard	Central Boulevard	-	-	4%	96%	-	-	-	100%	4%	6%	10%	80%	-	-	4%	96%	-	-	-	100%	-	-	-	100%

Asset Unique ID	Asset Name	S-1	S-2	S-3	S-4	S-5	S-6	S-7	S-8	S-9	S-10	S-11	S-12	S-13	S-14	S-15	S-16	S-17	S-18	S-19	S-20	S-21	S-22	S-23	S-24	S-25	S-26	S-27	S-28	S-29	S-30	S-31
ID001	Jupiter Beach Road Bridge	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.07	0.33	0.04	0.21	0.47	0.49	0.67	0.94	1.17	1.33	1.55	-
ID002	Jupiter Beach Park Bridge	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.12	0.30	0.56	0.27	0.44	0.70	0.72	0.90	1.17	1.40	1.56	1.78	-
ID003	Indiantown Road Bridge over C-18 Canal, WB	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID004	Island Way Bridge over C-18 Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID005	Loxahatchee River Road Bridge over C-18 Canal	-	-	0.86	-	0.23	1.54	-	0.33	1.60	-	0.54	1.76	-	0.89	1.97	-	0.19	1.06	0.48	0.99	1.85	0.62	1.09	1.91	1.00	1.40	2.13	1.61	1.93	2.53	2.11
ID006	I95 Bridge over C-18 Canal, SB	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID007	I95 Bridge over C-18 Canal, NB	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID008	Indiantown Road Bridge over C-18 Canal, EB	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID009	I95 Bridge over Donald Ross Road, NB	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID010	I95 Bridge over Donald Ross Road, SB	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID011	Florida Turnpike Bridge, SB	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID012	I95 Bridge over Indiantown Road, SB	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID013	US1 Bridge over Loxahatchee River	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID014	Indiantown Road Bridge over Lake Worth Creek, WB	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID015	Indiantown Road Bridge over Lake Worth Creek, EB	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID016	Center Street Bridge over Jones Creek	-	-	-	-	-	0.42	-	-	0.47	-	-	0.63	-	-	0.84	-	-	-	-	-	0.71	-	-	0.77	-	0.27	1.00	0.47	0.80	1.41	0.98
ID017	Indiantown Road Bridge over Jupiter Creek	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID018	Southern US1 Bridge over Lake Worth Creek Canal, NB	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID019	Southern US1 Bridge over Lake Worth Creek Canal, SB	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID020	Northern US1 Bridge over Lake Worth Creek Canal, NB	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID021	Northern US1 Bridge over Lake Worth Creek Canal, SB	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID022	Indiantown Road Bridge over Loxahatchee Creek	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID023	Florida Turnpike Bridge over Loxahatchee Creek	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.77
ID024	Alt A1A Bridge over Loxahatchee River	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID025	I95 Bridge over Loxahatchee Creek	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID026	Riverbend Park Bridge	2.14	3.21	4.02	2.43	3.52	4.38	2.43	3.52	4.38	2.52	3.56	4.42	2.52	3.56	4.42	2.14	3.21	4.02	2.43	3.52	4.38	2.43	3.52	4.38	2.52	3.56	4.42	2.52	3.56	4.42	4.68
ID027	WB Indiantown Road Bridge to SB I95 (Ramp)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID028	Center Street Bridge over Sims Creek	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID029	Indiantown Road Bridge over Slough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID030	I95 Bridge over Indiantown Road, NB	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID031	WB Indiantown Road Bridge to SB I95 (Ramp)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID032	Indiantown Road Bridge over Florida Turnpike, WB	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID033	EB Indiantown Road Bridge to SB I95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID034	Western Indiantown Road Bridge to SB I95 (Ramp)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID035	Eastern Indiantown Road Bridge to SB I95 (Ramp)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID036	Donald Ross Road Bridge over Florida Turnpike, EB	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID037	Donald Ross Road Bridge over Florida Turnpike, WB	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID038	Indiantown Road Bridge to Florida Turnpike (Ramp)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID039	Central Boulevard Bridge over C-18 Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID063	Railroad Bridge over Loxahatchee River	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Bridges		
Exposure Level	Exposure Score	Flood Depths (inches)
High	5	> 6
Medium	3	3 - 6
Low	1	0 - 3
None	0	0

Asset Unique ID	Asset Name	S-1	S-2	S-3	S-4	S-5	S-6	S-7	S-8	S-9	S-10	S-11	S-12	S-13	S-14	S-15	S-16	S-17	S-18	S-19	S-20	S-21	S-22	S-23	S-24	S-25	S-26	S-27	S-28	S-29	S-30	S-31
ID065	LS095	0.57	0.92	1.65	1.06	1.46	2.04	1.19	1.53	2.07	1.48	1.71	2.16	1.87	2.07	2.65	2.31	2.51	2.75	3.20	3.42	3.78	3.36	3.56	3.92	3.81	4.01	4.34	4.50	4.66	4.92	2.24
ID066	LS104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID067	LS105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID068	LS106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID069	LS087	-	0.17	0.72	-	0.43	0.99	-	0.43	0.99	-	0.45	1.02	-	0.46	1.02	-	0.18	0.72	-	0.44	0.99	-	0.45	0.99	0.05	0.60	1.02	0.81	1.21	1.59	1.21
ID070	LS088	-	-	-	-	-	0.20	-	-	0.20	-	-	0.23	-	-	0.23	-	-	-	-	-	0.20	-	-	0.20	-	-	0.23	0.02	0.42	0.80	0.42
ID071	LS086	0.47	0.65	0.91	0.56	0.75	1.06	0.56	0.75	1.06	0.58	0.76	1.08	0.58	0.76	1.08	0.47	0.65	0.91	0.61	0.93	1.26	0.76	1.06	1.38	1.24	1.45	1.76	1.91	2.07	2.36	1.25
ID072	LS080	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.06	-	-	0.17	-	0.14	0.55	0.63	0.82	1.13	-
ID073	LS089	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID074	LS124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID075	LS122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID076	LS121	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID077	LS114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID078	LS260	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID079	LS212	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID080	LS213	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.09
ID081	LS240	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.04
ID082	LS241	-	-	-	-	-	0.05	-	-	0.05	-	-	0.12	-	-	0.12	-	-	-	-	-	0.05	-	-	0.05	-	-	0.12	-	-	0.12	0.43
ID083	LS220	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.32
ID084	LS221	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.44
ID085	LS218	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.74
ID086	LS248	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID087	LS224	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.07
ID088	LS222	-	-	0.21	-	-	0.56	-	-	0.56	-	-	0.60	-	-	0.62	-	-	0.21	-	-	0.56	-	-	0.56	-	-	0.61	-	-	0.66	1.34
ID089	LS249	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID090	LS242	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID091	LS157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID092	LS246	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID093	LS252	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID094	LS255	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID095	LS250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID096	LS018	-	-	-	-	-	0.08	-	-	0.08	-	-	0.20	-	-	0.40	-	-	-	-	-	0.26	-	-	0.32	-	-	0.54	-	0.28	0.93	0.54
ID097	LS019	-	-	-	-	-	0.49	-	-	0.53	-	-	0.69	-	-	0.89	-	-	0.05	-	-	0.76	-	-	0.81	-	0.27	1.03	0.46	0.80	1.43	1.04
ID098	LS020	-	-	-	-	-	0.03	-	-	0.04	-	-	0.09	-	-	0.16	-	-	-	-	-	0.05	-	-	0.06	-	-	0.11	-	-	0.19	0.23
ID099	LS021	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID100	LS022	-	-	0.04	-	-	0.15	-	-	0.15	-	-	0.19	-	-	0.38	-	-	0.04	-	-	0.24	-	-	0.30	-	-	0.50	-	0.22	0.89	0.54
ID101	LS023	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID102	LS024	-	-	-	-	-	0.57	-	-	0.61	-	-	0.77	-	-	0.97	-	-	0.11	-	-	0.83	-	0.05	0.89	-	0.35	1.12	0.54	0.90	1.52	1.12
ID103	LS025	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID104	LS026	0.47	1.14	2.14	1.09	1.76	2.95	1.25	1.89	3.05	1.72	2.24	3.35	2.33	2.76	3.73	2.49	2.79	3.26	3.38	3.68	4.28	3.54	3.82	4.39	3.98	4.22	4.75	4.68	4.88	5.28	3.64
ID105	LS027	-	1.05	2.25	0.24	1.60	2.92	0.43	1.71	2.97	0.82	1.95	3.14	1.35	2.34	3.35	1.16	1.61	2.47	2.00	2.43	3.25	2.14	2.54	3.31	2.58	2.90	3.55	3.25	3.49	3.99	3.49
ID106	LS028	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.26	-	-	0.37	-	0.22	0.72	0.70	0.88	1.27	-
ID107	LS029	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.02	-	-	0.37	0.35	0.53	0.92	-
ID108	LS030	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.32	-
ID109	LS031	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.02	0.60	-	0.16	0.71	0.33	0.56	1.06	1.04	1.22	1.61	-
ID110	LS032	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID111	LS035	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID112	LS036	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.25	-
ID113	LS037	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID114	LS038	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.01	-	-	0.12	-	-	0.46	0.48	0.63	1.00	-
ID115	LS039	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.36	-	-	0.47	0.14	0.34	0.83	0.85	1.02	1.38	-
ID116	LS056	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID117	LS063	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.02	0.37	-	0.16	0.49	0.40	0.61	0.93	1.09	1.27	1.53	-
ID118	LS098	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID119	LS099	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.04	-	-	0.18	0.07	0.27	0.60	0.76	0.92	1.18	-
ID120	LS101	-	-	0.21	-	-	0.48	-	-	0.48	-	-	0.51	-	-	0.52	-	-	0.21	-	-	0.48	-	-	0.48	-	0.05	0.51	0.25	0.65	1.03	0.71
ID121	LS102	0.07	0.74	1.29	0.30	0.99	1.56	0.30	0.99	1.56	0.37	1.01	1.59	0.39	1.02	1.60	0.08	0.74	1.29	0.35	1.00	1.56	0.41	1.01	1.56	0.57	1.13	1.59	1.33	1.73	2.11	1.79
ID122	LS113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID123	LS126	-	-	-	-	-	0.65	-	-	0.75	-	-	1.05	0.03	0.46	1.43	0.19	0.49	0.96	1.08	1.38	1.98	1.24	1.52	2.09	1.68	1.92	2.45	2.38	2.58	2.98	1.34
ID124	LS138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.37	-	-	0.48	0.10	0.33	0.83	0.81	0.99	1.38	-
ID125	LS139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.20	-	-	0.31	-	0.18	0.67	0.69	0.86	1.22	-
ID126	LS151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID127	LS152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID128	LS153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID129	LS154	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.03	-	-	-	-	-	-	-	-	-	-	-	0.18	-	-	0.58	0.17
ID130	LS301	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.12	-	-	-	-	-	-	-	-	0.05	-	-	0.27	-	0.06	0.67	0.26
ID131	LS155	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID132	LS158	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID133	LS159	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID134	LS160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.36	-
ID135	LS161	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID136	LS162	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID137	LS163	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID138	LS169	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID139	LS171	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Asset Unique ID	Asset Name	S-1	S-2	S-3	S-4	S-5	S-6	S-7	S-8	S-9	S-10	S-11	S-12	S-13	S-14	S-15	S-16	S-17	S-18	S-19	S-20	S-21	S-22	S-23	S-24	S-25	S-26	S-27	S-28	S-29	S-30	S-31
ID140	LS172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID141	LS190	-	1.18	2.30	0.41	1.71	2.96	0.57	1.81	3.01	0.93	2.02	3.18	1.43	2.36	3.39	1.15	1.65	2.49	1.92	2.43	3.27	2.06	2.53	3.33	2.43	2.83	3.56	3.07	3.38	3.97	3.53
ID142	LS191	-	-	-	-	-	0.20	-	-	0.24	-	-	0.40	-	-	0.60	-	-	-	-	-	0.46	-	-	0.52	-	-	0.75	0.18	0.52	1.15	0.75
ID143	LS193	-	0.63	1.78	-	1.17	2.49	0.03	1.27	2.55	0.40	1.48	2.73	0.90	1.85	2.95	0.64	1.08	1.99	1.43	1.91	2.81	1.57	2.03	2.87	1.96	2.36	3.11	2.61	2.91	3.53	3.09
ID144	LS203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID145	LS204	-	0.30	0.71	-	0.47	0.91	-	0.48	0.91	-	0.50	0.94	-	0.50	0.94	-	0.30	0.71	-	0.48	0.91	-	0.48	0.91	-	0.50	0.94	-	0.51	0.95	1.10
ID146	LS205	-	0.56	0.92	0.08	0.72	1.09	0.08	0.72	1.09	0.20	0.74	1.11	0.23	0.74	1.11	-	0.56	0.93	0.10	0.72	1.09	0.11	0.72	1.09	0.23	0.74	1.11	0.26	0.75	1.11	1.23
ID147	LS206	0.21	0.57	0.89	0.33	0.70	1.06	0.33	0.70	1.06	0.37	0.72	1.07	0.37	0.72	1.07	0.21	0.57	0.89	0.33	0.70	1.06	0.33	0.70	1.06	0.37	0.72	1.07	0.37	0.72	1.07	1.18
ID148	LS207	-	0.22	0.58	-	0.38	0.75	-	0.38	0.75	-	0.40	0.77	-	0.40	0.77	-	0.22	0.59	-	0.38	0.75	-	0.38	0.75	-	0.40	0.77	-	0.41	0.77	0.89
ID149	LS001	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID150	LS002	-	-	0.85	-	0.36	1.46	-	0.44	1.50	-	0.60	1.66	0.08	0.86	1.86	-	0.21	1.01	0.31	0.86	1.73	0.45	0.97	1.79	0.84	1.27	2.02	1.48	1.81	2.42	2.00
ID151	LS003	-	0.94	1.93	0.17	1.44	2.54	0.33	1.52	2.58	0.69	1.68	2.74	1.16	1.94	2.94	0.73	1.29	2.09	1.39	1.94	2.81	1.53	2.05	2.87	1.92	2.35	3.10	2.56	2.89	3.50	3.08
ID152	LS004	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID153	LS005	-	-	-	-	-	0.23	-	-	0.24	-	-	0.40	-	-	0.61	-	-	-	-	-	0.47	-	-	0.53	-	-	0.76	0.17	0.53	1.17	0.76
ID154	LS006	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.06	-	-	0.46	0.06
ID155	LS007	-	-	0.23	-	-	0.63	-	-	0.64	-	-	0.68	-	-	0.69	-	-	0.26	-	-	0.65	-	-	0.65	-	-	0.69	-	0.01	0.73	0.89
ID156	LS008	-	-	-	-	-	0.57	-	-	0.61	-	-	0.77	-	-	0.97	-	-	0.11	-	-	0.84	-	0.06	0.90	-	0.36	1.13	0.57	0.91	1.53	1.12
ID157	LS009	-	-	-	-	-	0.09	-	-	0.14	-	-	0.30	-	-	0.50	-	-	-	-	-	0.38	-	-	0.44	-	-	0.66	0.13	0.46	1.07	0.64
ID158	LS010	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.14	-	-	-	-	-	0.02	-	-	0.08	-	-	0.31	-	0.13	0.72	0.28
ID159	LS011	-	0.30	1.42	-	0.83	2.08	-	0.93	2.13	0.05	1.14	2.30	0.55	1.48	2.51	0.27	0.77	1.61	1.04	1.55	2.39	1.18	1.65	2.45	1.55	1.95	2.68	2.19	2.50	3.09	2.65
ID160	LS012	-	-	-	-	-	0.46	-	-	0.52	-	-	0.69	-	-	0.90	-	-	-	-	-	0.79	-	0.05	0.85	0.01	0.38	1.08	0.66	0.94	1.51	1.04
ID161	LS014	-	-	-	-	-	0.36	-	-	0.41	-	-	0.58	-	-	0.79	-	-	-	-	-	0.67	-	-	0.73	-	0.23	0.96	0.47	0.78	1.37	0.93
ID162	LS015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.38	0.01
ID163	LS016	-	0.27	0.84	-	0.48	1.06	-	0.48	1.06	-	0.53	1.18	0.11	0.65	1.37	-	0.28	0.83	-	0.50	1.23	-	0.51	1.29	0.16	0.59	1.50	0.69	1.21	1.89	1.52
ID164	LS017	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID165	LS244	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID166	LS251	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID167	LS254	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID168	LS261	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID169	LS263	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.01	0.13
ID170	LS264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID171	LS265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID172	LS266	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID173	LS291	-	-	0.29	-	-	0.62	-	-	0.62	-	-	0.65	-	-	0.65	-	-	0.29	-	-	0.62	-	-	0.62	-	-	0.65	-	-	0.65	0.87
ID174	LS292	-	-	0.46	-	-	0.79	-	-	0.79	-	-	0.82	-	-	0.82	-	-	0.46	-	-	0.79	-	-	0.79	-	-	0.82	-	-	0.82	1.04
ID175	LS293	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID176	LS294	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID177	LS093	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.09	0.27	0.53	0.24	0.41	0.67	0.69	0.87	1.14	1.37	1.53	1.75	-
ID178	LS199	-	-	-	-	-	-	-	-	-	-	-	0.06	-	-	0.27	-	-	-	-	-	0.15	-	-	0.21	-	-	0.43	-	0.23	0.83	0.41
ID179	LS079	-	0.53	1.75	-	1.10	2.45	-	1.21	2.51	0.32	1.45	2.69	0.83	1.82	2.91	0.47	1.00	1.96	1.35	1.87	2.76	1.51	1.98	2.83	1.91	2.31	3.06	2.56	2.86	3.48	3.04
ID180	LS082	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID181	LS084	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.12	-	-	0.25	0.15	0.34	0.67	0.84	1.00	1.27	0.01
ID182	LS090	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.12	0.28	0.44	0.70	-
ID183	LS091	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.39	0.60	0.91	0.55	0.74	1.05	1.00	1.19	1.50	1.69	1.85	2.09	-
ID184	LS092	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID185	LS094	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID186	LS096	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.07	-	-	0.17	0.64	0.87	1.22	0.80	1.01	1.35	1.26	1.45	1.77	1.95	2.11	2.36	-
ID187	LS097	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID188	LS238	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID189	LS208	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID190	LS209	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.03
ID191	LS210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID192	LS211	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10
ID193	LS033	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.54	-	0.11	0.65	0.32	0.52	1.01	1.03	1.20	1.56	-
ID194	LS300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.02	-	-	0.13	-	-	0.49	0.51	0.68	1.04	-
ID195	LS034	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.02	0.41	-
ID196	LS085	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.09	-	0.16	0.47	0.62	0.78	1.07	-
ID197	LSAM1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID198	LS013	-	-	0.27	-	-	0.99	-	-	1.05	-	-	1.22	-	0.35	1.44	-	-	0.49	-	0.45	1.32	0.13	0.57	1.39	0.53	0.90	1.62	1.17	1.46	2.05	1.58
ID199	LS083	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.05	-	0.02	0.43	0.51	0.70	1.01	-
ID200	LS170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID201	LS179	-	0.05	0.52	-	0.28	0.75	-	0.28	0.75	-	0.30	0.87	-	0.33	1.07	-	0.05	0.52	-	0.28	0.94	-	0.28	0.99	-	0.31	1.21	0.47	0.93	1.60	1.22
ID202	LS200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID203	LS226	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID204	LS228	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID205	LS230	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.04
ID206	LS231	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID207	LS232	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID208	LS233	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID209	LS234	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.32	0.51	0.62	0.91	-
ID210	LS235	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID211	LS236	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID212	LS237	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID213	LS295	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID214	LS081	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Asset Unique ID	Asset Name	S-1	S-2	S-3	S-4	S-5	S-6	S-7	S-8	S-9	S-10	S-11	S-12	S-13	S-14	S-15	S-16	S-17	S-18	S-19	S-20	S-21	S-22	S-23	S-24	S-25	S-26	S-27	S-28	S-29	S-30	S-31
ID215	LSP01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID216	LSP04	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID217	LSP03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID218	LSP02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID219	LS921	-	-	0.52	-	0.26	0.96	-	0.34	0.99	0.29	0.56	1.10	0.83	1.03	1.59	1.28	1.47	1.69	2.16	2.39	2.74	2.32	2.53	2.87	2.78	2.97	3.29	3.47	3.63	3.88	1.21
ID220	LS932	-	-	-	-	-	0.15	-	-	0.20	-	-	0.35	-	-	0.56	-	-	-	-	-	0.42	-	-	0.48	-	-	0.70	0.14	0.48	1.11	0.70
ID221	LS934	-	-	-	-	-	0.41	-	-	0.50	-	-	0.79	-	0.25	1.16	-	0.29	0.75	0.89	1.17	1.71	1.05	1.31	1.82	1.50	1.73	2.19	2.21	2.40	2.74	1.05
ID222	LS930	-	-	-	-	-	-	-	-	-	-	-	0.35	0.33	0.47	1.00	0.87	1.03	1.19	1.78	1.96	2.22	1.93	2.10	2.36	2.38	2.56	2.83	3.06	3.22	3.44	-
ID223	LS951	-	-	-	-	-	0.26	-	-	0.26	-	-	0.29	-	-	0.29	-	-	-	0.13	0.40	0.74	0.30	0.53	0.88	0.77	0.97	1.29	1.45	1.61	1.88	0.48
ID224	LS952	1.53	1.97	2.44	1.75	2.15	2.71	1.75	2.15	2.71	1.80	2.17	2.74	1.81	2.17	2.74	1.58	1.99	2.44	2.58	2.85	3.19	2.75	2.98	3.33	3.22	3.42	3.74	3.90	4.06	4.33	2.93
ID225	LS953	-	0.03	0.50	-	0.21	0.77	-	0.21	0.77	-	0.23	0.80	-	0.23	0.80	-	0.05	0.50	0.64	0.91	1.25	0.81	1.04	1.39	1.28	1.48	1.80	1.96	2.12	2.39	0.99
ID226	LS960	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID227	LS925	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.29	0.47	0.73	0.44	0.61	0.87	0.89	1.07	1.34	1.57	1.73	1.95	-
ID228	LS981	-	-	-	-	-	0.11	-	-	0.21	-	-	0.50	-	0.02	0.90	-	0.06	0.51	0.68	0.96	1.53	0.85	1.10	1.64	1.31	1.51	2.00	2.02	2.19	2.55	0.77
ID229	LS909	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID230	LS903	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID231	LS906	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID232	LS935	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID233	LS907	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID234	LS975	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID235	LS948	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID236	LS910	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID237	LS902	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.53	0.58	0.65	-
ID238	LS904	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID239	LS905	-	-	-	-	-	0.25	-	-	0.26	-	-	0.33	-	0.00	0.39	-	-	0.03	-	-	0.34	-	-	0.36	0.25	0.39	0.59	1.21	1.25	1.32	0.40
ID240	LS908	-	-	0.05	-	-	0.23	-	-	0.23	-	-	0.26	-	-	0.27	-	-	0.05	-	-	0.23	-	-	0.24	-	-	0.27	-	-	0.29	0.41
ID241	LS911	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.52
ID242	LS912	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.29
ID243	LS913	-	0.50	0.88	0.18	0.67	1.24	0.19	0.67	1.28	0.26	0.70	1.43	0.34	0.76	1.63	-	0.50	0.88	0.21	0.68	1.49	0.23	0.70	1.55	0.53	0.96	1.76	1.14	1.50	2.15	1.78
ID244	LS914	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.02	-	-	-	-	-	-	-	-	-	-	-	0.15	-	-	0.54	0.17
ID245	LS915	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID246	LS916	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID247	LS918	0.25	0.28	0.68	0.27	0.34	0.89	0.27	0.33	0.89	0.28	0.35	0.90	0.28	0.32	0.90	0.25	0.28	0.68	0.27	0.31	0.88	0.27	0.30	0.88	0.28	0.31	0.90	0.28	0.31	0.91	1.06
ID248	LS919	-	-	0.36	-	-	0.99	-	-	1.03	-	0.09	1.19	-	0.37	1.39	-	-	0.52	-	0.37	1.26	-	0.47	1.32	0.32	0.77	1.54	0.97	1.32	1.95	1.54
ID249	LS920	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID250	LS922	-	-	0.42	-	0.16	0.86	-	0.24	0.89	0.19	0.46	1.00	0.73	0.93	1.49	1.18	1.37	1.59	2.06	2.29	2.64	2.22	2.43	2.77	2.68	2.87	3.19	3.37	3.53	3.78	1.11
ID251	LS923	-	0.48	1.48	0.44	1.10	2.27	0.60	1.24	2.37	1.07	1.60	2.66	1.69	2.12	3.03	1.86	2.16	2.62	2.77	3.05	3.59	2.93	3.19	3.70	3.38	3.60	4.07	4.08	4.27	4.62	2.92
ID252	LS924	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID253	LS926	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID254	LS937	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID255	LS940	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.19	-
ID256	LS941	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID257	LS950	-	0.33	1.31	0.32	0.96	2.11	0.48	1.10	2.21	0.96	1.47	2.50	1.59	2.00	2.88	1.76	2.05	2.50	2.68	2.95	3.48	2.84	3.09	3.59	3.30	3.51	3.96	4.01	4.19	4.52	2.76
ID258	LS961	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID259	LS965	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID260	LS962	-	-	0.45	-	-	0.80	-	-	0.80	-	0.01	0.83	-	0.01	0.83	-	-	0.45	-	-	0.80	-	-	0.80	-	0.01	0.83	-	0.01	0.83	1.09
ID261	LS917	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID262	LS972	-	-	-	-	-	-	-	-	-	-	-	-	-	0.05	0.58	0.45	0.61	0.77	1.36	1.54	1.80	1.51	1.68	1.94	1.96	2.14	2.41	2.64	2.80	3.02	-
ID263	LS973	-	-	-	-	-	0.79	-	-	0.89	-	0.08	1.19	0.17	0.60	1.57	0.33	0.63	1.10	1.22	1.52	2.12	1.38	1.66	2.23	1.82	2.06	2.59	2.52	2.72	3.12	1.48
ID264	LS978	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID265	LS984	2.07	3.14	3.94	2.37	3.45	4.31	2.37	3.45	4.31	2.46	3.48	4.35	2.46	3.48	4.35	2.07	3.14	3.94	2.37	3.45	4.31	2.37	3.45	4.31	2.46	3.48	4.35	2.46	3.48	4.35	4.62
ID266	LS985	0.70	1.77	2.58	0.99	2.08	2.94	0.99	2.08	2.94	1.08	2.12	2.98	1.08	2.12	2.98	0.70	1.77	2.58	0.99	2.08	2.94	0.99	2.08	2.94	1.08	2.12	2.98	1.08	2.12	2.98	3.24
ID278	FA-02	-	-	0.18	-	-	0.40	-	-	0.40	-	-	0.41	-	-	0.38	-	-	-	0.17	-	-	0.38	-	-	0.37	-	-	0.38	-	-	0.40	0.58
ID279	FA-03	-	-	-	-	-	0.10	-	-	0.10	-	-	0.11	-	-	0.08	-	-	-	-	-	0.08	-	-	0.07	-	-	0.08	-	-	0.10	0.28
ID280	FA-04	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID281	FA-05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID282	FA-06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID283	FA-07	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID284	FA-08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID285	FA-09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID286	FA-10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID287	FA-11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID288	FA-12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID289	FA-13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID290	FA-14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID291	FA-14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID292	FA-15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID293	FA-16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID294	SA-08A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID295	SA-09A	-	0.18	0.43	0.07	0.24	0.65	0.07	0.24	0.65	0.08	0.24	0.66	0.08	0.24	0.63	-	0.18	0.42	0.07	0.24	0.63	0.07	0.24	0.62	0.08	0.24	0.63	0.08	0.24	0.65	0.83
ID296	SA-10A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.08
ID297	SA-11A	0.19	0.39	0.64	0.28	0.45	0.86	0.28	0.45	0.86	0.29	0.45	0.87	0.29	0.45	0.84	0.19	0.39	0.63	0.28	0.45	0.84	0.28	0.45	0.83	0.29	0.45	0.84	0.29	0.45	0.86	1.04
ID298	SA-12A	-	-	-	-	-	0.05	-	-	0.05	-	-	0.07	-	-	0.06	-	-	-	-	-	0.04	-	-	0.04	-	-	0.06	-	-	0.07	0.22
ID299	SA-13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID300	SA-14	-	-	-	-	-	0.20	-	-	0.20	-	-	0.22	-	-	0.21	-	-	-	-	-	0.19	-	-	0.19	-	-	0.21	-	-	0.22	0.38

Asset Unique ID	Asset Name	S-1	S-2	S-3	S-4	S-5	S-6	S-7	S-8	S-9	S-10	S-11	S-12	S-13	S-14	S-15	S-16	S-17	S-18	S-19	S-20	S-21	S-22	S-23	S-24	S-25	S-26	S-27	S-28	S-29	S-30	S-31
ID301	SA-15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID302	SA-16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID303	SA-17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID304	SA-18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID305	SA-19	-	-	-	-	-	0.41	-	-	0.42	-	-	0.50	-	-	0.54	-	-	-	-	-	0.43	-	-	0.43	-	-	0.52	-	-	0.57	0.95
ID306	SA-20	-	0.13	0.49	-	0.29	0.66	-	0.29	0.66	-	0.31	0.68	-	0.31	0.68	-	0.13	0.50	-	0.29	0.66	-	0.29	0.66	-	0.31	0.68	-	0.32	0.68	0.80
ID307	SA-21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.04
ID308	SA-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID309	SA-23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID310	SA-24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID311	SA-25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID312	SA-26	-	-	-	-	-	0.17	-	-	0.17	-	-	0.22	-	-	0.22	-	-	-	-	-	0.17	-	-	0.17	-	-	0.22	-	-	0.22	0.49
ID313	SA-27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID314	SA-28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID315	SA-29	-	-	0.72	-	0.15	1.22	-	0.15	1.22	-	0.18	1.29	-	0.18	1.30	-	-	0.72	-	0.15	1.22	-	0.15	1.22	-	0.18	1.30	-	0.18	1.30	1.61
ID316	SA-30	-	-	0.28	-	-	0.78	-	-	0.78	-	-	0.85	-	-	0.86	-	-	0.28	-	-	0.78	-	-	0.78	-	-	0.86	-	-	0.86	1.17
ID317	SA-31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID318	SA-32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID319	SA-33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID320	SA-34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID321	SA-35	0.30	0.32	0.51	0.32	0.35	0.66	0.32	0.35	0.66	0.33	0.36	0.68	0.33	0.36	0.68	0.30	0.32	0.51	0.32	0.35	0.66	0.32	0.35	0.66	0.33	0.36	0.68	0.33	0.36	0.68	0.78
ID322	SA-36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.02
ID323	SA-37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID324	SA-39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID325	SA-40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID326	SA-41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.33
ID327	SA-42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.02
ID328	SA-43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID329	SA-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID330	SA-45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID331	SA-46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID332	SA-47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID333	SA-48	-	-	-	-	-	0.15	-	-	0.15	-	-	0.21	-	-	0.21	-	-	-	-	-	0.15	-	-	0.15	-	-	0.21	-	-	0.22	0.50
ID334	SA-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID335	SA-50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID336	SA-51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.27
ID337	SA-52	-	-	-	-	-	0.05	-	-	0.05	-	-	0.11	-	-	0.11	-	-	-	-	-	0.05	-	-	0.05	-	-	0.11	-	-	0.12	0.40
ID338	SA-53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID339	SA-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID340	SA-55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID341	SA-56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID342	SA-57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID343	SA-58	-	-	0.05	-	-	0.10	-	-	0.10	-	-	0.10	-	-	0.10	-	-	0.05	-	-	0.10	-	-	0.10	-	-	0.10	-	-	0.10	0.14
ID344	SA-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID345	SA-60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID346	SA-62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID347	SA-67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID348	SA-68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID352	Seacoast 10" Interconnect	-	1.07	2.04	0.20	1.48	2.50	0.20	1.48	2.50	0.29	1.52	2.55	0.29	1.52	2.55	-	1.07	2.04	0.20	1.48	2.50	0.20	1.48	2.50	0.29	1.52	2.55	0.29	1.52	2.55	2.87
ID353	Seacoast 12" Interconnect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID354	Seacoast 8" Interconnect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID355	Tequesta 12" Interconnect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID356	Tequesta 8" Interconnect	-	0.27	1.37	-	0.81	2.06	-	0.89	2.12	0.04	1.09	2.29	0.52	1.43	2.50	0.14	0.59	1.56	0.91	1.41	2.34	1.05	1.52	2.41	1.44	1.84	2.61	2.08	2.39	3.03	2.65
ID551	Jupiter Inlet Historic and Archeological Site	0.17	0.31	1.24	0.35	0.94	1.99	0.51	1.08	2.09	1.00	1.44	2.36	1.62	1.97	2.74	1.99	2.21	2.52	2.90	3.12	3.47	3.05	3.26	3.59	3.50	3.71	4.03	4.19	4.37	4.63	2.52
ID552	Jupiter Inlet Shipwrecks Historical Marker	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.12	0.39	0.62	0.78	1.00	-
ID634	FA-17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID635	FA-18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID636	FA-19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID639	Jupiter Lake Worth Railway (AKA Celestial Railway)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID640	Scheurich Midden	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID641	Jupiter Lake Worth Railway Terminus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID642	Sperry Property	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ID643	River Hammock	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.33	-
ID644	20 W Riverside Drive	-	-	-	-	-	-	-	-	-	-	-	0.17	-	-	0.39	-	-	-	-	-	0.24	-	-	0.31	-	-	0.54	0.04	0.34	0.96	0.52
ID645	Sawfish Bay Park Midden	-	-	0.45	-	0.07	1.26	-	0.20	1.36	0.03	0.55	1.66	0.64	1.07	2.04	0.80	1.10	1.57	1.69	1.99	2.59	1.85	2.13	2.70	2.29	2.53	3.06	2.99	3.19	3.59	1.95

Appendix G: Scenario-Specific Sensitivity Scores

Appendix G
Scenario Weighting Factors

Scenario Name	Rainfall	Sea Level Rise Projection	Planning Horizon	Tidal Condition	Rainfall	Sea Level Rise Projection	Planning Horizon	Overall Weight	Overall Weight Normalized
Scenario 1	10-year	N/A	2023 - Current	Normal High Tide	45%	40%	75%	13.5%	13.8%
Scenario 2	25-year				30%	40%	75%	9.0%	9.2%
Scenario 3	100-year				22%	40%	75%	6.6%	6.7%
Scenario 4	10-year	2022 NOAA Intermediate Low	2050		45%	30%	30%	4.1%	4.1%
Scenario 5	25-year				30%	30%	30%	2.7%	2.8%
Scenario 6	100-year				22%	30%	30%	2.0%	2.0%
Scenario 7	10-year	2022 NOAA Intermediate			45%	30%	30%	4.1%	4.1%
Scenario 8	25-year				30%	30%	30%	2.7%	2.8%
Scenario 9	100-year				22%	30%	30%	2.0%	2.0%
Scenario 10	10-year	2022 NOAA Intermediate Low	2080		45%	30%	20%	2.7%	2.8%
Scenario 11	25-year				30%	30%	20%	1.8%	1.8%
Scenario 12	100-year				22%	30%	20%	1.3%	1.3%
Scenario 13	10-year	2022 NOAA Intermediate			45%	30%	20%	2.7%	2.8%
Scenario 14	25-year				30%	30%	20%	1.8%	1.8%
Scenario 15	100-year				22%	30%	20%	1.3%	1.3%
Scenario 16	10-year	N/A	2023 - Current	Storm Surge (100-Year)	45%	40%	25%	4.5%	4.6%
Scenario 17	25-year				30%	40%	25%	3.0%	3.1%
Scenario 18	100-year				22%	40%	25%	2.2%	2.2%
Scenario 19	10-year	2022 NOAA Intermediate Low	2050		45%	30%	30%	4.1%	4.1%
Scenario 20	25-year				30%	30%	30%	2.7%	2.8%
Scenario 21	100-year				22%	30%	30%	2.0%	2.0%
Scenario 22	10-year	2022 NOAA Intermediate			45%	30%	30%	4.1%	4.1%
Scenario 23	25-year				30%	30%	30%	2.7%	2.8%
Scenario 24	100-year				22%	30%	30%	2.0%	2.0%
Scenario 25	10-year	2022 NOAA Intermediate Low	2080		45%	30%	20%	2.7%	2.8%
Scenario 26	25-year				30%	30%	20%	1.8%	1.8%
Scenario 27	100-year				22%	30%	20%	1.3%	1.3%
Scenario 28	10-year	2022 NOAA Intermediate High			45%	30%	20%	2.7%	2.8%
Scenario 29	25-year				30%	30%	20%	1.8%	1.8%
Scenario 30	100-year				22%	30%	20%	1.3%	1.3%
Scenario 31	500-year	N/A	2023 - Current	Normal High Tide	3%	40%	75%	0.9%	0.9%
							SUM	**97.9%**	**100.0%**

Appendix G
Scenario-Specific Sensitivity Scores - Buildings

Asset Unique ID	Asset Name	Asset Type	S-1	S-2	S-3	S-4	S-5	S-6	S-7	S-8	S-9	S-10	S-11	S-12	S-13	S-14	S-15	S-16	S-17	S-18	S-19	S-20	S-21	S-22	S-23	S-24	S-25	S-26	S-27	S-28	S-29	S-30	S-31	Overall Sensitivity Scores
			14%	9%	7%	4%	3%	2%	4%	3%	2%	3%	2%	1%	3%	2%	1%	5%	3%	2%	4%	3%	2%	4%	3%	2%	3%	2%	1%	3%	2%	1%	1%	
ID269	Seminole Pump Station	Stormwater Treatment Facility and Pump Station	0	0.09	0.20	0	0.06	0.08	0	0.06	0.08	0	0.06	0.05	0.03	0.06	0.05	0.05	0.06	0.09	0.12	0.11	0.08	0.12	0.11	0.08	0.11	0.07	0.07	0.11	0.09	0.07	0.05	2.21
ID270	7th Street Pump Station	Stormwater Treatment Facility and Pump Station	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.01
ID273	Abacoa Electrical Building and Generator #10	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID274	Future Island Way Electrical Building and Generator	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID276	Wellhouse 12 and Generator 2	Drinking Water Facility	0	0	0.07	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.01	0	0	0.02	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.01	0.01	0.23
ID277	Wellhouse 15 and Generator 3 for Wellfield #4	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID388	Jupiter Community Center	Community Center	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID389	West Jupiter Recreation Center	Community Center	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID390	Police Department	Emergency Operation Center	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.01	0	0	0	0	0	0.02	0	0	0.02	0	0	0.03	0.03	0.02	0.04	0.02	0.24
ID392	Fire Rescue Station 16	Fire Station	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0.01
ID393	Fire Rescue Station 18	Fire Station	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID394	Fire Rescue Station 19	Fire Station	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID395	Future Fire Station 1	Fire Station	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.01
ID396	Future Fire Station 2	Fire Station	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID397	Addington Place Jupiter	Health Care Facility	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0	0.01	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0	0.01	0.02	0.07
ID398	Atria Park of St. Joseph's	Health Care Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID399	Coastal Dialysis Center	Health Care Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID400	Courtyard Gardens Jupiter	Health Care Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID401	Davita Jupiter Dialysis	Health Care Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID402	Home Suite Home 3	Health Care Facility	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.01	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.01	0.01	0.14
ID403	Home Suite Home 4	Health Care Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID404	Jupiter Kidney Center LLC	Health Care Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID405	Jupiter Medical Center Pavilion Incorporated	Health Care Facility	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.03	0	0	0	0	0	0.02	0	0	0.02	0	0	0.03	0	0.02	0.04	0.02	0.23
ID406	Jupiter Rehabilitation and Healthcare Center	Health Care Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.01
ID407	Jupiter Urgent Care Incorporated	Health Care Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID408	Luxe at Jupiter Rehabilitation Center (The)	Health Care Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID409	Luxe Senior Living At Jupiter	Health Care Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID410	Mangrove Bay	Health Care Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID413	Main Town Hall	Local Government Facility	0	0	0.07	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.03	0	0	0.02	0	0	0.02	0	0	0.02	0	0	0.03	0.03	0.04	0.04	0.02	0.36
ID548	Dubois Pioneer Home	Historical and Cultural Asset	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID549	Florida East Coast Railway Jupiter Train Depot	Historical and Cultural Asset	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.03	0	0	0.02	0.04	0.06	0.06	0.08	0.06	0.06	0.08	0.06	0.05	0.11	0.07	0.05	0.02	0.91
ID550	Jupiter Civic Center	Historical and Cultural Asset	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID553	Jupiter Lighthouse	Historical and Cultural Asset	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID554	Life Saving Station	Historical and Cultural Asset	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID555	Mt Carmel Baptist Church	Historical and Cultural Asset	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID556	Old Town Hall	Historical and Cultural Asset	0.14	0.28	0.34	0.08	0.11	0.10	0.08	0.11	0.10	0.08	0.07	0.07	0.11	0.09	0.07	0.18	0.12	0.11	0.17	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	3.74
ID557	People's Congregation Church	Historical and Cultural Asset	0	0	0	0	0	0.04	0	0	0.04	0	0	0.03	0	0.02	0.04	0	0	0.02	0	0.03	0.04	0	0.03	0.06	0.03	0.04	0.04	0.06	0.06	0.05	0.03	0.64
ID559	Sims House	Historical and Cultural Asset	0	0	0.13	0	0.03	0.08	0	0.03	0.08	0	0.04	0.05	0.03	0.06	0.05	0	0.03	0.07	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.05	0.11	0.07	0.07	0.04	1.67
ID560	The Alice Kitching Benton House	Historical and Cultural Asset	0	0.28	0.27	0.04	0.11	0.10	0.08	0.11	0.10	0.08	0.07	0.07	0.11	0.09	0.07	0.14	0.12	0.11	0.17	0.14	0.10	0.17	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	3.41
ID561	The Brooker House	Historical and Cultural Asset	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.03	0	0	0	0	0	0.02	0	0	0.04	0	0.02	0.03	0.03	0.04	0.04	0.02	0.31
ID562	The Councilor's House	Historical and Cultural Asset	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.01
ID563	WWII Naval Housing Building	Historical and Cultural Asset	0	0	0.07	0	0	0.04	0	0	0.04	0	0.02	0.04	0.06	0.04	0.05	0.09	0.09	0.07	0.17	0.11	0.08	0.17	0.11	0.08	0.11	0.09	0.07	0.14	0.09	0.07	0.03	1.91
ID637	Aicher House	Historical and Cultural Asset	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0	0	0.04	0.03	0.04	0.04	0.03	0.06	0.06	0.04	0.04	0.08	0.07	0.05	0.01	0.60
ID638	Jupiter Methodist Church	Historical and Cultural Asset	0.28	0.37	0.34	0.08	0.11	0.10	0.12	0.11	0.10	0.11	0.09	0.07	0.11	0.09	0.07	0.18	0.12	0.11	0.207	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.1	0.0	4.10

Asset Unique ID	Asset Name	Asset Type	S-1	S-2	S-3	S-4	S-5	S-6	S-7	S-8	S-9	S-10	S-11	S-12	S-13	S-14	S-15	S-16	S-17	S-18	S-19	S-20	S-21	S-22	S-23	S-24	S-25	S-26	S-27	S-28	S-29	S-30	S-31	Overall Sensitivity Score
			13.8%	9.2%	6.7%	4.1%	2.8%	2.0%	4.1%	2.8%	2.0%	2.8%	1.8%	1.3%	2.8%	1.8%	1.3%	4.6%	3.1%	2.2%	4.1%	2.8%	2.0%	4.1%	2.8%	2.0%	2.8%	1.8%	1.3%	2.8%	1.8%	1.3%	0.9%	
ID060	Admiral's Cove Marina	Marina	-	-	-	-	-	-	-	-	-	-	-	0.01	-	-	0.01	-	-	0.02	0.04	0.06	0.06	0.08	0.06	0.06	0.08	0.06	0.05	0.11	0.07	0.07	-	0.86
ID061	Jupiter Inlet Marina	Marina	0.05	0.04	0.03	0.02	0.01	-	0.02	0.01	-	0.01	-	-	0.01	-	-	0.02	0.01	0.01	0.02	0.01	-	0.02	0.01	-	0.01	-	-	0.02	0.01	0.01	-	0.46
ID064	Wastewater Treatment Plant	Wastewater Treatment Facility and Lift Station (WWTP)	0.09	0.07	0.06	0.03	0.02	0.02	0.03	0.02	0.02	0.02	0.02	0.01	0.02	0.02	0.01	0.03	0.02	0.02	0.03	0.02	0.02	0.03	0.02	0.02	0.02	0.02	0.01	0.02	0.02	0.01	-	0.75
ID267	Egret's Landing Recharge System Pump Station	Stormwater Treatment Facility and Pump Station (Parcel)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.01
ID268	North Old Dixie Highway Pump Station	Stormwater Treatment Facility and Pump Station (Parcel)	-	0.09	0.27	-	0.07	0.10	-	0.08	0.10	0.03	0.06	0.07	0.06	0.07	0.07	0.09	0.08	0.09	0.12	0.11	0.10	0.17	0.11	0.10	0.12	0.09	0.07	0.14	0.09	0.07	0.05	2.66
ID271	Salinity Barrier Structure	Stormwater Treatment Facility and Pump Station (Salinity Barrier)	0.69	0.46	0.34	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.23	0.15	0.11	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	5.00
ID272	St Peters Recharge System Pump Station	Stormwater Treatment Facility and Pump Station (Parcel)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0
ID275	Water Treatment Plant	Drinking Water Facility (Water Treatment Plant)	0.11	0.08	0.08	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.98
ID349	Central Boulevard High Service Pump Station	Water Utility Conveyance System	0.10	0.09	0.08	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.98
ID350	Juno Repump Station	Water Utility Conveyance System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0
ID351	Riverbend Repump Station	Water Utility Conveyance System	0.25	0.31	0.30	0.09	0.11	0.10	0.09	0.11	0.10	0.06	0.07	0.06	0.06	0.07	0.06	0.08	0.10	0.10	0.09	0.11	0.10	0.09	0.11	0.10	0.06	0.07	0.06	0.06	0.07	0.06	0.04	3.16
ID357	FPL Substation 1	Electric Production and Supply Facility	-	0.01	0.06	-	-	0.04	-	0.01	0.04	-	0.01	0.03	-	0.02	0.04	-	-	0.02	0.01	0.02	0.05	0.02	0.03	0.05	0.02	0.03	0.04	0.05	0.04	0.05	0.03	0.75
ID358	FPL Substation 2	Electric Production and Supply Facility	0.03	0.03	0.04	-	0.01	0.01	-	0.01	0.01	-	-	-	-	-	-	-	-	0.01	-	0.01	0.01	-	0.01	0.01	-	-	-	-	-	0.01	-	0.37
ID359	FPL Substation 3	Electric Production and Supply Facility	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0
ID360	North County Transfer Station	Solid and Hazardous Waste Facility	0.10	0.09	0.07	0.03	0.03	0.02	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.02	0.03	0.03	0.02	0.03	0.03	0.02	0.02	0.02	0.02	0.03	0.02	0.02	0.01	0.93
ID361	ABC Montessori Academy	School	0.14	0.11	0.13	0.05	0.05	0.05	0.05	0.05	0.05	0.03	0.03	0.04	0.03	0.03	0.04	0.05	0.04	0.04	0.05	0.05	0.06	0.05	0.05	0.06	0.03	0.03	0.04	0.05	0.05	0.05	0.03	1.59
ID362	All Saints Catholic School	School	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.00
ID363	Beacon Cove Intermediate School	School	-	-	0.02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.11
ID364	Bluff's School	School	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0
ID365	Children's Enrichment Center - First United Methodist Church	School	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0
ID366	First Class Preschool	School	-	-	0.01	-	-	0.01	-	-	0.01	-	-	0.01	-	-	0.02	-	0.02	0.02	0.04	0.04	0.05	0.05	0.05	0.05	0.05	0.05	0.04	0.09	0.06	0.06	0.01	0.78
ID367	Florida Virtual School 4 Kids	School	0.29	0.23	0.21	0.10	0.07	0.06	0.10	0.07	0.06	0.07	0.05	0.04	0.07	0.05	0.05	0.10	0.08	0.07	0.10	0.07	0.07	0.10	0.07	0.07	0.07	0.05	0.05	0.07	0.06	0.06	0.03	2.67
ID368	Growing Minds Prep Academy	School	0.24	0.34	0.30	0.10	0.11	0.10	0.12	0.11	0.10	0.09	0.08	0.07	0.11	0.08	0.07	0.17	0.13	0.10	0.18	0.13	0.10	0.18	0.13	0.10	0.13	0.09	0.07	0.14	0.09	0.07	0.05	3.88
ID369	Jerry Thomas Elementary School	School	0.08	0.07	0.06	0.03	0.02	0.02	0.03	0.02	0.02	0.02	0.02	0.01	0.02	0.02	0.01	0.03	0.02	0.02	0.03	0.02	0.02	0.03	0.02	0.02	0.02	0.02	0.01	0.02	0.02	0.01	0.01	0.77
ID370	Jupiter Christian School	School	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.06
ID371	Jupiter Christian School - East Campus	School	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.03
ID372	Jupiter Elementary School	School	0.11	0.08	0.07	0.04	0.03	0.02	0.04	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.04	0.03	0.02	0.04	0.03	0.03	0.04	0.03	0.03	0.02	0.02	0.02	0.03	0.03	0.03	0.02	1.01
ID373	Jupiter First Church Preschool	School	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.01
ID374	Jupiter High School	School	0.07	0.05	0.04	0.02	0.01	0.01	0.02	0.01	0.01	0.01	0.01	-	0.01	0.01	-	0.02	0.02	0.01	0.02	0.02	0.01	0.02	0.02	0.01	0.02	0.01	0.01	0.02	0.01	0.01	-	0.56
ID375	Jupiter Middle School of Technology	School	0.07	0.12	0.13	0.03	0.04	0.05	0.03	0.04	0.05	0.02	0.03	0.03	0.03	0.03	0.03	0.02	0.04	0.04	0.03	0.04	0.05	0.03	0.04	0.05	0.03	0.03	0.03	0.03	0.03	0.03	0.03	1.31
ID376	Kidz Exploration Center	School	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.01
ID377	Lighthouse Elementary School	School	0.04	0.05	0.13	0.01	0.03	0.05	0.01	0.03	0.05	-	0.02	0.03	0.01	0.02	0.03	0.01	0.02	0.04	0.01	0.03	0.05	0.01	0.03	0.05	0.01	0.02	0.03	0.01	0.03	0.03	0.03	0.97
ID378	Limestone Creek Elementary School	School	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.00
ID379	Lutheran Services Florida Inc Head Start	School	0.03	0.02	0.02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.27
ID380	Temple Beth Am Preschool	School	0.04	0.07	0.11	0.01	0.03	0.04	0.01	0.03	0.04	-	0.02	0.03	-	0.02	0.03	0.01	0.02	0.04	0.01	0.03	0.04	0.01	0.03	0.04	-	0.02	0.03	-	0.02	0.03	0.02	0.90
ID381	Thelma B Pittman Jupiter Preschool	School	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0
ID382	Tiny Turtles Preschool	School	-	0.05	0.17	-	0.03	0.07	-	0.04	0.08	0.01	0.03	0.05	0.02	0.05	0.05	0.04	0.03	0.06	0.08	0.08	0.08	0.09	0.08	0.08	0.08	0.07	0.06	0.11	0.08	0.07	0.04	1.81
ID383	Turtle River Montessori - East Campus	School	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.01	-	0.06
ID384	Turtle River Montessori - West Campus	School	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.04
ID385	John D. MacArthur Campus	University	0.10	0.10	0.10	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	1.10
ID386	Max Planck Florida Institute for Neuroscience	University	0.02	0.03	0.04	-	0.01	0.01	-	0.01	0.01	-	-	-	-	-	-	-	-	0.01	-	0.01	0.01	-	0.01	0.01	-	-	-	-	-	-	-	0.32
ID387	Scripps Institute	University	0.05	0.06	0.07	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.02	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.02	0.01	0.01	0.02	0.01	0.66
ID391	Public Works	Emergency Operation Center	0.14	0.12	0.10	0.05	0.04	0.03	0.05	0.04	0.03	0.03	0.03	0.02	0.03	0.03	0.02	0.05	0.04	0.03	0.05	0.04	0.03	0.05	0.04	0.03	0.03	0.03	0.02	0.03	0.03	0.02	0.01	1.27
ID411	Jupiter Medical Center	Hospital	0.11	0.08	0.08	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.03	0.03	0.03	0.02	1.00
ID412	Florida Fish and Wildlife Conservation Commission Law Enforcement Division	Law Enforcement Facility	0.20	0.14	0.12	0.07	0.05	0.04	0.07	0.05	0.04	0.05	0.03	0.03	0.05	0.03	0.03	0.07	0.05	0.04	0.07	0.05	0.04	0.07	0.05	0.04	0.05	0.04	0.03	0.06	0.04	0.03	0.02	1.71
ID414	Barcelona Jupiter	Affordable Housing	0.14	0.10	0.09	0.04	0.03	0.03	0.04	0.03	0.03	0.03	0.02	0.02	0.03	0.02	0.03	0.05	0.03	0.03	0.04	0.03	0.04	0.04	0.03	0.04	0.03	0.02	0.03	0.04	0.03	0.03	0.02	1.24
ID415	Jupiter Homes Corp	Affordable Housing	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.01	-	0.07
ID416	Seagrape Apartments	Affordable Housing	0.10	0.08	0.09	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.04	0.02	0.02	0.03	0.03	0.03	0.04	0.02	1.03
ID417	Stephenson Manor	Affordable Housing	0.02	0.04	0.06	-	0.02	0.03	-	0.02	0.03	-	0.01	0.02	-	0.01	0.02	-	0.01	0.02	-	0.02	0.03	-	0.02	0.04	-	0.01	0.03	0.02	0.03	0.04	0.02	0.64
ID418	The Centre at Abacoa	Affordable Housing	-	-	-	-	-	0.02	-	-	0.02	-	-	0.01	-	-	0.01	-	-	-	-	-	0.02	-	-	0.02	-	-	0.01	-	-	0.01	0.03	0.15
ID419	Third Housing 401	Affordable Housing	-	-	0.02	-	-	0.01	-	-	0.01	-	-	-	-	-	0.01	-	-	-	-	-	0.01	-	-	0.01	-	-	0.02	-	0.01	0.03	0.01	0.21
ID420	Wood Duck Apartments	Affordable Housing	0.02	0.05	0.08	-	0.02	0.03	-	0.02	0.03	-	0.01	0.02	-	0.02	0.03	-	0.02	0.03	-	0.02	0.04	-	0.02	0.04	0.01	0.02	0.03	0.03	0.03	0.04	0.02	0.72
ID421	Independence Middle School	Risk Shelter Inventory	-	0.01	0.05	-	-	0.03	-	-	0.03	-	-	0.02	-	-	0.02	-	-	0.02	-	-	0.03	-	-	0.03	-	-	0.02	-	-	0.02	0.02	0.35
ID422	Abacoa - Southeast	Conservation Land	0.06	0.06	0.11	0.02	0.03	0.04	0.02	0.03	0.04	0.02	0.02	0.03	0.02	0.02	0.03	0.02	0.02	0.04	0.02	0.03	0.04	0.02	0.03	0.04	0.02	0.02	0.03	0.02	0.02	0.03	0.02	0.96
ID423	Abacoa - Central	Conservation Land	0.17	0.13	0.12	0.05	0.04	0.04	0.05	0.04	0.04	0.04	0.03	0.03	0.04	0.03	0.03	0.06	0.04	0.04	0.05	0.04	0.04	0.05	0.04	0.04	0.04	0.03	0.03	0.04	0.03	0.03	0.02	1.50
ID433	Abacoa - Northwest	Conservation Land	0.27	0.21	0.19	0.09	0.07	0.07	0.09	0.07	0.07	0.06	0.05	0.04	0.06	0.05	0.04	0.09	0.07	0.06	0.09	0.07	0.07	0.09	0.07	0.07	0.06	0.05	0.04	0.06	0.05	0.04	0.03	2.39
ID436	Alma's Place Conservation Area	Conservation Land	0.67	0.45	0.34	0.20	0.14	0.10	0.20	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.23	0.15	0.11	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	4.95
ID438	Botanica	Conservation Land	0.36	0.30	0.24	0.12	0.09	0.07	0.12	0.09	0.07	0.08	0.06	0.05	0.09	0.06	0.05	0.12	0.10	0.08	0.12	0.09	0.08	0.12	0.09	0.08	0.09	0.06	0.05	0.10	0.07	0.05	0.04	3.22
ID450	C-18 Triangle Natural Area	Conservation Land	0.61	0.45	0.33	0.19	0.13	0.10	0.19	0.13	0.10	0.13	0.09	0.07	0.13	0.09	0.07	0.20	0.15	0.11	0.19	0.13	0.10	0.19	0.13	0.10	0.13	0.09	0.07	0.13	0.09	0.07	0.05	4.73
ID452	Georgian Park	Conservation Land	0.16	0.15	0.17	0.06	0.05	0.07	0.06	0.05	0.07	0.04	0.04	0.05	0.05	0.05	0.05	0.05	0.05	0.06	0.07	0.07	0.08	0.08	0.07	0.08	0.07	0.06	0.06	0.09	0.07	0.06	0.04	2.17
ID454	Hamptons	Conservation Land	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0
ID455	Jones Creek Hammock	Conservation Land	0.47	0.34	0.28	0.14	0.10	0.09	0.14	0.11	0.09	0.10	0.07	0.06	0.10	0.08	0.06	0.16	0.11	0.10	0.15	0.12	0.10	0.16	0.12	0.10	0.11	0.08	0.06	0.13	0.09	0.07	0.04	3.94
ID457	Jones Creek Preserve	Conservation Land	0.60	0.41	0.32	0.18	0.12	0.10	0.18	0.13	0.10	0.12	0.09	0.07	0.12	0.09	0.07	0.20	0.14	0.11	0.19	0.13	0.10	0.19	0.13	0.10	0.13	0.09	0.07	0.13	0.09	0.07	0.05	4.57
ID458	Jupiter High School Ditch	Conservation Land	0.05	0.03	0.09	0.01	-	0.05	0.01	0.03	0.06	-	0.02	0.04	-	0.02	0.04	0.02	0.01	0.04	0.01	0.04	0.07	0.03	0.06	0.07	0.04	0.04	0.05	0.08	0.06	0.06	0.04	1.21
ID459	Jupiter Lighthouse Natural Area	Conservation Land	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.03
ID460	Georgian Park Preserve	Conservation Land	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.09
ID461	Jupiter Ridge Natural Area	Conservation Land	0.13	0.10	0.09	0.04	0.03	0.03	0.05	0.03	0.03	0.03	0.02	0.02	0.04	0.03	0.02	0.07	0.05	0.04	0.07	0.05	0.04	0.07	0.05	0.04	0.05	0.04	0.03	0.06	0.04	0.03	0.02	1.44
ID463	Jupiter Yacht Club - Privately Owned Land	Conservation Land	0.66	0.45	0.34	0.20	0.14	0.10	0.20	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.23	0.15	0.11	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	4.95
ID468	Jupiter Yacht Club - Town-Owned Land	Conservation Land	0.59	0.42	0.33	0.19	0.13	0.10	0.19	0.13	0.10	0.13	0.09	0.07	0.13	0.09	0.07	0.22	0.15	0.11	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	4.77
ID471	Lox River Islands	Conservation Land	0.69	0.46	0.34	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.23	0.15	0.11	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	5.00
ID473	Mangrove Bay	Conservation Land	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.02	0.01	0.01	-	0.13
ID474	Maplecrest	Conservation Land	0.27	0.27	0.24	0.10	0.09	0.08	0.10	0.09	0.08	0.07	0.06	0.06	0.07	0.06	0.06	0.09	0.09	0.08	0.10	0.09	0.09	0.10	0.09	0.09	0.08	0.07	0.06	0.11	0.08	0.06	0.04	3.01
ID475	Jones Creek Headwaters	Conservation Land	0.33	0.28	0.23	0.11	0.09	0.08	0.11	0.09	0.08	0.08	0.06	0.05	0.08	0.06	0.05	0.11	0.09	0.08	0.11	0.09	0.08	0.11	0.09	0.08	0.08	0.06	0.06	0.10	0.07	0.06	0.04	3.07
ID476	North Jupiter Flatwoods	Conservation Land	0.10	0.11	0.10	0.03	0.04	0.03	0.03	0.04	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.04	0.03	0.03	0.04	0.03	0.03	0.04	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	1.14
ID479	Parcel 19 PUD	Conservation Land	0.59	0.44	0.33	0.19	0.13	0.10	0.19	0.13	0.10	0.13	0.09	0.07	0.13	0.09	0.07	0.20	0.15	0.11	0.19	0.13	0.10	0.19	0.13	0.10	0.13	0.09	0.07	0.13	0.09	0.07	0.04	4.65
ID480	Parcel 19 W. Station Preserve	Conservation Land	0.38	0.36	0.29	0.13	0.11	0.09	0.13	0.11	0.09	0.09	0.08	0.06	0.09	0.08	0.06	0.13	0.12	0.10	0.13	0.11	0.09	0.13	0.11	0.09	0.09	0.08	0.06	0.09	0.08	0.06	0.04	3.63
ID484	Paseos	Conservation Land	0.30	0.27	0.23	0.10	0.09	0.08	0.10	0.09	0.08	0.07	0.06	0.05	0.07	0.06	0.06	0.10	0.09	0.08	0.10	0.09	0.08	0.11	0.09	0.08	0.08	0.06	0.06	0.10	0.07	0.06	0.04	3.01
ID485	Jupiter River Estates North	Conservation Land	0.09	0.16	0.22	0.04	0.07	0.08	0.04	0.07	0.09	0.04	0.05	0.06	0.06	0.06	0.06	0.08	0.07	0.08	0.11	0.10	0.09	0.12	0.10	0.09	0.09	0.07	0.06	0.12	0.08	0.06	0.04	2.57
ID490	SFWMD - C18	Conservation Land	0.39	0.26	0.20	0.12	0.08	0.06	0.12	0.08	0.06	0.08	0.05	0.04	0.08	0.05	0.04	0.13	0.09	0.07	0.12	0.08	0.06	0.12	0.08	0.06	0.08	0.05	0.04	0.08	0.06	0.04	0.03	2.90
ID491	Shores of Jupiter	Conservation Land	0.12	0.23	0.25	0.06	0.09	0.08	0.07	0.09	0.08	0.06	0.06	0.05	0.07	0.07	0.06	0.08	0.09	0.08	0.11	0.10	0.08	0.12	0.10	0.08	0.09	0.07	0.06	0.10	0.07	0.06	0.04	2.77
ID496	Sims Creek Preserve	Conservation Land	0.07	0.09	0.13	0.03	0.04	0.06	0.03	0.04	0.06	0.02	0.03	0.04	0.03	0.04	0.05	0.04	0.04	0.05	0.06	0.06	0.07	0.07	0.06	0.07	0.06	0.05	0.05	0.08	0.06	0.06	0.03	1.64
ID497	State of Florida - TIITF	Conservation Land	0.69	0.46	0.34	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.23	0.15	0.11	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	5.00
ID498	Tierra Del Sol	Conservation Land	-	0.02	0.05	0.01	0.01	0.03	0.01	0.02	0.03	0.01	0.02	0.03	0.03	0.03	0.03	0.05	0.04	0.05	0.09	0.07	0.07	0.10	0.08	0.07	0.08	0.06	0.05	0.11	0.08	0.06	0.02	1.43
ID499	Town of Jupiter - Coastline	Conservation Land	0.03	0.03	0.02	0.01	0.01	-	0.01	0.01	-	-	-	-	-	-	-	-	-	-	0.01	0.01	-	0.01	0.01	-	-	-	-	-	-	-	-	0.31

Asset Unique ID	Asset Name	Asset Type	S-1 13.8%	S-2 9.2%	S-3 6.7%	S-4 4.1%	S-5 2.8%	S-6 2.0%	S-7 4.1%	S-8 2.8%	S-9 2.0%	S-10 2.8%	S-11 1.8%	S-12 1.3%	S-13 2.8%	S-14 1.8%	S-15 1.3%	S-16 4.6%	S-17 3.1%	S-18 2.2%	S-19 4.1%	S-20 2.8%	S-21 2.0%	S-22 4.1%	S-23 2.8%	S-24 2.0%	S-25 2.8%	S-26 1.8%	S-27 1.3%	S-28 2.8%	S-29 1.8%	S-30 1.3%	S-31 0.9%	Overall Sensitivity Score
ID500	Double Roads - South	Conservation Land	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0
ID508	Double Roads - North	Conservation Land	0.03	0.02	0.02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.25
ID512	Carlin Park - Town-Owned	Conservation Land	-	0.01	0.05	-	0.02	0.02	0.01	0.02	0.02	0.02	0.01	0.02	0.03	0.02	0.03	0.07	0.05	0.05	0.10	0.07	0.06	0.10	0.07	0.06	0.08	0.05	0.04	0.08	0.06	0.04	0.01	1.28
ID513	Washington Preserve	Conservation Land	0.07	0.07	0.06	0.03	0.02	0.02	0.03	0.02	0.02	0.02	0.01	0.01	0.02	0.01	0.01	0.02	0.02	0.02	0.03	0.02	0.02	0.03	0.02	0.02	0.02	0.01	0.01	0.02	0.01	0.01	-	0.73
ID515	Burt Reynolds Park	Park	0.17	0.14	0.13	0.06	0.05	0.05	0.06	0.05	0.05	0.05	0.04	0.04	0.06	0.04	0.04	0.10	0.07	0.06	0.11	0.08	0.07	0.12	0.08	0.07	0.09	0.06	0.05	0.10	0.07	0.05	0.03	2.22
ID516	Carlin Park	Park	0.33	0.25	0.22	0.11	0.08	0.07	0.11	0.08	0.07	0.08	0.06	0.05	0.08	0.06	0.05	0.13	0.10	0.08	0.15	0.10	0.08	0.15	0.11	0.08	0.11	0.07	0.06	0.12	0.08	0.06	0.03	3.19
ID517	Cinquez Dog Park	Park	0.13	0.10	0.09	0.04	0.03	0.03	0.04	0.03	0.03	0.03	0.02	0.02	0.03	0.02	0.02	0.04	0.03	0.03	0.04	0.04	0.03	0.04	0.04	0.03	0.03	0.02	0.03	0.04	0.03	0.04	0.02	1.21
ID518	Daily Park	Park	-	0.05	0.19	-	0.04	0.09	-	0.05	0.09	-	0.04	0.06	0.03	0.06	0.06	0.02	0.05	0.07	0.09	0.08	0.10	0.10	0.10	0.10	0.10	0.07	0.07	0.12	0.09	0.07	0.05	2.03
ID519	Dubois Park	Park	0.23	0.16	0.13	0.08	0.06	0.05	0.08	0.06	0.05	0.06	0.04	0.03	0.07	0.05	0.04	0.13	0.09	0.07	0.13	0.09	0.07	0.13	0.09	0.07	0.09	0.06	0.05	0.10	0.07	0.05	0.02	2.49
ID520	Eastview Manor Park	Park	-	-	-	-	-	0.01	-	-	0.01	-	-	0.02	-	-	0.02	-	-	-	-	-	0.03	-	-	0.03	-	0.01	0.03	0.03	0.03	0.03	0.02	0.26
ID521	FIND Park	Park	0.20	0.16	0.14	0.07	0.05	0.05	0.07	0.06	0.05	0.05	0.04	0.03	0.06	0.04	0.03	0.10	0.07	0.05	0.11	0.07	0.05	0.11	0.07	0.06	0.08	0.05	0.04	0.08	0.05	0.04	0.02	2.16
ID522	Frazier Park	Park	-	-	0.03	-	-	0.04	-	-	0.04	-	-	0.03	-	0.01	0.04	-	-	0.02	-	0.02	0.05	-	0.03	0.05	0.03	0.03	0.04	0.06	0.05	0.05	0.03	0.65
ID523	Karen Golonka Island	Park	0.62	0.42	0.32	0.19	0.13	0.10	0.19	0.13	0.10	0.13	0.09	0.07	0.13	0.09	0.07	0.22	0.15	0.11	0.20	0.14	0.10	0.20	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	4.76
ID524	Indian Creek Park	Park	0.14	0.13	0.13	0.05	0.05	0.04	0.05	0.05	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.05	0.04	0.04	0.05	0.05	0.04	0.05	0.05	0.04	0.03	0.03	0.03	0.04	0.03	0.03	0.02	1.48
ID525	Johnston Park	Park	-	-	0.03	-	-	0.02	-	-	0.03	-	-	0.02	0.01	0.02	0.03	0.03	0.03	0.04	0.07	0.06	0.07	0.09	0.07	0.07	0.08	0.06	0.05	0.11	0.07	0.06	0.02	1.18
ID526	Juno Beach Park	Park	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0
ID527	Jupiter Beach Park	Park	0.30	0.21	0.16	0.10	0.07	0.05	0.10	0.07	0.06	0.07	0.05	0.04	0.08	0.05	0.04	0.14	0.10	0.07	0.14	0.10	0.07	0.15	0.10	0.07	0.10	0.07	0.05	0.11	0.07	0.05	0.03	2.90
ID528	Jupiter Community Park	Park	0.09	0.08	0.07	0.03	0.03	0.02	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.02	0.03	0.03	0.02	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.86
ID529	Jupiter River Estates Park	Park	0.29	0.21	0.24	0.09	0.08	0.09	0.09	0.08	0.09	0.06	0.06	0.06	0.07	0.07	0.06	0.10	0.08	0.09	0.11	0.10	0.09	0.12	0.10	0.09	0.09	0.08	0.06	0.12	0.08	0.06	0.04	3.07
ID530	Jupiter Village Park	Park	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.09
ID531	Karen Marcus Ocean Preserve	Park	0.35	0.27	0.22	0.11	0.09	0.07	0.11	0.09	0.07	0.08	0.06	0.05	0.08	0.06	0.05	0.12	0.09	0.07	0.11	0.09	0.07	0.11	0.09	0.07	0.08	0.06	0.05	0.09	0.07	0.05	0.03	3.00
ID532	Kennedy Estates	Park	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.06
ID533	Lighthouse Park	Park	-	-	0.01	-	-	-	-	-	-	-	-	-	-	-	0.01	0.01	0.01	0.01	0.04	0.03	0.03	0.05	0.04	0.04	0.05	0.04	0.03	0.08	0.06	0.05	-	0.67
ID534	Limestone Creek Park	Park	-	-	0.01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.08
ID535	Loxahatchee Battlefield	Park	0.55	0.44	0.33	0.18	0.13	0.10	0.18	0.13	0.10	0.12	0.09	0.07	0.12	0.09	0.07	0.18	0.15	0.11	0.18	0.13	0.10	0.18	0.13	0.10	0.12	0.09	0.07	0.12	0.09	0.07	0.05	4.57
ID536	Maplewood Park	Park	-	-	-	-	-	0.01	-	-	0.01	-	-	0.01	-	-	0.01	-	-	-	-	-	0.02	-	-	0.02	-	-	0.01	-	-	0.01	0.01	0.14
ID537	North County Aquatic Complex	Park	0.04	0.04	0.07	0.02	0.02	0.03	0.02	0.02	0.03	0.01	0.01	0.02	0.01	0.02	0.03	0.01	0.01	0.03	0.02	0.03	0.04	0.03	0.03	0.04	0.03	0.02	0.03	0.04	0.03	0.03	0.02	0.82
ID538	North Palm Beach Heights Park	Park	0.04	0.09	0.14	0.02	0.04	0.05	0.02	0.04	0.05	0.01	0.03	0.04	0.01	0.03	0.04	0.01	0.03	0.05	0.02	0.04	0.05	0.02	0.04	0.05	0.01	0.03	0.04	0.01	0.03	0.04	0.03	1.14
ID539	Ocean Cay Park	Park	-	0.01	0.01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.12
ID540	Old Town Hall Park	Historical and Cultural Asset (Structure or Parcel)	0.38	0.44	0.34	0.15	0.14	0.10	0.16	0.14	0.10	0.13	0.09	0.07	0.14	0.09	0.07	0.23	0.15	0.11	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	4.55
ID541	Pine Gardens Park	Park	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.01	-	0.04
ID542	Riverbend Park	Park	0.52	0.42	0.32	0.17	0.13	0.10	0.17	0.13	0.10	0.11	0.09	0.06	0.11	0.09	0.06	0.17	0.14	0.11	0.17	0.13	0.10	0.17	0.13	0.10	0.11	0.09	0.06	0.11	0.09	0.06	0.04	4.35
ID543	Sawfish Bay Park	Park	0.11	0.09	0.15	0.04	0.05	0.07	0.04	0.05	0.07	0.04	0.04	0.05	0.07	0.06	0.06	0.13	0.10	0.09	0.17	0.13	0.10	0.18	0.13	0.10	0.13	0.09	0.07	0.14	0.09	0.07	0.04	2.76
ID544	South Jupiter Community Park	Park	-	0.02	0.06	-	-	0.03	-	-	0.03	-	-	0.02	-	-	0.02	-	-	0.02	-	-	0.03	-	-	0.03	-	-	0.02	-	-	0.02	0.02	0.42
ID545	Sylvia Park	Park	0.23	0.25	0.22	0.09	0.09	0.07	0.09	0.09	0.07	0.07	0.06	0.05	0.08	0.06	0.05	0.12	0.10	0.07	0.13	0.09	0.08	0.14	0.09	0.08	0.09	0.06	0.05	0.09	0.07	0.06	0.03	2.92
ID546	Waterway Park	Park	0.35	0.25	0.22	0.11	0.08	0.08	0.12	0.09	0.08	0.08	0.06	0.05	0.09	0.07	0.06	0.16	0.11	0.09	0.17	0.12	0.09	0.17	0.12	0.09	0.12	0.08	0.06	0.13	0.09	0.06	0.04	3.51
ID547	West Jupiter Community Center	Park	0.04	0.04	0.03	0.01	0.01	0.01	0.01	0.01	0.01	-	-	-	0.01	-	-	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	-	-	0.01	0.01	0.01	-	0.42
ID558	Riverbend and Loxahatchee River Battlefield Parks	Historical and Cultural Asset (Structure or Parcel)	0.02	0.03	0.03	-	0.01	0.02	-	0.01	0.02	-	-	0.01	-	-	0.01	-	-	0.01	-	0.01	0.02	-	0.01	0.02	-	-	0.01	-	-	0.01	0.01	0.35
ID568	Eganfuskee Pond	Stormwater Treatment Facility and Pump Station (Pond)	0.37	0.37	0.34	0.17	0.14	0.10	0.18	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.23	0.15	0.11	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	4.52
ID569	Old Jupiter Beach Road Pond	Stormwater Treatment Facility and Pump Station (Pond)	0.63	0.44	0.34	0.20	0.14	0.10	0.20	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.23	0.15	0.11	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	4.91
ID570	Cinquez Pond	Stormwater Treatment Facility and Pump Station (Pond)	0.53	0.37	0.27	0.16	0.11	0.08	0.16	0.11	0.08	0.11	0.07	0.06	0.11	0.07	0.06	0.18	0.12	0.09	0.16	0.11	0.08	0.17	0.11	0.09	0.11	0.07	0.06	0.11	0.08	0.06	0.04	3.99
ID571	Jupiter River Estates North Pond	Stormwater Treatment Facility and Pump Station (Pond)	0.17	0.34	0.34	0.09	0.12	0.10	0.11	0.12	0.10	0.09	0.09	0.07	0.11	0.09	0.07	0.17	0.14	0.11	0.19	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	3.96
ID572	Clemons Pond	Stormwater Treatment Facility and Pump Station (Pond)	0.55	0.46	0.34	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.23	0.15	0.11	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	4.86
ID573	Love Street Pond	Stormwater Treatment Facility and Pump Station (Pond)	0.32	0.28	0.27	0.14	0.11	0.09	0.15	0.11	0.09	0.12	0.08	0.06	0.13	0.09	0.07	0.23	0.15	0.11	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.04	4.13
ID574	Greenwood Pond	Stormwater Treatment Facility and Pump Station (Pond)	0.35	0.26	0.23	0.11	0.09	0.08	0.11	0.09	0.08	0.07	0.06	0.06	0.08	0.06	0.06	0.13	0.09	0.08	0.13	0.10	0.09	0.14	0.10	0.09	0.10	0.07	0.06	0.11	0.08	0.06	0.04	3.27
ID575	Seminole Pond	Stormwater Treatment Facility and Pump Station (Pond)	0.37	0.32	0.28	0.13	0.11	0.09	0.14	0.11	0.09	0.10	0.08	0.06	0.10	0.08	0.07	0.17	0.12	0.10	0.17	0.12	0.10	0.17	0.12	0.10	0.12	0.09	0.07	0.13	0.09	0.07	0.05	3.92
ID576	7th Street Pond	Stormwater Treatment Facility and Pump Station (Pond)	0.21	0.17	0.15	0.06	0.05	0.04	0.06	0.05	0.04	0.04	0.03	0.03	0.04	0.03	0.03	0.07	0.06	0.05	0.06	0.05	0.04	0.06	0.05	0.04	0.05	0.03	0.03	0.06	0.04	0.04	0.02	1.80
ID577	Delaware Scrub	Conservation Land	0.23	0.21	0.20	0.08	0.07	0.07	0.08	0.07	0.07	0.06	0.05	0.05	0.07	0.06	0.05	0.10	0.08	0.07	0.11	0.09	0.08	0.12	0.09	0.08	0.09	0.06	0.06	0.10	0.07	0.06	0.04	2.73
ID578	Todd Street Mangrove Preserve	Conservation Land	0.69	0.46	0.34	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.23	0.15	0.11	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	5.00

Asset Unique ID	Asset Name	Asset Type	S-1	S-2	S-3	S-4	S-5	S-6	S-7	S-8	S-9	S-10	S-11	S-12	S-13	S-14	S-15	S-16	S-17	S-18	S-19	S-20	S-21	S-22	S-23	S-24	S-25	S-26	S-27	S-28	S-29	S-30	S-31	Overall Sensitivity Scores
			13.8%	9.2%	6.7%	4.1%	2.8%	2.0%	4.1%	2.8%	2.0%	2.8%	1.8%	1.3%	2.8%	1.8%	1.3%	4.6%	3.1%	2.2%	4.1%	2.8%	2.0%	4.1%	2.8%	2.0%	2.8%	1.8%	1.3%	2.8%	1.8%	1.3%	0.9%	
ID040A	Alternate A1A	Major Roadway	0.09	0.06	0.06	0.03	0.02	0.05	0.03	0.02	0.05	0.02	0.02	0.04	0.03	0.04	0.04	0.07	0.06	0.06	0.12	0.09	0.07	0.13	0.09	0.07	0.09	0.06	0.05	0.10	0.07	0.05	0.03	1.82
ID040B	Alternate A1A	Major Roadway	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.01
ID040C	Alternate A1A	Major Roadway	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.00
ID041A	Center Street	Major Roadway	0.02	0.04	0.09	-	0.02	0.03	-	0.03	0.03	-	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.04	0.04	0.04	0.05	0.04	0.04	0.04	0.03	0.03	0.04	0.03	0.04	0.02	0.93
ID041B	Center Street	Major Roadway	0.23	0.40	0.33	0.10	0.13	0.10	0.11	0.13	0.10	0.10	0.09	0.07	0.13	0.09	0.07	0.20	0.15	0.11	0.20	0.14	0.10	0.20	0.14	0.10	0.13	0.09	0.07	0.14	0.09	0.07	0.05	4.15
ID042	Central Boulevard	Major Roadway	0.02	0.04	0.04	-	0.01	0.02	-	0.01	0.02	-	-	0.01	-	-	0.01	-	0.01	0.01	-	0.01	0.02	-	0.01	0.02	-	-	0.01	-	-	0.01	-	0.40
ID043	Central Boulevard	Major Roadway	0.05	0.05	0.07	0.02	0.02	0.03	0.02	0.02	0.03	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.02	0.02	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.74
ID044	Central Boulevard	Major Roadway	-	-	-	-	-	0.02	-	-	0.02	-	-	0.02	-	-	0.02	-	-	-	-	-	0.02	-	-	0.02	-	-	0.02	-	-	0.02	0.03	0.18
ID045A	Donald Ross Road	Major Roadway	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.01
ID045B	Donald Ross Road	Major Roadway	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.02	0.01	-	-	0.04
ID046A	Florida Turnpike	Major Roadway	0.01	0.01	0.01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.17
ID046B	Florida Turnpike	Major Roadway	-	-	0.03	-	-	0.03	-	-	0.03	-	-	0.02	-	-	0.02	-	-	0.01	-	-	0.03	-	-	0.03	-	-	0.02	-	-	0.02	0.02	0.32
ID047A	Indian Creek Parkway	Major Roadway	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.02
ID047B	Indian Creek Parkway	Major Roadway	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.00
ID048A	Indiantown Road	Major Roadway	0.03	0.02	0.02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.21
ID048B	Indiantown Road	Major Roadway	-	0.02	0.02	-	-	0.02	-	-	0.02	-	-	0.02	-	-	0.02	-	-	-	-	-	0.03	-	0.01	0.03	-	0.01	0.03	0.03	0.03	0.03	0.02	0.46
ID048C	Indiantown Road	Major Roadway	0.04	0.04	0.05	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.02	0.02	0.02	0.03	0.03	0.02	0.04	0.03	0.04	0.04	0.04	0.04	0.04	0.03	0.03	0.06	0.05	0.04	0.01	0.96
ID049	Indiantown Road	Major Roadway	-	0.02	0.03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.19
ID050	Indiantown Road	Major Roadway	0.05	0.07	0.11	0.04	0.04	0.03	0.05	0.04	0.03	0.04	0.03	0.02	0.05	0.03	0.02	0.08	0.05	0.04	0.08	0.05	0.04	0.08	0.05	0.04	0.05	0.04	0.03	0.06	0.04	0.03	0.02	1.43
ID051A	Interstate 95	Major Roadway	0.01	0.01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.11
ID051B	Interstate 95	Major Roadway	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.05
ID052	Island Way	Major Roadway	0.02	0.01	0.01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.13
ID053A	Maplewood Drive	Major Roadway	0.67	0.45	0.34	0.20	0.14	0.10	0.20	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.22	0.15	0.11	0.20	0.14	0.10	0.20	0.14	0.10	0.13	0.09	0.07	0.14	0.09	0.07	0.05	4.94
ID053B	Maplewood Drive	Major Roadway	0.14	0.20	0.27	0.06	0.08	0.09	0.06	0.08	0.09	0.05	0.06	0.06	0.05	0.06	0.06	0.05	0.07	0.09	0.06	0.08	0.09	0.06	0.08	0.09	0.05	0.06	0.06	0.06	0.06	0.06	0.04	2.47
ID054A	Military Trail	Major Roadway	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.02	-	-	-	-	-	0.02	-	-	0.02	-	-	0.02	-	0.02	0.03	0.01	0.18
ID054B	Military Trail	Major Roadway	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.00
ID055	N A1A	Major Roadway	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.02	0.02	0.02	0.03	0.02	0.02	0.02	0.02	0.02	0.04	0.03	0.03	-	0.29
ID056	N A1A	Major Roadway	0.01	0.06	0.18	0.04	0.06	0.06	0.06	0.06	0.06	0.06	0.05	0.04	0.08	0.06	0.05	0.15	0.11	0.08	0.15	0.10	0.09	0.15	0.11	0.09	0.11	0.08	0.07	0.14	0.09	0.07	0.03	2.55
ID057	S A1A	Major Roadway	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.01	0.03	0.02	0.02	0.03	0.02	0.02	0.02	0.02	0.01	0.02	0.02	0.01	-	0.29
ID058A	Toney Penna Dr	Major Roadway	0.02	0.06	0.12	0.02	0.03	0.05	0.02	0.03	0.05	0.01	0.02	0.04	0.01	0.02	0.04	-	0.02	0.04	0.01	0.03	0.05	0.01	0.03	0.05	0.01	0.02	0.04	0.01	0.02	0.04	0.03	0.96
ID058B	Toney Penna Dr	Major Roadway	0.11	0.12	0.17	0.04	0.04	0.07	0.04	0.05	0.07	0.03	0.03	0.05	0.03	0.04	0.05	0.04	0.04	0.06	0.05	0.06	0.08	0.05	0.06	0.08	0.05	0.05	0.06	0.08	0.07	0.06	0.04	1.88
ID059A	US 1	Major Roadway	0.09	0.06	0.05	0.03	0.02	0.01	0.03	0.02	0.01	0.02	0.01	0.01	0.02	0.01	0.01	0.03	0.02	0.02	0.03	0.02	0.02	0.03	0.02	0.02	0.02	0.02	0.01	0.03	0.02	0.02	-	0.76
ID059B	US 1	Major Roadway	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.08
ID062A	FEC Railway	Rail Facility	0.07	0.05	0.03	0.02	0.01	0.01	0.02	0.01	0.01	0.01	-	-	0.01	-	-	0.02	0.02	0.01	0.02	0.01	0.01	0.02	0.01	0.01	0.01	-	-	0.02	0.01	0.01	-	0.51
ID062B	FEC Railway	Rail Facility	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.01	-	-	0.01	-	-	-	0.02	0.01	0.01	-	0.12
ID062C	FEC Railway	Rail Facility	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.01
ID564	River Road	Major Roadway	0.69	0.46	0.34	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.23	0.15	0.11	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	5.00
ID565A	Town Hall Avenue	Major Roadway	0.69	0.46	0.34	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.23	0.15	0.11	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	5.00
ID565B	Town Hall Avenue	Major Roadway	0.69	0.46	0.34	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.23	0.15	0.11	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	5.00
ID566A	N Old Dixie Highway	Major Roadway	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.00
ID566B	N Old Dixie Highway	Major Roadway	0.16	0.25	0.32	0.08	0.11	0.10	0.10	0.11	0.10	0.07	0.08	0.07	0.09	0.09	0.07	0.14	0.12	0.11	0.19	0.13	0.10	0.19	0.13	0.10	0.13	0.09	0.07	0.13	0.09	0.07	0.04	3.61
ID566C	N Old Dixie Highway	Major Roadway	0.04	0.04	0.04	0.02	0.01	0.02	0.02	0.01	0.02	0.01	-	0.02	0.01	-	0.02	0.01	0.01	0.01	0.02	0.01	0.03	0.02	0.01	0.03	0.01	-	0.03	0.01	0.03	0.04	0.02	0.63
ID566D	N Old Dixie Highway	Major Roadway	-	0.08	0.16	-	0.05	0.05	-	0.05	0.05	-	0.03	0.04	-	0.04	0.05	-	0.03	0.05	-	0.05	0.06	-	0.05	0.06	-	0.03	0.05	0.06	0.06	0.06	0.04	1.26
ID567	Loxahatchee River Road	Major Roadway	0.08	0.08	0.16	0.02	0.04	0.06	0.02	0.04	0.07	0.02	0.03	0.05	0.03	0.04	0.05	0.04	0.04	0.06	0.07	0.07	0.07	0.08	0.07	0.07	0.07	0.06	0.05	0.09	0.07	0.06	0.04	1.81
ID567	Loxahatchee River Road	Major Roadway	0.08	0.08	0.16	0.02	0.04	0.06	0.02	0.04	0.07	0.02	0.03	0.05	0.03	0.04	0.05	0.04	0.04	0.06	0.07	0.07	0.07	0.08	0.07	0.07	0.07	0.06	0.05	0.09	0.07	0.06	0.04	1.81
ID579	Old Jupiter Beach Road	Major Roadway	0.23	0.31	0.27	0.13	0.11	0.10	0.15	0.11	0.10	0.11	0.08	0.07	0.12	0.09	0.07	0.21	0.15	0.11	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	4.04
ID580	Eganfuskee Street	Major Roadway	0.48	0.38	0.34	0.17	0.13	0.10	0.17	0.13	0.10	0.13	0.09	0.07	0.14	0.09	0.07	0.23	0.15	0.11	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	4.63
ID581	Elsa Road	Major Roadway	0.15	0.25	0.34	0.11	0.13	0.10	0.13	0.14	0.10	0.13	0.09	0.07	0.14	0.09	0.07	0.23	0.15	0.11	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	4.06
ID582A	North Loxahatchee Drive	Major Roadway	0.26	0.46	0.34	0.18	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.23	0.15	0.11	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	4.55
ID582B	North Loxahatchee Drive	Major Roadway	-	0.09	0.27	-	0.04	0.09	0.01	0.05	0.09	0.02	0.05	0.06	0.03	0.08	0.07	0.05	0.05	0.10	0.12	0.12	0.10	0.14	0.12	0.10	0.12	0.08	0.07	0.13	0.09	0.07	0.05	2.46
ID583	South Loxahatchee Drive	Major Roadway	0.01	0.03	0.05	0.01	-	0.02	0.01	-	0.02	-	-	0.01	-	-	0.02	-	-	0.02	0.01	-	0.02	0.01	-	0.02	-	-	0.02	0.02	0.02	0.03	0.01	0.47
ID584	Venus Street	Major Roadway	0.17	0.44	0.34	0.14	0.14	0.10	0.16	0.14	0.10	0.12	0.09	0.07	0.14	0.09	0.07	0.22	0.15	0.11	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	4.31
ID585	North Pennock Lane	Major Roadway	-	0.02	0.05	-	0.01	0.02	-	0.01	0.02	-	0.01	0.02	-	0.01	0.03	0.01	0.01	0.02	0.03	0.02	0.03	0.03	0.03	0.04	0.02	0.02	0.04	0.04	0.04	0.06	0.03	0.71
ID586	Anglers Way	Major Roadway	-	0.09	0.29	-	0.06	0.10	-	0.07	0.10	0.02	0.06	0.07	0.04	0.08	0.07	0.04	0.06	0.11	0.12	0.13	0.10	0.15	0.14	0.10	0.13	0.09	0.07	0.14	0.09	0.07	0.05	2.62
ID587	Whitney Drive	Major Roadway	0.06	0.10	0.23	0.02	0.05	0.09	0.02	0.06	0.09	0.02	0.05	0.06	0.04	0.07	0.07	0.06	0.06	0.09	0.10	0.10	0.10	0.12	0.11	0.10	0.11	0.08	0.07	0.13	0.09	0.07	0.05	2.46
ID588A	Cheyenne Street	Major Roadway	0.39	0.44	0.34	0.13	0.14	0.10	0.13	0.14	0.10	0.12	0.09	0.07	0.14	0.09	0.07	0.22	0.15	0.11	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	4.51
ID588B	Cheyenne Street	Major Roadway	-	0.20	0.34	-	0.14	0.10	-	0.14	0.10	0.02	0.09	0.07	0.12	0.09	0.07	0.12	0.15	0.11	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	3.39
ID589	Reo Drive	Major Roadway	-	-	0.31	-	0.05	0.10	-	0.07	0.10	-	0.06	0.07	0.02	0.09	0.07	-	0.05	0.11	0.15	0.13	0.10	0.17	0.14	0.10	0.13	0.09	0.07	0.14	0.09	0.07	0.05	2.54
ID590	Bush Road	Major Roadway	0.02	0.06	0.09	0.01	0.03	0.04	0.01	0.03	0.04	0.01	0.02	0.02	0.01	0.02	0.02	-	0.02	0.03	0.01	0.03	0.04	0.01	0.03	0.04	0.01	0.02	0.02	0.01	0.02	0.02	0.02	0.79
ID591	Dolphin Drive	Major Roadway	0.45	0.46	0.34	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.23	0.15	0.11	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	4.76
ID592	Commerce Lane	Major Roadway	0.37	0.30	0.33	0.12	0.11	0.10	0.12	0.11	0.10	0.09	0.07	0.07	0.09	0.08	0.07	0.13	0.10	0.11	0.13	0.11	0.10	0.13	0.11	0.10	0.09	0.08	0.07	0.10	0.08	0.07	0.05	3.68
ID593A	Commerce Way	Major Roadway	0.29	0.24	0.22	0.10	0.08	0.08	0.10	0.08	0.08	0.07	0.05	0.06	0.07	0.06	0.06	0.10	0.08	0.08	0.10	0.08	0.09	0.10	0.08	0.10	0.07	0.06	0.07	0.10	0.09	0.07	0.05	2.97
ID593B	Commerce Way	Major Roadway	0.57	0.41	0.33	0.18	0.13	0.10	0.18	0.13	0.10	0.12	0.09	0.07	0.12	0.09	0.07	0.19	0.14	0.11	0.18	0.13	0.10	0.18	0.13	0.10	0.12	0.09	0.07	0.14	0.09	0.07	0.05	4.57
ID594	Cypress Drive	Major Roadway	-	-	-	-	-	0.02	-	-	0.02	-	-	0.02	-	-	0.03	-	-	-	-	-	0.03	-	-	0.04	-	0.01	0.03	0.03	0.04	0.05	0.02	0.34
ID595A	Riverside Drive	Major Roadway	-	0.06	0.16	-	0.04	0.06	-	0.05	0.07	-	0.04	0.05	0.03	0.05	0.05	0.02	0.05	0.06	0.08	0.07	0.08	0.09	0.07	0.08	0.07	0.06	0.06	0.09	0.07	0.06	0.04	1.73
ID595B	Riverside Drive	Major Roadway	0.06	0.22	0.21	0.03	0.08	0.08	0.05	0.08	0.08	0.06	0.06	0.05	0.07	0.06	0.06	0.11	0.08	0.07	0.12	0.09	0.08	0.12	0.09	0.08	0.09	0.07	0.06	0.11	0.07	0.06	0.04	2.56
ID596	Seabrook Road	Major Roadway	0.11	0.34	0.34	0.04	0.13	0.10	0.08	0.13	0.10	0.09	0.09	0.07	0.12	0.09	0.07	0.17	0.14	0.11	0.20	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	3.86
ID597	Lance Road	Major Roadway	0.02	0.38	0.34	0.01	0.14	0.10	0.03	0.14	0.10	0.07	0.09	0.07	0.14	0.09	0.07	0.16	0.15	0.11	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	3.74
ID598	Washington Street	Major Roadway	0.02	0.07	0.09	0.02	0.02	0.03	0.02	0.02	0.03	0.01	0.02	0.02	0.01	0.02	0.02	-	0.02	0.03	0.02	0.02	0.03	0.02	0.02	0.03	0.01	0.02	0.02	0.01	0.02	0.02	0.01	0.70
ID599	Church Street	Major Roadway	-	0.03	0.04	-	0.01	0.01	-	0.01	0.01	-	-	-	-	-	-	-	-	0.01	-	0.01	0.01	-	0.01	0.01	-	-	-	-	-	-	-	0.27
ID600A	Frederick Small Road	Major Roadway	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.02
ID600B	Frederick Small Road	Major Roadway	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.02
ID600C	Frederick Small Road	Major Roadway	-	0.06	0.13	-	0.03	0.06	-	0.03	0.06	-	0.02	0.04	-	0.02	0.04	-	0.02	0.04	-	0.03	0.06	-	0.03	0.06	-	0.02	0.04	-	0.02	0.04	0.03	0.90

Appendix G
Scenario-Specific Sensitivity Scores - Roadways

Asset Unique ID	Asset Name	Asset Type	S-1	S-2	S-3	S-4	S-5	S-6	S-7	S-8	S-9	S-10	S-11	S-12	S-13	S-14	S-15	S-16	S-17	S-18	S-19	S-20	S-21	S-22	S-23	S-24	S-25	S-26	S-27	S-28	S-29	S-30	S-31	Overall Sensitivity Scores
			13.8%	9.2%	6.7%	4.1%	2.8%	2.0%	4.1%	2.8%	2.0%	2.8%	1.8%	1.3%	2.8%	1.8%	1.3%	4.6%	3.1%	2.2%	4.1%	2.8%	2.0%	4.1%	2.8%	2.0%	2.8%	1.8%	1.3%	2.8%	1.8%	1.3%	0.9%	
ID601	Greenway Drive	Major Roadway	-	-	0.19	-	0.01	0.09	-	0.01	0.09	-	-	0.06	-	-	0.06	-	-	0.06	-	0.01	0.09	-	0.01	0.09	-	-	0.06	-	-	0.06	0.04	0.99
ID602	Heights Boulevard	Major Roadway	0.15	0.12	0.12	0.05	0.04	0.05	0.05	0.04	0.05	0.03	0.03	0.03	0.03	0.03	0.03	0.05	0.04	0.04	0.05	0.04	0.05	0.05	0.04	0.05	0.03	0.03	0.03	0.03	0.03	0.03	0.03	1.50
ID603	Jupiter Park Drive	Major Roadway	0.03	0.05	0.08	0.01	0.02	0.03	0.01	0.02	0.03	0.01	0.02	0.02	0.01	0.02	0.02	-	0.02	0.03	0.01	0.02	0.03	0.01	0.02	0.03	0.01	0.02	0.02	0.01	0.02	0.02	0.02	0.68
ID604	Ocean Way	Major Roadway	0.17	0.21	0.21	0.07	0.07	0.08	0.07	0.07	0.08	0.05	0.05	0.05	0.05	0.05	0.05	0.06	0.07	0.07	0.08	0.07	0.08	0.08	0.07	0.08	0.06	0.05	0.05	0.09	0.08	0.06	0.04	2.43
ID605	Parkside Drive	Major Roadway	-	0.05	0.15	-	0.03	0.06	-	0.03	0.06	-	0.02	0.04	-	0.02	0.04	-	0.02	0.05	-	0.03	0.06	-	0.03	0.06	-	0.02	0.04	-	0.02	0.04	0.03	0.87
ID606A	University Boulevard	Major Roadway	0.01	0.06	0.14	0.01	0.03	0.06	0.01	0.03	0.06	0.01	0.02	0.04	0.01	0.02	0.04	-	0.02	0.05	0.01	0.03	0.06	0.01	0.03	0.06	0.01	0.02	0.04	0.01	0.02	0.04	0.03	1.05
ID606B	University Boulevard	Major Roadway	0.09	0.10	0.12	0.03	0.04	0.05	0.03	0.04	0.05	0.02	0.02	0.03	0.02	0.02	0.03	0.03	0.03	0.04	0.03	0.04	0.05	0.03	0.04	0.05	0.02	0.02	0.03	0.02	0.02	0.03	0.03	1.22
ID607A	South Pennock Lane	Major Roadway	0.19	0.19	0.21	0.07	0.07	0.08	0.07	0.07	0.08	0.05	0.05	0.06	0.05	0.06	0.06	0.07	0.06	0.08	0.09	0.08	0.09	0.10	0.09	0.09	0.08	0.07	0.06	0.11	0.08	0.07	0.04	2.62
ID607B	South Pennock Lane	Major Roadway	0.01	0.01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.01	-	0.15
ID608A	Longshore Drive	Major Roadway	-	-	0.03	-	-	0.04	-	-	0.04	-	-	0.03	-	-	0.03	-	-	0.01	-	-	0.04	-	-	0.04	-	-	0.03	-	-	0.04	0.02	0.39
ID608B	Longshore Drive	Major Roadway	-	-	0.03	-	-	0.02	-	-	0.02	-	-	0.01	-	-	0.01	-	-	0.01	-	-	0.02	-	-	0.02	-	-	0.01	-	-	0.01	-	0.22
ID609	Winding Lake Drive	Major Roadway	-	-	0.09	-	0.01	0.04	-	0.01	0.04	-	0.01	0.03	-	0.02	0.03	-	-	0.03	-	0.02	0.04	-	0.02	0.04	-	0.02	0.03	-	0.02	0.04	0.03	0.59
ID610	Northfork Drive	Major Roadway	-	-	0.04	-	-	0.02	-	-	0.02	-	-	0.02	-	-	0.02	-	-	0.01	-	-	0.02	-	-	0.02	-	-	0.02	-	-	0.02	0.02	0.26
ID611	Carver Avenue	Major Roadway	0.10	0.13	0.14	0.05	0.04	0.05	0.05	0.04	0.05	0.04	0.03	0.03	0.04	0.04	0.04	0.03	0.04	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.04	0.04	0.04	0.06	0.05	0.05	0.03	1.60
ID612	Thelma Avenue	Major Roadway	-	-	0.02	-	-	0.04	-	-	0.04	-	-	0.04	-	-	0.05	-	-	0.01	-	0.01	0.07	-	0.02	0.07	0.01	0.02	0.06	0.06	0.07	0.07	0.04	0.71
ID613	Jupiter Village Road	Major Roadway	0.19	0.28	0.28	0.07	0.10	0.09	0.07	0.10	0.09	0.05	0.07	0.06	0.05	0.07	0.06	0.06	0.09	0.09	0.07	0.10	0.09	0.07	0.10	0.09	0.05	0.07	0.06	0.05	0.07	0.06	0.04	2.78
ID614	Indian Creek Drive W	Major Roadway	0.33	0.32	0.31	0.11	0.11	0.10	0.11	0.11	0.10	0.07	0.08	0.07	0.07	0.08	0.07	0.11	0.11	0.10	0.11	0.11	0.10	0.11	0.11	0.10	0.07	0.08	0.07	0.07	0.08	0.07	0.05	3.45
ID615	Egret Landing Boulevard	Major Roadway	-	0.03	0.12	-	0.03	0.05	-	0.03	0.05	-	0.02	0.03	-	0.02	0.03	-	0.01	0.04	-	0.03	0.05	-	0.03	0.05	-	0.02	0.03	-	0.02	0.03	0.03	0.76
ID616	Egret Landing Circle	Major Roadway	0.03	0.31	0.31	0.01	0.12	0.10	0.01	0.12	0.10	-	0.08	0.07	-	0.08	0.07	0.01	0.10	0.10	0.01	0.12	0.10	0.01	0.12	0.10	-	0.08	0.07	-	0.08	0.07	0.05	2.43
ID617	Pinetree Trail	Major Roadway	0.16	0.14	0.23	0.05	0.06	0.09	0.05	0.06	0.09	0.04	0.04	0.06	0.04	0.05	0.06	0.05	0.05	0.08	0.05	0.06	0.09	0.05	0.07	0.09	0.04	0.05	0.06	0.05	0.06	0.06	0.04	2.19
ID618	Mohican Boulevard	Major Roadway	0.01	0.02	0.22	-	0.04	0.09	-	0.04	0.09	-	0.04	0.06	0.01	0.06	0.06	-	0.03	0.08	0.05	0.09	0.10	0.07	0.10	0.10	0.08	0.08	0.06	0.13	0.09	0.07	0.04	1.94
ID619	Mohawk Street	Major Roadway	0.15	0.20	0.34	0.05	0.12	0.10	0.05	0.12	0.10	0.04	0.09	0.07	0.09	0.09	0.07	0.06	0.11	0.11	0.16	0.14	0.10	0.18	0.14	0.10	0.13	0.09	0.07	0.14	0.09	0.07	0.05	3.40
ID620A	Caloosahatchee Avenue	Major Roadway	-	0.36	0.34	-	0.14	0.10	-	0.14	0.10	0.05	0.09	0.07	0.14	0.09	0.07	0.15	0.15	0.11	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	3.63
ID620B	Caloosahatchee Avenue	Major Roadway	0.07	0.14	0.32	0.03	0.10	0.10	0.03	0.10	0.10	0.03	0.08	0.07	0.06	0.09	0.07	0.04	0.09	0.11	0.14	0.13	0.10	0.16	0.14	0.10	0.13	0.09	0.07	0.14	0.09	0.07	0.05	3.02
ID621A	Delaware Boulevard	Major Roadway	0.03	0.08	0.27	0.02	0.06	0.09	0.02	0.07	0.09	0.02	0.06	0.06	0.03	0.07	0.07	0.03	0.05	0.10	0.11	0.11	0.10	0.13	0.12	0.10	0.11	0.08	0.07	0.13	0.09	0.07	0.05	2.46
ID621B	Delaware Boulevard	Major Roadway	0.01	0.14	0.23	0.03	0.07	0.08	0.03	0.08	0.08	0.03	0.06	0.05	0.06	0.06	0.05	0.05	0.07	0.08	0.11	0.09	0.08	0.12	0.10	0.08	0.09	0.07	0.05	0.11	0.07	0.06	0.04	2.35
ID622	Chippewa Street	Major Roadway	0.41	0.36	0.34	0.14	0.14	0.10	0.14	0.14	0.10	0.10	0.09	0.07	0.13	0.09	0.07	0.16	0.15	0.11	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	4.35
ID623	Bluff's Boulevard	Major Roadway	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.11
ID624	Ridge Road	Major Roadway	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.05
ID624	Ridge Road	Major Roadway	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.05
ID625	River Park Drive	Major Roadway	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.09
ID626	Olympus Circle	Major Roadway	0.32	0.28	0.22	0.12	0.09	0.07	0.12	0.09	0.07	0.08	0.06	0.04	0.08	0.06	0.04	0.11	0.09	0.07	0.12	0.09	0.07	0.12	0.09	0.07	0.08	0.06	0.04	0.09	0.06	0.05	0.03	2.96
ID627	Helios Drive	Major Roadway	0.50	0.45	0.34	0.19	0.14	0.10	0.19	0.14	0.10	0.13	0.09	0.07	0.13	0.09	0.07	0.17	0.15	0.11	0.19	0.14	0.10	0.20	0.14	0.10	0.13	0.09	0.07	0.14	0.09	0.07	0.05	4.66
ID628A	Hepburn Avenue	Major Roadway	0.05	0.28	0.27	0.06	0.09	0.10	0.09	0.10	0.10	0.08	0.07	0.07	0.09	0.08	0.07	0.14	0.10	0.10	0.15	0.12	0.10	0.16	0.12	0.10	0.12	0.09	0.07	0.14	0.09	0.07	0.05	3.30
ID628B	Hepburn Avenue	Major Roadway	-	0.03	0.08	-	0.02	0.03	-	0.02	0.03	-	0.01	0.02	-	0.01	0.03	-	-	0.03	-	0.02	0.04	-	0.02	0.04	-	0.01	0.03	0.03	0.04	0.05	0.02	0.68
ID629A	Orange Avenue	Major Roadway	0.11	0.29	0.32	0.06	0.12	0.10	0.08	0.12	0.10	0.07	0.09	0.07	0.10	0.09	0.07	0.16	0.13	0.11	0.19	0.13	0.10	0.20	0.14	0.10	0.13	0.09	0.07	0.14	0.09	0.07	0.05	3.70
ID629B	Orange Avenue	Major Roadway	0.49	0.37	0.31	0.16	0.12	0.10	0.16	0.12	0.10	0.11	0.08	0.06	0.11	0.08	0.06	0.16	0.12	0.10	0.16	0.12	0.10	0.16	0.12	0.10	0.11	0.08	0.07	0.12	0.09	0.07	0.04	4.17
ID630	7th Street	Major Roadway	0.36	0.27	0.25	0.12	0.09	0.08	0.12	0.09	0.08	0.08	0.06	0.06	0.08	0.06	0.06	0.12	0.09	0.08	0.12	0.09	0.08	0.12	0.09	0.08	0.08	0.06	0.06	0.10	0.08	0.06	0.04	3.20
ID631	Love Street	Major Roadway	-	-	0.02	0.01	0.02	0.02	0.02	0.02	0.03	0.03	0.02	0.02	0.04	0.03	0.03	0.09	0.07	0.05	0.11	0.08	0.06	0.11	0.08	0.06	0.09	0.06	0.05	0.11	0.07	0.06	0.01	1.48
ID632	Clemons Street	Major Roadway	-	0.02	0.02	-	-	-	-	-	0.01	0.01	-	0.02	0.03	0.02	0.03	0.09	0.07	0.05	0.11	0.07	0.06	0.11	0.08	0.06	0.08	0.06	0.05	0.12	0.08	0.07	-	1.38
ID633	Indian Creek Drive E	Major Roadway	0.46	0.44	0.34	0.17	0.14	0.10	0.17	0.14	0.10	0.12	0.09	0.07	0.12	0.09	0.07	0.15	0.15	0.11	0.17	0.14	0.10	0.17	0.14	0.10	0.12	0.09	0.07	0.12	0.09	0.07	0.05	4.43

Asset Unique ID	Asset Name	Asset Type	S-1 14%	S-2 9%	S-3 7%	S-4 4%	S-5 3%	S-6 2%	S-7 4%	S-8 3%	S-9 2%	S-10 3%	S-11 2%	S-12 1%	S-13 3%	S-14 2%	S-15 1%	S-16 5%	S-17 3%	S-18 2%	S-19 4%	S-20 3%	S-21 2%	S-22 4%	S-23 3%	S-24 2%	S-25 3%	S-26 2%	S-27 1%	S-28 3%	S-29 2%	S-30 1%	S-31 1%	Overall Sensitivity Score
ID001	Jupiter Beach Road Bridge	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.03	0.06	0.04	0.03	0.06	0.08	0.09	0.07	0.14	0.09	0.07	0	0.76
ID002	Jupiter Beach Park Bridge	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.04	0.08	0.10	0.12	0.08	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0	1.13
ID003	Indiantown Road Bridge over C-18 Canal, WB	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID004	Island Way Bridge over C-18 Canal	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID005	Loxahatchee River Road Bridge over C-18 Canal	Bridge	0	0	0.34	0	0.03	0.10	0	0.08	0.10	0	0.09	0.07	0	0.09	0.07	0	0.03	0.11	0.12	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	2.56
ID006	I95 Bridge over C-18 Canal, SB	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID007	I95 Bridge over C-18 Canal, NB	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID008	Indiantown Road Bridge over C-18 Canal, EB	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID009	I95 Bridge over Donald Ross Road, NB	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID010	I95 Bridge over Donald Ross Road, SB	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID011	Florida Turnpike Bridge, SB	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID012	I95 Bridge over Indiantown Road, SB	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID013	US1 Bridge over Loxahatchee River	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID014	Indiantown Road Bridge over Lake Worth Creek, WB	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID015	Indiantown Road Bridge over Lake Worth Creek, EB	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID016	Center Street Bridge over Jones Creek	Bridge	0	0	0	0	0	0.06	0	0	0.06	0	0	0.07	0	0	0.07	0	0	0	0	0	0.10	0	0	0.10	0	0.06	0.07	0.08	0.09	0.07	0.05	0.87
ID017	Indiantown Road Bridge over Jupiter Creek	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID018	Southern US1 Bridge over Lake Worth Creek Canal, NB	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID019	Southern US1 Bridge over Lake Worth Creek Canal, SB	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID020	Northern US1 Bridge over Lake Worth Creek Canal, NB	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID021	Northern US1 Bridge over Lake Worth Creek Canal, SB	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID022	Indiantown Road Bridge over Loxahatchee Creek	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID023	Florida Turnpike Bridge over Loxahatchee Creek	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	0.05
ID024	Alt A1A Bridge over Loxahatchee River	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID025	I95 Bridge over Loxahatchee Creek	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID026	Riverbend Park Bridge	Bridge	0.69	0.46	0.34	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.23	0.15	0.11	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	5.00
ID027	WB Indiantown Road Bridge to SB I95 (Ramp)	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID028	Center Street Bridge over Sims Creek	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID029	Indiantown Road Bridge over Slough	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID030	I95 Bridge over Indiantown Road, NB	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID031	WB Indiantown Road Bridge to SB I95 (Ramp)	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID032	Indiantown Road Bridge over Florida Turnpike, WB	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID033	EB Indiantown Road Bridge to SB I95	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID034	Western Indiantown Road Bridge to SB I95 (Ramp)	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID035	Eastern Indiantown Road Bridge to SB I95 (Ramp)	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID036	Donald Ross Road Bridge over Florida Turnpike, EB	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID037	Donald Ross Road Bridge over Florida Turnpike, WB	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID038	Indiantown Road Bridge to Florida Turnpike (Ramp)	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID039	Central Boulevard Bridge over C-18 Canal	Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID063	Railroad Bridge over Loxahatchee River	Railroad Bridge	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Asset Unique ID	Asset Name	Asset Type	S-1	S-2	S-3	S-4	S-5	S-6	S-7	S-8	S-9	S-10	S-11	S-12	S-13	S-14	S-15	S-16	S-17	S-18	S-19	S-20	S-21	S-22	S-23	S-24	S-25	S-26	S-27	S-28	S-29	S-30	S-31	Overall Sensitivity Scores
			14%	9%	7%	4%	3%	2%	4%	3%	2%	3%	2%	1%	3%	2%	1%	5%	3%	2%	4%	3%	2%	4%	3%	2%	3%	2%	1%	3%	2%	1%	1%	
ID065	LS095	Wastewater Treatment Facility and Lift Station	0.28	0.18	0.20	0.12	0.08	0.08	0.12	0.08	0.08	0.08	0.06	0.05	0.08	0.07	0.05	0.18	0.12	0.09	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.04	3.56
ID066	LS104	Wastewater Treatment Facility and Lift Station	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID067	LS105	Wastewater Treatment Facility and Lift Station	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID068	LS106	Wastewater Treatment Facility and Lift Station	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID069	LS087	Wastewater Treatment Facility and Lift Station	0	0.09	0.13	0	0.03	0.04	0	0.03	0.04	0	0.02	0.04	0	0.02	0.04	0	0.03	0.04	0	0.03	0.04	0	0.03	0.04	0.03	0.04	0.04	0.06	0.06	0.04	0.03	0.98
ID070	LS088	Wastewater Treatment Facility and Lift Station	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.01	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0.03	0.02	0.03	0.01	0.20
ID071	LS086	Wastewater Treatment Facility and Lift Station	0.14	0.18	0.13	0.08	0.06	0.06	0.08	0.06	0.06	0.06	0.04	0.04	0.06	0.04	0.04	0.05	0.06	0.04	0.08	0.06	0.06	0.08	0.08	0.06	0.08	0.06	0.04	0.08	0.07	0.05	0.03	2.11
ID072	LS080	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0	0.02	0	0.02	0.03	0.06	0.04	0.04	0	0.22
ID073	LS089	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID074	LS124	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID075	LS122	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID076	LS121	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID077	LS114	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID078	LS260	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID079	LS212	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID080	LS213	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0.01
ID081	LS240	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0.01
ID082	LS241	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.01	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.01	0.01	0.14
ID083	LS220	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0.01
ID084	LS221	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0.01
ID085	LS218	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	0.02
ID086	LS248	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID087	LS224	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0.01
ID088	LS222	Wastewater Treatment Facility and Lift Statio	0	0	0.07	0	0	0.04	0	0	0.04	0	0	0.03	0	0	0.03	0	0	0.02	0	0	0.04	0	0	0.04	0	0	0.03	0	0	0.03	0.03	0.39
ID089	LS249	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID090	LS242	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID091	LS157	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID092	LS246	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID093	LS252	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID094	LS255	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID095	LS250	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID096	LS018	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.01	0	0	0	0	0	0.02	0	0	0.02	0	0	0.03	0	0.02	0.03	0.02	0.20
ID097	LS019	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0.02	0	0	0.04	0	0	0.03	0	0	0.03	0	0	0.02	0	0	0.04	0	0	0.04	0	0.02	0.04	0.03	0.04	0.04	0.03	0.41
ID098	LS020	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.01	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.01	0.01	0.14
ID099	LS021	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID100	LS022	Wastewater Treatment Facility and Lift Statio	0	0	0.07	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.01	0	0	0.02	0	0	0.02	0	0	0.02	0	0	0.01	0	0.02	0.03	0.02	0.27
ID101	LS023	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID102	LS024	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0.04	0	0	0.04	0	0	0.03	0	0	0.03	0	0	0.02	0	0	0.04	0	0.03	0.04	0	0.02	0.04	0.06	0.04	0.04	0.03	0.48
ID103	LS025	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID104	LS026	Wastewater Treatment Facility and Lift Statio	0.14	0.28	0.27	0.12	0.08	0.08	0.12	0.08	0.10	0.08	0.07	0.07	0.11	0.07	0.07	0.18	0.12	0.11	0.21	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.05	3.71
ID105	LS027	Wastewater Treatment Facility and Lift Statio	0	0.28	0.27	0.04	0.08	0.08	0.04	0.08	0.08	0.06	0.06	0.07	0.08	0.07	0.07	0.14	0.09	0.09	0.17	0.11	0.10	0.17	0.11	0.10	0.11	0.07	0.07	0.14	0.09	0.07	0.05	3.02
ID106	LS028	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0	0.02	0	0.02	0.03	0.06	0.04	0.04	0	0.22
ID107	LS029	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0	0.01	0.03	0.04	0.03	0	0.13
ID108	LS030	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0.01
ID109	LS031	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.03	0.04	0	0.03	0.04	0.03	0.04	0.04	0.08	0.06	0.04	0	0.42
ID110	LS032	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID111	LS035	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID112	LS036	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0.01
ID113	LS037	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID114	LS038	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0.03	0.04	0.04	0	0.16
ID115	LS039	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0	0.02	0.03	0.02	0.03	0.06	0.06	0.04	0	0.26
ID116	LS056	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID117	LS063	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.03	0.02	0	0.03	0.02	0.03	0.04	0.03	0.08	0.06	0.04	0	0.37
ID118	LS098	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID119	LS099	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0	0.02	0.03	0.02	0.03	0.06	0.04	0.04	0	0.25
ID120	LS101	Wastewater Treatment Facility and Lift Statio	0	0	0.07	0	0	0.02	0	0	0.02	0	0	0.03	0	0	0.03	0	0	0.02	0	0	0.02	0	0	0.02	0	0.02	0.03	0.03	0.04	0.04	0.02	0.39
ID121	LS102	Wastewater Treatment Facility and Lift Statio	0.14	0.18	0.20	0.04	0.06	0.06	0.04	0.06	0.06	0.03	0.06	0.04	0.03	0.06	0.04	0.05	0.06	0.07	0.04	0.06	0.06	0.04	0.08	0.06	0.06	0.06	0.04	0.08	0.06	0.05	0.03	1.97
ID122	LS113	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID123	LS126	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0.04	0	0	0.04	0	0	0.04	0.03	0.02	0.04	0.05	0.03	0.04	0.12	0.08	0.06	0.12	0.08	0.08	0.08	0.06	0.05	0.11	0.07	0.05	0.03	1.34
ID124	LS138	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0	0.02	0.03	0.02	0.03	0.06	0.04	0.04	0	0.25
ID125	LS139	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0	0.02	0	0.02	0.03	0.06	0.04	0.04	0	0.22
ID126	LS151	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID127	LS152	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID128	LS153	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID129	LS154	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0	0.03	0.01	0.06
ID130	LS301	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0	0	0	0	0	0	0	0.02	0	0	0.01	0	0.02	0.03	0.01	0.10
ID131	LS155	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID132	LS158	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID133	LS159	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Asset Unique ID	Asset Name	Asset Type	S-1	S-2	S-3	S-4	S-5	S-6	S-7	S-8	S-9	S-10	S-11	S-12	S-13	S-14	S-15	S-16	S-17	S-18	S-19	S-20	S-21	S-22	S-23	S-24	S-25	S-26	S-27	S-28	S-29	S-30	S-31	Overall Sensitivity Scores
			14%	9%	7%	4%	3%	2%	4%	3%	2%	3%	2%	1%	3%	2%	1%	5%	3%	2%	4%	3%	2%	4%	3%	2%	3%	2%	1%	3%	2%	1%	1%	
ID134	LS160	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.01
ID135	LS161	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID136	LS162	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID137	LS163	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID138	LS169	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID139	LS171	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID140	LS172	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID141	LS190	Wastewater Treatment Facility and Lift Statio	0	0.28	0.27	0.04	0.08	0.08	0.08	0.08	0.10	0.06	0.07	0.07	0.08	0.07	0.07	0.14	0.09	0.09	0.12	0.11	0.10	0.17	0.11	0.10	0.11	0.07	0.07	0.14	0.09	0.07	0.05	3.06
ID142	LS191	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.03	0	0	0	0	0	0.02	0	0	0.04	0	0	0.03	0.03	0.04	0.04	0.02	0.29
ID143	LS193	Wastewater Treatment Facility and Lift Statio	0	0.18	0.20	0	0.08	0.08	0.04	0.08	0.08	0.03	0.06	0.05	0.06	0.06	0.05	0.09	0.09	0.07	0.12	0.08	0.08	0.12	0.11	0.08	0.08	0.07	0.07	0.11	0.07	0.07	0.05	2.43
ID144	LS203	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID145	LS204	Wastewater Treatment Facility and Lift Statio	0	0.09	0.13	0	0.03	0.04	0	0.03	0.04	0	0.04	0.03	0	0.04	0.03	0	0.03	0.04	0	0.03	0.04	0	0.03	0.04	0	0.04	0.03	0	0.04	0.03	0.03	0.86
ID146	LS205	Wastewater Treatment Facility and Lift Statio	0	0.18	0.13	0.04	0.06	0.06	0.04	0.06	0.06	0.03	0.04	0.04	0.03	0.04	0.04	0	0.06	0.04	0.04	0.06	0.06	0.04	0.06	0.06	0.03	0.04	0.04	0.03	0.04	0.04	0.03	1.50
ID147	LS206	Wastewater Treatment Facility and Lift Statio	0.14	0.18	0.13	0.04	0.06	0.06	0.04	0.06	0.06	0.03	0.04	0.04	0.03	0.04	0.04	0.05	0.06	0.04	0.04	0.06	0.06	0.04	0.06	0.06	0.03	0.04	0.04	0.03	0.04	0.04	0.03	1.68
ID148	LS207	Wastewater Treatment Facility and Lift Statio	0	0.09	0.13	0	0.03	0.04	0	0.03	0.04	0	0.02	0.03	0	0.02	0.03	0	0.03	0.04	0	0.03	0.04	0	0.03	0.04	0	0.02	0.03	0	0.02	0.03	0.02	0.77
ID149	LS001	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID150	LS002	Wastewater Treatment Facility and Lift Statio	0	0	0.13	0	0.03	0.06	0	0.03	0.06	0	0.04	0.04	0.03	0.04	0.04	0	0.03	0.07	0.04	0.06	0.06	0.04	0.06	0.06	0.06	0.06	0.05	0.08	0.06	0.05	0.03	1.29
ID151	LS003	Wastewater Treatment Facility and Lift Statio	0	0.18	0.20	0.04	0.08	0.08	0.04	0.08	0.08	0.06	0.06	0.05	0.08	0.06	0.05	0.09	0.09	0.09	0.12	0.08	0.08	0.12	0.11	0.08	0.08	0.07	0.07	0.11	0.07	0.07	0.05	2.55
ID152	LS004	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID153	LS005	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.03	0	0	0	0	0	0.02	0	0	0.04	0	0	0.03	0.03	0.04	0.04	0.02	0.29
ID154	LS006	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0	0.01	0.01	0.04
ID155	LS007	Wastewater Treatment Facility and Lift Statio	0	0	0.07	0	0	0.04	0	0	0.04	0	0	0.03	0	0	0.03	0	0	0.02	0	0	0.04	0	0	0.04	0	0	0.03	0	0.02	0.03	0.02	0.40
ID156	LS008	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0.04	0	0	0.04	0	0	0.03	0	0	0.03	0	0	0.02	0	0	0.04	0	0.03	0.04	0	0.02	0.04	0.06	0.04	0.04	0.03	0.48
ID157	LS009	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.03	0	0	0	0	0	0.02	0	0	0.02	0	0	0.03	0.03	0.02	0.04	0.02	0.25
ID158	LS010	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0	0.02	0.03	0.01	0.12
ID159	LS011	Wastewater Treatment Facility and Lift Statio	0	0.09	0.20	0	0.06	0.08	0	0.06	0.08	0.03	0.06	0.05	0.06	0.06	0.05	0.05	0.06	0.07	0.12	0.08	0.08	0.12	0.08	0.08	0.08	0.06	0.05	0.11	0.07	0.07	0.04	2.10
ID160	LS012	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0.02	0	0	0.04	0	0	0.03	0	0	0.03	0	0	0	0	0	0.04	0	0.03	0.04	0.03	0.02	0.04	0.06	0.04	0.04	0.03	0.47
ID161	LS014	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0.02	0	0	0.02	0	0	0.03	0	0	0.03	0	0	0	0	0	0.04	0	0	0.04	0	0.02	0.03	0.03	0.04	0.04	0.02	0.34
ID162	LS015	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0.01	0.02
ID163	LS016	Wastewater Treatment Facility and Lift Statio	0	0.09	0.13	0	0.03	0.06	0	0.03	0.06	0	0.04	0.04	0.03	0.04	0.04	0	0.03	0.04	0	0.06	0.06	0	0.06	0.06	0.03	0.04	0.04	0.06	0.06	0.04	0.03	1.18
ID164	LS017	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID165	LS244	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID166	LS251	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID167	LS254	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID168	LS261	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID169	LS263	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0.01	0.02
ID170	LS264	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID171	LS265	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID172	LS266	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID173	LS291	Wastewater Treatment Facility and Lift Statio	0	0	0.07	0	0	0.04	0	0	0.04	0	0	0.03	0	0	0.03	0	0	0.02	0	0	0.04	0	0	0.04	0	0	0.03	0	0	0.03	0.02	0.38
ID174	LS292	Wastewater Treatment Facility and Lift Statio	0	0	0.07	0	0	0.04	0	0	0.04	0	0	0.03	0	0	0.03	0	0	0.02	0	0	0.04	0	0	0.04	0	0	0.03	0	0	0.03	0.03	0.39
ID175	LS293	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID176	LS294	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID177	LS093	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.04	0.03	0.04	0.04	0.03	0.04	0.06	0.04	0.04	0.08	0.06	0.04	0	0.53
ID178	LS199	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0	0.01	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0	0.02	0.03	0.01	0.14
ID179	LS079	Wastewater Treatment Facility and Lift Statio	0	0.18	0.20	0	0.08	0.08	0	0.08	0.08	0.03	0.06	0.05	0.06	0.06	0.05	0.05	0.06	0.07	0.12	0.08	0.08	0.12	0.08	0.08	0.08	0.07	0.07	0.11	0.07	0.07	0.05	2.29
ID180	LS082	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID181	LS084	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0	0.02	0.03	0.02	0.03	0.06	0.06	0.04	0.01	0.27
ID182	LS090	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0.03	0.02	0.03	0	0.09
ID183	LS091	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.04	0.06	0.04	0.08	0.06	0.06	0.06	0.06	0.04	0.08	0.06	0.05	0	0.68
ID184	LS092	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID185	LS094	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID186	LS096	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0	0.02	0.08	0.06	0.06	0.08	0.08	0.06	0.08	0.06	0.04	0.08	0.07	0.05	0	0.85
ID187	LS097	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID188	LS238	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID189	LS208	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID190	LS209	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0.01
ID191	LS210	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID192	LS211	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0.01
ID193	LS033	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.04	0	0.03	0.04	0.03	0.04	0.04	0.08	0.06	0.04	0	0.39
ID194	LS300	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0.06	0.04	0.04	0	0.19
ID195	LS034	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	0.01	0	0.03
ID196	LS085	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0.02	0.01	0.06	0.04	0.04	0	0.18
ID197	LSAM1	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID198	LS013	Wastewater Treatment Facility and Lift Statio	0	0	0.07	0	0	0.04	0	0	0.06	0	0	0.04	0	0.02	0.04	0	0	0.02	0	0.03	0.06	0.04	0.06	0.06	0.06	0.04	0.04	0.08	0.06	0.05	0.03	0.89
ID199	LS083	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0.02	0.01	0.06	0.04	0.04	0	0.18
ID200	LS170	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID201	LS179	Wastewater Treatment Facility and Lift Statio	0	0.09	0.13	0	0.03	0.04	0	0.03	0.04	0	0.02	0.03	0	0.02	0.04	0	0.03	0.04	0	0.03	0.04	0	0.03	0.04	0	0.02	0.04	0.03	0.04	0.04	0.03	0.87
ID202	LS200	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Asset Unique ID	Asset Name	Asset Type	S-1	S-2	S-3	S-4	S-5	S-6	S-7	S-8	S-9	S-10	S-11	S-12	S-13	S-14	S-15	S-16	S-17	S-18	S-19	S-20	S-21	S-22	S-23	S-24	S-25	S-26	S-27	S-28	S-29	S-30	S-31	Overall Sensitivity Scores
			14%	9%	7%	4%	3%	2%	4%	3%	2%	3%	2%	1%	3%	2%	1%	5%	3%	2%	4%	3%	2%	4%	3%	2%	3%	2%	1%	3%	2%	1%	1%	
ID203	LS226	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID204	LS228	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID205	LS230	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0.01
ID206	LS231	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID207	LS232	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID208	LS233	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID209	LS234	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0.06	0.04	0.03	0	0.13
ID210	LS235	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID211	LS236	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID212	LS237	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID213	LS295	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID214	LS081	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID215	LSP01	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID216	LSP04	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID217	LSP03	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID218	LSP02	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID219	LS921	Wastewater Treatment Facility and Lift Statio	0	0	0.13	0	0.03	0.04	0	0.03	0.04	0.03	0.04	0.04	0.06	0.06	0.04	0.14	0.09	0.07	0.17	0.11	0.08	0.17	0.11	0.08	0.11	0.07	0.07	0.14	0.09	0.07	0.03	2.11
ID220	LS932	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.03	0	0	0	0	0	0.02	0	0	0.02	0	0	0.03	0.03	0.02	0.04	0.02	0.25
ID221	LS934	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0.02	0	0	0.04	0	0	0.03	0	0.02	0.04	0	0.03	0.04	0.08	0.08	0.06	0.12	0.08	0.06	0.08	0.06	0.05	0.11	0.07	0.05	0.03	1.17
ID222	LS930	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0.01	0.03	0.02	0.03	0.09	0.09	0.07	0.12	0.08	0.08	0.12	0.11	0.08	0.11	0.07	0.05	0.14	0.09	0.07	0	1.48
ID223	LS951	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.01	0	0	0	0.04	0.03	0.04	0.04	0.06	0.04	0.06	0.04	0.04	0.08	0.06	0.04	0.01	0.63
ID224	LS952	Wastewater Treatment Facility and Lift Statio	0.41	0.28	0.27	0.12	0.11	0.08	0.12	0.11	0.08	0.08	0.07	0.05	0.08	0.07	0.05	0.14	0.09	0.09	0.17	0.11	0.10	0.17	0.11	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.04	3.72
ID225	LS953	Wastewater Treatment Facility and Lift Statio	0	0.09	0.07	0	0.03	0.04	0	0.03	0.04	0	0.02	0.03	0	0.02	0.03	0	0.03	0.02	0.08	0.06	0.06	0.08	0.08	0.06	0.08	0.06	0.04	0.08	0.07	0.05	0.02	1.27
ID226	LS960	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID227	LS925	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.04	0.03	0.04	0.04	0.06	0.04	0.06	0.06	0.04	0.08	0.06	0.04	0	0.58
ID228	LS981	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0.02	0	0	0.02	0	0	0.03	0	0.02	0.03	0	0.03	0.04	0.08	0.06	0.06	0.08	0.08	0.06	0.08	0.06	0.05	0.11	0.07	0.05	0.02	1.06
ID229	LS909	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID230	LS903	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID231	LS906	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID232	LS935	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID233	LS907	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID234	LS975	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID235	LS948	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID236	LS910	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID237	LS902	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.06	0.04	0.03	0	0.12
ID238	LS904	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID239	LS905	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0	0.02	0.01	0	0	0.02	0	0	0.02	0	0	0.02	0.03	0.02	0.03	0.08	0.06	0.04	0.01	0.41
ID240	LS908	Wastewater Treatment Facility and Lift Statio	0	0	0.07	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.01	0	0	0.02	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.01	0.01	0.23
ID241	LS911	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	0.02
ID242	LS912	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0.01
ID243	LS913	Wastewater Treatment Facility and Lift Statio	0	0.18	0.13	0.04	0.06	0.06	0.04	0.06	0.06	0.03	0.04	0.04	0.03	0.04	0.04	0	0.06	0.04	0.04	0.06	0.06	0.04	0.06	0.06	0.06	0.04	0.04	0.08	0.06	0.05	0.03	1.62
ID244	LS914	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0	0.03	0.01	0.06
ID245	LS915	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID246	LS916	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID247	LS918	Wastewater Treatment Facility and Lift Statio	0.14	0.09	0.13	0.04	0.03	0.04	0.04	0.03	0.04	0.03	0.02	0.03	0.03	0.02	0.03	0.05	0.03	0.04	0.04	0.03	0.04	0.04	0.03	0.04	0.03	0.02	0.03	0.03	0.02	0.03	0.03	1.24
ID248	LS919	Wastewater Treatment Facility and Lift Statio	0	0	0.07	0	0	0.04	0	0	0.06	0	0.02	0.04	0	0.02	0.04	0	0	0.04	0	0.03	0.06	0	0.03	0.06	0.03	0.04	0.04	0.06	0.06	0.04	0.03	0.79
ID249	LS920	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID250	LS922	Wastewater Treatment Facility and Lift Statio	0	0	0.07	0	0.03	0.04	0	0.03	0.04	0.03	0.02	0.03	0.06	0.04	0.04	0.14	0.09	0.07	0.17	0.11	0.08	0.17	0.11	0.08	0.11	0.07	0.07	0.14	0.09	0.07	0.03	2.00
ID251	LS923	Wastewater Treatment Facility and Lift Statio	0	0.09	0.20	0.04	0.08	0.08	0.08	0.08	0.08	0.08	0.06	0.05	0.08	0.07	0.07	0.14	0.12	0.09	0.17	0.14	0.10	0.17	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.04	2.95
ID252	LS924	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID253	LS926	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID254	LS937	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID255	LS940	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.01
ID256	LS941	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID257	LS950	Wastewater Treatment Facility and Lift Statio	0	0.09	0.20	0.04	0.06	0.08	0.04	0.08	0.08	0.06	0.06	0.05	0.08	0.07	0.05	0.14	0.12	0.09	0.17	0.11	0.10	0.17	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.04	2.81
ID258	LS961	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID259	LS965	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID260	LS962	Wastewater Treatment Facility and Lift Statio	0	0	0.07	0	0	0.04	0	0	0.04	0	0.02	0.03	0	0.02	0.03	0	0	0.02	0	0	0.04	0	0	0.04	0	0.02	0.03	0	0.02	0.03	0.03	0.46
ID261	LS917	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID262	LS972	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	0.03	0.05	0.06	0.04	0.12	0.08	0.06	0.12	0.08	0.06	0.08	0.07	0.05	0.11	0.07	0.07	0	1.19
ID263	LS973	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0.04	0	0	0.04	0	0.02	0.04	0.03	0.04	0.04	0.05	0.06	0.07	0.12	0.08	0.08	0.12	0.08	0.08	0.08	0.07	0.05	0.11	0.07	0.07	0.03	1.48
ID264	LS978	Wastewater Treatment Facility and Lift Statio	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID265	LS984	Wastewater Treatment Facility and Lift Statio	0.55	0.46	0.34	0.17	0.14	0.10	0.17	0.14	0.10	0.11	0.09	0.07	0.11	0.09	0.07	0.18	0.15	0.11	0.17	0.14	0.10	0.17	0.14	0.10	0.11	0.09	0.07	0.11	0.09	0.07	0.05	4.54
ID266	LS985	Wastewater Treatment Facility and Lift Statio	0.28	0.28	0.27	0.08	0.11	0.08	0.08	0.11	0.08	0.08	0.07	0.05	0.08	0.07	0.05	0.09	0.09	0.09	0.08	0.11	0.08	0.08	0.11	0.08	0.08	0.07	0.05	0.08	0.07	0.05	0.05	3.08
ID278	FA-02	Drinking Water Facility	0	0	0.07	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.01	0	0	0.02	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.01	0.02	0.24
ID279	FA-03	Drinking Water Facility	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.01	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.01	0.01	0.14
ID280	FA-04	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID281	FA-05	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID282	FA-06	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Asset Unique ID	Asset Name	Asset Type	S-1	S-2	S-3	S-4	S-5	S-6	S-7	S-8	S-9	S-10	S-11	S-12	S-13	S-14	S-15	S-16	S-17	S-18	S-19	S-20	S-21	S-22	S-23	S-24	S-25	S-26	S-27	S-28	S-29	S-30	S-31	Overall Sensitivity Scores
			14%	9%	7%	4%	3%	2%	4%	3%	2%	3%	2%	1%	3%	2%	1%	5%	3%	2%	4%	3%	2%	4%	3%	2%	3%	2%	1%	3%	2%	1%	1%	
ID283	FA-07	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID284	FA-08	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID285	FA-09	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID286	FA-10	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID287	FA-11	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID288	FA-12	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID289	FA-13	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID290	FA-14	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID291	FA-14	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID292	FA-15	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID293	FA-16	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID294	SA-08A	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID295	SA-09A	Drinking Water Facility	0	0.09	0.07	0.04	0.03	0.04	0.04	0.03	0.04	0.03	0.02	0.03	0.03	0.02	0.03	0	0.03	0.02	0.04	0.03	0.04	0.04	0.03	0.04	0.03	0.02	0.03	0.03	0.02	0.03	0.02	0.96
ID296	SA-10A	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0.01
ID297	SA-11A	Drinking Water Facility	0.14	0.09	0.13	0.04	0.03	0.04	0.04	0.03	0.04	0.03	0.02	0.03	0.03	0.02	0.03	0.05	0.03	0.04	0.04	0.03	0.04	0.04	0.03	0.04	0.03	0.02	0.03	0.03	0.02	0.03	0.03	1.24
ID298	SA-12A	Drinking Water Facility	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.01	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.01	0.01	0.14
ID299	SA-13	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID300	SA-14	Drinking Water Facility	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.01	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.01	0.01	0.14
ID301	SA-15	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID302	SA-16	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID303	SA-17	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID304	SA-18	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID305	SA-19	Drinking Water Facility	0	0	0	0	0	0.02	0	0	0.02	0	0	0.03	0	0	0.03	0	0	0	0	0	0.02	0	0	0.02	0	0	0.03	0	0	0.03	0.02	0.21
ID306	SA-20	Drinking Water Facility	0	0.09	0.07	0	0.03	0.04	0	0.03	0.04	0	0.02	0.03	0	0.02	0.03	0	0.03	0.04	0	0.03	0.04	0	0.03	0.04	0	0.02	0.03	0	0.02	0.03	0.02	0.71
ID307	SA-21	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0.01
ID308	SA-22	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID309	SA-23	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID310	SA-24	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID311	SA-25	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID312	SA-26	Drinking Water Facility	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.01	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.01	0.01	0.14
ID313	SA-27	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID314	SA-28	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID315	SA-29	Drinking Water Facility	0	0	0.13	0	0.03	0.06	0	0.03	0.06	0	0.02	0.04	0	0.02	0.04	0	0	0.04	0	0.03	0.06	0	0.03	0.06	0	0.02	0.04	0	0.02	0.04	0.03	0.80
ID316	SA-30	Drinking Water Facility	0	0	0.07	0	0	0.04	0	0	0.04	0	0	0.03	0	0	0.03	0	0	0.02	0	0	0.04	0	0	0.04	0	0	0.03	0	0	0.03	0.03	0.39
ID317	SA-31	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID318	SA-32	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID319	SA-33	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID320	SA-34	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID321	SA-35	Drinking Water Facility	0.14	0.09	0.13	0.04	0.03	0.04	0.04	0.03	0.04	0.03	0.02	0.03	0.03	0.02	0.03	0.05	0.03	0.04	0.04	0.03	0.04	0.04	0.03	0.04	0.03	0.02	0.03	0.03	0.02	0.03	0.02	1.23
ID322	SA-36	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0.01
ID323	SA-37	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID324	SA-39	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID325	SA-40	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID326	SA-41	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0.01
ID327	SA-42	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0.01
ID328	SA-43	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID329	SA-44	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID330	SA-45	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID331	SA-46	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID332	SA-47	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID333	SA-48	Drinking Water Facility	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.01	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.01	0.01	0.14
ID334	SA-49	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID335	SA-50	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID336	SA-51	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0.01
ID337	SA-52	Drinking Water Facility	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.01	0	0	0	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.01	0.01	0.14
ID338	SA-53	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID339	SA-54	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID340	SA-55	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID341	SA-56	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID342	SA-57	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID343	SA-58	Drinking Water Facility	0	0	0.07	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.01	0	0	0.02	0	0	0.02	0	0	0.02	0	0	0.01	0	0	0.01	0.01	0.23
ID344	SA-59	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID345	SA-60	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID346	SA-62	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID347	SA-67	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID348	SA-68	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID352	Seacoast 10" Interconnec	Water Utility Conveyance System	0	0.28	0.27	0.04	0.08	0.08	0.04	0.08	0.08	0.03	0.06	0.05	0.03	0.06	0.05	0	0.09	0.09	0.04	0.08	0.08	0.04	0.08	0.08	0.03	0.06	0.05	0.03	0.06	0.05	0.04	2.13
ID353	Seacoast 12" Interconnec	Water Utility Conveyance System	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID354	Seacoast 8" Interconnec	Water Utility Conveyance System	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Asset Unique ID	Asset Name	Asset Type	S-1	S-2	S-3	S-4	S-5	S-6	S-7	S-8	S-9	S-10	S-11	S-12	S-13	S-14	S-15	S-16	S-17	S-18	S-19	S-20	S-21	S-22	S-23	S-24	S-25	S-26	S-27	S-28	S-29	S-30	S-31	Overall Sensitivity Scores
			14%	9%	7%	4%	3%	2%	4%	3%	2%	3%	2%	1%	3%	2%	1%	5%	3%	2%	4%	3%	2%	4%	3%	2%	3%	2%	1%	3%	2%	1%	1%	
ID355	Tequesta 12" Interconnec	Water Utility Conveyance System	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID356	Tequesta 8" Interconnec	Water Utility Conveyance System	0	0.09	0.20	0	0.06	0.08	0	0.06	0.08	0.03	0.06	0.05	0.06	0.06	0.05	0.05	0.06	0.07	0.08	0.08	0.08	0.12	0.08	0.08	0.08	0.06	0.05	0.11	0.07	0.07	0.04	2.06
ID551	Jupiter Inlet Historic and Archeological Sit	Historical and Cultural Asse	0.14	0.09	0.20	0.04	0.06	0.06	0.08	0.08	0.08	0.06	0.06	0.05	0.08	0.06	0.05	0.14	0.12	0.09	0.17	0.14	0.10	0.21	0.14	0.10	0.14	0.09	0.07	0.14	0.09	0.07	0.04	3.02
ID552	Jupiter Inlet Shipwrecks Historical Marke	Historical and Cultural Asse	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	0.01	0.06	0.04	0.03	0	0.15
ID634	FA-17	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID635	FA-18	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID636	FA-19	Drinking Water Facility	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID639	Jupiter Lake Worth Railway (AKA Celestial Railway	Historical and Cultural Asse	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID640	Scheurich Midden	Historical and Cultural Asse	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID641	Jupiter Lake Worth Railway Terminus	Historical and Cultural Asse	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID642	Sperry Property	Historical and Cultural Asse	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ID643	River Hammock	Historical and Cultural Asse	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.01
ID644	20 W Riverside Drive	Historical and Cultural Asse	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0	0.01	0	0	0	0	0	0.02	0	0	0.02	0	0	0.03	0.03	0.02	0.03	0.02	0.19
ID645	Sawfish Bay Park Midder	Historical and Cultural Asse	0	0	0.07	0	0.03	0.06	0	0.03	0.06	0.03	0.04	0.04	0.06	0.06	0.05	0.09	0.09	0.07	0.12	0.08	0.08	0.12	0.11	0.08	0.11	0.07	0.07	0.11	0.09	0.07	0.03	1.92

Appendix H: Sensitivity Score Exhibits



Hazen Project Number: 44250-093
Plot date: 8/6/2025 4:26 PM By: JBielecki
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	8/6/2025 4:26 PM
Printed By:	J. Bielecki
Review By:	E. Stanley

Sensitivity Analysis Report
Town of Jupiter

Sensitivity Score Maps
Scenario 1

Appendix H

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JBielecki Save date = 8/6/2025 1:38 PM



Hazen Project Number: 44250-093
Plot date: 8/6/2025 4:29 PM By: JBielecki
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	8/6/2025 4:29 PM
Printed By:	J. Bielecki
Review By:	E. Stanley

Sensitivity Analysis Report
Town of Jupiter

Sensitivity Score Maps
Scenario 2

Appendix H

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JBielecki Save date = 8/6/2025 1:38 PM



Hazen Project Number: 44250-093
Plot date: 8/6/2025 4:32 PM By: JBielecki
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	8/6/2025 4:32 PM
Printed By:	J. Bielecki
Review By:	E. Stanley

Sensitivity Analysis Report
Town of Jupiter

Sensitivity Score Maps
Scenario 3

Appendix H

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JBielecki Save date = 8/6/2025 1:38 PM



Hazen Project Number: 44250-093
Plot date: 8/6/2025 4:35 PM By: JBielecki
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	8/6/2025 4:35 PM
Printed By:	J. Bielecki
Review By:	E. Stanley

Sensitivity Analysis Report
Town of Jupiter

Sensitivity Score Maps
Scenario 4

Appendix H

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JBielecki Save date = 8/6/2025 1:38 PM



Hazen Project Number: 44250-093
Plot date: 8/6/2025 4:38 PM By: JBielecki
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	8/6/2025 4:38 PM
Printed By:	J. Bielecki
Review By:	E. Stanley

Sensitivity Analysis Report
Town of Jupiter

Sensitivity Score Maps
Scenario 5

Appendix H

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JBielecki Save date = 8/6/2025 1:38 PM



Hazen Project Number: 44250-093
Plot date: 8/6/2025 4:41 PM By: JBielecki
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	8/6/2025 4:41 PM
Printed By:	J. Bielecki
Review By:	E. Stanley

Sensitivity Analysis Report
Town of Jupiter

Sensitivity Score Maps
Scenario 6

Appendix H

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JBielecki Save date = 8/6/2025 1:38 PM



Hazen Project Number: 44250-093
Plot date: 8/6/2025 4:44 PM By: JBielecki
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	8/6/2025 4:44 PM
Printed By:	J. Bielecki
Review By:	E. Stanley

Sensitivity Analysis Report
Town of Jupiter

Sensitivity Score Maps
Scenario 7

Appendix H

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JBielecki Save date = 8/6/2025 1:38 PM



Hazen Project Number: 44250-093
Plot date: 8/6/2025 4:47 PM By: JBielecki
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	8/6/2025 4:47 PM
Printed By:	J. Bielecki
Review By:	E. Stanley

Sensitivity Analysis Report
Town of Jupiter

Sensitivity Score Maps
Scenario 8

Appendix H

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JBielecki Save date = 8/6/2025 1:38 PM



Hazen Project Number: 44250-093
Plot date: 8/6/2025 4:50 PM By: JBielecki
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen		Sensitivity Analysis Report Town of Jupiter
Print Date:	8/6/2025 4:50 PM	Sensitivity Score Maps Scenario 9 — Appendix H
Printed By:	J. Bielecki	
Review By:	E. Stanley	

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JBielecki Save date = 8/6/2025 1:38 PM



Hazen Project Number: 44250-093
Plot date: 8/6/2025 4:52 PM By: JBielecki
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen		Sensitivity Analysis Report Town of Jupiter
Print Date:	8/6/2025 4:52 PM	Sensitivity Score Maps Scenario 10
Printed By:	J. Bielecki	Appendix H
Review By:	E. Stanley	

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JBielecki Save date = 8/6/2025 1:38 PM



Hazen Project Number: 44250-093
Plot date: 8/6/2025 5:00 PM By: JBielecki
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	8/6/2025 5:00 PM
Printed By:	J. Bielecki
Review By:	E. Stanley

Sensitivity Analysis Report
Town of Jupiter

Sensitivity Score Maps
Scenario 11

Appendix H

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JBielecki Save date = 8/6/2025 1:38 PM



Hazen Project Number: 44250-093
Plot date: 8/6/2025 5:03 PM By: JBielecki
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	8/6/2025 5:03 PM
Printed By:	J. Bielecki
Review By:	E. Stanley

Sensitivity Analysis Report
Town of Jupiter

Sensitivity Score Maps
Scenario 12

Appendix H

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JBielecki Save date = 8/6/2025 1:38 PM



Hazen Project Number: 44250-093
Plot date: 8/6/2025 5:18 PM By: JBielecki
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen		Sensitivity Analysis Report Town of Jupiter
Print Date:	8/6/2025 5:18 PM	Sensitivity Score Maps Scenario 13 — Appendix H
Printed By:	J. Bielecki	
Review By:	E. Stanley	

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JBielecki Save date = 8/6/2025 5:03 PM



Hazen Project Number: 44250-093
Plot date: 8/6/2025 5:21 PM By: JBielecki
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen		**Sensitivity Analysis Report** **Town of Jupiter**
Print Date:	8/6/2025 5:21 PM	**Sensitivity Score Maps** **Scenario 14**
Printed By:	J. Bielecki	**Appendix H**
Review By:	E. Stanley	

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JBielecki Save date = 8/6/2025 5:03 PM



Hazen Project Number: 44250-093
Plot date: 8/6/2025 5:24 PM By: JBielecki
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	8/6/2025 5:24 PM
Printed By:	J. Bielecki
Review By:	E. Stanley

Sensitivity Analysis Report
Town of Jupiter

Sensitivity Score Maps
Scenario 15

Appendix H

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JBielecki Save date = 8/6/2025 5:03 PM



Hazen Project Number: 44250-093
Plot date: 8/6/2025 5:27 PM By: JBielecki
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen		**Sensitivity Analysis Report** **Town of Jupiter**
Print Date:	8/6/2025 5:27 PM	**Sensitivity Score Maps** **Scenario 16**
Printed By:	J. Bielecki	**Appendix H**
Review By:	E. Stanley	

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JBielecki Save date = 8/6/2025 5:03 PM



Hazen Project Number: 44250-093
Plot date: 8/6/2025 5:29 PM By: JBielecki
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen		Sensitivity Analysis Report Town of Jupiter
Print Date:	8/6/2025 5:29 PM	Sensitivity Score Maps Scenario 17
Printed By:	J. Bielecki	Appendix H
Review By:	E. Stanley	

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JBielecki Save date = 8/6/2025 5:03 PM



Hazen Project Number: 44250-093
Plot date: 8/6/2025 5:32 PM By: JBielecki
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen		Sensitivity Analysis Report Town of Jupiter
Print Date:	8/6/2025 5:32 PM	Sensitivity Score Maps Scenario 18
Printed By:	J. Bielecki	Appendix H
Review By:	E. Stanley	

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JBielecki Save date = 8/6/2025 5:03 PM



Hazen Project Number: 44250-093
Plot date: 8/6/2025 5:35 PM By: JBielecki
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen		Sensitivity Analysis Report Town of Jupiter
Print Date:	8/6/2025 5:35 PM	Sensitivity Score Maps Scenario 19
Printed By:	J. Bielecki	Appendix H
Review By:	E. Stanley	

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JBielecki Save date = 8/6/2025 5:03 PM



Hazen Project Number: 44250-093
Plot date: 8/6/2025 5:37 PM By: JBielecki
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen		Sensitivity Analysis Report Town of Jupiter
Print Date:	8/6/2025 5:37 PM	Sensitivity Score Maps Scenario 20 — Appendix H
Printed By:	J. Bielecki	
Review By:	E. Stanley	

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JBielecki Save date = 8/6/2025 5:03 PM



Hazen Project Number: 44250-093
Plot date: 8/6/2025 5:40 PM By: JBielecki
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	8/6/2025 5:40 PM
Printed By:	J. Bielecki
Review By:	E. Stanley

Sensitivity Analysis Report
Town of Jupiter

Sensitivity Score Maps
Scenario 21

Appendix H

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JBielecki Save date = 8/6/2025 5:03 PM



Hazen Project Number: 44250-093
Plot date: 8/6/2025 5:44 PM By: JBielecki
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen		Sensitivity Analysis Report Town of Jupiter
Print Date:	8/6/2025 5:44 PM	Sensitivity Score Maps Scenario 22
Printed By:	J. Bielecki	Appendix H
Review By:	E. Stanley	

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JBielecki Save date = 8/6/2025 5:03 PM



Hazen Project Number: 44250-093
Plot date: 8/7/2025 5:53 AM By: JBielecki
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen		Sensitivity Analysis Report Town of Jupiter
Print Date:	8/7/2025 5:53 AM	Sensitivity Score Maps Scenario 23 — Appendix H
Printed By:	J. Bielecki	
Review By:	E. Stanley	

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JBielecki Save date = 8/6/2025 5:03 PM



Hazen Project Number: 44250-093
Plot date: 8/7/2025 5:56 AM By: JBielecki
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	8/7/2025 5:56 AM
Printed By:	J. Bielecki
Review By:	E. Stanley

Sensitivity Analysis Report
Town of Jupiter

Sensitivity Score Maps
Scenario 24

Appendix H

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JBielecki Save date = 8/6/2025 5:03 PM



Hazen Project Number: 44250-093
Plot date: 8/7/2025 5:59 AM By: JBielecki
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	8/7/2025 5:59 AM
Printed By:	J. Bielecki
Review By:	E. Stanley

Sensitivity Analysis Report
Town of Jupiter

Sensitivity Score Maps
Scenario 25

Appendix H

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JBielecki Save date = 8/6/2025 5:03 PM



Hazen Project Number: 44250-093
Plot date: 8/7/2025 6:01 AM By: JBielecki
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	8/7/2025 6:01 AM
Printed By:	J. Bielecki
Review By:	E. Stanley

Sensitivity Analysis Report
Town of Jupiter

Sensitivity Score Maps
Scenario 26

Appendix H

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JBielecki Save date = 8/6/2025 5:03 PM



Hazen Project Number: 44250-093
Plot date: 8/7/2025 6:04 AM By: JBielecki
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	8/7/2025 6:04 AM
Printed By:	J. Bielecki
Review By:	E. Stanley

Sensitivity Analysis Report
Town of Jupiter

Sensitivity Score Maps
Scenario 27

Appendix H

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JBielecki Save date = 8/6/2025 5:03 PM



Hazen Project Number: 44250-093
Plot date: 8/7/2025 6:07 AM By: JBielecki
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	8/7/2025 6:07 AM
Printed By:	J. Bielecki
Review By:	E. Stanley

Sensitivity Analysis Report
Town of Jupiter

Sensitivity Score Maps
Scenario 28

Appendix H

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JBielecki Save date = 8/6/2025 5:03 PM



Hazen Project Number: 44250-093
Plot date: 8/7/2025 6:09 AM By: JBielecki
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen		Sensitivity Analysis Report Town of Jupiter
Print Date:	8/7/2025 6:09 AM	Sensitivity Score Maps Scenario 29 — Appendix H
Printed By:	J. Bielecki	
Review By:	E. Stanley	

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JBielecki Save date = 8/6/2025 5:03 PM



Hazen Project Number: 44250-093
Plot date: 8/7/2025 6:12 AM By: JBielecki
Serivce Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	8/7/2025 6:12 AM
Printed By:	J. Bielecki
Review By:	E. Stanley

Sensitivity Analysis Report
Town of Jupiter

Sensitivity Score Maps
Scenario 30

Appendix H

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JBielecki Save date = 8/6/2025 5:03 PM



Hazen Project Number: 44250-093
Plot date: 9/4/2025 9:34 PM By: JBielecki
Service Layer Credits: Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Hazen

Print Date:	9/4/2025 9:34 PM
Printed By:	J. Bielecki
Review By:	E. Stanley

Sensitivity Analysis Report
Town of Jupiter

Sensitivity Score Maps
Scenario 31

Appendix H

File = O:\GIS\Projects\44250-000\44250-093\ArcGISPro\TOJ_VA.aprx Saved by JBielecki Save date = 9/4/2025 9:00 PM

Appendix I: Criticality Factors

Appendix I
Criticality Factor Values
Facilities

AssetType	Critical Services Factor (40%)	Occupancy Factor (30%)	Structural Damage Factor (30%)	Total
Drinking Water Facility (Water Treatment Plant)	5	5	5	5
Drinking Water Facility	5	3	5	4.4
Wastewater Treatment Facility and Lift Station (WWTP)	5	5	5	5
Wastewater Treatment Facility and Lift Station (Lift Station)	5	3	5	4.4
Electric Production and Supply Facility	5	3	5	4.4
Disaster Debris Management Site	4	1	1	2.2
Emergency Operation Center	5	5	5	5
Fire Station	5	5	5	5
Health Care Facility	4	5	5	4.6
Hospital	5	5	5	5
Local Government Facility	4	3	5	4
Risk Shelter Inventory	5	5	5	5
Park	1	1	1	1
Community Center	3	3	5	3.6
Marina	3	1	5	3
Stormwater Treatment Facility and Pump Station (Building)	5	1	5	3.8
Stormwater Treatment Facility and Pump Station (Parcel)	5	1	1	2.6
Stormwater Treatment Facility and Pump Station (Pond)	3	1	1	1.8
Stormwater Treatment Facility and Pump Station (Salinity Barrier)	5	1	3	3.2
Water Utility Conveyance System	5	1	5	3.8
Solid and Hazardous Waste Facility	4	3	5	4
School	3	1	5	3
University	3	1	5	3
Law Enforcement Facility	5	5	5	5
Local Government Facility	4	3	5	4
Affordable Housing	3	5	5	4.2
Conservation Land	1	1	1	1
Historical and Cultural Asset (Building)	1	1	5	2.2
Historical and Cultural Asset (Structure or Parcel)	1	1	1	1

Appendix I
Criticality Factor Values
Bridges, Rail, and Roadways

Roadway Classification (50%)		
Name	**Roadway Types**	**Value**
Principal Arterial	Principal Arterial	5
	City Principal Arterial	5
	County Principal Arterial	5
	State Principal Arterial	5
Minor Arterial	Minor Arterial	4
	City Minor Arterial	4
	County Minor Arterial	4
	State Minor Arterial	4
Major Collector	Major Collector	3
	City Major Collector	3
	County/City Major Collector	3
	County Major Collector	3
	State Major Collector	3
Rail Facilities	-	3
Minor Collector	Minor Collector	2
	City Minor Collector	2
	County/City Minor Collector	2
	County Minor Collector	2
Local	County Local	1
	County/City Local	1
	Local	1

Roadway Importance (50%)	
Name	**Value**
Regional Importance	5
Community Importance	3
Local Importance	1

Appendix I
Criticality Factor Values
Interconnects, Lift Stations, and Wells

Point Asset Criticality Factors		
Asset Type	**Name**	**Value**
Drinking Water Facilities	Reverse Osmosis Well	5
Drinking Water Facilities	Surficial Well, < 2 miles of WTP	5
Drinking Water Facilities	Surficial Well, > 2 miles of WTP	3
Wastewater Treatment Facilities and Lift Stations	Master Lift Station	5
Wastewater Treatment Facilities and Lift Stations	Standard Lift Station	1
Water Utility Conveyance System	Interconnects	5

Appendix J: Risk Score Results

Appendix J
Risk Scores - Buildings

Rank	Asset Unique ID	Asset Name	Asset Type	Asset Owner Or Operator	Overall Sensitivity Score	Criticality Factor	Risk Score
1	ID638	Jupiter Methodist Church	Historical and Cultural Asset	Town of Jupiter	4.1	2.2	9.0
2	ID269	Seminole Stormwater Pump Station	Stormwater Treatment Facility and Pump Station	Town of Jupiter	2.2	3.8	8.4
3	ID556	Old Town Hall	Historical and Cultural Asset	Town of Jupiter	3.7	2.2	8.2
4	ID560	The Alice Kitching Benton House	Historical and Cultural Asset	Private	3.4	2.2	7.5
5	ID563	WWII Naval Housing Building	Historical and Cultural Asset	Town of Jupiter	1.9	2.2	4.2
6	ID559	Sims House	Historical and Cultural Asset	Private	1.7	2.2	3.7
7	ID549	Florida East Coast Railway Jupiter Train Depot	Historical and Cultural Asset	Town of Jupiter	0.9	2.2	2.0
8	ID413	Main Town Hall	Local Government Facility	Town of Jupiter	0.4	4.0	1.4
9	ID557	People's Congregation Church	Historical and Cultural Asset	Private	0.6	2.2	1.4
10	ID637	Aicher House	Historical and Cultural Asset	Town of Jupiter	0.6	2.2	1.3
11	ID390	Police Department	Emergency Operation Center	Town of Jupiter	0.2	5.0	1.2
12	ID405	Jupiter Medical Center Pavilion Incorporated	Health Care Facility	Private	0.2	4.6	1.0
13	ID276	Wellhouse 12 and Generator 2	Drinking Water Facility	Town of Jupiter	0.2	4.4	1.0
14	ID561	The Brooker House	Historical and Cultural Asset	Private	0.3	2.2	0.7
15	ID402	Home Suite Home 3	Health Care Facility	Private	0.1	4.6	0.7
16	ID397	Addington Place Jupiter	Health Care Facility	Private	0.1	4.6	0.3
17	ID395	Future Fire Station 1	Fire Station	Town of Jupiter	0.0	5.0	0.1
18	ID406	Jupiter Rehabilitation and Healthcare Center	Health Care Facility	Private	0.0	4.6	0.1
19	ID270	7th Street Stormwater Pump Station	Stormwater Treatment Facility and Pump Station	Town of Jupiter	0.0	3.8	0.1
20	ID392	Fire Rescue Station 16	Fire Station	Palm Beach County	0.0	5.0	0.0
21	ID562	The Councilor's House	Historical and Cultural Asset	Private	0.0	2.2	0.0
22	ID399	Coastal Dialysis Center	Health Care Facility	Private	0.0	4.6	0.0
22	ID400	Courtyard Gardens Jupiter	Health Care Facility	Private	0.0	4.6	0.0
22	ID398	Atria Park of St. Joseph's	Health Care Facility	Private	0.0	4.6	0.0
22	ID277	Wellhouse 15 and Generator 3 for Wellfield #4	Drinking Water Facility	Town of Jupiter	0.0	4.4	0.0
22	ID555	Mt Carmel Baptist Church	Historical and Cultural Asset	Private	0.0	2.2	0.0
22	ID548	Dubois Pioneer Home	Historical and Cultural Asset	Palm Beach County	0.0	2.2	0.0
22	ID553	Jupiter Lighthouse	Historical and Cultural Asset	Bureau of Land Management	0.0	2.2	0.0
22	ID394	Fire Rescue Station 19	Fire Station	Palm Beach County	0.0	5.0	0.0
22	ID554	Life Saving Station	Historical and Cultural Asset	Palm Beach County	0.0	2.2	0.0
22	ID273	Abacoa Electrical Building and Generator #10	Drinking Water Facility	Town of Jupiter	0.0	4.4	0.0
22	ID274	Future Island Way Electrical Building and Generator	Drinking Water Facility	Town of Jupiter	0.0	4.4	0.0
22	ID388	Jupiter Community Center	Community Center	Town of Jupiter	0.0	3.6	0.0
22	ID389	West Jupiter Recreation Center	Community Center	Palm Beach County	0.0	3.6	0.0
22	ID393	Fire Rescue Station 18	Fire Station	Palm Beach County	0.0	5.0	0.0
22	ID396	Future Fire Station 2	Fire Station	Town of Jupiter	0.0	5.0	0.0
22	ID401	Davita Jupiter Dialysis	Health Care Facility	Private	0.0	4.6	0.0
22	ID403	Home Suite Home 4	Health Care Facility	Private	0.0	4.6	0.0
22	ID404	Jupiter Kidney Center LLC	Health Care Facility	Private	0.0	4.6	0.0
22	ID407	Jupiter Urgent Care Incorporated	Health Care Facility	Private	0.0	4.6	0.0
22	ID408	Luxe at Jupiter Rehabilitation Center (The)	Health Care Facility	Private	0.0	4.6	0.0
22	ID409	Luxe Senior Living At Jupiter	Health Care Facility	Private	0.0	4.6	0.0
22	ID410	Mangrove Bay	Health Care Facility	Private	0.0	4.6	0.0
22	ID550	Jupiter Civic Center	Historical and Cultural Asset	Town of Jupiter	0.0	2.2	0.0

Rank	Asset Unique ID	Asset Name	Asset Type	Asset Owner Or Operator	Overall Sensitivity Scores	Criticality Factor	Risk Score
1	ID271	Salinity Barrier Structure	Stormwater Treatment Facility and Pump Station (Salinity Barrier)	Town of Jupiter	5.0	3.2	16.0
2	ID351	Riverbend Repump Station	Water Utility Conveyance System	Town of Jupiter	3.2	3.8	12.0
3	ID368	Growing Minds Prep Academy	School	Private	3.9	3.0	11.7
4	ID569	Old Jupiter Beach Road Pond	Stormwater Treatment Facility and Pump Station (Pond)	Town of Jupiter	4.9	1.8	8.8
5	ID572	Clemons Pond	Stormwater Treatment Facility and Pump Station (Pond)	Town of Jupiter	4.9	1.8	8.8
6	ID412	Florida Fish and Wildlife Conservation Commission Law Enforcement Division	Law Enforcement Facility	State of Florida	1.7	5.0	8.6
7	ID568	Eganfuskee Pond	Stormwater Treatment Facility and Pump Station (Pond)	Town of Jupiter	4.5	1.8	8.1
8	ID367	Florida Virtual School 4 Kids	School	Private	2.7	3.0	8.0
9	ID573	Love Street Pond	Stormwater Treatment Facility and Pump Station (Pond)	Town of Jupiter	4.1	1.8	7.4
10	ID570	Cinquez Pond	Stormwater Treatment Facility and Pump Station (Pond)	Town of Jupiter	4.0	1.8	7.2
11	ID571	Jupiter River Estates North Pond	Stormwater Treatment Facility and Pump Station (Pond)	Town of Jupiter	4.0	1.8	7.1
12	ID575	Seminole Pond	Stormwater Treatment Facility and Pump Station (Pond)	Town of Jupiter	3.9	1.8	7.1
13	ID268	North Old Dixie Highway Stormwater Pump Station	Stormwater Treatment Facility and Pump Station (Parcel)	Town of Jupiter	2.7	2.6	6.9
14	ID391	Public Works	Emergency Operation Center	Town of Jupiter	1.3	5.0	6.3
15	ID574	Greenwood Pond	Stormwater Treatment Facility and Pump Station (Pond)	Town of Jupiter	3.3	1.8	5.9
16	ID382	Tiny Turtles Preschool	School	Private	1.8	3.0	5.4
17	ID414	Barcelona Jupiter	Affordable Housing	Private	1.2	4.2	5.2
18	ID471	Lox River Islands	Conservation Land	Town of Jupiter	5.0	1.0	5.0
18	ID497	State of Florida - TIITF	Conservation Land	State of Florida	5.0	1.0	5.0
18	ID578	Todd Street Mangrove Preserve	Conservation Land	Town of Jupiter	5.0	1.0	5.0
21	ID411	Jupiter Medical Center	Hospital	Private	1.0	5.0	5.0
22	ID463	Jupiter Yacht Club - Privately Owned Land	Conservation Land	Private	5.0	1.0	5.0
23	ID436	Alma's Place Conservation Area	Conservation Land	Town of Jupiter	4.9	1.0	4.9
24	ID275	Water Treatment Plant	Drinking Water Facility (Water Treatment Plant)	Town of Jupiter	1.0	5.0	4.9
25	ID468	Jupiter Yacht Club - Town-Owned Land	Conservation Land	Town of Jupiter	4.8	1.0	4.8
26	ID361	ABC Montessori Academy	School	Private	1.6	3.0	4.8
27	ID523	Karen Golonka Island	Park	Palm Beach County	4.8	1.0	4.8
28	ID450	C-18 Triangle Natural Area	Conservation Land	Town of Jupiter	4.7	1.0	4.7
29	ID479	Parcel 19 PUD	Conservation Land	Private	4.6	1.0	4.6
30	ID457	Jones Creek Preserve	Conservation Land	Town of Jupiter	4.6	1.0	4.6
31	ID535	Loxahatchee Battlefield	Park	Palm Beach County	4.6	1.0	4.6
32	ID540	Old Town Hall Park	Historical and Cultural Asset (Structure or Parcel)	Town of Jupiter	4.6	1.0	4.6
33	ID542	Riverbend Park	Park	Palm Beach County	4.3	1.0	4.3
34	ID416	Seagrape Apartments	Affordable Housing	Private	1.0	4.2	4.3
35	ID455	Jones Creek Hammock	Conservation Land	Town of Jupiter	3.9	1.0	3.9
36	ID375	Jupiter Middle School of Technology	School	School District of Palm Beach County	1.3	3.0	3.9
37	ID064	Wastewater Treatment Plant	Wastewater Treatment Facility and Lift Station (WWTP)	Loxahatchee River District	0.8	5.0	3.8
38	ID349	Central Boulevard High Service Pump Station	Water Utility Conveyance System	Town of Jupiter	1.0	3.8	3.7
39	ID360	North County Transfer Station	Solid and Hazardous Waste Facility	Solid Waste Authority of Palm Beach County	0.9	4.0	3.7
40	ID480	Parcel 19 W. Station Preserve	Conservation Land	Town of Jupiter	3.6	1.0	3.6
41	ID546	Waterway Park	Park	Palm Beach County	3.5	1.0	3.5
42	ID385	John D. MacArthur Campus	University	Florida Atlantic University	1.1	3.0	3.3
43	ID357	FPL Substation 1	Electric Production and Supply Facility	Florida Power and Light	0.7	4.4	3.3
44	ID576	7th Street Pond	Stormwater Treatment Facility and Pump Station (Pond)	Town of Jupiter	1.8	1.8	3.2
45	ID438	Botanica	Conservation Land	HOA	3.2	1.0	3.2
46	ID516	Carlin Park	Park	Palm Beach County	3.2	1.0	3.2
47	ID529	Jupiter River Estates Park	Park	Town of Jupiter	3.1	1.0	3.1
48	ID475	Jones Creek Headwaters	Conservation Land	Town of Jupiter	3.1	1.0	3.1
49	ID372	Jupiter Elementary School	School	School District of Palm Beach County	1.0	3.0	3.0
50	ID420	Wood Duck Apartments	Affordable Housing	Private	0.7	4.2	3.0
51	ID484	Paseos	Conservation Land	HOA	3.0	1.0	3.0
52	ID474	Maplecrest	Conservation Land	HOA	3.0	1.0	3.0
53	ID531	Karen Marcus Ocean Preserve	Park	Palm Beach County	3.0	1.0	3.0
54	ID545	Sylvia Park	Park	Town of Jupiter	2.9	1.0	2.9
55	ID377	Lighthouse Elementary School	School	School District of Palm Beach County	1.0	3.0	2.9
56	ID527	Jupiter Beach Park	Park	Palm Beach County	2.9	1.0	2.9
57	ID490	SFWMD - C18	Conservation Land	South Florida Water Management District	2.9	1.0	2.9
58	ID491	Shores of Jupiter	Conservation Land	Palm Beach County	2.8	1.0	2.8
59	ID543	Sawfish Bay Park	Park	Town of Jupiter	2.8	1.0	2.8
60	ID577	Delaware Scrub	Conservation Land	Town of Jupiter	2.7	1.0	2.7

Rank	Asset Unique ID	Asset Name	Asset Type	Asset Owner Or Operator	Overall Sensitivity Scores	Criticality Factor	Risk Score
61	ID380	Temple Beth Am Preschool	School	Private	0.9	3.0	2.7
62	ID417	Stephenson Manor	Affordable Housing	Private	0.6	4.2	2.7
63	ID060	Admiral's Cove Marina	Marina	Private	0.9	3.0	2.6
64	ID485	Jupiter River Estates North	Conservation Land	Town of Jupiter	2.6	1.0	2.6
65	ID519	Dubois Park	Park	Palm Beach County	2.5	1.0	2.5
66	ID433	Abacoa - Northwest	Conservation Land	County, Town of Jupiter	2.4	1.0	2.4
67	ID366	First Class Preschool	School	Private	0.8	3.0	2.3
68	ID369	Jerry Thomas Elementary School	School	School District of Palm Beach County	0.8	3.0	2.3
69	ID515	Burt Reynolds Park	Park	Palm Beach County	2.2	1.0	2.2
70	ID452	Georgian Park	Conservation Land	HOA	2.2	1.0	2.2
71	ID521	FIND Park	Park	F I N D LESSOR	2.2	1.0	2.2
72	ID518	Daily Park	Park	Town of Jupiter	2.0	1.0	2.0
73	ID387	Scripps Institute	University	University of Florida	0.7	3.0	2.0
74	ID421	Independence Middle School	Risk Shelter Inventory	School District of Palm Beach County	0.4	5.0	1.8
75	ID374	Jupiter High School	School	School District of Palm Beach County	0.6	3.0	1.7
76	ID496	Sims Creek Preserve	Conservation Land	Town of Jupiter	1.6	1.0	1.6
77	ID358	FPL Substation 2	Electric Production and Supply Facility	Florida Power and Light	0.4	4.4	1.6
78	ID423	Abacoa - Central	Conservation Land	Private	1.5	1.0	1.5
79	ID524	Indian Creek Park	Park	Town of Jupiter	1.5	1.0	1.5
80	ID461	Jupiter Ridge Natural Area	Conservation Land	Palm Beach County	1.4	1.0	1.4
81	ID498	Tierra Del Sol	Conservation Land	PBC	1.4	1.0	1.4
82	ID061	Jupiter Inlet Marina	Marina	Town of Jupiter	0.5	3.0	1.4
83	ID512	Carlin Park - Town-Owned	Conservation Land	Town of Jupiter	1.3	1.0	1.3
84	ID458	Jupiter High School Ditch	Conservation Land	Town of Jupiter	1.2	1.0	1.2
85	ID517	Cinquez Dog Park	Park	Town of Jupiter	1.2	1.0	1.2
86	ID525	Johnston Park	Park	FEC RY	1.2	1.0	1.2
87	ID538	North Palm Beach Heights Park	Park	Town of Jupiter	1.1	1.0	1.1
88	ID476	North Jupiter Flatwoods	Conservation Land	Town of Jupiter	1.1	1.0	1.1
89	ID422	Abacoa - Southeast	Conservation Land	Palm Beach County	1.0	1.0	1.0
90	ID386	Max Planck Florida Institute for Neuroscience	University	Max Planck Society	0.3	3.0	1.0
91	ID419	Third Housing 401	Affordable Housing	Private	0.2	4.2	0.9
92	ID528	Jupiter Community Park	Park	Town of Jupiter	0.9	1.0	0.9
93	ID537	North County Aquatic Complex	Park	Palm Beach County	0.8	1.0	0.8
94	ID379	Lutheran Services Florida Inc Head Start	School	Private	0.3	3.0	0.8
95	ID513	Washington Preserve	Conservation Land	Town of Jupiter	0.7	1.0	0.7
96	ID533	Lighthouse Park	Park	Town of Jupiter	0.7	1.0	0.7
97	ID522	Frazier Park	Park	Town of Jupiter	0.7	1.0	0.7
98	ID418	The Centre at Abacoa	Affordable Housing	Private	0.2	4.2	0.6
99	ID547	West Jupiter Community Center	Park	Palm Beach County	0.4	1.0	0.4
100	ID544	South Jupiter Community Park	Park	Town of Jupiter	0.4	1.0	0.4
101	ID558	Riverbend and Loxahatchee River Battlefield Parks	Historical and Cultural Asset (Structure or Parcel)	Palm Beach County, South Florida Water Mangement District, Private	0.4	1.0	0.4
102	ID363	Beacon Cove Intermediate School	School	School District of Palm Beach County	0.1	3.0	0.3
103	ID499	Town of Jupiter - Coastline	Conservation Land	Palm Beach County	0.3	1.0	0.3
104	ID415	Jupiter Homes Corp	Affordable Housing	Private	0.1	4.2	0.3
105	ID520	Eastview Manor Park	Park	Town of Jupiter	0.3	1.0	0.3
106	ID508	Double Roads - North	Conservation Land	Town of Jupiter	0.2	1.0	0.2
107	ID370	Jupiter Christian School	School	Private	0.1	3.0	0.2
108	ID383	Turtle River Montessori - East Campus	School	Private	0.1	3.0	0.2
109	ID536	Maplewood Park	Park	Town of Jupiter	0.1	1.0	0.1
110	ID473	Mangrove Bay	Conservation Land	Private	0.1	1.0	0.1
111	ID539	Ocean Cay Park	Park	Palm Beach County	0.1	1.0	0.1
112	ID384	Turtle River Montessori - West Campus	School	Private	0.0	3.0	0.1
113	ID460	Georgian Park Preserve	Conservation Land	Palm Beach County	0.1	1.0	0.1
114	ID530	Jupiter Village Park	Park	Town of Jupiter	0.1	1.0	0.1
115	ID534	Limestone Creek Park	Park	Palm Beach County	0.1	1.0	0.1
116	ID371	Jupiter Christian School - East Campus	School	Private	0.0	3.0	0.1
117	ID532	Kennedy Estates	Park	Palm Beach County	0.1	1.0	0.1
118	ID373	Jupiter First Church Preschool	School	Private	0.0	3.0	0.0
119	ID376	Kidz Exploration Center	School	Private	0.0	3.0	0.0
120	ID541	Pine Gardens Park	Park	Palm Beach County	0.0	1.0	0.0

Rank	Asset Unique ID	Asset Name	Asset Type	Asset Owner Or Operator	Overall Sensitivity Scores	Criticality Factor	Risk Score
121	ID459	Jupiter Lighthouse Natural Area	Conservation Land	Federal	0.0	1.0	0.0
122	ID267	Egret's Landing Recharge System Pump Station	Stormwater Treatment Facility and Pump Station (Parcel)	Town of Jupiter	0.0	2.6	0.0
123	ID378	Limestone Creek Elementary School	School	School District of Palm Beach County	0.0	3.0	0.0
124	ID362	All Saints Catholic School	School	Private	0.0	3.0	0.0
125	ID272	St Peters Recharge System Pump Station	Stormwater Treatment Facility and Pump Station (Parcel)	Town of Jupiter	0.0	2.6	0.0
125	ID350	Juno Repump Station	Water Utility Conveyance System	Town of Jupiter	0.0	3.8	0.0
125	ID359	FPL Substation 3	Electric Production and Supply Facility	Florida Power and Light	0.0	4.4	0.0
125	ID364	Bluff's School	School	Private	0.0	3.0	0.0
125	ID365	Children's Enrichment Center - First United Methodist Church	School	Private	0.0	3.0	0.0
125	ID381	Thelma B Pittman Jupiter Preschool	School	Private	0.0	3.0	0.0
125	ID454	Hamptons	Conservation Land	HOA	0.0	1.0	0.0
125	ID500	Double Roads - South	Conservation Land	TIITF COUNTIES	0.0	1.0	0.0
125	ID526	Juno Beach Park	Park	Palm Beach County	0.0	1.0	0.0

Rank	Asset Unique ID	Entity Name	Asset Name	Asset Type	Asset Class	Asset Owner Or Operator	Asset Elevation (ft-NAVD)	Asset Size (miles)	Roadway Class	Roadway To	Roadway From	Overall Sensitivity Scores	Criticality Factors	Risk Score
1	ID041B	Town of Jupiter	Center Street	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	6.33	2.52	Major Collector	Alternate A1A	North Pennock Lane	4.1	4.0	16.6
2	ID053A	Town of Jupiter	Maplewood Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	7.51	1.72	Major Collector	Toney Penna Drive	Indiantown Road	4.9	3.0	14.8
3	ID056	Town of Jupiter	N A1A	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	4.78	0.43	Major Collector	Indiantown Road	Jupiter Beach Road	2.6	4.0	10.2
4	ID593B	Town of Jupiter	Commerce Way	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	6.02	0.74	Local	Commerce Lane	Commerce Lane	4.6	2.0	9.1
5	ID040A	Town of Jupiter	Alternate A1A	Major Roadway	Transportation Assets and Evacuation Routes	State of Florida	8.98	4.98	Principal Arterial	Indiantown Road	US 1	1.8	5.0	9.1
6	ID592	Town of Jupiter	Commerce Lane	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	6.48	0.52	Local	N/A	Jupiter Christian School	3.7	2.0	7.4
7	ID566B	Town of Jupiter	N Old Dixie Highway	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	7.16	2.54	Local	Indiantown Road	Land's End Way	3.6	2.0	7.2
8	ID607A	Town of Jupiter	South Pennock Lane	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	7.65	1.73	Minor Collector	Toney Penna Drive	Indiantown Road	2.6	2.5	6.6
9	ID050	Town of Jupiter	Indiantown Road	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	8.27	0.52	Minor Arterial	A1A	US 1	1.4	4.5	6.5
10	ID595B	Town of Jupiter	Riverside Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	5.97	1.11	Minor Collector	Seabrook Road	Northern Town Boundary	2.6	2.5	6.4
11	ID053B	Town of Jupiter	Maplewood Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	7.51	1.72	Minor Collector	Indian Creek Parkway	Toney Penna Drive	2.5	2.5	6.2
12	ID604	Town of Jupiter	Ocean Way	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	6.95	0.76	Minor Collector	US 1	S A1A	2.4	2.5	6.1
13	ID593A	Town of Jupiter	Commerce Way	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	6.02	0.74	Local	Commerce Lane	Indiantown Road	3.0	2.0	5.9
14	ID058B	Town of Jupiter	Toney Penna Dr	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	8.12	2.72	Major Collector	Alternate A1A	Pinetree Trail	1.9	3.0	5.6
15	ID564	Town of Jupiter	River Road	Major Roadway	Transportation Assets and Evacuation Routes	Private	1.99	0.06	Local	Town Hall Avenue	N/A	5.0	1.0	5.0
15	ID565	Town of Jupiter	Town Hall Avenue	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	2.21	0.32	Local	Center Street	Florida Avenue	5.0	1.0	5.0
17	ID582B	Town of Jupiter	North Loxahatchee Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	5.16	0.69	Local	Indiantown Road	Center Street	2.5	2.0	4.9
18	ID048C	Town of Jupiter	Indiantown Road	Major Roadway	Transportation Assets and Evacuation Routes	State of Florida	10.78	4.52	Principal Arterial	US 1	Military Trail	1.0	5.0	4.8
19	ID591	Town of Jupiter	Dolphin Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	3.49	0.23	Local	Center Street	Dolphin Park	4.8	1.0	4.8
20	ID627	Town of Jupiter	Helios Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	5.33	0.47	Local	N/A	Ocean's Way	4.7	1.0	4.7
21	ID580	Town of Jupiter	Eganfuskee Street	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	2.81	0.15	Local	Alternate A1A	Waldemar Road	4.6	1.0	4.6
22	ID582A	Town of Jupiter	North Loxahatchee Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	5.16	0.69	Local	Center Street	N/A	4.5	1.0	4.5
23	ID567	Town of Jupiter	Loxahatchee River Road	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	5.48	0.37	Minor Collector	Center Street	Northern Town Boundary	1.8	2.5	4.5
23	ID567	Town of Jupiter	Loxahatchee River Road	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	5.48	0.37	Minor Collector	Center Street	Northern Town Boundary	1.8	2.5	4.5
25	ID588A	Town of Jupiter	Cheyenne Street	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	4.57	0.18	Local	Todd Street	N Pennock Lane	4.5	1.0	4.5
26	ID633	Town of Jupiter	Indian Creek Drive E	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	11.32	0.67	Local	Central Boulevard	Central Boulevard	4.4	1.0	4.4
27	ID622	Town of Jupiter	Chippewa Street	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	5.15	0.22	Local	Sims Creek Drive	Caloosahatchee Avenue	4.3	1.0	4.3
28	ID595A	Town of Jupiter	Riverside Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	5.97	1.11	Minor Collector	Alternate A1A	Seabrook Road	1.7	2.5	4.3
29	ID584	Town of Jupiter	Venus Street	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	3.94	0.22	Local	Hepburn Avenue	N Old Dixie Highway	4.3	1.0	4.3
30	ID629B	Town of Jupiter	Orange Avenue	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	5.28	1.05	Local	Toney Penna Drive	Indiantown Road	4.2	1.0	4.2
31	ID581	Town of Jupiter	Elsa Road	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	3.43	0.15	Local	Paulina Road	N/A	4.1	1.0	4.1
32	ID579	Town of Jupiter	Old Jupiter Beach Road	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	3.48	0.60	Local	Alternate A1A	N/A	4.0	1.0	4.0
33	ID596	Town of Jupiter	Seabrook Road	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	4.66	0.29	Local	Riverside Drive	Northern Town Boundary	3.9	1.0	3.9
34	ID059A	Town of Jupiter	US 1	Major Roadway	Transportation Assets and Evacuation Routes	State of Florida	10.29	4.63	Principal Arterial	Indiantown Road	Northern Town Boundary	0.8	5.0	3.8
35	ID602	Town of Jupiter	Heights Boulevard	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	14.83	1.74	Minor Collector	Donald Ross Road	North of Frederick Small Road	1.5	2.5	3.7
36	ID597	Town of Jupiter	Lance Road	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	4.78	0.20	Local	Seabrook Road	Beverly Road	3.7	1.0	3.7
37	ID041A	Town of Jupiter	Center Street	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	6.33	2.52	Major Collector	North Pennock Lane	Indiantown Road	0.9	4.0	3.7
38	ID629A	Town of Jupiter	Orange Avenue	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	5.28	1.05	Local	Indiantown Road	Center Street	3.7	1.0	3.7
39	ID620A	Town of Jupiter	Caloosahatchee Avenue	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	5.47	0.59	Local	Seneca Street	Hawie Street	3.6	1.0	3.6
40	ID614	Town of Jupiter	Indian Creek Drive W	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	12.66	1.10	Local	Central Boulevard	Central Boulevard	3.5	1.0	3.5
41	ID619	Town of Jupiter	Mohawk Street	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	5.51	0.45	Local	Delaware Boulevard	Pawnee Street	3.4	1.0	3.4
42	ID588B	Town of Jupiter	Cheyenne Street	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	4.57	0.18	Local	N/A	Todd Street	3.4	1.0	3.4
43	ID628A	Town of Jupiter	Hepburn Avenue	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	6.14	1.05	Local	Indiantown Road	Center Street	3.3	1.0	3.3
44	ID630	Town of Jupiter	7th Street	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	6.04	0.35	Local	S Loxahatchee Drive	Old Dixie Highway	3.2	1.0	3.2
45	ID606B	Town of Jupiter	University Boulevard	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	11.88	1.16	Minor Collector	Parkside Drive	Military Trail	1.2	2.5	3.1
46	ID620B	Town of Jupiter	Caloosahatchee Avenue	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	5.47	0.59	Local	Mohawk Street	Indiantown Road	3.0	1.0	3.0
47	ID626	Town of Jupiter	Olympus Circle	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	6.90	0.20	Local	US 1	N/A	3.0	1.0	3.0
48	ID043	Town of Jupiter	Central Boulevard	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	8.43	0.99	Major Collector	Indiantown Road	Roebuck Road	0.7	4.0	3.0
49	ID058A	Town of Jupiter	Toney Penna Dr	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	8.12	2.72	Major Collector	Pinetree Trail	Central Boulevard	1.0	3.0	2.9
50	ID613	Town of Jupiter	Jupiter Village Road	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	10.84	0.78	Local	Central Boulevard	Toney Penna Drive	2.8	1.0	2.8
51	ID586	Town of Jupiter	Anglers Way	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	5.63	0.22	Local	Stillwater Drive	N Pennock Lane	2.6	1.0	2.6
52	ID589	Town of Jupiter	Reo Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	5.67	0.29	Local	Whitney Drive	Whitney Drive	2.5	1.0	2.5
53	ID566D	Town of Jupiter	N Old Dixie Highway	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	7.16	2.54	Local	Botanica	Toney Penna Drive	1.3	2.0	2.5
54	ID601	Town of Jupiter	Greenway Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	13.27	1.33	Minor Collector	Frederick Small Road	Indian Creek Parkway	1.0	2.5	2.5
55	ID587	Town of Jupiter	Whitney Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	5.67	0.94	Local	Indiantown Road	Center Street	2.5	1.0	2.5
56	ID621A	Town of Jupiter	Delaware Boulevard	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	6.13	0.89	Local	Indiantown Road	River Drive	2.5	1.0	2.5
57	ID616	Town of Jupiter	Egret Landing Circle	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	13.98	1.74	Local	Egret Landing Boulevard	Egret Landing Boulevard	2.4	1.0	2.4
58	ID621B	Town of Jupiter	Delaware Boulevard	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	6.13	0.89	Local	Jupiter Chistian School	Indiantown Road	2.3	1.0	2.3
59	ID048B	Town of Jupiter	Indiantown Road	Major Roadway	Transportation Assets and Evacuation Routes	State of Florida	10.78	4.52	Principal Arterial	Military Trail	Central Boulevard	0.5	5.0	2.3
60	ID600C	Town of Jupiter	Frederick Small Road	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	11.60	3.13	Minor Collector	Heights Boulevard	Central Boulevard	0.9	2.5	2.3
61	ID617	Town of Jupiter	Pinetree Trail	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	8.02	1.22	Local	Maplewood Drive	Toney Penna Drive	2.2	1.0	2.2
62	ID605	Town of Jupiter	Parkside Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	13.91	1.03	Minor Collector	Donald Ross Road	Greenway Drive	0.9	2.5	2.2
63	ID606A	Town of Jupiter	University Boulevard	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	11.88	1.16	Local	Military Trail	Quarry Knoll Way	1.0	2.0	2.1
64	ID062A	Town of Jupiter	FEC Railway	Rail Facility	Transportation Assets and Evacuation Routes	Florida East Coast	9.54	5.17	N/A	Center Street	Northern Town Boundary	0.5	4.0	2.0
65	ID618	Town of Jupiter	Mohican Boulevard	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	6.30	0.44	Local	Toney Penna Drive	Pawnee Street	1.9	1.0	1.9
66	ID611	Town of Jupiter	Carver Avenue	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	7.76	0.23	Local	Indiantown Road	N/A	1.6	1.0	1.6
67	ID046B	Town of Jupiter	Florida Turnpike	Major Roadway	Transportation Assets and Evacuation Routes	State of Florida	18.81	11.10	Principal Arterial	Southern Town Boundary	Canal C-18	0.3	5.0	1.6
68	ID042	Town of Jupiter	Central Boulevard	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	13.51	1.98	Major Collector	Indian Creek Parkway	Indiantown Road	0.4	4.0	1.6
69	ID590	Town of Jupiter	Bush Road	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	10.21	0.54	Local	Toney Penna Drive	Indiantown Road	0.8	2.0	1.6
70	ID631	Town of Jupiter	Love Street	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	5.69	0.15	Local	N A1A	N/A	1.5	1.0	1.5
71	ID598	Town of Jupiter	Washington Street	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	12.63	0.21	Local	Public Works	Church Street	0.7	2.0	1.4
72	ID632	Town of Jupiter	Clemons Street	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	5.90	0.15	Local	N A1A	N/A	1.4	1.0	1.4
73	ID566C	Town of Jupiter	N Old Dixie Highway	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	7.16	2.54	Local	Toney Penna Drive	Indiantown Road	0.6	2.0	1.3
74	ID055	Town of Jupiter	N A1A	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	8.22	0.74	Major Collector	Jupiter Beach Road	US 1	0.3	4.0	1.2
75	ID057	Town of Jupiter	S A1A	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	19.63	2.95	Major Collector	Southern Town Boundary	Indiantown Road	0.3	4.0	1.2

Rank	Asset Unique ID	Entity Name	Asset Name	Asset Type	Asset Class	Asset Owner Or Operator	Asset Elevation (ft-NAVD)	Asset Size (miles)	Roadway Class	Roadway To	Roadway From	Overall Sensitivity Scores	Criticality Factors	Risk Score
76	ID585	Town of Jupiter	North Pennock Lane	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	7.09	0.52	Minor Collector	Indiantown Road	Center Street	0.7	1.5	1.1
77	ID048A	Town of Jupiter	Indiantown Road	Major Roadway	Transportation Assets and Evacuation Routes	State of Florida	10.78	4.52	Principal Arterial	Central Boulevard	Florida Turnpike	0.2	5.0	1.1
78	ID603	Town of Jupiter	Jupiter Park Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	14.99	1.38	Minor Collector	Park Lane	Central Boulevard	0.7	1.5	1.0
79	ID583	Town of Jupiter	South Loxahatchee Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	7.96	0.54	Local	Toney Penna Drive	Indiantown Road	0.5	2.0	0.9
80	ID049	Town of Jupiter	Indiantown Road	Major Roadway	Transportation Assets and Evacuation Routes	State of Florida	21.38	1.57	Minor Arterial	Florida Turnpike	Western Town Boundary	0.2	4.5	0.9
81	ID046A	Town of Jupiter	Florida Turnpike	Major Roadway	Transportation Assets and Evacuation Routes	State of Florida	18.81	11.10	Principal Arterial	Canal C-18	Northern Town Boundary	0.2	5.0	0.9
82	ID054A	Town of Jupiter	Military Trail	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	10.47	3.52	Minor Arterial	Indian Creek Parkway	Indiantown Road	0.2	4.5	0.8
83	ID615	Town of Jupiter	Egret Landing Boulevard	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	14.86	0.23	Local	Egret Landing Circle	Indian Creek Parkway	0.8	1.0	0.8
84	ID612	Town of Jupiter	Thelma Avenue	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	7.21	0.44	Local	Center Street	180th Street	0.7	1.0	0.7
85	ID044	Town of Jupiter	Central Boulevard	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	12.76	3.79	Major Collector	Donald Ross Road	Indian Creek Parkway	0.2	4.0	0.7
86	ID628B	Town of Jupiter	Hepburn Avenue	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	6.14	1.05	Local	Toney Penna Drive	Indiantown Road	0.7	1.0	0.7
87	ID594	Town of Jupiter	Cypress Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	7.84	0.45	Local	Riverside Drive	Northern Town Boundary	0.3	2.0	0.7
88	ID599	Town of Jupiter	Church Street	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	12.28	1.49	Minor Collector	Island Way	Central Boulevard	0.3	2.5	0.7
89	ID609	Town of Jupiter	Winding Lake Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	8.04	1.55	Local	Big Cypress Drive	Longshore Drive	0.6	1.0	0.6
90	ID051A	Town of Jupiter	Interstate 95	Major Roadway	Transportation Assets and Evacuation Routes	State of Florida	21.50	11.33	Principal Arterial	Canal C-18	Northern Town Boundary	0.1	5.0	0.6
91	ID052	Town of Jupiter	Island Way	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	13.50	1.98	Major Collector	Indiantown Road	Northern Town Boundary	0.1	4.0	0.5
92	ID062B	Town of Jupiter	FEC Railway	Rail Facility	Transportation Assets and Evacuation Routes	Florida East Coast	9.54	5.17	N/A	Frederick Small Road	Center Street	0.1	4.0	0.5
93	ID059B	Town of Jupiter	US 1	Major Roadway	Transportation Assets and Evacuation Routes	State of Florida	10.29	4.63	Principal Arterial	Southern Town Boundary	Indiantown Road	0.1	5.0	0.4
94	ID608A	Town of Jupiter	Longshore Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	9.38	1.36	Local	Northfork Drive	Northern Town Boundary	0.4	1.0	0.4
95	ID607B	Town of Jupiter	South Pennock Lane	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	7.65	1.73	Local	Indian Creek Parkway	Toney Penna Drive	0.1	2.0	0.3
96	ID610	Town of Jupiter	Northfork Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	9.46	0.82	Local	Longshore Drive	Northern Town Boundary	0.3	1.0	0.3
97	ID051B	Town of Jupiter	Interstate 95	Major Roadway	Transportation Assets and Evacuation Routes	State of Florida	21.50	11.33	Principal Arterial	Southern Town Boundary	Canal C-18	0.0	5.0	0.2
98	ID608B	Town of Jupiter	Longshore Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	9.38	1.36	Local	Central Boulevard	Northfork Drive	0.2	1.0	0.2
99	ID045B	Town of Jupiter	Donald Ross Road	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	14.41	3.26	Minor Arterial	Eastern Town Boundary	Military Trail	0.0	4.5	0.2
100	ID623	Town of Jupiter	Bluff's Boulevard	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	16.72	1.17	Local	23rd Circuit	US 1	0.1	1.0	0.1
101	ID625	Town of Jupiter	River Park Drive	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	13.94	1.57	Local	Marcinski Road	River Edge Road	0.1	1.0	0.1
102	ID040B	Town of Jupiter	Alternate A1A	Major Roadway	Transportation Assets and Evacuation Routes	State of Florida	8.98	4.98	Principal Arterial	Frederick Small Road	Indiantown Road	0.0	5.0	0.1
103	ID047A	Town of Jupiter	Indian Creek Parkway	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	13.76	1.47	Major Collector	Central Boulevard	West of Maplewood Drive	0.0	3.0	0.1
104	ID600B	Town of Jupiter	Frederick Small Road	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	11.60	3.13	Minor Collector	Central Boulevard	Old Dixie Highway	0.0	2.5	0.1
105	ID624	Town of Jupiter	Ridge Road	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	29.34	1.06	Local	Ocean Bluffs Boulevard	Ocean Bluffs Boulevard	0.0	1.0	0.0
105	ID624	Town of Jupiter	Ridge Road	Major Roadway	Transportation Assets and Evacuation Routes	Town of Jupiter	29.34	1.06	Local	Ocean Bluffs Boulevard	Ocean Bluffs Boulevard	0.0	1.0	0.0
107	ID045A	Town of Jupiter	Donald Ross Road	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	14.41	3.26	Minor Arterial	Military Trail	Florida Turnpike	0.0	4.5	0.0
108	ID600A	Town of Jupiter	Frederick Small Road	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	11.60	3.13	Minor Collector	Old Dixie Highway	Palmwood Road	0.0	2.5	0.0
109	ID062C	Town of Jupiter	FEC Railway	Rail Facility	Transportation Assets and Evacuation Routes	Florida East Coast	9.54	5.17	N/A	Donald Ross Road	Frederick Small Road	0.0	4.0	0.0
110	ID047B	Town of Jupiter	Indian Creek Parkway	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	13.76	1.47	Major Collector	Military Trail	Central Boulevard	0.0	3.0	0.0
111	ID040C	Town of Jupiter	Alternate A1A	Major Roadway	Transportation Assets and Evacuation Routes	State of Florida	8.98	4.98	Principal Arterial	Donald Ross Road	Frederick Small Road	0.0	5.0	0.0
111	ID566A	Town of Jupiter	N Old Dixie Highway	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	7.16	2.54	Local	Alternate A1A	Northern Town Boundary	0.0	2.0	0.0
111	ID054B	Town of Jupiter	Military Trail	Major Roadway	Transportation Assets and Evacuation Routes	Palm Beach County	10.47	3.52	Minor Arterial	Donald Ross Road	Indian Creek Parkway	0.0	4.5	0.0

Appendix J
Risk Scores - Bridges

Rank	Asset Unique ID	Asset Name	Asset Type	Asset Owner Or Operator	Roadway Class	Overall Sensitivity Score	Criticality Factor	Risk Score
1	ID026	Riverbend Park Bridge	Bridge	Unknown	Local	5.0	1.0	5.0
2	ID005	Loxahatchee River Road Bridge over C-18 Canal	Bridge	County Highway Agency	Minor Collector	2.6	1.5	3.8
3	ID016	Center Street Bridge over Jones Creek	Bridge	County Highway Agency	Major Collector	0.9	2.0	1.6
4	ID002	Jupiter Beach Park Bridge	Bridge	Unknown	Local	1.1	1.0	1.1
5	ID001	Jupiter Beach Road Bridge	Bridge	County Highway Agency	Local	0.8	1.0	0.8
6	ID023	Florida Turnpike Bridge over Loxahatchee Creek	Bridge	State Highway Agency	Principal Arterial	0.0	5.0	0.0
6	ID003	Indiantown Road Bridge over C-18 Canal, WB	Bridge	State Highway Agency	Principal Arterial	0.0	5.0	0.0
6	ID004	Island Way Bridge over C-18 Canal	Bridge	County Highway Agency	Major Collector	0.0	2.0	0.0
6	ID006	I95 Bridge over C-18 Canal, SB	Bridge	State Highway Agency	Principal Arterial	0.0	5.0	0.0
6	ID007	I95 Bridge over C-18 Canal, NB	Bridge	State Highway Agency	Principal Arterial	0.0	5.0	0.0
6	ID008	Indiantown Road Bridge over C-18 Canal, EB	Bridge	State Highway Agency	Principal Arterial	0.0	5.0	0.0
6	ID009	I95 Bridge over Donald Ross Road, NB	Bridge	State Highway Agency	Principal Arterial	0.0	5.0	0.0
6	ID010	I95 Bridge over Donald Ross Road, SB	Bridge	State Highway Agency	Principal Arterial	0.0	5.0	0.0
6	ID011	Florida Turnpike Bridge, SB	Bridge	State Highway Agency	Principal Arterial	0.0	3.0	0.0
6	ID012	I95 Bridge over Indiantown Road, SB	Bridge	State Highway Agency	Principal Arterial	0.0	5.0	0.0
6	ID013	US1 Bridge over Loxahatchee River	Bridge	State Highway Agency	Principal Arterial	0.0	5.0	0.0
6	ID014	Indiantown Road Bridge over Lake Worth Creek, WB	Bridge	State Highway Agency	Principal Arterial	0.0	5.0	0.0
6	ID015	Indiantown Road Bridge over Lake Worth Creek, EB	Bridge	State Highway Agency	Principal Arterial	0.0	5.0	0.0
6	ID017	Indiantown Road Bridge over Jupiter Creek	Bridge	State Highway Agency	Principal Arterial	0.0	5.0	0.0
6	ID018	Southern US1 Bridge over Lake Worth Creek Canal, NB	Bridge	State Highway Agency	Principal Arterial	0.0	5.0	0.0
6	ID019	Southern US1 Bridge over Lake Worth Creek Canal, SB	Bridge	State Highway Agency	Principal Arterial	0.0	5.0	0.0
6	ID020	Northern US1 Bridge over Lake Worth Creek Canal, NB	Bridge	State Highway Agency	Principal Arterial	0.0	5.0	0.0
6	ID021	Northern US1 Bridge over Lake Worth Creek Canal, SB	Bridge	State Highway Agency	Principal Arterial	0.0	5.0	0.0
6	ID022	Indiantown Road Bridge over Loxahatchee Creek	Bridge	County Highway Agency	Minor Arterial	0.0	4.5	0.0
6	ID024	Alt A1A Bridge over Loxahatchee River	Bridge	State Highway Agency	Principal Arterial	0.0	5.0	0.0
6	ID025	I95 Bridge over Loxahatchee Creek	Bridge	State Highway Agency	Principal Arterial	0.0	5.0	0.0
6	ID027	WB Indiantown Road Bridge to SB I95 (Ramp)	Bridge	State Highway Agency	Principal Arterial	0.0	5.0	0.0
6	ID028	Center Street Bridge over Sims Creek	Bridge	County Highway Agency	Major Collector	0.0	2.0	0.0
6	ID029	Indiantown Road Bridge over Slough	Bridge	County Highway Agency	Minor Arterial	0.0	4.5	0.0
6	ID030	I95 Bridge over Indiantown Road, NB	Bridge	State Highway Agency	Principal Arterial	0.0	5.0	0.0
6	ID031	WB Indiantown Road Bridge to SB I95 (Ramp)	Bridge	State Highway Agency	Principal Arterial	0.0	5.0	0.0
6	ID032	Indiantown Road Bridge over Florida Turnpike, WB	Bridge	State Highway Agency	Principal Arterial	0.0	5.0	0.0
6	ID033	EB Indiantown Road Bridge to SB I95	Bridge	State Highway Agency	Principal Arterial	0.0	5.0	0.0
6	ID034	Western Indiantown Road Bridge to SB I95 (Ramp)	Bridge	State Highway Agency	Principal Arterial	0.0	5.0	0.0
6	ID035	Eastern Indiantown Road Bridge to SB I95 (Ramp)	Bridge	State Highway Agency	Principal Arterial	0.0	5.0	0.0
6	ID036	Donald Ross Road Bridge over Florida Turnpike, EB	Bridge	County Highway Agency	Minor Arterial	0.0	2.5	0.0
6	ID037	Donald Ross Road Bridge over Florida Turnpike, WB	Bridge	County Highway Agency	Minor Arterial	0.0	2.5	0.0
6	ID038	Indiantown Road Bridge to Florida Turnpike (Ramp)	Bridge	State Highway Agency	Principal Arterial	0.0	5.0	0.0
6	ID039	Central Boulevard Bridge over C-18 Canal	Bridge	County Highway Agency	Major Collector	0.0	2.0	0.0
6	ID063	Railroad Bridge over Loxahatchee River	Railroad Bridge	Florida East Coast	N/A	0.0	2.0	0.0

Appendix J
Risk Scores - Points

Rank	Asset Unique ID	Asset Name	Asset Type	Asset Owner Or Operator	Overall Sensitivity Scores	Criticality Factor	Risk Score
1	ID352	Seacoast 10" Interconnect	Water Utility Conveyance System	Town of Jupiter	2.1	5.0	10.7
2	ID356	Tequesta 8" Interconnect	Water Utility Conveyance System	Town of Jupiter	2.1	5.0	10.3
3	ID297	SA-11A	Drinking Water Facility	Town of Jupiter	1.2	5.0	6.2
4	ID321	SA-35	Drinking Water Facility	Town of Jupiter	1.2	5.0	6.2
5	ID295	SA-09A	Drinking Water Facility	Town of Jupiter	1.0	5.0	4.8
6	ID265	LS984	Wastewater Treatment Facility and Lift Station	Private	4.5	1.0	4.5
7	ID315	SA-29	Drinking Water Facility	Town of Jupiter	0.8	5.0	4.0
8	ID224	LS952	Wastewater Treatment Facility and Lift Station	Palm Beach County	3.7	1.0	3.7
9	ID104	LS026	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	3.7	1.0	3.7
10	ID065	LS095	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	3.6	1.0	3.6
11	ID306	SA-20	Drinking Water Facility	Town of Jupiter	0.7	5.0	3.5
12	ID266	LS985	Wastewater Treatment Facility and Lift Station	Private	3.1	1.0	3.1
13	ID141	LS190	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	3.1	1.0	3.1
14	ID105	LS027	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	3.0	1.0	3.0
15	ID551	Jupiter Inlet Historic and Archeological Site	Historical and Cultural Asset	Bureau of Land Management, Town of Jupiter	3.0	1.0	3.0
16	ID251	LS923	Wastewater Treatment Facility and Lift Station	Private	3.0	1.0	3.0
17	ID257	LS950	Wastewater Treatment Facility and Lift Station	Private	2.8	1.0	2.8
18	ID151	LS003	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	2.5	1.0	2.5
19	ID143	LS193	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	2.4	1.0	2.4
20	ID179	LS079	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	2.3	1.0	2.3
21	ID219	LS921	Wastewater Treatment Facility and Lift Station	Palm Beach County	2.1	1.0	2.1
22	ID071	LS086	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	2.1	1.0	2.1
23	ID159	LS011	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	2.1	1.0	2.1
24	ID250	LS922	Wastewater Treatment Facility and Lift Station	Private	2.0	1.0	2.0
25	ID121	LS102	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	2.0	1.0	2.0
26	ID316	SA-30	Drinking Water Facility	Town of Jupiter	0.4	5.0	1.9
27	ID645	Sawfish Bay Park Midden	Historical and Cultural Asset	Town of Jupiter	1.9	1.0	1.9
28	ID173	LS291	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.4	5.0	1.9
29	ID147	LS206	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	1.7	1.0	1.7
30	ID243	LS913	Wastewater Treatment Facility and Lift Station	Private	1.6	1.0	1.6
31	ID146	LS205	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	1.5	1.0	1.5
32	ID263	LS973	Wastewater Treatment Facility and Lift Station	Private	1.5	1.0	1.5
33	ID222	LS930	Wastewater Treatment Facility and Lift Station	Palm Beach County	1.5	1.0	1.5
34	ID123	LS126	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	1.3	1.0	1.3
35	ID150	LS002	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	1.3	1.0	1.3
36	ID225	LS953	Wastewater Treatment Facility and Lift Station	Palm Beach County	1.3	1.0	1.3
37	ID247	LS918	Wastewater Treatment Facility and Lift Station	Private	1.2	1.0	1.2
38	ID278	FA-02	Drinking Water Facility	Town of Jupiter	0.2	5.0	1.2
39	ID262	LS972	Wastewater Treatment Facility and Lift Station	Private	1.2	1.0	1.2
40	ID163	LS016	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	1.2	1.0	1.2
41	ID221	LS934	Wastewater Treatment Facility and Lift Station	Palm Beach County	1.2	1.0	1.2
42	ID343	SA-58	Drinking Water Facility	Town of Jupiter	0.2	5.0	1.2
43	ID228	LS981	Wastewater Treatment Facility and Lift Station	Palm Beach County	1.1	1.0	1.1
44	ID305	SA-19	Drinking Water Facility	Town of Jupiter	0.2	5.0	1.0
45	ID069	LS087	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	1.0	1.0	1.0
46	ID198	LS013	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.9	1.0	0.9
47	ID201	LS179	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.9	1.0	0.9

Rank	Asset Unique ID	Asset Name	Asset Type	Asset Owner Or Operator	Overall Sensitivity Scores	Criticality Factor	Risk Score
48	ID145	LS204	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.9	1.0	0.9
49	ID186	LS096	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.8	1.0	0.8
50	ID248	LS919	Wastewater Treatment Facility and Lift Station	Private	0.8	1.0	0.8
51	ID148	LS207	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.8	1.0	0.8
52	ID279	FA-03	Drinking Water Facility	Town of Jupiter	0.1	5.0	0.7
52	ID298	SA-12A	Drinking Water Facility	Town of Jupiter	0.1	5.0	0.7
52	ID300	SA-14	Drinking Water Facility	Town of Jupiter	0.1	5.0	0.7
55	ID183	LS091	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.7	1.0	0.7
56	ID223	LS951	Wastewater Treatment Facility and Lift Station	Palm Beach County	0.6	1.0	0.6
57	ID227	LS925	Wastewater Treatment Facility and Lift Station	Palm Beach County	0.6	1.0	0.6
58	ID177	LS093	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.5	1.0	0.5
59	ID102	LS024	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.5	1.0	0.5
59	ID156	LS008	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.5	1.0	0.5
61	ID160	LS012	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.5	1.0	0.5
62	ID260	LS962	Wastewater Treatment Facility and Lift Station	Private	0.5	1.0	0.5
63	ID312	SA-26	Drinking Water Facility	Town of Jupiter	0.1	3.0	0.4
63	ID333	SA-48	Drinking Water Facility	Town of Jupiter	0.1	3.0	0.4
63	ID337	SA-52	Drinking Water Facility	Town of Jupiter	0.1	3.0	0.4
66	ID109	LS031	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.4	1.0	0.4
67	ID097	LS019	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.4	1.0	0.4
68	ID239	LS905	Wastewater Treatment Facility and Lift Station	Private	0.4	1.0	0.4
69	ID155	LS007	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.4	1.0	0.4
70	ID120	LS101	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.4	1.0	0.4
71	ID193	LS033	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.4	1.0	0.4
72	ID088	LS222	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.4	1.0	0.4
72	ID174	LS292	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.4	1.0	0.4
74	ID117	LS063	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.4	1.0	0.4
75	ID161	LS014	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.3	1.0	0.3
76	ID142	LS191	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.3	1.0	0.3
76	ID153	LS005	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.3	1.0	0.3
78	ID100	LS022	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.3	1.0	0.3
79	ID181	LS084	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.3	1.0	0.3
80	ID115	LS039	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.3	1.0	0.3
81	ID157	LS009	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.3	1.0	0.3
81	ID220	LS932	Wastewater Treatment Facility and Lift Station	Palm Beach County	0.3	1.0	0.3
83	ID119	LS099	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.2	1.0	0.2
83	ID124	LS138	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.2	1.0	0.2
85	ID240	LS908	Wastewater Treatment Facility and Lift Station	Private	0.2	1.0	0.2
86	ID072	LS080	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.2	1.0	0.2
86	ID106	LS028	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.2	1.0	0.2
86	ID125	LS139	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.2	1.0	0.2
89	ID070	LS088	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.2	1.0	0.2
90	ID096	LS018	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.2	1.0	0.2
91	ID194	LS300	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.2	1.0	0.2
92	ID644	20 W Riverside Drive	Historical and Cultural Asset	Town of Jupiter	0.2	1.0	0.2
93	ID196	LS085	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.2	1.0	0.2
93	ID199	LS083	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.2	1.0	0.2

Rank	Asset Unique ID	Asset Name	Asset Type	Asset Owner Or Operator	Overall Sensitivity Scores	Criticality Factor	Risk Score
95	ID114	LS038	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.2	1.0	0.2
96	ID552	Jupiter Inlet Shipwrecks Historical Marker	Historical and Cultural Asset	Palm Beach County	0.2	1.0	0.2
97	ID082	LS241	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.1	1.0	0.1
97	ID098	LS020	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.1	1.0	0.1
99	ID178	LS199	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.1	1.0	0.1
100	ID209	LS234	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.1	1.0	0.1
101	ID107	LS029	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.1	1.0	0.1
102	ID158	LS010	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.1	1.0	0.1
103	ID237	LS902	Wastewater Treatment Facility and Lift Station	Private	0.1	1.0	0.1
104	ID130	LS301	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.1	1.0	0.1
105	ID182	LS090	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.1	1.0	0.1
106	ID134	LS160	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	5.0	0.1
107	ID129	LS154	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.1	1.0	0.1
107	ID244	LS914	Wastewater Treatment Facility and Lift Station	Private	0.1	1.0	0.1
109	ID296	SA-10A	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
109	ID307	SA-21	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
109	ID322	SA-36	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
109	ID327	SA-42	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
113	ID154	LS006	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
114	ID195	LS034	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
115	ID326	SA-41	Drinking Water Facility	Town of Jupiter	0.0	3.0	0.0
115	ID336	SA-51	Drinking Water Facility	Town of Jupiter	0.0	3.0	0.0
117	ID162	LS015	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
117	ID169	LS263	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
119	ID085	LS218	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
119	ID241	LS911	Wastewater Treatment Facility and Lift Station	Private	0.0	1.0	0.0
121	ID643	River Hammock	Historical and Cultural Asset	Town of Jupiter	0.0	1.0	0.0
121	ID108	LS030	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
121	ID112	LS036	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
121	ID255	LS940	Wastewater Treatment Facility and Lift Station	Private	0.0	1.0	0.0
125	ID080	LS213	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
125	ID081	LS240	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
125	ID083	LS220	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
125	ID084	LS221	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
125	ID087	LS224	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
125	ID190	LS209	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
125	ID192	LS211	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
125	ID205	LS230	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
125	ID242	LS912	Wastewater Treatment Facility and Lift Station	Private	0.0	1.0	0.0
134	ID066	LS104	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID067	LS105	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID068	LS106	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID073	LS089	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID074	LS124	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID075	LS122	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID076	LS121	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID077	LS114	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	5.0	0.0

Rank	Asset Unique ID	Asset Name	Asset Type	Asset Owner Or Operator	Overall Sensitivity Scores	Criticality Factor	Risk Score
134	ID078	LS260	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID079	LS212	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID086	LS248	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID089	LS249	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID090	LS242	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID091	LS157	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID092	LS246	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID093	LS252	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID094	LS255	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID095	LS250	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID099	LS021	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID101	LS023	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID103	LS025	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID110	LS032	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID111	LS035	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID113	LS037	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID116	LS056	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID118	LS098	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID122	LS113	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID126	LS151	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID127	LS152	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID128	LS153	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID131	LS155	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID132	LS158	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID133	LS159	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID135	LS161	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID136	LS162	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID137	LS163	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	5.0	0.0
134	ID138	LS169	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID139	LS171	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID140	LS172	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID144	LS203	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID149	LS001	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID152	LS004	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID164	LS017	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID165	LS244	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID166	LS251	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID167	LS254	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID168	LS261	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID170	LS264	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID171	LS265	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID172	LS266	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID175	LS293	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID176	LS294	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID180	LS082	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID184	LS092	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID185	LS094	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0

Rank	Asset Unique ID	Asset Name	Asset Type	Asset Owner Or Operator	Overall Sensitivity Scores	Criticality Factor	Risk Score
134	ID187	LS097	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID188	LS238	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID189	LS208	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID191	LS210	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID197	LSAM1	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID200	LS170	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID202	LS200	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	5.0	0.0
134	ID203	LS226	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID204	LS228	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID206	LS231	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID207	LS232	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID208	LS233	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID210	LS235	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID211	LS236	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID212	LS237	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID213	LS295	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID214	LS081	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID215	LSP01	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID216	LSP04	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID217	LSP03	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID218	LSP02	Wastewater Treatment Facility and Lift Station	Loxahatchee River District	0.0	1.0	0.0
134	ID226	LS960	Wastewater Treatment Facility and Lift Station	Palm Beach County	0.0	1.0	0.0
134	ID229	LS909	Wastewater Treatment Facility and Lift Station	Private	0.0	1.0	0.0
134	ID230	LS903	Wastewater Treatment Facility and Lift Station	Private	0.0	1.0	0.0
134	ID231	LS906	Wastewater Treatment Facility and Lift Station	Private	0.0	1.0	0.0
134	ID232	LS935	Wastewater Treatment Facility and Lift Station	Private	0.0	1.0	0.0
134	ID233	LS907	Wastewater Treatment Facility and Lift Station	Private	0.0	1.0	0.0
134	ID234	LS975	Wastewater Treatment Facility and Lift Station	Private	0.0	1.0	0.0
134	ID235	LS948	Wastewater Treatment Facility and Lift Station	Private	0.0	1.0	0.0
134	ID236	LS910	Wastewater Treatment Facility and Lift Station	Private	0.0	1.0	0.0
134	ID238	LS904	Wastewater Treatment Facility and Lift Station	Private	0.0	1.0	0.0
134	ID245	LS915	Wastewater Treatment Facility and Lift Station	Private	0.0	1.0	0.0
134	ID246	LS916	Wastewater Treatment Facility and Lift Station	Private	0.0	1.0	0.0
134	ID249	LS920	Wastewater Treatment Facility and Lift Station	Private	0.0	1.0	0.0
134	ID252	LS924	Wastewater Treatment Facility and Lift Station	Private	0.0	1.0	0.0
134	ID253	LS926	Wastewater Treatment Facility and Lift Station	Private	0.0	1.0	0.0
134	ID254	LS937	Wastewater Treatment Facility and Lift Station	Private	0.0	1.0	0.0
134	ID256	LS941	Wastewater Treatment Facility and Lift Station	Private	0.0	1.0	0.0
134	ID258	LS961	Wastewater Treatment Facility and Lift Station	Private	0.0	1.0	0.0
134	ID259	LS965	Wastewater Treatment Facility and Lift Station	Private	0.0	1.0	0.0
134	ID261	LS917	Wastewater Treatment Facility and Lift Station	Private	0.0	1.0	0.0
134	ID264	LS978	Wastewater Treatment Facility and Lift Station	Private	0.0	1.0	0.0
134	ID280	FA-04	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID281	FA-05	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID282	FA-06	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID283	FA-07	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID284	FA-08	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0

Rank	Asset Unique ID	Asset Name	Asset Type	Asset Owner Or Operator	Overall Sensitivity Scores	Criticality Factor	Risk Score
134	ID285	FA-09	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID286	FA-10	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID287	FA-11	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID288	FA-12	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID289	FA-13	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID290	FA-14	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID291	FA-14	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID292	FA-15	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID293	FA-16	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID294	SA-08A	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID299	SA-13	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID301	SA-15	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID302	SA-16	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID303	SA-17	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID304	SA-18	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID308	SA-22	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID309	SA-23	Drinking Water Facility	Town of Jupiter	0.0	3.0	0.0
134	ID310	SA-24	Drinking Water Facility	Town of Jupiter	0.0	3.0	0.0
134	ID311	SA-25	Drinking Water Facility	Town of Jupiter	0.0	3.0	0.0
134	ID313	SA-27	Drinking Water Facility	Town of Jupiter	0.0	3.0	0.0
134	ID314	SA-28	Drinking Water Facility	Town of Jupiter	0.0	3.0	0.0
134	ID317	SA-31	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID318	SA-32	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID319	SA-33	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID320	SA-34	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID323	SA-37	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID324	SA-39	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID325	SA-40	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID328	SA-43	Drinking Water Facility	Town of Jupiter	0.0	3.0	0.0
134	ID329	SA-44	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID330	SA-45	Drinking Water Facility	Town of Jupiter	0.0	3.0	0.0
134	ID331	SA-46	Drinking Water Facility	Town of Jupiter	0.0	3.0	0.0
134	ID332	SA-47	Drinking Water Facility	Town of Jupiter	0.0	3.0	0.0
134	ID334	SA-49	Drinking Water Facility	Town of Jupiter	0.0	3.0	0.0
134	ID335	SA-50	Drinking Water Facility	Town of Jupiter	0.0	3.0	0.0
134	ID338	SA-53	Drinking Water Facility	Town of Jupiter	0.0	3.0	0.0
134	ID339	SA-54	Drinking Water Facility	Town of Jupiter	0.0	3.0	0.0
134	ID340	SA-55	Drinking Water Facility	Town of Jupiter	0.0	3.0	0.0
134	ID341	SA-56	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID342	SA-57	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID344	SA-59	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID345	SA-60	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID346	SA-62	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID347	SA-67	Drinking Water Facility	Town of Jupiter	0.0	3.0	0.0
134	ID348	SA-68	Drinking Water Facility	Town of Jupiter	0.0	3.0	0.0
134	ID353	Seacoast 12" Interconnect	Water Utility Conveyance System	Town of Jupiter	0.0	5.0	0.0
134	ID354	Seacoast 8" Interconnect	Water Utility Conveyance System	Town of Jupiter	0.0	5.0	0.0

Rank	Asset Unique ID	Asset Name	Asset Type	Asset Owner Or Operator	Overall Sensitivity Scores	Criticality Factor	Risk Score
134	ID355	Tequesta 12" Interconnect	Water Utility Conveyance System	Town of Jupiter	0.0	5.0	0.0
134	ID634	FA-17	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID635	FA-18	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID636	FA-19	Drinking Water Facility	Town of Jupiter	0.0	5.0	0.0
134	ID639	Jupiter Lake Worth Railway (AKA Celestial Railway)	Historical and Cultural Asset	Town of Jupiter	0.0	1.0	0.0
134	ID640	Scheurich Midden	Historical and Cultural Asset	Town of Jupiter	0.0	1.0	0.0
134	ID641	Jupiter Lake Worth Railway Terminus	Historical and Cultural Asset	Town of Jupiter	0.0	1.0	0.0
134	ID642	Sperry Property	Historical and Cultural Asset	Town of Jupiter	0.0	1.0	0.0

Appendix K: Photo Release Form

Florida Department of Environmental Protection

EXHIBIT G

PHOTOGRAPHER RELEASE FORM
FOR PHOTOGRAPHS, VIDEOS, AUDIO RECORDINGS AND ARTWORKS

DEP AGREEMENT NO: 24PLN04

RELEASE FORM FOR PHOTOGRAPHS, VIDEOS, AUDIO RECORDINGS AND ARTWORKS

Owner/Submitter's Name: Hazen and Sawer / Eric Stanley

Address: 2101 NW Corporate Blvd., Suite 301

City: Boca Raton, FL **State:** FL **Zip:** 33431

Phone Number: (561) 997 - 8070 **Email:** estanley@hazenandsawyer.com

License and Indemnification

I certify that I am the owner of the photograph(s), video(s), audio recording(s) and/or artwork(s) being submitted and am eighteen (18) years of age or older.

I hereby grant to the Florida Department of Environmental Protection the royalty-free and non-exclusive right to distribute, publish and use the photograph(s), video(s), audio recording(s) and art work(s) submitted herewith (the "Work") to promote the Florida Department of Environmental Protection. Uses may include, but are not limited to:

1. Promotion of FDEP (including, but limited to publications, websites, social media venues, advertisements, etc.); and
2. Distribution to the media; and
3. Use in commercial products.

The Florida Department of Environmental Protection reserves the right to use/not use any Work as deemed appropriate by the Florida Department of Environmental Protection. No Work will be returned once submitted.

I hereby acknowledge that the Florida Department of Environmental Protection shall bear no responsibility whatsoever for protecting the Work against third-party infringement of my copyright interest or other intellectual property rights or other rights I may hold in such Work, and in no way shall be responsible for any losses I may suffer as a result of any such infringement; and I hereby represent and warrant that the Work does not infringe the rights of any other individual or entity.

I hereby unconditionally release, hold harmless and indemnify the Florida Department of Environmental Protection, its employees, volunteers, and representatives of and from all claims, liabilities and losses arising out of or in connection with the Florida Department of Environmental Protection's use of the Work. This release and indemnification shall be binding upon me, and my heirs, executors, administrators and assigns.

I have read and understand the terms of this release.

Owner signature: Eric Stanley **Date:** 11/10/2025

Photo/video/audio/artwork/recording file name(s): IMG_5343.jpg; IMG_5348.jpg ; Cypress Dr.jpeg; Commerce Way and Lane.jpg

Location of photo/video/audio recording/artwork: Report cover

Name of person accepting Work submission Maxwell Farfan – DEP Grant Manager